

# Martin Gärtte

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8311014/publications.pdf>

Version: 2024-02-01

212  
papers

11,891  
citations

31949

53  
h-index

29127

104  
g-index

240  
all docs

240  
docs citations

240  
times ranked

12845  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | EGFR is a pivotal player of the E2/ER $\beta$ mediated functional properties, aggressiveness, and stemness in triple-negative breast cancer cells. <i>FEBS Journal</i> , 2022, 289, 1552-1574.   | 2.2 | 13        |
| 2  | The cell cycle-related genes RHAMM, AURKA, TPX2, PLK1, and PLK4 are associated with the poor prognosis of breast cancer patients. <i>Journal of Cellular Biochemistry</i> , 2022, 123, 581-600.  | 1.2 | 19        |
| 3  | Differential Impact of Membrane-Bound and Soluble Forms of the Prognostic Marker Syndecan-1 on the Invasiveness, Migration, Apoptosis, and Proliferation of Cervical Cancer Cells. <i>Frontiers in Oncology</i> , 2022, 12, 803899.          | 1.3 | 5         |
| 4  | Resveratrol impairs cellular mechanisms associated with the pathogenesis of endometriosis. <i>Reproductive BioMedicine Online</i> , 2022, 44, 976-990.   | 1.1 | 10        |
| 5  | Impact of Musashi-1 and Musashi-2 Double Knockdown on Notch Signaling and the Pathogenesis of Endometriosis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2851.  | 1.8 | 14        |
| 6  | The natural antisense transcript HAS2-AS1 regulates breast cancer cells aggressiveness independently from hyaluronan metabolism. <i>Matrix Biology</i> , 2022, 109, 140-161.   | 1.5 | 14        |
| 7  | The heparan sulphate proteoglycan Syndecan-1 (<scp>CD138</scp>) regulates tumour progression in a 3D model of ductal carcinoma in situ of the breast. <i>IUBMB Life</i> , 2022, 74, 955-968.   | 1.5 | 5         |
| 8  | The Cell Surface Heparan Sulfate Proteoglycan Syndecan-3 Promotes Ovarian Cancer Pathogenesis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5793.  | 1.8 | 9         |
| 9  | Knockdown of the stem cell marker Musashi-1 inhibits endometrial cancer growth and sensitizes cells to radiation. <i>Stem Cell Research and Therapy</i> , 2022, 13, .  | 2.4 | 6         |
| 10 | The hyaluronan-related genes HAS2, HYAL1-4, PH20 and HYALP1 are associated with prognosis, cell viability and spheroid formation capacity in ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 3399-3419. | 1.2 | 4         |
| 11 | The heparan sulfate proteoglycan syndecan-1 regulates colon cancer stem cell function via a focal adhesion kinase-Wnt signaling axis. <i>FEBS Journal</i> , 2021, 288, 486-506.  | 2.2 | 27        |
| 12 | Cell-surface heparan sulfate proteoglycans as multifunctional integrators of signaling in cancer. <i>Cellular Signalling</i> , 2021, 77, 109822.   | 1.7 | 66        |
| 13 | Plants as source of new therapies for endometriosis: a review of preclinical and clinical studies. <i>Human Reproduction Update</i> , 2021, 27, 367-392.   | 5.2 | 71        |
| 14 | Prognostic significance of hedgehog signaling network-related gene expression in breast cancer patients. <i>Journal of Cellular Biochemistry</i> , 2021, 122, 577-597.   | 1.2 | 14        |
| 15 | Abstract PS19-07: Plasma exosomal miRNAs: A minimally invasive diagnostic biomarker for inflammatory breast carcinoma. , 2021, , .   |     | 0         |
| 16 | Collagen I triggers directional migration, invasion and matrix remodeling of stroma cells in a 3D spheroid model of endometriosis. <i>Scientific Reports</i> , 2021, 11, 4115.   | 1.6 | 33        |
| 17 | The ellagic acid metabolites urolithin A and B differentially affect growth, adhesion, motility, and invasion of endometriotic cells <i>in vitro</i>. <i>Human Reproduction</i> , 2021, 36, 1501-1519.                                       | 0.4 | 9         |
| 18 | Syndecan-4 as a Pathogenesis Factor and Therapeutic Target in Cancer. <i>Biomolecules</i> , 2021, 11, 503.   | 1.8 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prognostic impact of the glypican family of heparan sulfate proteoglycans on the survival of breast cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1937-1955.   | 1.2 | 8         |
| 20 | Small extracellular vesicle-encapsulated miR-181b-5p, miR-222-3p and let-7a-5p: Next generation plasma biopsy-based diagnostic biomarkers for inflammatory breast cancer. <i>PLoS ONE</i> , 2021, 16, e0250642.  | 1.1 | 26        |
| 21 | Syndecan-1 Depletion Has a Differential Impact on Hyaluronic Acid Metabolism and Tumor Cell Behavior in Luminal and Triple-Negative Breast Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5874.  | 1.8 | 10        |
| 22 | Syndecan-1 Promotes Angiogenesis in Triple-Negative Breast Cancer through the Prognostically Relevant Tissue Factor Pathway and Additional Angiogenic Routes. <i>Cancers</i> , 2021, 13, 2318.   | 1.7 | 17        |
| 23 | Die Expression von Hedgehog-Signalweg assoziierten Genen beeinflusst die Prognose von Brustkrebspatientinnen. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021, 18, .   | 0.0 | 0         |
| 24 | microRNA-140-3p modulates invasiveness, motility, and extracellular matrix adhesion of breast cancer cells by targeting syndecan-4. <i>Journal of Cellular Biochemistry</i> , 2021, 122, 1491-1505.  | 1.2 | 12        |
| 25 | Prognostische Bedeutung der Glypicane für das Überleben von Brustkrebs-Patientinnen. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2021, 18, .  | 0.0 | 0         |
| 26 | Role of the heparan sulfate proteoglycan Syndecan-1 in the radiation resistance of triple-negative breast cancer. , 2021, 18, .  |     | 0         |
| 27 | miRNAs in the Era of Personalized Medicine: From Biomarkers to Therapeutics. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8154.  | 1.8 | 4         |
| 28 | Heparanase Expression Is Associated With Cancer Stem Cell Features and Radioresistance in Hodgkin's Lymphoma Cells. <i>Anticancer Research</i> , 2021, 41, 3299-3308.  | 0.5 | 5         |
| 29 | Knockdown of the prognostic cancer stem cell marker Musashi-1 decreases radio-resistance while enhancing apoptosis in hormone receptor-positive breast cancer cells via p21/WAF1/CIP1. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 3299-3312. | 1.2 | 17        |
| 30 | The Role of microRNA Let-7d in Female Malignancies and Diseases of the Female Reproductive Tract. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7359.   | 1.8 | 12        |
| 31 | Syndecan-1 (CD138) as a Pathogenesis Factor and Therapeutic Target in Breast Cancer. <i>Current Medicinal Chemistry</i> , 2021, 28, 5066-5083.   | 1.2 | 5         |
| 32 | In vitro modelling of the physiological and diseased female reproductive system. <i>Acta Biomaterialia</i> , 2021, 132, 288-312.   | 4.1 | 12        |
| 33 | Extracellular matrix-based cancer targeting. <i>Trends in Molecular Medicine</i> , 2021, 27, 1000-1013.  | 3.5 | 66        |
| 34 | Role of Syndecan-1 in Cancer Stem Cells. <i>Biology of Extracellular Matrix</i> , 2021, , 279-308.   | 0.3 | 1         |
| 35 | Dual Knockdown of Musashi RNA-Binding Proteins MSI-1 and MSI-2 Attenuates Putative Cancer Stem Cell Characteristics and Therapy Resistance in Ovarian Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11502.                              | 1.8 | 14        |
| 36 | Transmembrane Protein TMEM230, a Target of Glioblastoma Therapy. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 703431.   | 1.8 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Role of cell surface proteoglycans in cancer immunotherapy. <i>Seminars in Cancer Biology</i> , 2020, 62, 48-67.   | 4.3 | 59        |
| 38 | Infrared Microspectroscopy and Imaging Analysis of Inflammatory and Non-Inflammatory Breast Cancer Cells and Their GAG Secretome. <i>Molecules</i> , 2020, 25, 4300.   | 1.7 | 9         |
| 39 | HS2ST1-dependent signaling pathways determine breast cancer cell viability, matrix interactions, and invasive behavior. <i>Cancer Science</i> , 2020, 111, 2907-2922.  | 1.7 | 19        |
| 40 | Role of syndecan-1 in the interaction between dendritic cells and T cells. <i>PLoS ONE</i> , 2020, 15, e0230835.   | 1.1 | 6         |
| 41 | Inflammatory Breast Carcinoma: Elevated microRNA miR-181b-5p and Reduced miR-200b-3p, miR-200c-3p, and miR-203a-3p Expression as Potential Biomarkers with Diagnostic Value. <i>Biomolecules</i> , 2020, 10, 1059.                       | 1.8 | 20        |
| 42 | The Heparan Sulfate Sulfotransferases HS2ST1 and HS3ST2 Are Novel Regulators of Breast Cancer Stem-Cell Properties. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 559554.  | 1.8 | 20        |
| 43 | miR-142-3p Reduces the Size, Migration, and Contractility of Endometrial and Endometriotic Stromal Cells by Targeting Integrin- and Rho GTPase-Related Pathways That Regulate Cytoskeletal Function. <i>Biomedicines</i> , 2020, 8, 291. | 1.4 | 8         |
| 44 | Syndecan-1 modulates the invasive potential of endometrioma via TGF- $\beta$ 2 signalling in a subgroup of women with endometriosis. <i>Human Reproduction</i> , 2020, 35, 2280-2293.  | 0.4 | 16        |
| 45 | The heparan sulfate proteoglycan Syndecan-1 influences local bone cell communication via the RANKL/OPG axis. <i>Scientific Reports</i> , 2020, 10, 20510.  | 1.6 | 9         |
| 46 | Syndecan-1-Dependent Regulation of Heparanase Affects Invasiveness, Stem Cell Properties, and Therapeutic Resistance of Caco2 Colon Cancer Cells. <i>Frontiers in Oncology</i> , 2020, 10, 774.  | 1.3 | 16        |
| 47 | IL-8 and MCP-1/CCL2 regulate proteolytic activity in triple negative inflammatory breast cancer a mechanism that might be modulated by Src and Erk1/2. <i>Toxicology and Applied Pharmacology</i> , 2020, 401, 115092.                   | 1.3 | 14        |
| 48 | Knockdown of Musashi RNA Binding Proteins Decreases Radioresistance but Enhances Cell Motility and Invasion in Triple-Negative Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2169.                       | 1.8 | 26        |
| 49 | Serglycin activates pro-tumorigenic signaling and controls glioblastoma cell stemness, differentiation and invasive potential. <i>Matrix Biology Plus</i> , 2020, 6-7, 100033.   | 1.9 | 10        |
| 50 | Induction of heparanase via IL-10 correlates with a high infiltration of CD163+ M2-type tumor-associated macrophages in inflammatory breast carcinomas. <i>Matrix Biology Plus</i> , 2020, 6-7, 100030.                                  | 1.9 | 9         |
| 51 | miR-200b restrains EMT and aggressiveness and regulates matrix composition depending on ER status and signaling in mammary cancer. <i>Matrix Biology Plus</i> , 2020, 6-7, 100024.   | 1.9 | 21        |
| 52 | Integrating Microstructured Electrospun Scaffolds in an Open Microfluidic System for in Vitro Studies of Human Patient-Derived Primary Cells. <i>ACS Biomaterials Science and Engineering</i> , 2020, 6, 3649-3663.                      | 2.6 | 8         |
| 53 | Involvement of Syndecan-1 and Heparanase in Cancer and Inflammation. <i>Advances in Experimental Medicine and Biology</i> , 2020, 1221, 97-135.  | 0.8 | 30        |
| 54 | SETD3 acts as a prognostic marker in breast cancer patients and modulates the viability and invasion of breast cancer cells. <i>Scientific Reports</i> , 2020, 10, 2262.   | 1.6 | 26        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Functional analysis of the histidine N-methyltransferase SETD3 in endometriosis. , 2020, 80, .  |     | 0         |
| 56 | Role of syndecan-1 in the interaction between dendritic cells and T cells. , 2020, 15, e0230835.  |     | 0         |
| 57 | Role of syndecan-1 in the interaction between dendritic cells and T cells. , 2020, 15, e0230835.  |     | 0         |
| 58 | Role of syndecan-1 in the interaction between dendritic cells and T cells. , 2020, 15, e0230835.  |     | 0         |
| 59 | Role of syndecan-1 in the interaction between dendritic cells and T cells. , 2020, 15, e0230835.  |     | 0         |
| 60 | Secretase inhibition affects viability, apoptosis, and the stem cell phenotype of endometriotic cells. Acta Obstetrica Et Gynecologica Scandinavica, 2019, 98, 1565-1574.   | 1.3 | 15        |
| 61 | Regulation of Proliferation and Invasion in Endometriosis. ISGE Series, 2019, , 167-175.  | 0.2 | 1         |
| 62 | The Pathogenesis of Endometriosis: Molecular and Cell Biology Insights. International Journal of Molecular Sciences, 2019, 20, 5615.  | 1.8 | 270       |
| 63 | Establishment of a 3D co-culture model to investigate the role of primary fibroblasts in the development of an invasive phenotype of DCIS lesions. Maturitas, 2019, 128, 95.  | 1.0 | 0         |
| 64 | Proteoglycans and glycosaminoglycans as regulators of cancer stem cell function and therapeutic resistance. FEBS Journal, 2019, 286, 2870-2882.   | 2.2 | 88        |
| 65 | The immunomodulatory role of tumor Syndecan-1 (CD138) on ex vivo tumor microenvironmental CD4+ T cell polarization in inflammatory and non-inflammatory breast cancer patients. PLoS ONE, 2019, 14, e0217550.   | 1.1 | 20        |
| 66 | Label-Free Quantitative In Vitro Live Cell Imaging with Digital Holographic Microscopy. Bioanalytical Reviews, 2019, , 219.   | 0.1 | 11        |
| 67 | Physiological and anatomical aspects of the reproduction of mice with reduced Syndecan-1 expression. Reproductive Biology and Endocrinology, 2019, 17, 28.  | 1.4 | 8         |
| 68 | SYNDECAN-1 Inhibition reverses the pre-malignant phenotype of endometrioma through TGF-BETA signalling: potential implications in endometriosis associated ovarian cancer. , 2019, , .  |     | 0         |
| 69 | Differential impact of classical and non-canonical NF- $\kappa$ B pathway-related gene expression on the survival of breast cancer patients. Journal of Cancer, 2019, 10, 5191-5211.  | 1.2 | 11        |
| 70 | Arrangement of myofibroblastic and smooth muscle-like cells in superficial peritoneal endometriosis and a possible role of transforming growth factor beta 1 (TGF $\beta$ 1) in myofibroblastic metaplasia. Archives of Gynecology and Obstetrics, 2019, 299, 489-499.  | 0.8 | 10        |
| 71 | Seminal plasma (SP) induces a rapid transforming growth factor beta 1 (TGF $\beta$ 1)-independent up-regulation of epithelial-mesenchymal transdifferentiation (EMT) and myofibroblastic metaplasia-markers in endometriotic (EM) and endometrial cells. Archives of Gynecology and Obstetrics, 2019, 299, 173-183. | 0.8 | 10        |
| 72 | Nanocapsule induced morphology and migration changes in single cell layers quantified with digital holographic microscopy. , 2019, , .  |     | 0         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Einfluss von Fibroblasten auf das DCIS im 3D Zellkulturmodell. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2019, 16, .  | 0.0  | 0         |
| 74 | Syndecan-1 (CD138) reguliert die Strahlenresistenz des tripel-negativen Mammakarzinoms in Abhängigkeit von CDK6 und FAK. <i>Senologie - Zeitschrift für Mammadiagnostik Und -therapie</i> , 2019, 16, .  | 0.0  | 0         |
| 75 | The Regulatory Role of Syndecan-1 on Human MiR-222-3p Expression in Breast Cancer Cell Lines. <i>Egyptian Journal of Histology</i> , 2019, 42, 534-539.  | 0.0  | 0         |
| 76 | Extracellular matrix functions in lung cancer. <i>Matrix Biology</i> , 2018, 73, 105-121.  | 1.5  | 42        |
| 77 | The endometrial stem cell markers notch-1 and numb are associated with endometriosis. <i>Reproductive BioMedicine Online</i> , 2018, 36, 294-301.  | 1.1  | 21        |
| 78 | Stem Cell Trafficking During Endometriosis: May Epigenetics Play a Pivotal Role?. <i>Reproductive Sciences</i> , 2018, 25, 978-979.  | 1.1  | 72        |
| 79 | Zebrafish Tmem230a cooperates with the Delta/Notch signaling pathway to modulate endothelial cell number in angiogenic vessels. <i>Journal of Cellular Physiology</i> , 2018, 233, 1455-1467.  | 2.0  | 10        |
| 80 | Insights into the key roles of epigenetics in matrix macromolecules-associated wound healing. <i>Advanced Drug Delivery Reviews</i> , 2018, 129, 16-36.  | 6.6  | 47        |
| 81 | Characterization of inflammatory breast cancer: a vibrational microspectroscopy and imaging approach at the cellular and tissue level. <i>Analyst, The</i> , 2018, 143, 6103-6112.   | 1.7  | 18        |
| 82 | Differentially-Expressed miRNAs in Ectopic Stromal Cells Contribute to Endometriosis Development: The Plausible Role of miR-139-5p and miR-375. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3789.   | 1.8  | 34        |
| 83 | Proteoglycan Chemical Diversity Drives Multifunctional Cell Regulation and Therapeutics. <i>Chemical Reviews</i> , 2018, 118, 9152-9232.   | 23.0 | 253       |
| 84 | Fertility Preservation for Patients with Malignant Disease. Guideline of the DGGG, DGU and DGRM (S2k-Level, AWMF Registry No. 015/082, November 2017) – Recommendations and Statements for Girls and Women. <i>Geburtshilfe Und Frauenheilkunde</i> , 2018, 78, 567-584. | 0.8  | 56        |
| 85 | miR-142-3p attenuates breast cancer stem cell characteristics and decreases radioresistance in vitro. <i>Tumor Biology</i> , 2018, 40, 101042831879188.  | 0.8  | 85        |
| 86 | Syndecan-1 regulates dendritic cell migration in cutaneous hypersensitivity to haptens. <i>Experimental Dermatology</i> , 2017, 26, 1060-1067.   | 1.4  | 14        |
| 87 | Expression of PRL-3 regulates proliferation and invasion of breast cancer cells in vitro. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 1153-1160.   | 0.8  | 8         |
| 88 | Estrogen receptor beta as epigenetic mediator of miR-10b and miR-145 in mammary cancer. <i>Matrix Biology</i> , 2017, 64, 94-111.  | 1.5  | 43        |
| 89 | Challenges in endometriosis miRNA studies – From tissue heterogeneity to disease specific miRNAs. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017, 1863, 2282-2292.   | 1.8  | 52        |
| 90 | Syndecan-1 is a novel molecular marker for triple negative inflammatory breast cancer and modulates the cancer stem cell phenotype via the IL-6/STAT3, Notch and EGFR signaling pathways. <i>Molecular Cancer</i> , 2017, 16, 57.  | 7.9  | 188       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | MDA-MB-231 breast cancer cell viability, motility and matrix adhesion are regulated by a complex interplay of heparan sulfate, chondroitin <sup>6</sup> /dermatan sulfate and hyaluronan biosynthesis. <i>Glycoconjugate Journal</i> , 2017, 34, 411-420. | 1.4 | 24        |
| 92  | Roles and targeting of the HAS/hyaluronan/CD44 molecular system in cancer. <i>Matrix Biology</i> , 2017, 59, 3-22.  | 1.5 | 156       |
| 93  | RNA <sup>6</sup> Generated and Gene <sup>6</sup> Edited Induced Pluripotent Stem Cells for Disease Modeling and Therapy. <i>Journal of Cellular Physiology</i> , 2017, 232, 1262-1269.  | 2.0 | 11        |
| 94  | Syndecan-1 deficiency promotes tumor growth in a murine model of colitis-induced colon carcinoma. <i>PLoS ONE</i> , 2017, 12, e0174343.   | 1.1 | 28        |
| 95  | Nanoencapsulated capsaicin changes migration behavior and morphology of madin darby canine kidney cell monolayers. <i>PLoS ONE</i> , 2017, 12, e0187497.  | 1.1 | 15        |
| 96  | Shed proteoglycans in tumor stroma. <i>Cell and Tissue Research</i> , 2016, 365, 643-655.   | 1.5 | 70        |
| 97  | Syndecan-4 expression is upregulated in endometriosis and contributes to an invasive phenotype. <i>Fertility and Sterility</i> , 2016, 106, 378-385.  | 0.5 | 13        |
| 98  | microRNA miR-200b affects proliferation, invasiveness and stemness of endometriotic cells by targeting ZEB1, ZEB2 and KLF4. <i>Reproductive BioMedicine Online</i> , 2016, 32, 434-445.   | 1.1 | 76        |
| 99  | Prospects and challenges of quantitative phase imaging in tumor cell biology. , 2016, , .   |     | 2         |
| 100 | Multi-Modal Quantitative Imaging of Genetically Modified Tumor Cells Utilizing Digital Holographic Microscopy. , 2016, , .  |     | 0         |
| 101 | Physicochemical and biological characterization of chitosan-microRNA nanocomplexes for gene delivery to MCF-7 breast cancer cells. <i>Scientific Reports</i> , 2015, 5, 13567.  | 1.6 | 93        |
| 102 | Heparan Sulphate as a Regulator of Leukocyte Recruitment in Inflammation. <i>Current Protein and Peptide Science</i> , 2015, 16, 77-86.   | 0.7 | 56        |
| 103 | Impact of Extracellular Matrix on Cellular Behavior: A Source of Molecular Targets in Disease. <i>BioMed Research International</i> , 2015, 2015, 1-2.  | 0.9 | 5         |
| 104 | Mollusks of the Upper Jurassic (upper Oxfordian-lower Kimmeridgian) shallow marine Minas Viejas Formation, northeastern Mexico. <i>Journal of South American Earth Sciences</i> , 2015, 62, 92-108.   | 0.6 | 6         |
| 105 | Characteristics and Therapeutic Potential of Menstrual Blood-Derived Stem Cells. , 2015, , 55-70.   |     | 0         |
| 106 | miR-142-3p is a novel regulator of cell viability and proinflammatory signalling in endometrial stroma cells. <i>Reproductive BioMedicine Online</i> , 2015, 30, 553-556.   | 1.1 | 22        |
| 107 | Correlation between dioxin and endometriosis: an epigenetic route to unravel the pathogenesis of the disease. <i>Archives of Gynecology and Obstetrics</i> , 2015, 292, 973-986.  | 0.8 | 65        |
| 108 | The impact of testosterone, tibolone and black cohosh on purified mammary and placental 17 $\beta$ -hydroxysteroid dehydrogenase type 1. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2015, 30, 448-457.                                 | 2.5 | 3         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | The anti-androgen drug dutasteride renders triple negative breast cancer cells more sensitive to chemotherapy via inhibition of HIF-1 $\alpha$ -/VEGF-signaling. <i>Gynecological Endocrinology</i> , 2015, 31, 160-164.                                | 0.7 | 22        |
| 110 | microRNA miR-142-3p Inhibits Breast Cancer Cell Invasiveness by Synchronous Targeting of WASL, Integrin Alpha V, and Additional Cytoskeletal Elements. <i>PLoS ONE</i> , 2015, 10, e0143993.  | 1.1 | 89        |
| 111 | World Endometriosis Research Foundation Endometriosis Phenome and biobanking harmonization project: II. Clinical and covariate phenotype data collection in endometriosis research. <i>Fertility and Sterility</i> , 2014, 102, 1223-1232.              | 0.5 | 171       |
| 112 | World Endometriosis Research Foundation Endometriosis Phenome and Biobanking Harmonization Project: III. Fluid biospecimen collection, processing, and storage in endometriosis research. <i>Fertility and Sterility</i> , 2014, 102, 1233-1243.        | 0.5 | 147       |
| 113 | World Endometriosis Research Foundation Endometriosis Phenome and Biobanking Harmonisation Project: IV. Tissue collection, processing, and storage in endometriosis research. <i>Fertility and Sterility</i> , 2014, 102, 1244-1253.                    | 0.5 | 134       |
| 114 | Importance of Transvaginal Ultrasound Applying Elastography for Identifying Deep Infiltrating Endometriosis – A Feasibility Study. <i>Ultraschall in Der Medizin</i> , 2014, 35, 561-565.   | 0.8 | 14        |
| 115 | MicroRNA regulation of proteoglycan function in cancer. <i>FEBS Journal</i> , 2014, 281, 5009-5022.   | 2.2 | 53        |
| 116 | HS3ST2 modulates breast cancer cell invasiveness via MAP kinase and Tcf4 (Tcf7l2)-dependent regulation of protease and cadherin expression. <i>International Journal of Cancer</i> , 2014, 135, 2579-2592.  | 2.3 | 58        |
| 117 | World Endometriosis Research Foundation Endometriosis Phenome and Biobanking Harmonisation Project: I. Surgical phenotype data collection in endometriosis research. <i>Fertility and Sterility</i> , 2014, 102, 1213-1222.                             | 0.5 | 154       |
| 118 | Influence of secreted frizzled receptor protein 1 (SFRP1) on neoadjuvant chemotherapy in triple negative breast cancer does not rely on WNT signaling. <i>Molecular Cancer</i> , 2014, 13, 174.   | 7.9 | 45        |
| 119 | MicroRNA-dependent targeting of the extracellular matrix as a mechanism of regulating cell behavior. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 2609-2620.   | 1.1 | 33        |
| 120 | Contribution of miR-218-dependent EGFR-signaling to the radiation response of breast cancer cells. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, .   | 0.6 | 1         |
| 121 | siRNA-mediated inhibition of the stemness-related Musashi pathway affects LIF receptor expression and prometastatic motility of human MDA-MB-231 breast cancer cells. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, .        | 0.6 | 0         |
| 122 | microRNA miR-200b differentially affects proliferation, invasiveness and stemness of endometriotic cells by targeting the transcription factors KLF4, ZEB1 and ZEB2. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2014, 122, .         | 0.6 | 0         |
| 123 | Abstract LB-101: The antiandrogen drug dutasteride sensitizes triple negative breast cancer cells to chemotherapy via HIF-1 $\alpha$ / VEGF-signaling. , 2014, , .  |     | 0         |
| 124 | MicroRNA miR-145 inhibits proliferation, invasiveness, and stem cell phenotype of an <i>in vitro</i> endometriosis model by targeting multiple cytoskeletal elements and pluripotency factors. <i>Fertility and Sterility</i> , 2013, 99, 1346-1355.e5. | 0.5 | 85        |
| 125 | Targeting of syndecan-1 by micro-ribonucleic acid miR-10b modulates invasiveness of endometriotic cells via dysregulation of the proteolytic milieu and interleukin-6 secretion. <i>Fertility and Sterility</i> , 2013, 99, 871-881.e1.                 | 0.5 | 39        |
| 126 | Syndecan-1, a Cell Surface Proteoglycan, Negatively Regulates Initial Leukocyte Recruitment to the Brain across the Choroid Plexus in Murine Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2013, 191, 4551-4561.            | 0.4 | 52        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Syndecan-1 modulates $\alpha$ 5 $\beta$ 1-integrin-dependent and interleukin-6-dependent functions in breast cancer cell adhesion, migration, and resistance to irradiation. <i>FEBS Journal</i> , 2013, 280, 2216-2227.            | 2.2 | 94        |
| 128 | More than matrix: The multifaceted role of decorin in cancer. <i>European Journal of Cell Biology</i> , 2013, 92, 1-11.   | 1.6 | 92        |
| 129 | Decorin Potentiates Interferon- $\gamma$ Activity in a Model of Allergic Inflammation. <i>Journal of Biological Chemistry</i> , 2013, 288, 12699-12711.   | 1.6 | 28        |
| 130 | A Versatile Tool for Stable Inhibition of microRNA Activity. <i>Biology</i> , 2013, 2, 861-871.   | 1.3 | 3         |
| 131 | Cellular Microenvironment in Human Pathologies. <i>BioMed Research International</i> , 2013, 2013, 1-2.   | 0.9 | 9         |
| 132 | Syndecan-1 (CD138) Modulates Triple-Negative Breast Cancer Stem Cell Properties via Regulation of LRP-6 and IL-6-Mediated STAT3 Signaling. <i>PLoS ONE</i> , 2013, 8, e85737.   | 1.1 | 104       |
| 133 | Syndecan-1 (CD138) modulates breast cancer stem cell properties via regulation of IL-6-mediated STAT3 signaling. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, .   | 0.6 | 0         |
| 134 | Targeting of Syndecan-1 by microRNA miR-10b modulates invasiveness of endometriotic cells via dysregulation of IL-6 secretion and MAPK signaling. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, .        | 0.6 | 0         |
| 135 | Pharmacological interference with the stemness-associated Notch-signaling pathway exerts an antiproliferative effect on the endometriotic 12Z cell line. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, . | 0.6 | 0         |
| 136 | Specific sulfation patterns in heparan sulfate promote a proinvasive phenotype of breast cancer cells via upregulation of Wnt and MAPK signaling. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, .        | 0.6 | 0         |
| 137 | Syndecan-1 modulates IL-6- and beta-integrin- dependent functions in breast cancer cell adhesion and migration. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, .  | 0.6 | 1         |
| 138 | microRNA miR-142 - 3 p is a novel regulator of cell viability and proinflammatory signaling in endometrial stroma cells. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2013, 121, .                                 | 0.6 | 0         |
| 139 | Cell Adhesion in Cancer. <i>International Journal of Cell Biology</i> , 2012, 2012, 1-1.  | 1.0 | 13        |
| 140 | Survivin, a target to modulate the radiosensitivity of Ewing's sarcoma. <i>Strahlentherapie Und Onkologie</i> , 2012, 188, 1038-1047.   | 1.0 | 43        |
| 141 | Impact of testosterone on the expression of organic anion transporting polypeptides (OATP-1A2,) <i>Tj ETQq1 1 0.784314 rgBT /Overlook</i> 376-384.  | 1.0 | 12        |
| 142 | MicroRNAs and the pathogenesis of endometriosis. <i>Journal of Endometriosis</i> , 2012, 4, 1-16.   | 1.0 | 9         |
| 143 | Evaluation of placental syndecan-1 expression in early pregnancy as a predictive fetal factor for pregnancy outcome. <i>Prenatal Diagnosis</i> , 2012, 32, 131-137.   | 1.1 | 14        |
| 144 | Targeting of syndecan-1 by microRNA miR-10b promotes breast cancer cell motility and invasiveness via a Rho GTPase- and E-cadherin-dependent mechanism. <i>International Journal of Cancer</i> , 2012, 131, 2, 884-96.              |     | 145       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Flow cytometry in cancer stem cell analysis and separation. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2012, 81A, 284-293.  | 1.1 | 131       |
| 146 | Effect of targeting of syndecan-1 by microRNA miR-10b on breast cancer cell motility and invasiveness via a rho-GTPase- and E-cadherin-dependent mechanism.. <i>Journal of Clinical Oncology</i> , 2012, 30, e21041-e21041.          | 0.8 | 0         |
| 147 | Aberrant expression of the pluripotency marker SOX-2 in endometriosis. <i>Fertility and Sterility</i> , 2011, 95, 338-341.   | 0.5 | 44        |
| 148 | Characterization of endometrial mesenchymal stem-like cells obtained by endometrial biopsy during routine diagnostics. <i>Fertility and Sterility</i> , 2011, 95, 423-426.   | 0.5 | 112       |
| 149 | 2030 POSTER Knockdown of the Apoptosis Related Protein Survivin Leads to an Increased Radiosensitivity of Ewing Sarcoma in Vitro. <i>European Journal of Cancer</i> , 2011, 47, S197.  | 1.3 | 0         |
| 150 | Effects of the FSH receptor gene polymorphism p.N680S on cAMP and steroid production in cultured primary human granulosa cells. <i>Reproductive BioMedicine Online</i> , 2011, 23, 196-203.  | 1.1 | 70        |
| 151 | mRNA-Expression of ER $\alpha$ , ER $\beta$ , and PR in Clonal Stem Cell Cultures Obtained from Human Endometrial Biopsies. <i>Scientific World Journal</i> , The, 2011, 11, 1762-1769.  | 0.8 | 10        |
| 152 | The adult stem cell marker Musashi-1 modulates endometrial carcinoma cell cycle progression and apoptosis via Notch-1 and p21 <sup>WAF1/CIP1</sup> . <i>International Journal of Cancer</i> , 2011, 129, 2042-2049.                  | 2.3 | 83        |
| 153 | The Role for Decorin in Delayed-Type Hypersensitivity. <i>Journal of Immunology</i> , 2011, 187, 6108-6119.  | 0.4 | 46        |
| 154 | Heparan Sulfate Proteoglycans in Cancer Therapy. , 2011, , 139-158.  |     | 1         |
| 155 | Overlapping Genes May Control Reprogramming of Mouse Somatic Cells into Induced Pluripotent Stem Cells (iPSCs) and Breast Cancer Stem Cells. <i>In Silico Biology</i> , 2010, 10, 207-221.   | 0.4 | 6         |
| 156 | ETAR antagonist ZD4054 exhibits additive effects with aromatase inhibitors and fulvestrant in breast cancer therapy, and improves in vivo efficacy of anastrozole. <i>Breast Cancer Research and Treatment</i> , 2010, 123, 345-357. | 1.1 | 20        |
| 157 | Targeting endothelin A receptor enhances anti-proliferative and anti-invasive effects of the HER2 antibody trastuzumab in HER2-overexpressing breast cancer cells. <i>International Journal of Cancer</i> , 2010, 127, 696-706.      | 2.3 | 18        |
| 158 | Syndecan-1 knock-down in decidualized human endometrial stromal cells leads to significant changes in cytokine and angiogenic factor expression patterns. <i>Reproductive Biology and Endocrinology</i> , 2010, 8, 133.              | 1.4 | 33        |
| 159 | Enoxaparin Improves the Course of Dextran Sodium Sulfate-Induced Colitis in Syndecan-1-Deficient Mice. <i>American Journal of Pathology</i> , 2010, 176, 146-157.  | 1.9 | 71        |
| 160 | Endometrial Cells Get Side-Tracked. <i>American Journal of Pathology</i> , 2010, 176, 25-28.   | 1.9 | 11        |
| 161 | miR-145-dependent targeting of Junctional Adhesion Molecule A and modulation of fascin expression are associated with reduced breast cancer cell motility and invasiveness. <i>Oncogene</i> , 2010, 29, 6569-6580.                   | 2.6 | 197       |
| 162 | MicroRNAs in breast cancer pathogenesis. <i>Minerva Ginecologica</i> , 2010, 62, 559-71.   | 0.8 | 35        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Role of the Heparan Sulfate Proteoglycan Syndecan-1 (CD138) in Delayed-Type Hypersensitivity. <i>Journal of Immunology</i> , 2009, 182, 4985-4993.  | 0.4 | 54        |
| 164 | Differential roles for membrane-bound and soluble syndecan-1 (CD138) in breast cancer progression. <i>Carcinogenesis</i> , 2009, 30, 397-407.   | 1.3 | 168       |
| 165 | Role of syndecan-3 polymorphisms in obesity and female hyperandrogenism. <i>Journal of Molecular Medicine</i> , 2009, 87, 1241-1250.  | 1.7 | 12        |
| 166 | Effect of testosterone on E1S-sulfatase activity in non-malignant and cancerous breast cells in vitro. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2009, 117, 168-175.   | 1.2 | 6         |
| 167 | Differential effects of aromatase inhibitors and antiestrogens on estrogen receptor expression in breast cancer cells. <i>Anticancer Research</i> , 2009, 29, 2167-71.  | 0.5 | 10        |
| 168 | Selective ETAR antagonist atrasentan inhibits hypoxia-induced breast cancer cell invasion. <i>Breast Cancer Research and Treatment</i> , 2008, 108, 175-182.  | 1.1 | 22        |
| 169 | Differential effect of hormone therapy on E1S-sulfatase activity in non-malignant and cancerous breast cells in vitro. <i>Breast Cancer Research and Treatment</i> , 2008, 108, 363-374.  | 1.1 | 11        |
| 170 | Increased expression of the adult stem cell marker Musashi-1 in endometriosis and endometrial carcinoma. <i>Journal of Pathology</i> , 2008, 215, 317-329.  | 2.1 | 178       |
| 171 | Effects of hormone therapy on estrogen synthesis from E1S in the mammary gland of postmenopausal women. <i>Maturitas</i> , 2008, 59, 163-173.   | 1.0 | 2         |
| 172 | Changes in heparan sulfate are associated with delayed wound repair, altered cell migration, adhesion and contractility in the galactosyltransferase I (Å4GalT-7) deficient form of Ehlers-Danlos syndrome. <i>Human Molecular Genetics</i> , 2008, 17, 996-1009. | 1.4 | 52        |
| 173 | Microbial subversion of heparan sulfate proteoglycans. <i>Molecules and Cells</i> , 2008, 26, 415-26.   | 1.0 | 54        |
| 174 | Increased Expression of Syndecan-1 Protects Against Cardiac Dilatation and Dysfunction After Myocardial Infarction. <i>Circulation</i> , 2007, 115, 475-482.  | 1.6 | 123       |
| 175 | Syndecan-1 deficiency aggravates anti-glomerular basement membrane nephritis. <i>Kidney International</i> , 2007, 72, 1204-1215.  | 2.6 | 60        |
| 176 | Endothelin Receptor Type B Counteracts Tenascin-C-Induced Endothelin Receptor Type A-Dependent Focal Adhesion and Actin Stress Fiber Disorganization. <i>Cancer Research</i> , 2007, 67, 6163-6173.   | 0.4 | 51        |
| 177 | Endocytosis of the dermatan sulfate proteoglycan decorin utilizes multiple pathways and is modulated by epidermal growth factor receptor signaling. <i>Biochimie</i> , 2007, 89, 637-657.   | 1.3 | 22        |
| 178 | Effects of black cohosh on estrogen biosynthesis in normal breast tissue in vitro. <i>Maturitas</i> , 2007, 57, 382-391.  | 1.0 | 23        |
| 179 | An expression signature of syndecan-1 (CD138), E-cadherin and c-met is associated with factors of angiogenesis and lymphangiogenesis in ductal breast carcinoma in situ. <i>Breast Cancer Research</i> , 2007, 9, R8.   | 2.2 | 93        |
| 180 | On the role of endothelin-converting enzyme-1 (ECE-1) and neprilysin in human breast cancer. <i>Breast Cancer Research and Treatment</i> , 2007, 106, 361-369.  | 1.1 | 59        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Heparanase, Hyaluronan, and CD44 in Cancers: A Breast Carcinoma Perspective: Figure 1.. Cancer Research, 2006, 66, 10233-10237.  | 0.4 | 316       |
| 182 | A Novel 110-kDa Receptor Protein is Involved in Endocytic Uptake of Decorin by Human Skin Fibroblasts. Scientific World Journal, The, 2006, 6, 35-52.  | 0.8 | 5         |
| 183 | Defective glycosylation of decorin and biglycan, altered collagen structure, and abnormal phenotype of the skin fibroblasts of an Ehlers-Danlos syndrome patient carrying the novel Arg270Cys substitution in galactosyltransferase I ( $\beta$ 24GalT-7). Journal of Molecular Medicine, 2006, 84, 583-594. | 1.7 | 104       |
| 184 | Divide or unite—a novel molecular switch in endometrial carcinoma. Journal of Molecular Medicine, 2006, 85, 1-3.   | 1.7 | 0         |
| 185 | Therapeutic value of glycosaminoglycans in cancer. Molecular Cancer Therapeutics, 2006, 5, 2139-2148.  | 1.9 | 246       |
| 186 | Expression and prognostic impact of the protein tyrosine phosphatases PRL-1, PRL-2, and PRL-3 in breast cancer. British Journal of Cancer, 2006, 95, 347-354.  | 2.9 | 104       |
| 187 | Predictive value of syndecan-1 expression for the response to neoadjuvant chemotherapy of primary breast cancer. Anticancer Research, 2006, 26, 621-7.   | 0.5 | 41        |
| 188 | Defective Glycosaminoglycan Substitution of Decorin in a Patient With Progeroid Syndrome Is a Direct Consequence of Two Point Mutations in the Galactosyltransferase I ( $\beta$ 24GalT-7) Gene. Biochemical Genetics, 2005, 43, 65-77.  | 0.8 | 42        |
| 189 | Overexpression of Endothelin-A-receptor in breast cancer: Regulation by estradiol and cobalt-chloride induced hypoxia. International Journal of Oncology, 2005, 26, 951.   | 1.4 | 7         |
| 190 | Increased Leukocyte-Endothelial Interactions in Syndecan-1-Deficient Mice Involve Heparan Sulfate-Dependent and -Independent Steps. Current Eye Research, 2005, 30, 417-422.   | 0.7 | 30        |
| 191 | Constitutive and Accelerated Shedding of Murine Syndecan-1 Is Mediated by Cleavage of Its Core Protein at a Specific Juxtamembrane Site. Biochemistry, 2005, 44, 12355-12361.  | 1.2 | 61        |
| 192 | The matrix component biglycan is proinflammatory and signals through Toll-like receptors 4 and 2 in macrophages. Journal of Clinical Investigation, 2005, 115, 2223-2233.  | 3.9 | 718       |
| 193 | Metformin alters insulin signaling and viability of human granulosa cells. Fertility and Sterility, 2005, 84, 1173-1179.   | 0.5 | 41        |
| 194 | Overexpression of Endothelin-A-receptor in breast cancer: regulation by estradiol and cobalt-chloride induced hypoxia. International Journal of Oncology, 2005, 26, 951-60.  | 1.4 | 14        |
| 195 | Age-Related Molecular Polymorphism of the Heterodimeric Proteoglycan Bisdermican. Scientific World Journal, The, 2004, 4, 1017-1026.   | 0.8 | 1         |
| 196 | Heparan Sulfate Structure in Mice with Genetically Modified Heparan Sulfate Production. Journal of Biological Chemistry, 2004, 279, 42732-42741.   | 1.6 | 222       |
| 197 | Inhibition by the Soluble Syndecan-1 Ectodomains Delays Wound Repair in Mice Overexpressing Syndecan-1. Journal of Biological Chemistry, 2004, 279, 41928-41935.   | 1.6 | 93        |
| 198 | Biglycan is internalized via a chlorpromazine-sensitive route. Cellular and Molecular Biology Letters, 2004, 9, 475-81.  | 2.7 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Syndecans in inflammation. <i>FASEB Journal</i> , 2003, 17, 575-591.   | 0.2 | 322       |
| 200 | Screening for suppressors of temperature sensitivity in a yeast mutant defective in vacuolar protein degradation. <i>Genetics and Molecular Biology</i> , 2003, 26, 89-98. | 0.6 | 1         |
| 201 | Syndecan-1 as a Regulator of Chemokine Function. <i>Scientific World Journal, The</i> , 2003, 3, 1327-1331.  | 0.8 | 47        |
| 202 | Heterologous Expression of Syntaxin 6 in <i>Saccharomyces cerevisiae</i> . <i>Biological Research</i> , 2002, 35, 347-57.  | 1.5 | 3         |
| 203 | Role of syndecan-1 in leukocyte-endothelial interactions in the ocular vasculature. <i>Investigative Ophthalmology and Visual Science</i> , 2002, 43, 1135-41.             | 3.3 | 91        |
| 204 | The Full Complement of Yeast Ypt/Rab-GTPases and Their Involvement in Exo- and Endocytic Trafficking. , 2000, 34, 133-173.   |     | 18        |
| 205 | The ins and outs of yeast vacuole trafficking. <i>Protoplasma</i> , 1999, 209, 9-18.   | 1.0 | 7         |
| 206 | Functions of Cell Surface Heparan Sulfate Proteoglycans. <i>Annual Review of Biochemistry</i> , 1999, 68, 729-777.   | 5.0 | 2,490     |
| 207 | A new beat for the SNARE drum. <i>Trends in Cell Biology</i> , 1998, 8, 215-218.   | 3.6 | 90        |
| 208 | High expression of the yeast syntaxin-related Vam3 protein suppresses the protein transport defects of <i>apep12null</i> mutant. <i>FEBS Letters</i> , 1997, 411, 48-52.   | 1.3 | 39        |
| 209 | Vesicular transport: how many Ypt/Rab-GTPases make a eukaryotic cell?. <i>Trends in Biochemical Sciences</i> , 1997, 22, 468-472.  | 3.7 | 200       |
| 210 | Endocytosis of decorin by bovine aortic endothelial cells. <i>off. European Journal of Cell Biology</i> , 1995, 66, 226-33.  | 1.6 | 17        |
| 211 | A novel large dermatan sulfate proteoglycan from human fibroblasts. <i>Journal of Biological Chemistry</i> , 1991, 266, 13224-13232.                                       | 1.6 | 17        |
| 212 | A novel large dermatan sulfate proteoglycan from human fibroblasts. <i>Journal of Biological Chemistry</i> , 1991, 266, 13224-32.  | 1.6 | 15        |