

Aman Mahajan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/831181/publications.pdf>

Version: 2024-02-01

100
papers

1,768
citations

236833

25
h-index

302012

39
g-index

100
all docs

100
docs citations

100
times ranked

2138
citing authors

#	ARTICLE	IF	CITATIONS
1	Physicochemical properties of Tin (IV) oxide synthesized by different methods and from different precursors. Applied Nanoscience (Switzerland), 2022, 12, 1155-1168.	1.6	4
2	Room temperature ppb level detection of chlorine using peripherally alkoxy substituted phthalocyanine/SWCNTs based chemiresistive sensors. Sensors and Actuators B: Chemical, 2022, 350, 130870.	4.0	9
3	Self-Powered Monitoring of Ammonia Using an MXene/TiO ₂ /Cellulose Nanofiber Heterojunction-Based Sensor Driven by an Electrospun Triboelectric Nanogenerator. ACS Sensors, 2022, 7, 312-321.	4.0	87
4	Phase Variation of Ultrathin WO ₃ Electron Transport Layer Prepared by Scalable Langmuir-Blodgett Technique to Boost Efficiency of Dye Sensitized Solar Cells. Solar Rrl, 2022, 6, .	3.1	3
5	Plasmonic Engineering of TiO ₂ Photoanodes for Dye-Sensitized Solar Cells: A Review. Journal of Electronic Materials, 2022, 51, 4188-4206.	1.0	12
6	Ag implanted TiO ₂ nanoparticle/nanofibers composites for dye sensitized solar cells applications. Solar Energy, 2022, 241, 109-119.	2.9	14
7	Modification of SnO ₂ surface oxygen vacancies through Er doping for ultralow NO ₂ detection. Materials Research Bulletin, 2021, 133, 111051.	2.7	28
8	Room temperature highly sensitive chlorine sensor based on reduced graphene oxide anchored with substituted copper phthalocyanine. Sensors and Actuators B: Chemical, 2021, 327, 128925.	4.0	25
9	Ultrasensitive yttrium modified tin oxide thin film based sub-ppb level NO ₂ detector. Sensors and Actuators B: Chemical, 2021, 329, 129169.	4.0	19
10	Effect of TiO ₂ scatterer on photovoltaic performance of quantum dot solar cell. AIP Conference Proceedings, 2021, , .	0.3	0
11	Charge transport properties of single layer imidazole-based devices. AIP Conference Proceedings, 2021, , .	0.3	0
12	MoS ₂ nanorods anchored reduced graphene oxide nano hybrids for electrochemical energy conversion applications. Physica E: Low-Dimensional Systems and Nanostructures, 2021, 128, 114589.	1.3	7
13	Painted CNT@Au nanoparticles: a nanohybrid electrocatalyst of direct methanol oxidation. Emergent Materials, 2021, 4, 515-524.	3.2	5
14	TiO ₂ nanofibers fabricated by electrospinning technique and degradation of MO dye under UV light. Zeitschrift Fur Kristallographie - Crystalline Materials, 2021, 236, 239-250.	0.4	16
15	Ni ²⁺ enriched carbon nanotubes nano hybrids based non-platinum counter electrodes for dye sensitized solar cells. Solar Energy, 2021, 226, 31-39.	2.9	16
16	Solution processable transition metal oxide ultra-thin films as alternative electron transport and hole blocking layers in dye sensitized solar cells. Journal of Photochemistry and Photobiology A: Chemistry, 2021, 418, 113385.	2.0	6
17	Determination of van der Waals C ₃ coefficients for titanium carbide MXenes with alkali atoms. AIP Conference Proceedings, 2021, , .	0.3	0
18	Electrospun PVP/TiO ₂ Nanofibers for Filtration and Possible Protection from Various Viruses like COVID-19. Technologies, 2021, 9, 89.	3.0	12

#	ARTICLE	IF	CITATIONS
19	Ag ion implanted TiO ₂ photoanodes for fabrication of highly efficient and economical plasmonic dye sensitized solar cells. <i>Chemical Physics Letters</i> , 2020, 740, 137070.	1.2	25
20	Substrate induced effects on structural, optical and electrical properties of lead (II)tetrakis (4-cumylphenoxy) phthalocyanine thin films. <i>Materials Today: Proceedings</i> , 2020, 26, 3386-3389.	0.9	3
21	Bimetallic Implanted Plasmonic Photoanodes for TiO ₂ Sensitized Third Generation Solar Cells. <i>Scientific Reports</i> , 2020, 10, 7657.	1.6	30
22	Efficient blue-violet emitting bisbenzimidazole based molecule. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	0
23	Electron beam evaporated tin oxide thin films for thermistor applications. <i>Materials Today: Proceedings</i> , 2020, 26, 3462-3465.	0.9	5
24	Rare earth-tuned oxygen vacancies in gadolinium-doped tin oxide for selective detection of volatile organic compounds. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 8446-8455.	1.1	11
25	Up-converting rare earth phosphor yttrium doped TiO ₂ material for dye sensitized solar cells application. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	2
26	Ambient-air fabrication with inorganic/polymer hole transport layer: Towards low cost perovskite solar cells. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	0
27	Influence of erbium doping on electrical properties and thermal sensitivity of tin oxide based temperature sensor. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	1
28	Electrospun 1D TiO ₂ nanorods for enhancing the performance of dye sensitized solar cells. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	0
29	Low temperature processable crystalline WO ₃ Langmuir-Blodgett ultra-thin film as blocking layer in solar cells application. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	0
30	Sensing performance of rGO/phthalocyanine based hybrid at room temperature. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
31	Growth of few layered molybdenum disulphide. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
32	Fabrication of plasmonic dye-sensitized solar cells using ion-implanted photoanodes. <i>RSC Advances</i> , 2019, 9, 20375-20384.	1.7	24
33	Paper strips coated with polypyrrole-wrapped carbon nanotube composites for chemi-resistive gas sensing. <i>Synthetic Metals</i> , 2019, 258, 116223.	2.1	32
34	Optimized reduction of graphite oxide for highly exfoliated silver nanoparticles anchored graphene sheets for dye sensitized solar cell applications. <i>Electrochimica Acta</i> , 2018, 265, 131-139.	2.6	8
35	Effect of dilute concentrations of Sm on the temperature dependent electrical and dielectric properties of ZnO. <i>Journal of the American Ceramic Society</i> , 2018, 101, 4023-4037.	1.9	6
36	Silver nanoparticles anchored reduced graphene oxide for enhanced electrocatalytic activity towards methanol oxidation. <i>Chemical Physics Letters</i> , 2018, 693, 23-27.	1.2	32

#	ARTICLE	IF	CITATIONS
37	Tungsten disulfide nanoparticles anchored on reduced graphene oxide for dye sensitized solar cell applications. AIP Conference Proceedings, 2018, , .	0.3	1
38	Reversible and fast responding ppb level Cl ₂ sensor based on noncovalent modified carbon nanotubes with Hexadecafluorinated copper phthalocyanine. Sensors and Actuators B: Chemical, 2018, 255, 87-99.	4.0	32
39	Non-covalently anchored multi-walled carbon nanotubes with hexa-decafluorinated zinc phthalocyanine as ppb level chemiresistive chlorine sensor. Applied Surface Science, 2018, 427, 202-209.	3.1	36
40	Tailoring of the chlorine sensing properties of substituted metal phthalocyanines non-covalently anchored on single-walled carbon nanotubes. RSC Advances, 2018, 8, 32719-32730.	1.7	14
41	Bisbenzimidazole based molecule as violet fluorescent material. AIP Conference Proceedings, 2018, , .	0.3	0
42	Diazonium chemistry for making highly selective and sensitive CNT-Neutral Red hybrid-based chemiresistive acetone sensors. Vacuum, 2018, 155, 656-661.	1.6	11
43	Optimization of Ni ²⁺ /Ni ³⁺ ratio in reduced graphene oxide/nickel oxide nano hybrids for platinum free dye sensitized solar cells. Journal of Physics and Chemistry of Solids, 2018, 123, 191-197.	1.9	12
44	Morpho-structural and opto-electrical properties of chemically tuned nanostructured TiO ₂ . Ceramics International, 2018, 44, 18484-18490.	2.3	22
45	Anisotropic charge transport properties in boron sub phthalocyanine chloride thin films. Journal of Applied Physics, 2017, 121, 095501.	1.1	7
46	Improved Cl ₂ sensing characteristics of reduced graphene oxide when decorated with copper phthalocyanine nanoflowers. RSC Advances, 2017, 7, 25229-25236.	1.7	37
47	Mobility modulation in low carrier concentration organic semiconducting thin films by varying disorder parameters. Journal of Applied Physics, 2017, 121, .	1.1	8
48	CNTs based improved chlorine sensor from non-covalently anchored multi-walled carbon nanotubes with hexa-decafluorinated cobalt phthalocyanines. RSC Advances, 2017, 7, 49675-49683.	1.7	30
49	Room temperature ferromagnetism and luminescent behavior of Ni doped ZnO nanoparticles prepared by coprecipitation method. AIP Conference Proceedings, 2016, , .	0.3	0
50	Dielectric studies of boron sub phthalocyanine chloride thin films by admittance spectroscopic techniques. AIP Conference Proceedings, 2016, , .	0.3	2
51	Growth and characterization of macroscopic reduced graphene oxide paper for device application. AIP Conference Proceedings, 2016, , .	0.3	0
52	Kinetic response study in chemiresistive gas sensor based on carbon nanotube surface functionalized with substituted phthalocyanines. AIP Conference Proceedings, 2016, , .	0.3	3
53	Broadband enhancement in absorption cross-section of N719 dye using different anisotropic shaped single crystalline silver nanoparticles. RSC Advances, 2016, 6, 48064-48071.	1.7	20
54	Efficiency enhancement in dye sensitized solar cells using dual function mesoporous silica as scatterer and back recombination inhibitor. Chemical Physics Letters, 2016, 658, 276-281.	1.2	18

#	ARTICLE	IF	CITATIONS
55	Structural, optical and magnetic properties of Sm doped ZnO at dilute concentrations. RSC Advances, 2016, 6, 78122-78131.	1.7	62
56	Dansyl conjugated tripodal AIEEgen for highly selective detection of 2,4,6-trinitrophenol in water and solid state. Sensors and Actuators B: Chemical, 2016, 231, 79-87.	4.0	36
57	Study of junction charge transport properties of boron subphthalocyanine chloride thin film. Electronic Materials Letters, 2015, 11, 118-126.	1.0	9
58	Enhanced H ₂ S sensing characteristics of Au modified Fe ₂ O ₃ thin films. Sensors and Actuators B: Chemical, 2015, 219, 125-132.	4.0	77
59	Designing and synthesis of imidazole based hole transporting material for solid state dye sensitized solar cells. Synthetic Metals, 2015, 205, 92-97.	2.1	12
60	Effect of the crystallinity of silver nanoparticles on surface plasmon resonance induced enhancement of effective absorption cross-section of dyes. Journal of Applied Physics, 2015, 117, .	1.1	30
61	Ultratrace Detection of Nitroaromatics: Picric Acid Responsive Aggregation/Disaggregation of Self-Assembled <i>p</i> -Terphenylbenzimidazolium-Based Molecular Baskets. ACS Applied Materials & Interfaces, 2015, 7, 10491-10500.	4.0	58
62	Educational Space Settlement: Mantavya. Astropolitics, 2015, 13, 88-99.	0.2	0
63	Substituted zinc phthalocyanine based nanowires for room temperature ppb level Cl ₂ sensing application. AIP Conference Proceedings, 2014, , .	0.3	3
64	CTAB capped silver nanoparticles for plasmonic dye-sensitized solar cell. AIP Conference Proceedings, 2014, , .	0.3	1
65	Substituted copper phthalocyanine/multiwalled carbon nanotubes hybrid material for Cl ₂ sensing application. , 2014, , .		4
66	Multifractal analysis of drop-cast copper (II) tetrasulfophthalocyanine film surfaces on the indium tin oxide substrates. Surface and Interface Analysis, 2014, 46, 393-398.	0.8	46
67	Structural, optical and electrical characterization of hot wall grown 9,10-dibromoanthracene films for light emitting applications. Electronic Materials Letters, 2014, 10, 199-204.	1.0	3
68	Multifractal characterization of water soluble copper phthalocyanine based films surfaces. Electronic Materials Letters, 2014, 10, 719-730.	1.0	46
69	Growth of amino substituted anthracene thin films under non thermal equilibrium conditions. Electronic Materials Letters, 2014, 10, 929-934.	1.0	0
70	Phthalocyanine based nanowires and nanoflowers as highly sensitive room temperature Cl ₂ sensors. RSC Advances, 2014, 4, 15945.	1.7	27
71	Room temperature ppb level Cl ₂ detection and sensing mechanism of highly selective and sensitive phthalocyanine nanowires. Sensors and Actuators B: Chemical, 2014, 203, 17-24.	4.0	39
72	Solution processed films and nanobelts of substituted zinc phthalocyanine as room temperature ppb level Cl ₂ sensors. Sensors and Actuators B: Chemical, 2014, 198, 164-172.	4.0	51

#	ARTICLE	IF	CITATIONS
73	Lakshita " Mining and research hub at L5. Advances in Space Research, 2013, 52, 1063-1071.	1.2	1
74	Dielectric spectroscopic studies of boron subphthalocyanine chloride thin films. Electronic Materials Letters, 2013, 9, 101-106.	1.0	9
75	Chemiresistive gas sensing properties of nanocrystalline Co ₃ O ₄ thin films. Sensors and Actuators B: Chemical, 2013, 176, 38-45.	4.0	74
76	Nano-crystalline Fe ₂ O ₃ thin films for ppm level detection of H ₂ S. Sensors and Actuators B: Chemical, 2013, 181, 471-478.	4.0	110
77	Aggregation Induced Emission Enhancement in Ionic Self-Assembled Aggregates of Benzimidazolium Based Cyclophane and Sodium Dodecylbenzenesulfonate. Organic Letters, 2013, 15, 3400-3403.	2.4	64
78	Solution processed CuPc based nanowires for room temperature Cl ₂ gas sensing applications. , 2013, , .		1
79	CHARACTERIZATION OF DROP CASTED CuTsPc FILMS ON ITO SUBSTRATES. International Journal of Nanoscience, 2013, 12, 1350001.	0.4	3
80	Improvement of room temperature ppb level Cl ₂ sensing characteristics of copper phthalocyanine film. , 2013, , .		0
81	Enhanced H ₂ S response of Au modified Fe ₂ O ₃ thin films. , 2013, , .		2
82	Synthesis and characterization of sol-gel derived Cr ₂ O ₃ nanoparticles. AIP Conference Proceedings, 2012, , .	0.3	9
83	Phthalocyanine based 1D nanowires for device applications. , 2012, , .		0
84	Preparation and characterization of oxadiazole based electron transporting thin films. Electronic Materials Letters, 2012, 8, 429-434.	1.0	1
85	Synthesis and characterization of excited state intramolecular proton transfer based 2-hydroxylaryl imidazole fluorescent materials. Synthetic Metals, 2012, 162, 58-63.	2.1	14
86	Surfactant assisted growth of nanostructured tin oxide films for gas sensing applications. Electronic Materials Letters, 2011, 7, 303-308.	1.0	17
87	Effect of cationic/anionic organic surfactants on evaporation induced self assembled tin oxide nanostructured films. Applied Surface Science, 2011, 257, 2929-2934.	3.1	16
88	Temperature dependent H ₂ S and Cl ₂ sensing selectivity of Cr ₂ O ₃ thin films. Sensors and Actuators B: Chemical, 2011, 157, 466-472.	4.0	53
89	Nanostructured Sb doped SnO ₂ thick films for room temperature NH ₃ sensing. Chemical Physics Letters, 2010, 492, 119-122.	1.2	22
90	Synthesis and characterization of 1-phenyl-3-(4-phenyl-[1,2,3]triazol-1-yl)-4-styryl-azetidin-2-one films for light-emitting applications. Thin Solid Films, 2010, 519, 1501-1505.	0.8	3

#	ARTICLE	IF	CITATIONS
91	Synthesis and characterization of nanostructured 1,3-bis(1-anthracenylazomethine)benzene films for room temperature NH ₃ gas-sensing applications. Sensors and Actuators B: Chemical, 2010, 147, 122-127.	4.0	9
92	Characterization Of Hot Wall Grown 9, 10-Dichloroanthracene Films For Light Emitting Applications. AIP Conference Proceedings, 2010, , .	0.3	3
93	Room Temperature ppb Level Chlorine Gas Sensor Based on Copper (II) 1, 4, 8, 11, 15, 18, 22, 25-octabutoxy-29 H, 31 H-phthalocyanine Films. , 2010, , .		1
94	Sn O 2 thick films for room temperature gas sensing applications. Journal of Applied Physics, 2009, 106, .	1.1	63
95	Highly selective colorimetric sensor for Zn ²⁺ based on hetarylazo derivative. Inorganic Chemistry Communication, 2008, 11, 626-629.	1.8	61
96	Characterization of hot wall grown silver phthalocyanine films. Journal of Applied Physics, 2007, 102, 073502.	1.1	9
97	Characterization of hot wall epitaxy grown 1-(2-methoxy benzyloxy)-8-hydroxy-9,10-anthraquinone films. Thin Solid Films, 2002, 420-421, 392-397.	0.8	3
98	Characterization of thermally evaporated 1,8-diacetoxy-9,10-anthraquinone films. Thin Solid Films, 2001, 398-399, 82-86.	0.8	7
99	Characterization of 1,4-/1,8-dihydroxy-9,10-anthraquinone films. Thin Solid Films, 2001, 385, 36-42.	0.8	5
100	Structural, optical, and electrical characterization of hot wall epitaxy grown 1-methoxy-8-hydroxy-9,10-anthraquinone films. Journal of Applied Physics, 2001, 89, 7866-7870.	1.1	9