

Jenny C Ingram

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8313804/publications.pdf>

Version: 2024-02-01

71
papers

2,212
citations

279487

23
h-index

243296

44
g-index

74
all docs

74
docs citations

74
times ranked

2555
citing authors

#	ARTICLE	IF	CITATIONS
1	Transition to parenthood: the needs of parents in pregnancy and early parenthood. <i>BMC Pregnancy and Childbirth</i> , 2008, 8, 30.	0.9	279
2	Facilitators and Barriers to Engagement in Parenting Programs. <i>Health Education and Behavior</i> , 2014, 41, 127-137.	1.3	127
3	It's safer to let parent consulting and clinician antibiotic prescribing decisions for children with respiratory tract infections: An analysis across four qualitative studies. <i>Social Science and Medicine</i> , 2015, 136-137, 156-164.	1.8	114
4	Breastfeeding in Bristol: teaching good positioning, and support from fathers and families. <i>Midwifery</i> , 2002, 18, 87-101.	1.0	107
5	Primary care clinician antibiotic prescribing decisions in consultations for children with RTIs: a qualitative interview study. <i>British Journal of General Practice</i> , 2016, 66, e207-e213.	0.7	91
6	Randomised controlled trial of early frenotomy in breastfed infants with mild to moderate tongue-tie. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014, 99, F189-F195.	1.4	89
7	"They just say everything's a virus" Parent's judgment of the credibility of clinician communication in primary care consultations for respiratory tract infections in children: A qualitative study. <i>Patient Education and Counseling</i> , 2014, 95, 248-253.	1.0	78
8	Parents' information needs, self-efficacy and influences on consulting for childhood respiratory tract infections: a qualitative study. <i>BMC Family Practice</i> , 2013, 14, 106.	2.9	76
9	The development of a tongue assessment tool to assist with tongue-tie identification. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2015, 100, F344-F349.	1.4	75
10	The development of a new breast feeding assessment tool and the relationship with breast feeding self-efficacy. <i>Midwifery</i> , 2015, 31, 132-137.	1.0	73
11	South Asian grandmothers' influence on breast feeding in Bristol. <i>Midwifery</i> , 2003, 19, 318-327.	1.0	62
12	A feasibility study of an intervention to enhance family support for breast feeding in a deprived area in Bristol, UK. <i>Midwifery</i> , 2004, 20, 367-379.	1.0	60
13	Influence of Clinical Communication on Parents' Antibiotic Expectations for Children With Respiratory Tract Infections. <i>Annals of Family Medicine</i> , 2016, 14, 141-147.	0.9	56
14	Mycophenolate Mofetil for First-Line Treatment of Immune Thrombocytopenia. <i>New England Journal of Medicine</i> , 2021, 385, 885-895.	13.9	53
15	Breastfeeding peer supporters and a community support group: evaluating their effectiveness. <i>Maternal and Child Nutrition</i> , 2005, 1, 111-118.	1.4	51
16	Metoclopramide or domperidone for increasing maternal breast milk output: a randomised controlled trial. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2012, 97, F241-F245.	1.4	48
17	A mixed methods evaluation of peer support in Bristol, UK: mothers', midwives' and peer supporters' views and the effects on breastfeeding. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 192.	0.9	42
18	Does family-centred neonatal discharge planning reduce healthcare usage? A before and after study in South West England. <i>BMJ Open</i> , 2016, 6, e010752.	0.8	39

#	ARTICLE	IF	CITATIONS
19	Limit of detection of troponin discharge strategy versus usual care: randomised controlled trial. <i>Heart</i> , 2020, 106, 1586-1594.	1.2	39
20	The effects of Baby Friendly Initiative training on breastfeeding rates and the breastfeeding attitudes, knowledge and self-efficacy of community health-care staff. <i>Primary Health Care Research and Development</i> , 2011, 12, 266-275.	0.5	37
21	Multiprofessional training for breastfeeding management in primary care in the UK. , 2006, 1, 9.		35
22	Risk taking in general practice: GP out-of-hours referrals to hospital. <i>British Journal of General Practice</i> , 2009, 59, e16-e24.	0.7	33
23	Maternal vaccines during the Covid-19 pandemic:A qualitative interview study with UK pregnant women. <i>Midwifery</i> , 2021, 100, 103062.	1.0	32
24	Enhancing a primary care environment: a case study of effects on patients and staff in a single general practice. <i>British Journal of General Practice</i> , 2008, 58, e1-e8.	0.7	30
25	Identifying facilitators and barriers for home injury prevention interventions for pre-school children: a systematic review of the quantitative literature. <i>Health Education Research</i> , 2012, 27, 258-268.	1.0	30
26	Factors influencing maternal decision-making for the infant sleep environment in families at higher risk of SIDS: a qualitative study. <i>BMJ Paediatrics Open</i> , 2017, 1, e000133.	0.6	25
27	Feasibility cluster randomised controlled trial of a within-consultation intervention to reduce antibiotic prescribing for children presenting to primary care with acute respiratory tract infection and cough. <i>BMJ Open</i> , 2017, 7, e014506.	0.8	24
28	The development and evaluation of a picture tongue assessment tool for tongue-tie in breastfed babies (TABBY). <i>International Breastfeeding Journal</i> , 2019, 14, 31.	0.9	23
29	Exploring the barriers to exclusive breastfeeding in black and minority ethnic groups and young mothers in the UK. <i>Maternal and Child Nutrition</i> , 2008, 4, 171-180.	1.4	21
30	“Giving us hope” Parent and neonatal staff views and expectations of a planned family-centred discharge process (Train-to-Home). <i>Health Expectations</i> , 2017, 20, 751-759.	1.1	21
31	Pregnant women’s experiences of social distancing behavioural guidelines during the Covid-19 pandemic “lockdown” in the UK, a qualitative interview study. <i>BMC Public Health</i> , 2021, 21, 1202.	1.2	21
32	Trial protocol: a multicentre randomised trial of first-line treatment pathways for newly diagnosed immune thrombocytopenia: standard steroid treatment versus combined steroid and mycophenolate. The FLIGHT trial. <i>BMJ Open</i> , 2018, 8, e024427.	0.8	20
33	Mothers’ knowledge and attitudes to sudden infant death syndrome risk reduction messages: results from a UK survey. <i>Archives of Disease in Childhood</i> , 2018, 103, 33-38.	1.0	18
34	Women's and peer supporters' experiences of an assets-based peer support intervention for increasing breastfeeding initiation and continuation: A qualitative study. <i>Health Expectations</i> , 2020, 23, 622-631.	1.1	18
35	The ABA intervention for improving breastfeeding initiation and continuation: Feasibility study results. <i>Maternal and Child Nutrition</i> , 2020, 16, e12907.	1.4	15
36	Decision-making for the infant sleep environment among families with children considered to be at risk of sudden unexpected death in infancy: a systematic review and qualitative metasynthesis. <i>BMJ Paediatrics Open</i> , 2021, 5, e000983.	0.6	15

#	ARTICLE	IF	CITATIONS
37	Using community maternity care assistants to facilitate family-focused breastfeeding support. <i>Maternal and Child Nutrition</i> , 2009, 5, 276-281.	1.4	13
38	The CHICO (Children's Cough) Trial protocol: a feasibility randomised controlled trial investigating the clinical and cost-effectiveness of a complex intervention to improve the management of children presenting to primary care with acute respiratory tract infection. <i>BMJ Open</i> , 2015, 5, e008615.	0.8	13
39	Understanding the influence of parent-clinician communication on antibiotic prescribing for children with respiratory tract infections in primary care: a qualitative observational study using a conversation analysis approach. <i>BMC Family Practice</i> , 2019, 20, 102.	2.9	13
40	Increasing support for breastfeeding: what can Children's Centres do?. <i>Health and Social Care in the Community</i> , 2011, 19, 617-625.	0.7	12
41	The COVID-19 Clinician Cohort (CoCCo) Study: Empirically Grounded Recommendations for Forward-Facing Psychological Care of Frontline Doctors. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9675.	1.2	12
42	Development of an intervention to reduce antibiotic use for childhood coughs in UK primary care using critical synthesis of multi-method research. <i>BMC Medical Research Methodology</i> , 2017, 17, 175.	1.4	11
43	The feasibility of using a parenting programme for the prevention of unintentional home injuries in the under-fives: a cluster randomised controlled trial. <i>Health Technology Assessment</i> , 2014, 18, 1-184.	1.3	11
44	Enhancing motivation within a rapid opioid substitution treatment feasibility RCT: a nested qualitative study. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2014, 9, 44.	1.0	9
45	Protocol for a feasibility trial for improving breast feeding initiation and continuation: assets-based infant feeding help before and after birth (ABA). <i>BMJ Open</i> , 2018, 8, e019142.	0.8	9
46	Working with Patients and Members of the Public: Informing Health Economics in Child Health Research. <i>PharmacoEconomics - Open</i> , 2019, 3, 133-141.	0.9	9
47	The First-aid Advice and Safety Training (FAST) parents programme for the prevention of unintentional injuries in preschool children: a protocol. <i>Injury Prevention</i> , 2014, 20, e2-e2.	1.2	8
48	Randomised controlled trial of the Limit of Detection of Troponin and ECG Discharge (LoDED) strategy versus usual care in adult patients with chest pain attending the emergency department: study protocol. <i>BMJ Open</i> , 2018, 8, e025339.	0.8	8
49	Quality of investigations into unexpected deaths of infants and young children in England after implementation of national child death review procedures in 2008: a retrospective assessment. <i>Archives of Disease in Childhood</i> , 2020, 105, 270-275.	1.0	7
50	The health needs of the Somali community in Bristol. <i>Community Practitioner</i> , 2009, 82, 26-9.	0.1	7
51	Conversations with families about reducing the risk of sudden infant death syndrome. <i>Journal of Health Visiting</i> , 2019, 7, 226-231.	0.0	6
52	Breastfeeding Practices among the Old Order Mennonites in Ontario, Canada. <i>Journal of Human Lactation</i> , 2013, 29, 605-610.	0.8	5
53	Interpersonal counselling versus perinatal-specific cognitive behavioural therapy for women with depression during pregnancy offered in routine psychological treatment services: a phase II randomised trial. <i>BMC Psychiatry</i> , 2021, 21, 504.	1.1	5
54	The association of progesterone, infant formula use and pacifier use with the return of menstruation in breastfeeding women: a prospective cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 114, 197-202.	0.5	4

#	ARTICLE	IF	CITATIONS
55	Parentsâ€™ perceptions of home injury risk and attitudes to supervision of pre-school children: a qualitative study in economically deprived communities. <i>Primary Health Care Research and Development</i> , 2009, 10, 98.	0.5	4
56	Exploring the use and experience of an infant feeding genogram to facilitate an assets-based approach to support infant feeding. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 569.	0.9	4
57	TULIP: a randomised controlled trial of surgical versus non-surgical treatment of lateral compression injuries of the pelvis with complete sacral fractures (LC1) in the non-fragility fracture patientâ€™a feasibility study protocol. <i>BMJ Open</i> , 2020, 10, e036588.	0.8	4
58	An assets-based intervention before and after birth to improve breastfeeding initiation and continuation: the ABA feasibility RCT. <i>Public Health Research</i> , 2020, 8, 1-156.	0.5	4
59	The challenge of equipoise: qualitative interviews exploring the views of health professionals and women with multiple ipsilateral breast cancer on recruitment to a surgical randomised controlled feasibility trial. <i>Pilot and Feasibility Studies</i> , 2022, 8, 46.	0.5	4
60	Sudden infant death syndrome (SIDS) and the routine otoacoustic emission infant hearing screening test: an epidemiological retrospective caseâ€“control study. <i>BMJ Open</i> , 2019, 9, e030026.	0.8	3
61	The feasibility and acceptability of an early intervention in primary care to prevent chronic fatigue syndrome (CFS) in adults: randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2020, 6, 65.	0.5	3
62	Protocol for an â€œefficient designâ€™ cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHildren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. <i>BMJ Open</i> , 2021, 11, e041769.	0.8	3
63	â€œOpportunity to bond and a sense of normalityâ€™: Parent and staff views of cuddling babies undergoing therapeutic hypothermia in neonatal intensive care: â€œCoolCuddleâ€™. <i>Health Expectations</i> , 2022, 25, 1384-1392.	1.1	3
64	Predictors of postnatal depression: using an antenatal needs assessment discussion tool. <i>Journal of Reproductive and Infant Psychology</i> , 2007, 25, 210-222.	0.9	2
65	Protocol for a feasibility randomised trial of low-intensity interventions for antenatal depression: ADAGIO trial comparing interpersonal counselling with cognitive behavioural therapy. <i>BMJ Open</i> , 2019, 9, e032649.	0.8	2
66	The SILKIE (Skin grafting Low friction Environment) study: a non-randomised proof-of-concept and feasibility study on the impact of low-friction nursing environment on skin grafting success rates in adult and paediatric burns. <i>BMJ Open</i> , 2018, 8, e021886.	0.8	2
67	Physiological responses to cuddling babies with hypoxicâ€œischaemic encephalopathy during therapeutic hypothermia: an observational study. <i>BMJ Paediatrics Open</i> , 2021, 5, e001280.	0.6	2
68	Patientsâ€™ and health professionalsâ€™ perceptions of the LoDED (limit of detection and ECG discharge) strategy for low-risk chest pain management: a qualitative study. <i>Emergency Medicine Journal</i> , 2021, 38, 184-190.	0.4	1
69	â€œAsking for helpâ€™: a qualitative interview study exploring the experiences of interpersonal counselling (IPC) compared to low-intensity cognitive behavioural therapy (CBT) for women with depression during pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 765.	0.9	1
70	Can primary care research be conducted more efficiently using routinely reported practice-level data: a cluster randomised controlled trial conducted in England?. <i>BMJ Open</i> , 2022, 12, e061574.	0.8	1
71	The father factor: men can make the difference. <i>Practising Midwife</i> , 2008, 11, 15-6.	0.0	0