Jenny C Ingram

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8313804/publications.pdf

Version: 2024-02-01

279487 243296 2,212 71 23 44 citations h-index g-index papers 74 74 74 2555 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The challenge of equipoise: qualitative interviews exploring the views of health professionals and women with multiple ipsilateral breast cancer on recruitment to a surgical randomised controlled feasibility trial. Pilot and Feasibility Studies, 2022, 8, 46.	0.5	4
2	â€~Opportunity to bond and a sense of normality': Parent and staff views of cuddling babies undergoing therapeutic hypothermia in neonatal intensive care: â€~CoolCuddle'. Health Expectations, 2022, 25, 1384-1392.	1.1	3
3	Can primary care research be conducted more efficiently using routinely reported practice-level data: a cluster randomised controlled trial conducted in England?. BMJ Open, 2022, 12, e061574.	0.8	1
4	Decision-making for the infant sleep environment among families with children considered to be at risk of sudden unexpected death in infancy: a systematic review and qualitative metasynthesis. BMJ Paediatrics Open, 2021, 5, e000983.	0.6	15
5	Protocol for an †efficient design' cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHIIdren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. BMJ Open, 2021, 11, e041769.	0.8	3
6	Pregnant women's experiences of social distancing behavioural guidelines during the Covid-19 pandemic †lockdown' in the UK, a qualitative interview study. BMC Public Health, 2021, 21, 1202.	1.2	21
7	The COVID-19 Clinician Cohort (CoCCo) Study: Empirically Grounded Recommendations for Forward-Facing Psychological Care of Frontline Doctors. International Journal of Environmental Research and Public Health, 2021, 18, 9675.	1.2	12
8	Mycophenolate Mofetil for First-Line Treatment of Immune Thrombocytopenia. New England Journal of Medicine, 2021, 385, 885-895.	13.9	53
9	Maternal vaccines during the Covid-19 pandemic:A qualitative interview study with UK pregnant women. Midwifery, 2021, 100, 103062.	1.0	32
10	Patients' and health professionals' perceptions of the LoDED (limit of detection and ECG discharge) strategy for low-risk chest pain management: a qualitative study. Emergency Medicine Journal, 2021, 38, 184-190.	0.4	1
11	Interpersonal counselling versus perinatal-specific cognitive behavioural therapy for women with depression during pregnancy offered in routine psychological treatment services: a phase II randomised trial. BMC Psychiatry, 2021, 21, 504.	1.1	5
12	â€~Asking for help': a qualitative interview study exploring the experiences of interpersonal counselling (IPC) compared to low-intensity cognitive behavioural therapy (CBT) for women with depression during pregnancy. BMC Pregnancy and Childbirth, 2021, 21, 765.	0.9	1
13	Physiological responses to cuddling babies with hypoxic–ischaemic encephalopathy during therapeutic hypothermia: an observational study. BMJ Paediatrics Open, 2021, 5, e001280.	0.6	2
14	The ABA intervention for improving breastfeeding initiation and continuation: Feasibility study results. Maternal and Child Nutrition, 2020, 16, e12907.	1.4	15
15	Exploring the use and experience of an infant feeding genogram to facilitate an assets-based approach to support infant feeding. BMC Pregnancy and Childbirth, 2020, 20, 569.	0.9	4
16	Quality of investigations into unexpected deaths of infants and young children in England after implementation of national child death review procedures in 2008: a retrospective assessment. Archives of Disease in Childhood, 2020, 105, 270-275.	1.0	7
17	The feasibility and acceptability of an early intervention in primary care to prevent chronic fatigue syndrome (CFS) in adults: randomised controlled trial. Pilot and Feasibility Studies, 2020, 6, 65.	0.5	3
18	TULIP: a randomised controlled trial of surgical versus non-surgical treatment of lateral compression injuries of the pelvis with complete sacral fractures (LC1) in the non-fragility fracture patient—a feasibility study protocol. BMJ Open, 2020, 10, e036588.	0.8	4

#	Article	IF	Citations
19	Women's and peer supporters' experiences of an assetsâ€based peer support intervention for increasing breastfeeding initiation and continuation: A qualitative study. Health Expectations, 2020, 23, 622-631.	1.1	18
20	Limit of detection of troponin discharge strategy versus usual care: randomised controlled trial. Heart, 2020, 106, 1586-1594.	1.2	39
21	An assets-based intervention before and after birth to improve breastfeeding initiation and continuation: the ABA feasibility RCT. Public Health Research, 2020, 8, 1-156.	0.5	4
22	The development and evaluation of a picture tongue assessment tool for tongue-tie in breastfed babies (TABBY). International Breastfeeding Journal, 2019, 14, 31.	0.9	23
23	Understanding the influence of parent-clinician communication on antibiotic prescribing for children with respiratory tract infections in primary care: a qualitative observational study using a conversation analysis approach. BMC Family Practice, 2019, 20, 102.	2.9	13
24	Working with Patients and Members of the Public: Informing Health Economics in Child Health Research. PharmacoEconomics - Open, 2019, 3, 133-141.	0.9	9
25	Conversations with families about reducing the risk of sudden infant death syndrome. Journal of Health Visiting, 2019, 7, 226-231.	0.0	6
26	Protocol for a feasibility randomised trial of low-intensity interventions for antenatal depression: ADAGIO trial comparing interpersonal counselling with cognitive behavioural therapy. BMJ Open, 2019, 9, e032649.	0.8	2
27	Sudden infant death syndrome (SIDS) and the routine otoacoustic emission infant hearing screening test: an epidemiological retrospective case–control study. BMJ Open, 2019, 9, e030026.	0.8	3
28	Protocol for a feasibility trial for improving breast feeding initiation and continuation: assets-based infant feeding help before and after birth (ABA). BMJ Open, 2018, 8, e019142.	0.8	9
29	Mothers' knowledge and attitudes to sudden infant death syndrome risk reduction messages: results from a UK survey. Archives of Disease in Childhood, 2018, 103, 33-38.	1.0	18
30	Randomised controlled trial of the Limit of Detection of Troponin and ECG Discharge (LoDED) strategy versus usual care in adult patients with chest pain attending the emergency department: study protocol. BMJ Open, 2018, 8, e025339.	0.8	8
31	Trial protocol: a multicentre randomised trial of first-line treatment pathways for newly diagnosed immune thrombocytopenia: standard steroid treatment versus combined steroid and mycophenolate. The FLIGHT trial. BMJ Open, 2018, 8, e024427.	0.8	20
32	The SILKIE (Skin graftIng Low friKtlon Environment) study: a non-randomised proof-of-concept and feasibility study on the impact of low-friction nursing environment on skin grafting success rates in adult and paediatric burns. BMJ Open, 2018, 8, e021886.	0.8	2
33	"Giving us hope― Parent and neonatal staff views and expectations of a planned familyâ€centred discharge process (Trainâ€toâ€Home). Health Expectations, 2017, 20, 751-759.	1.1	21
34	Feasibility cluster randomised controlled trial of a within-consultation intervention to reduce antibiotic prescribing for children presenting to primary care with acute respiratory tract infection and cough. BMJ Open, 2017, 7, e014506.	0.8	24
35	Factors influencing maternal decision-making for the infant sleep environment in families at higher risk of SIDS: a qualitative study. BMJ Paediatrics Open, 2017, 1, e000133.	0.6	25
36	Development of an intervention to reduce antibiotic use for childhood coughs in UK primary care using critical synthesis of multi-method research. BMC Medical Research Methodology, 2017, 17, 175.	1.4	11

#	Article	IF	CITATIONS
37	Does family-centred neonatal discharge planning reduce healthcare usage? A before and after study in South West England. BMJ Open, 2016, 6, e010752.	0.8	39
38	Influence of Clinical Communication on Parents' Antibiotic Expectations for Children With Respiratory Tract Infections. Annals of Family Medicine, 2016, 14, 141-147.	0.9	56
39	Primary care clinician antibiotic prescribing decisions in consultations for children with RTIs: a qualitative interview study. British Journal of General Practice, 2016, 66, e207-e213.	0.7	91
40	The CHICO (Children's Cough) Trial protocol: a feasibility randomised controlled trial investigating the clinical and cost-effectiveness of a complex intervention to improve the management of children presenting to primary care with acute respiratory tract infection. BMJ Open, 2015, 5, e008615.	0.8	13
41	The development of a tongue assessment tool to assist with tongue-tie identification. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F344-F349.	1.4	7 5
42	"lt's safer to …―parent consulting and clinician antibiotic prescribing decisions for children with respiratory tract infections: An analysis across four qualitative studies. Social Science and Medicine, 2015, 136-137, 156-164.	1.8	114
43	The development of a new breast feeding assessment tool and the relationship with breast feeding self-efficacy. Midwifery, 2015, 31, 132-137.	1.0	73
44	Enhancing motivation within a rapid opioid substitution treatment feasibility RCT: a nested qualitative study. Substance Abuse Treatment, Prevention, and Policy, 2014, 9, 44.	1.0	9
45	Randomised controlled trial of early frenotomy in breastfed infants with mild–moderate tongue-tie. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2014, 99, F189-F195.	1.4	89
46	"They just say everything's a virusâ€â€"Parent's judgment of the credibility of clinician communication in primary care consultations for respiratory tract infections in children: A qualitative study. Patient Education and Counseling, 2014, 95, 248-253.	1.0	78
47	Facilitators and Barriers to Engagement in Parenting Programs. Health Education and Behavior, 2014, 41, 127-137.	1.3	127
48	The First-aid Advice and Safety Training (FAST) parents programme for the prevention of unintentional injuries in preschool children: a protocol. Injury Prevention, 2014, 20, e2-e2.	1.2	8
49	The feasibility of using a parenting programme for the prevention of unintentional home injuries in the under-fives: a cluster randomised controlled trial. Health Technology Assessment, 2014, 18, 1-184.	1.3	11
50	Parents' information needs, self-efficacy and influences on consulting for childhood respiratory tract infections: a qualitative study. BMC Family Practice, 2013, 14, 106.	2.9	76
51	Breastfeeding Practices among the Old Order Mennonites in Ontario, Canada. Journal of Human Lactation, 2013, 29, 605-610.	0.8	5
52	A mixed methods evaluation of peer support in Bristol, UK: mothers', midwives' and peer supporters' views and the effects on breastfeeding. BMC Pregnancy and Childbirth, 2013, 13, 192.	0.9	42
53	Identifying facilitators and barriers for home injury prevention interventions for pre-school children: a systematic review of the quantitative literature. Health Education Research, 2012, 27, 258-268.	1.0	30
54	Metoclopramide or domperidone for increasing maternal breast milk output: a randomised controlled trial. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2012, 97, F241-F245.	1.4	48

#	Article	IF	CITATIONS
55	Increasing support for breastfeeding: what can Children's Centres do?. Health and Social Care in the Community, 2011, 19, 617-625.	0.7	12
56	The effects of Baby Friendly Initiative training on breastfeeding rates and the breastfeeding attitudes, knowledge and self-efficacy of community health-care staff. Primary Health Care Research and Development, 2011, 12, 266-275.	0.5	37
57	Risk taking in general practice: GP out-of-hours referrals to hospital. British Journal of General Practice, 2009, 59, e16-e24.	0.7	33
58	Parents' perceptions of home injury risk and attitudes to supervision of pre-school children: a qualitative study in economically deprived communities. Primary Health Care Research and Development, 2009, 10, 98.	0.5	4
59	Using community maternity care assistants to facilitate familyâ€focused breastfeeding support. Maternal and Child Nutrition, 2009, 5, 276-281.	1.4	13
60	The health needs of the Somali community in Bristol. Community Practitioner, 2009, 82, 26-9.	0.1	7
61	Exploring the barriers to exclusive breastfeeding in black and minority ethnic groups and young mothers in the UK. Maternal and Child Nutrition, 2008, 4, 171-180.	1.4	21
62	Transition to parenthood: the needs of parents in pregnancy and early parenthood. BMC Pregnancy and Childbirth, 2008, 8, 30.	0.9	279
63	Enhancing a primary care environment: a case study of effects on patients and staff in a single general practice. British Journal of General Practice, 2008, 58, e1-e8.	0.7	30
64	The father factor: men can make the difference. Practising Midwife, 2008, 11, 15-6.	0.0	0
65	Predictors of postnatal depression: using an antenatal needs assessment discussion tool. Journal of Reproductive and Infant Psychology, 2007, 25, 210-222.	0.9	2
66	Multiprofessional training for breastfeeding management in primary care in the UK., 2006, 1, 9.		35
67	Breastfeeding peer supporters and a community support group: evaluating their effectiveness. Maternal and Child Nutrition, 2005, 1, 111-118.	1.4	51
68	The association of progesterone, infant formula use and pacifier use with the return of menstruation in breastfeeding women: a prospective cohort study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2004, 114, 197-202.	0.5	4
69	A feasibility study of an intervention to enhance family support for breast feeding in a deprived area in Bristol, UK. Midwifery, 2004, 20, 367-379.	1.0	60
70	South Asian grandmothers' influence on breast feeding in Bristol. Midwifery, 2003, 19, 318-327.	1.0	62
71	Breastfeeding in Bristol: teaching good positioning, and support from fathers and families. Midwifery, 2002, 18, 87-101.	1.0	107