

# Andrea Coccaro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8314930/publications.pdf>

Version: 2024-02-01

874  
papers

58,181  
citations

1294

109  
h-index

2558

195  
g-index

899  
all docs

899  
docs citations

899  
times ranked

14199  
citing authors

#	ARTICLE	IF	CITATIONS
1	Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 1-29.	1.5	6,386
2	The ATLAS Experiment at the CERN Large Hadron Collider. Journal of Instrumentation, 2008, 3, S08003-S08003.	0.5	1,752
3	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.	1.4	1,187
4	Combined Measurement of the Higgs Boson Mass in Collisions at $\sqrt{s} = 7$ and $8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	2.9	1,062
5	Observation of a Centrality-Dependent Dijet Asymmetry in Lead-Lead Collisions at the ATLAS Detector at the LHC. Physical Review Letters, 2010, 105, 252303.	2.9	581
6	ATLAS pixel detector electronics and sensors. Journal of Instrumentation, 2008, 3, P07007-P07007.	0.5	494
7	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
8	Measurements of the Higgs boson production and decay rates and constraints on its couplings from a combined ATLAS and CMS analysis of the LHC pp collision data at $\sqrt{s} = 7$ and $8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	473
9	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
10	Observation of Associated Near-Side and Away-Side Long-Range Correlations in $\sqrt{s} = 2.76$ TeV Pb-Pb Collisions with the ATLAS Detector. Physical Review Letters, 2013, 110, 182302.	2.9	441
11	FCC-ee: The Lepton Collider. European Physical Journal: Special Topics, 2019, 228, 261-623.	1.2	424
12	FCC-hh: The Hadron Collider. European Physical Journal: Special Topics, 2019, 228, 755-1107.	1.2	367
13	Measurement of the azimuthal anisotropy for charged particle production in $\sqrt{s} = 2.76$ TeV Pb-Pb collisions with the ATLAS detector. Physical Review C, 2012, 86, 014907.	1.1	365
14	Improved luminosity determination in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.	1.4	362
15	FCC Physics Opportunities. European Physical Journal C, 2019, 79, 1.	1.4	346
16	Combined search for the Standard Model Higgs boson using up to $4.9 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 7$ and $8$ TeV with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 49-66.	1.5	325
17	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
18	Charged-particle multiplicities in $pp$ interactions measured with the ATLAS detector at the LHC. New Journal of Physics, 2011, 13, 053033.	1.2	314

#	ARTICLE	IF	CITATIONS
19	Evidence for the spin-0 nature of the Higgs boson using ATLAS data. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 120-144.	1.5	307
20	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s}=8$ . European Physical Journal C, 2016, 76, 581.	1.4	298
21	Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 726, 88-119.	1.5	295
22	Luminosity determination in $pp$ collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
23	Performance of $b$ -jet identification in the ATLAS experiment. Journal of Instrumentation, 2016, 11, P04008-P04008.	0.5	278
24	Measurements of the Higgs boson production and decay rates and coupling strengths using $pp$ collision data at $\sqrt{s}=7$ and $8$ TeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	1.4	274
25	Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 17.	1.4	268
26	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.	1.4	259
27	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.	1.4	248
28	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
29	Search for $W$ and $Z$ boson resonances in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2014, 90, 112005.	1.6	237
30			

#	ARTICLE	IF	CITATIONS
37	Measurement of Higgs boson production in the diphoton decay channel in $pp$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. <i>Physical Review D</i> , 2014, 90, .	1.6	214
38	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 3130.	1.4	213
39	Jet energy resolution in proton-proton collisions at $\sqrt{s}=7$ TeV recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2306.	1.4	209
40	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014, 74, 2941.	1.4	204
41	Search for an additional, heavy Higgs boson in the $H \rightarrow ZZ$ decay channel at $\sqrt{s} = 8$ TeV in $pp$ collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 45.	1.4	197
42	Measurement of the jet radius and transverse momentum dependence of inclusive jet suppression in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and Hadronic</i> , 2015, 342, 195.	1.5	195
43	Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV with the ATLAS detector at the LHC. <i>Physical Review Letters</i> , 2016, 117, 182002.	2.9	185
44	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2018, 78, 903.	1.4	181
45	Luminosity determination in $pp$ collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	179
46	Measurement of the Higgs boson mass from the $H \rightarrow \tau\tau$ decay channel and $H \rightarrow ZZ$ decay channel using $pp$ collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2012, 108, 111803.	1.6	176
47	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	175
48	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 476.	1.4	174
49	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014, 74, 1.	1.4	172
50	Search for the Standard Model Higgs Boson in the Diphoton Decay Channel with $pp$ Collision Data at $\sqrt{s} = 4.9$ TeV. <i>Physical Review Letters</i> , 2012, 108, 111803.	2.9	171
51	Measurement of the differential cross-sections of inclusive, prompt and non-prompt $H \rightarrow \tau\tau$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2014, 113, 171801.	1.5	169
52	Search for Scalar Diphoton Resonances in the Mass Range 65-600 GeV with the ATLAS Detector in $pp$ Collision Data at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2014, 113, 171801.	2.9	168
53	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	168
54	Measurement of the differential cross-sections of inclusive, prompt and non-prompt $H \rightarrow \tau\tau$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2014, 113, 171801.	0.9	163

#	ARTICLE	IF	CITATIONS
55	Measurement of the inclusive $W \rightarrow Z \nu \nu$ cross sections in the $Z \rightarrow \nu \nu$ channels with the ATLAS detector. Physical Review D, 2015, 91, 112004.	1.6	158
56	Measurements of Higgs boson production and couplings in the four-lepton channel in $pp \rightarrow H \rightarrow 4\ell$ collisions at center-of-mass energies of 7 and 8 TeV with the ATLAS detector. Physical Review D, 2015, 91, 112004.	1.6	158
57	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2017, 96, 012002.	1.6	157
58	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2014, 889, 486-548.	0.9	155
59	Measurement of the transverse momentum and $p_T$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
60	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2011, 71, 1.	1.4	146
61	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
62	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
63	Precision measurement and interpretation of inclusive $W^+ W^+, W^+ W^-, W^- W^+$ . European Physical Journal C, 2017, 77, 367.	1.4	145
64	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $pp \rightarrow \text{jet} + \cancel{E}_T$ proton-proton collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 67-85.	1.4	143
65	Measurement of the $t \bar{t} \rightarrow \text{jet} + \cancel{E}_T$ production cross-section using $e^+ e^- \rightarrow \text{jet} + \cancel{E}_T$ events with $b$ -tagged jets in $pp \rightarrow \text{jet} + \cancel{E}_T$ collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
66	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
67	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	137
68	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp \rightarrow \text{jet} + \cancel{E}_T$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 702, 131-140.	1.6	137
69	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	2.9	136
70	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
71	Measurement of inclusive jet and dijet production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Physical Review D, 2012, 86, 112004.	1.6	135
72	Measurements of the Nuclear Modification Factor for Jets in $pp \rightarrow \text{jet} + \cancel{E}_T$ Collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2015, 114, 072302.	2.9	135

#	ARTICLE	IF	CITATIONS
73	Measurement of event-plane correlations in lead-lead collisions with the ATLAS detector. Physical Review C, 2014, 90, .	1.4	134
74	Charged-particle multiplicities in pp interactions at $\sqrt{s} = 2.76$ TeV. Nuclear, Elementary Particle and High-Energy Physics, 2010, 688, 21-42.	1.4	133
75	Searching for long-lived particles beyond the Standard Model at the Large Hadron Collider. Journal of Physics G: Nuclear and Particle Physics, 2020, 47, 090501.	1.4	132
76	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
77	Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
78	Search for Invisible Decays of a Higgs Boson Produced in Association with a $Z/\gamma^*$ Boson in ATLAS. Physical Review Letters, 2014, 112, .	2.9	130
79	ATLAS b-jet identification performance and efficiency measurement with $\sqrt{s} = 13$ TeV events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130
80	Search for Dark Matter in Events with a Hadronically Decaying $Z/\gamma^*$ Boson and Missing Transverse Momentum in pp Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2014, 112, 041802.	2.9	129
81	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s} = 8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
82	Search for squarks and gluinos using final states with jets and missing transverse momentum with the ATLAS detector in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2018, 78, 199.	1.5	126
83	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^-$ in $\sqrt{s} = 7$ TeV events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	126
84	Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.6	126
85	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
86	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
87	Search for pair-produced third-generation squarks decaying via charm quarks or in compressed supersymmetric scenarios in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	2.9	123
88	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
89	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-1236.	1.4	121
90	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2014, 90, .	1.6	121

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------

91			
----	--	--	--

#	ARTICLE	IF	CITATIONS
109	Observation and measurement of Higgs boson decays to $WW$ at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2015, 92, .	1.6	110
110	Measurement of $\sigma$ production with a veto on additional central jet activity in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2012, 72, 2043.	1.4	109
111	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in lead-lead collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 363-382.	1.6	109
112	Searches for scalar leptoquarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	1.5	109
113	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.4	109
114	Search for heavy resonances decaying into $WW$ in the $e^+e^- \rightarrow \mu^+\mu^- + \text{hadrons}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.6	108
115	HE-LHC: The High-Energy Large Hadron Collider. European Physical Journal: Special Topics, 2019, 228, 1109-1382.	1.4	108
116	Measurement of the centrality dependence of $Z$ production yields and observation of $Z$ production in lead-lead collisions with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 695, 294-315.	1.2	108
117	Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ TeV and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2509.	1.5	107
118	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.4	105
119	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	2.9	105
120	Searches for Higgs boson pair production in the $ZZ$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review Letters, 2015, 114, 081802.	1.6	102
121	Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 2056.	1.6	101
122	Search for heavy ZZ resonances in the $ZZ$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
123	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	100
124	Search for high-mass diphoton resonances in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, .	1.6	99
125	Search for Higgs Boson Pair Production in the $ZZ$ Final State Using pp Collision Data at $\sqrt{s} = 8$ TeV from the ATLAS Detector. Physical Review Letters, 2015, 114, 081802.	2.9	98



#	ARTICLE	IF	CITATIONS
127	Measurement of the total cross section from elastic scattering in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 744, 163-183.	1.4	95
128	Search for a CP-odd Higgs boson decaying to Zh in pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 744, 163-183.	1.4	95
129	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010, 70, 787-821.	1.4	95
130	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
131	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
132	Search for the Standard Model Higgs boson in the decay channel $H \rightarrow Z\gamma$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	1.5	93
133	Control and rapidity dependence of inclusive jet production in pp collisions with 4.8 fb <sup>-1</sup> of pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 748, 392-413.	1.5	93
134	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
135	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
136	Search for massive, long-lived particles using multitrack displaced vertices or displaced lepton pairs in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, 112004.	1.6	91
137	Search for dark matter in events with a $Z$ boson and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, 112004.	2.9	90
138	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.6	90
139	Search for the $b\bar{b} \rightarrow Z$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.4	90
140	Search for the $b\bar{b} \rightarrow Z$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
141	Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	88
142	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
143	Measurement of $W$ and Z-boson production cross sections in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 601-621.	1.4	88
144	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87

#	ARTICLE	IF	CITATIONS
145	Measurement of multi-particle azimuthal correlations in pp, p $\hat{A}$ + $\hat{A}$ Pb and low-multiplicity Pb $\hat{A}$ + $\hat{A}$ Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86
146	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
147	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
148	Observation of an Excited $B_c$ State with the ATLAS Detector. Physical Review Letters, 2014, 113, 212004.	2.9	81
149	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	82
150	Search for Dilepton Resonances in pp Collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector. Physical Review Letters, 2011, 107, 272002.	2.9	81
151	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	81
152	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
153	Search for $\Lambda_b$ baryons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	2.9	80
154	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
155	Search for production of $W$ or $Z$ resonances decaying to a lepton, neutrino and jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
156	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
157	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
158	Detecting and studying high-energy collider neutrinos with FASER at the LHC. European Physical Journal C, 2020, 80, 1.	1.4	79
159	Measurement of upsilon production in $7\hat{A}$ TeV collisions at ATLAS. Physical Review D, 2013, 87, .	1.6	78
160	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
161	Evidence for the associated production of a W boson and a top quark in ATLAS at $\sqrt{s}=7$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 716, 142-159.	2.9	81
162	Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77

#	ARTICLE	IF	CITATIONS
163	Search for dark matter in events with heavy quarks and missing transverse momentum in $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
164	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	1.4	77
165	Measurement of the production cross section of $W$ bosons in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a>	1.6	76
166	Angular analysis of $B_0 \rightarrow K^* \ell^+ \ell^-$ decays in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
167	Search for Direct Top Squark Pair Production in Final States with One Isolated Lepton, Jets, and Missing Transverse Momentum in $pp$ Collisions Using 4.7 fb <sup>-1</sup> of ATLAS Data. Physical Review Letters, 2012, 109, 211803.	1.6	75
168	Search for new physics in the dijet mass distribution using 1 fb <sup>-1</sup> of $pp$ collision data at $\sqrt{s} = 7$ TeV collected by the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 708, 37-54.	1.6	75
169	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
170	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
171	Search for resonant diboson production in the $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
172	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in $pp$ Collisions at $\sqrt{s} = 8$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	2.9	74
173	Measurement of the inclusive and dijet cross-sections of b-jets in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	73
174	Measurement of the production cross section of jets in association with a Z boson in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
175	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
176	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
177	Search for Higgs boson decays to a photon and a Z boson in $pp$ collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 732, 8-27.	1.6	73
178	Search for supersymmetry at $\sqrt{s} = 13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
179	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS experiment. Journal of High Energy Physics, 2012, 2012, 1.	1.6	71
180	Measurements of normalized differential cross sections for $W$ boson production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.6	71

#	ARTICLE	IF	CITATIONS
181	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
182	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2015, 91, .	1.6	71
183	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71
184	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
185	Measurement of underlying event characteristics using charged particles in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	1.6	70
186	Measurement of the high-mass Drellian-Yan differential cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	1.6	70
187	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
188	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
189	Measurement of the top quark pair production cross-section with ATLAS in the single lepton channel. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 711, 244-263.	1.5	69
190	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \bar{\nu}_\tau, \tau^\pm \nu_\tau$ in fully hadronic final states using pp collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69
191	Search for new phenomena in high-mass diphoton final states using 37 fb <sup>-1</sup> of proton-proton collisions collected at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 725, 223-242.	1.6	68
192	Comprehensive measurements of t-channel single top-quark production cross sections at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2014, 90, .	1.6	68
193	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
194	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
195	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	67
196	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
197	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
198	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66

#	ARTICLE	IF	CITATIONS
199	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	66
200	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
201	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	65
202	Measurement of the $W\gamma$ and $Z\gamma$ production cross sections in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	64
203	Measurement of isolated-photon pair production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	64
204	Measurement of Spin Correlation in Top-Antitop Quark Events and Search for Top Squark Pair Production in $pp$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2012, 109, 211802.	2.9	64
205	Observation and measurements of the production of prompt and non-prompt $\psi(2S)$ mesons in association with a $Z$ boson in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
206	Evidence for the $H\rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
207	Search for electroweak production of supersymmetric states in scenarios with compressed mass spectra at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	64
208	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
209	Search for a Supersymmetric Partner to the Top Quark in Final States with Jets and Missing Transverse Momentum at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2012, 109, 211802.	2.9	63
210	Measurement of Z Boson Production in Pb-Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 110, 022301.	2.9	63
211	Measurement of the differential cross-sections of prompt and non-prompt production of $\psi(2S)$ and $\psi(1S)$ mesons in $pp$ collisions at $\sqrt{s}=7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
212	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	63
213	Performance of the ATLAS muon trigger in $pp$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
214	Identification of boosted, hadronically decaying $W$ bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
215	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 723-753.	1.4	61
216	Measurement of Dijet Azimuthal Decorrelations in $pp$ Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. Physical Review Letters, 2011, 106, 172002.	2.9	61

#	ARTICLE	IF	CITATIONS
217	Search for Scalar Bottom Quark Pair Production with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7$ TeV. Physical Review Letters, 2012, 108, 181802.	2.9	61
218	Search for a Light Higgs Boson Decaying to Long-Lived Weakly Interacting Particles in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physical Review Letters, 2012, 108, 251801.	2.9	61
219	Measurement of ZZ production in pp collisions at $\sqrt{s} = 7$ TeV and limits on anomalous ZZZ and ZZ $\tilde{\chi}^0$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	61
220	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	61
221	Search for long-lived, weakly interacting particles that decay to displaced hadronic jets in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review Letters, 2012, 108, 251801.	1.6	61
222	Search for a Charged Higgs Boson Produced in the Vector-Boson Fusion Mode with Decay to $WZ$ at $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physical Review Letters, 2012, 108, 251802.	1.6	61
223	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13.6$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
224	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
225	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s} = 5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
226	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
227	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.	1.4	60
228	Measurements of $WZ$ and $Z\tilde{\chi}^0$ production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review Letters, 2012, 108, 251803.	1.6	60
229	Summary of the searches for squarks and gluinos using $\sqrt{s} = 8$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
230	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
231	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
232	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
233	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s} = 13.6$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
234	Search for the decay $B \rightarrow s\gamma$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 713, 387-407.	1.5	59

#	ARTICLE	IF	CITATIONS
235	Measurement of $W \pm Z$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	59
236	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	59
237	Measurement of the Azimuthal Angle Dependence of Inclusive Jet Yields in Pb+Pb Collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS Detector. Physical Review Letters, 2013, 111, 152301.	2.9	59
238	Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
239	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
240	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ and 5.0. European Physical Journal C, 2018, 78, 142.	1.4	59
241	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \nu_\tau$ , in the $\tau^+ \nu_\tau$ + jets and $\tau^+ \nu_\tau$ + lepton final states with 36 fb <sup>-1</sup> of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
242	Searches for supersymmetry with the ATLAS detector using final states with two leptons and missing transverse momentum in $\sqrt{s}=7$ TeV pp collisions at the ATLAS detector. Physical Review D, 2014, 89, 012001.	1.5	58
243	Measurement of the inclusive isolated prompt photon cross section in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector. Physical Review D, 2014, 89, 012001.	1.5	58
244	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. European Physical Journal C, 2014, 74, 2014, 299.	1.6	58
245	Measurement of the transverse momentum distribution of Z bosons in proton-proton collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2014, 74, 2014, 299.	1.4	58
246	Search for long-lived stopped R-hadrons decaying out of time with the ATLAS detector. Physical Review D, 2013, 88, 012001.	1.5	57
247	Search for supersymmetry in final states with jets, missing transverse momentum and one isolated lepton in $\sqrt{s}=7$ TeV pp collisions using 1 fb <sup>-1</sup> of ATLAS data. Physical Review D, 2012, 85, 012001.	1.5	57
248	Search for long-lived stopped R-hadrons decaying out of time with the ATLAS detector. Physical Review D, 2013, 88, 012001.	2.9	57
249	Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	2.9	57
250	Measurement of Top Quark Polarization in Top-Antitop Events from Proton-Proton Collisions at $\sqrt{s}=7$ TeV. Physical Review Letters, 2012, 109, 261803.	1.6	57
251	Search for long-lived stopped R-hadrons decaying out of time with the ATLAS detector. Physical Review D, 2013, 88, 012001.	1.6	57
252	Search for long-lived stopped R-hadrons decaying out of time with the ATLAS detector. Physical Review D, 2013, 88, 012001.	1.6	57

#	ARTICLE	IF	CITATIONS
253	Search for $\chi$ resonances in the fully leptonic channel using pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.	1.5	57
254	Measurement of the $\chi$ production cross-section using $e^+e^-$ events with b-tagged jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.5	57
255	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	56
256	Search for WZ resonances in the fully leptonic channel using pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.	1.4	56
257	Search for the Standard Model Higgs boson decay to $\tau\tau$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.	1.4	56
258	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
259	Search for scalar leptoquarks in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. New Journal of Physics, 2016, 18, 093016.	1.2	56
260	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at $\sqrt{s}=8$ TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
261	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
262	Study of jet shapes in inclusive jet production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2017, 95, 114005.	1.6	55
263	Search for new phenomena with the monojet and missing transverse momentum signature using the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 294-312.	1.4	55
264	Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
265	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	1.6	55
266	Charged-particle distributions in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 758, 67-88.	1.6	55
267	Search for pair production of Higgs bosons in the $\gamma\gamma$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2010, 2010, 1.	1.6	55
268	Search for supersymmetry in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 738, 68-86.	1.5	54
269	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54
270	Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	54



#	ARTICLE	IF	CITATIONS
271	Measurements of fiducial cross-sections for $t\bar{t}\hat{A}$ production with one or two additional b-jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 11.	1.4	54
272	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 318-337.	1.5	54
273	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s} = 7$ TeV proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.	1.6	53
274	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
275	Search for charged Higgs bosons produced in association with a top quark and decaying via $H^{\pm} \rightarrow t\bar{b}$ using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.5	53
276	Measurements of the cross-sections for $WZ$ production in association with b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	53
277	Search for Higgs boson pair production in the $WW \rightarrow \tau\tau$ channel using $36.1 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collision data recorded at the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
278	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	2.9	53
279	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
280	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	52
281	Search for the decay of the Higgs boson to charm quarks with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
282	Search for lepton-flavour-violating $H \rightarrow \tau\mu$ , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	52
283	Search for the associated production of the Higgs boson with a top quark pair in multilepton final states with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 519-541.	1.5	52
284	Measurement of the top quark mass in the $t\bar{t} \rightarrow \text{lepton} + \text{jets}$ dilepton channels using $36.1 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
285	Search for high-mass new phenomena in the dilepton final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 761, 372-392.	0.9	52
286	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.5	52
287	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52

#	ARTICLE	IF	CITATIONS
289	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. European Physical Journal C, 2010, 70, 755-785.	1.4	51
290	Measurement of the top quark mass with the template method in the $\text{Star}\{t\} \text{omathrm}\{\text{lepton}\} + \text{mathrm}\{\text{jets}\}$ channel using ATLAS data. European Physical Journal C, 2012, 72, 2046.	1.4	51
291	Measurements of Four-Lepton Production at the $\sqrt{s} = 7$ TeV. Resonance in $Z \rightarrow \mu\mu$ Collisions at $\sqrt{s} = 7$ TeV. Search for vectorlike $Z \rightarrow \mu\mu$ Collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2046.	2.9	51
292	Search for $Z \rightarrow \mu\mu$ Collisions at $\sqrt{s} = 7$ TeV. Search for vectorlike $Z \rightarrow \mu\mu$ Collisions at $\sqrt{s} = 7$ TeV. Resonance in $Z \rightarrow \mu\mu$ Collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2046.	1.6	51
293	Search for minimal supersymmetric standard model Higgs Bosons $H \rightarrow \mu\mu$ and for a $Z \rightarrow \mu\mu$ boson in the $\text{Au Au}$ $\sqrt{s} = 13.6$ TeV collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
294	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51
295	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51
296	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	1.6	51
297	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
298	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
299	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
300	Search for High-Mass Resonances Decaying to $Z \rightarrow \mu\mu$ in $\sqrt{s} = 7$ TeV $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2012, 72, 2046.	2.9	50
301	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $\sqrt{s} = 13$ TeV $\text{pp}$ collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50
302	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV $\text{pp}$ collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
303	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $\sqrt{s} = 13$ TeV $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.5	49
304	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $\sqrt{s} = 13$ TeV $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	2.9	49
305	Search for Dark Matter in Events with Missing Transverse Momentum and a Higgs Boson Decaying to Two Photons in $\sqrt{s} = 13$ TeV $\text{pp}$ collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.		

#	ARTICLE	IF	CITATIONS
307	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using the Standard Model Higgs Boson Produced in Association with Top Quarks and Decaying into a $b\bar{b}$ pair in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	2.9	49
308	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	49
309	Search for supersymmetry in events with four or more leptons in $p\bar{p}$ collisions with the ATLAS detector. Physical Review D, 2014, 2014, 1.	1.6	49
310	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.6	48
311	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
312	Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 770, 1.	2.9	48
313	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
314	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48
315	Search for a heavy gauge boson decaying to a charged lepton and a neutrino in 1 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 770, 1.	1.6	48
316	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
317	Measurement of total and differential $W + W^{\pm}$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous measurements of long-range azimuthal anisotropies and associated Fourier coefficients for $W + W^{\pm}$ production in proton-proton collisions at $\sqrt{s} = 13$ TeV and $W$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.6	47
318	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
319	Measurement of total and differential $W + W^{\pm}$ production cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector and limits on anomalous measurements of long-range azimuthal anisotropies and associated Fourier coefficients for $W + W^{\pm}$ production in proton-proton collisions at $\sqrt{s} = 13$ TeV and $W$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.6	47
320	Measurements of the production cross section of a $Z$ boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
321	Measurement of the top quark mass in the $t\bar{t} \rightarrow t\bar{t} \gamma$ . European Physical Journal C, 2019, 79, 1.	1.4	47
322	Search for New Phenomena in Events with Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV and $W$ boson in association with b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 418-437.	2.9	46
323	Search for New Phenomena in Events with Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV and $W$ boson in association with b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 418-437.	2.9	46
324	Search for New Phenomena in Events with Large Missing Transverse Momentum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV and $W$ boson in association with b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 418-437.	2.9	46

#	ARTICLE	IF	CITATIONS
325	Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 439-458.	1.4	46
326	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
327	Study of the rare decays of $B^0 \rightarrow B^0 \mu^+ \mu^-$ and $B^0 \rightarrow B^0 \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
328	Measurement of long-range multiparticle azimuthal correlations with the subevent cumulant method in $pp$ collisions with the ATLAS detector at the CERN Large Hadron Collider. Physical Review C, 2018, 97, 014907.	1.1	46
329	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\mu$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
330	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
331	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	46
332	Search for neutral MSSM Higgs bosons decaying to $\mu^+ \mu^-$ pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.5	45
333	Measurement of the production cross section of an isolated photon associated with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2012, 85, 032004.	1.6	45
334	Measurement of the cross section for top-quark pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector using final states with two high-p T leptons. Journal of High Energy Physics, 2012, 2012, 1.	1.6	45
335	Measurement of the top quark pair production cross section in pp collisions at $\sqrt{s} = 7$ TeV in dilepton final states with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 459-477.	1.4	45
336	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 1.	1.4	45
337	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.	1.4	45
338	Measurement of the $t\bar{t}$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.	1.4	45
339	A neural network clustering algorithm for the ATLAS silicon pixel detector. Journal of Instrumentation, 2014, 9, P09009-P09009.	0.5	45
340	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s} = 8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
341	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
342	Search for supersymmetry at $\sqrt{s} = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
343	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
344	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
345	Search for long-lived, heavy particles in final states with a muon and multiple displaced vertices in proton-proton collisions at $\sqrt{s} = 7, 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.5	44
346	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.1	44
347	Search for long-lived, heavy particles in final states with a muon and multiple displaced vertices in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 7, 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.5	44
348	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
349	Search for the Standard Model Higgs boson in the $H \rightarrow \tau^+ \tau^-$ decay mode in $\sqrt{s} = 7, 13$ TeV pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.	1.6	43
350	Measurement of exclusive $H \rightarrow \tau^+ \tau^-$ production in proton-proton collisions at $\sqrt{s} = 7, 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 749, 242-261.	1.5	43
351	Search for charged Higgs bosons in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
352	Search for top squarks in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physical Review D, 2016, 94, .	1.6	43
353	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
354	Search for magnetic monopoles and stable particles with high electric charges in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Physical Review D, 2016, 93, .	1.6	43
355	Search for single top-quark production via flavour-changing neutral currents at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	1.4	43
356	Further search for supersymmetry at $\sqrt{s} = 7, 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	42
357	Search for long-lived, heavy particles in final states with a muon and multiple displaced vertices in proton-proton collisions at $\sqrt{s} = 7, 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 769, 156-176.	1.5	42
358	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	42
359	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
360	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42

#	ARTICLE	IF	CITATIONS
361	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
362	Search for heavy long-lived charged particles with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 15, 043007.	1.5	41
363	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1.	1.4	41
364	Measurement of the isolated diphoton cross section in $\sqrt{s} = 7$ TeV collisions at the LHC using the ATLAS detector. Physical Review D, 2014, 90, .	1.6	41
365	Search for extra dimensions in diphoton events from proton-proton collisions at $\sqrt{s} = 7, 8$ TeV in the ATLAS detector at the LHC. New Journal of Physics, 2013, 15, 043007.	1.2	41
366	Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in $\sqrt{s} = 8$ TeV collisions at the LHC using the ATLAS detector. Physical Review D, 2014, 90, .	1.6	41
367	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
368	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
369	The ATLAS Data Acquisition and High Level Trigger system. Journal of Instrumentation, 2016, 11, P06008-P06008.	0.5	41
370	Measurement of the $t\bar{t}Z$ and $t\bar{t}W$ production cross sections in multilepton final states using 3.2 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41
371	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
372	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
373	Limits on the production of the standard model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	40
374	Search for Down-Type Fourth Generation Quarks with the ATLAS Detector in Events with One Lepton and Hadronically Decaying $W$ Bosons. Physical Review Letters, 2012, 109, 032001.	2.9	40
375	A search for $t$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 15, 043007.	1.6	40
376	Measurement of the top quark pair cross section with ATLAS in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 15, 043007.	1.5	40
377	Search for pair production of heavy top-like quarks decaying to a high- $p_T$ lepton and a $W$ boson and a b quark in the lepton plus jets final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 15, 043007.	1.5	40
378	Search for pair production of heavy top-like quarks decaying to a high- $p_T$ lepton and a $W$ boson and a b quark in the lepton plus jets final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 15, 043007.	1.5	40

#	ARTICLE	IF	CITATIONS
379	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp$ collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
380	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
381	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using $pp$ collisions at $s = 7$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
382	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \rightarrow \hat{t} \bar{t} D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \rightarrow \hat{t} \bar{t} D_s^+ \hat{t}^-$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	1.4	40
383	Search for heavy resonances decaying into a $W$ or $Z$ boson and a Higgs boson in final states with leptons and $b$ -jets in $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
384	Measurements of $b$ -jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
385	Search for heavy resonances decaying into a pair of $Z$ bosons in the $e^+e^- \rightarrow e^+e^- Z Z$ and $e^+e^- \rightarrow e^+e^- \gamma \gamma$ final states using $139 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	40
386	Search for massive colored scalars in four-jet final states in $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.	1.4	39
387	Measurement of the production cross section for $W$ -bosons in association with jets in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2011, 698, 325-345.	1.5	39
388	Search for displaced vertices arising from decays of new heavy particles in 7 TeV $pp$ collisions at ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 707, 478-496.	1.5	39
389	Search for massive colored scalars in four-jet final states in the lepton plus jets final state with ATLAS using $\sqrt{s}=7$ TeV $pp$ collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2011, 698, 325-345.	1.6	39
390	Search for invisible decays of the Higgs boson produced in association with a hadronically decaying vector boson in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 337.	1.4	39
391	Transverse momentum, rapidity, and centrality dependence of inclusive charged-particle production in $p+Pb$ collisions measured by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2016, 762, 312-336.	1.5	39
392	Search for flavour-changing neutral current top-quark decays to $qZ$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
393	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
394	Search for heavy long-lived charged $R$ -hadrons with the ATLAS detector in $3.2 \text{ fb}^{-1}$ of proton-proton collision data at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 647-665.	1.5	39
395	Search for metastable heavy charged particles with large ionization energy loss in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics, 2011, 698, 325-345.	1.6	39
396	Search for metastable heavy charged particles with large ionization energy loss in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. Physical Review D, 2016, 93, .	1.6	39

#	ARTICLE	IF	CITATIONS
397	Search for a Structure in the $B \rightarrow B^0 \gamma$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 202007.	1.6	39
398	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	39
399	Search for FCNC single top-quark production at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 712, 351-360.	1.6	38
400	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $\sqrt{s} = 8$ TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	38
401	Measurement of the $B \rightarrow B^0 \gamma$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 777, 303-323.	1.6	38
402	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	38
403	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	38
404	Measurement of the exclusive $B \rightarrow B^0 \gamma$ process in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 777, 303-323.	1.6	38
405	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	38
406	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	38
407	Search for Gluinos in Events with Two Same-Sign Leptons, Jets, and Missing Transverse Momentum with the ATLAS Detector in pp Collisions at $\sqrt{s} = 7$ TeV. <i>Physical Review Letters</i> , 2012, 108, 241802.	2.9	37
408	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in $p\bar{p}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 872-901.	1.6	37
409	Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	37
410	Search for direct slepton and gaugino production in final states with two leptons and missing transverse momentum with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 718, 872-901.	1.5	37
411	Search for new phenomena in photon + jet events collected in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2014, 720, 560-570.	1.6	37
412	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 547.	1.4	37
413	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+jets channel with ATLAS. <i>European Physical Journal C</i> , 2017, 77, 264.	1.4	37
414	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	37



#	ARTICLE	IF	CITATIONS
415	Electron and photon energy calibration with the ATLAS detector using 2015â€“2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37
416	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb <sup>-1</sup> of $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	37
417	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	36
418	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	36
419	Search for extra dimensions using diphoton events in 7 TeV protonâ€“proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 710, 538-556.	1.5	36
420	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. European Physical Journal C, 2012, 72, 1.	1.4	36
421	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	36
422	Observation of top-quark pair production in association with a photon and measurement of the cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
423	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
424	Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
425	Centrality, rapidity, and transverse momentum dependence of isolated prompt photon production in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV measured with the ATLAS detector. Physical Review C, 2016, 93, .	1.1	36
426	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	2.9	36
427	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
428	Measurement of flow harmonics correlations with mean transverse momentum in leadâ€“lead and protonâ€“lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
429	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
430	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
431	Search for the Higgs Boson in the $H \rightarrow WW^{(*)} \rightarrow l^+ l^- \gamma$ Decay Channel in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. Physical Review Letters, 2012, 108, 111802.	2.9	35
432	Search for contact interactions and large extra dimensions in dilepton events from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	35

#	ARTICLE	IF	CITATIONS
433	Search for Quantum Black Hole Production in High-Invariant-Mass Lepton+Lepton Final States Using the ATLAS Detector. Journal of High Energy Physics, 2014, 2014, 1.	2.9	35
434	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
435	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W^{\pm}$ boson in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
436	Search for top quark decays $t \rightarrow qH$ with $H \rightarrow \tau\tau$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, .	1.6	35
437	Search for $W^{\pm} \rightarrow tb \rightarrow qqbb$ decays in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
438	Search for Scalar Charm Quark Pair Production in Collisions at the ATLAS Detector. Physical Review Letters, 2015, 114, 161801.	2.9	35
439	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using 4.5 fb $^{-1}$ of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
440	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
441	Search for diboson resonances with boson-tagged jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 777, 91-113.	1.6	35
442	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
443	Search for heavy vector-like quarks coupling to light quarks in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 22-39.	1.6	34
444	Multi-channel search for squarks and gluinos in $\sqrt{s}=7$ TeV pp collisions with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2362.	1.4	34
445	Search for massive supersymmetric particles decaying to many jets using the ATLAS detector in pp collisions at $\sqrt{s}=8$ TeV. Physical Review D, 2015, 91, .	1.6	34
446	Evidence for single top-quark production in the s-channel in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector using the Matrix Element Method. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 228-246.	1.4	34
447	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t}+jets$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
448	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	34
449	Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	33
450	Search for $t\bar{t}b\bar{b}$ Resonances in Proton-Proton Collisions at the ATLAS Detector. Physical Review Letters, 2012, 109, 081801.	2.9	33

#	ARTICLE	IF	CITATIONS
451	Measurement of the $Z$ production cross section and limits on anomalous neutral triple gauge couplings in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review Letters, 2012, 108, 041804.	2.9	33
452	Search for Supersymmetry in Events with Three Leptons and Missing Transverse Momentum in $pp$ Collisions with the ATLAS Detector. Physical Review Letters, 2012, 108, 261804.	2.9	33
453	Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. European Physical Journal C, 2013, 73, 2676.	1.4	33
454	Dynamics of isolated-photon plus jet production in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Nuclear Physics B, 2013, 875, 483-535.	0.9	33
455	Analysis of events with b-jets and a pair of leptons of the same charge in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
456	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
457	Measurement of exclusive $W^+W^-$ production and search for exclusive Higgs boson production in $pp$ collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Physical Review D, 2016, 94, .	1.6	33
458	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
459	Measurements of $\Upsilon(2S)$ and $\chi(3872)$ production in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
460	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
461	Search for high-mass dilepton resonances in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review Letters, 2018, 120, 021801.	1.5	32
462	Search for third generation scalar leptoquarks in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
463	Measurement of $c_1$ and $c_2$ production with $\sqrt{s} = 7$ TeV $pp$ collisions at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	32
464	Search for s-channel single top-quark production in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 118-136.	1.4	32
465	Determination of the strong coupling constant $\alpha_s$ from transverse energy correlations in multijet events at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
466	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $H \rightarrow b\bar{b}$ decay channel at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 1.	1.4	32
467	First neutrino interaction candidates at the LHC. Physical Review D, 2021, 104, .	1.6	32
468	Measurements of underlying-event properties using neutral and charged particles in $pp$ collisions at $\sqrt{s} = 900$ GeV and $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.	1.4	31

#	ARTICLE	IF	CITATIONS
469	Measurement of the production cross section for $W$ Boson and a $Z$ boson in association with jets in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, 1.	2.9	31
470	Measurement of the $b$ -hadron production cross section using decays to $D$ mesons in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2012, 864, 341-381.	1.6	31
471	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7$ TeV proton-proton collisions. <i>European Physical Journal C</i> , 2012, 72, 1.	0.9	31
472	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	1.4	31
473	Measurement of the differential cross-section of $B^+$ meson production in $pp$ collisions at $\sqrt{s}=7$ TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	31
474	Measurements of spin correlation in top-antitop quark events from proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2014, 90, 1.	1.6	31
475	Search for prompt lepton-jets in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	31
476	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 565.	2.9	31
477	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
478	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 $\text{fb}^{-1}$ of $\sqrt{s}=13$ TeV $pp$ collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	31
479	Search for $W$ boson production in $\tau\tau$ final states in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	31
480	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	31
481	Search for supersymmetry in $pp$ collisions at $\sqrt{s}=7$ TeV in final states with missing transverse momentum and $b$ -jets with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, 1.	1.6	30
482	Evidence for $W$ boson production in $\tau\tau$ final states in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2012, 85, 1.	2.9	30
483	Search for invisible particles produced in association with single-top quarks in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 79.	1.4	30
484	Measurement of the $t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	30
485	Study of hard double-parton scattering in four-jet events in $pp$ collisions at $\sqrt{s}=7$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	30

#	ARTICLE	IF	CITATIONS
487	Charged-particle distributions in pp interactions at $\sqrt{s}=8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403. Search for pair production of gluinos decaying via stop and sbottom in events with $b$ -jets and large missing transverse momentum	1.4	30
488	in $pp$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
489	Searches for the $Z^0$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
490	Study of $WW\gamma$ and $WZ$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
491	Search for new phenomena in events with same-charge leptons and $b$ -jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
492	Searches for third-generation scalar leptoquarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
493	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30
494	Properties of jets measured from tracks in proton-proton collisions at center-of-mass energy $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2011, 84, .	1.6	29
495	Search for a Standard Model Higgs Boson in the $H\rightarrow ZZ\rightarrow 4\ell$ Decay Channel with the ATLAS Detector. Physical Review Letters, 2011, 107, 221802.	2.9	29
496	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	29
497	Search for displaced muonic lepton jets from light Higgs boson decay in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary	1.5	29
498	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 251-268.	1.5	29
499	Dijet production in pp collisions with large rapidity gaps at the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 754, 214-234.	1.5	29
500	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
501	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
502	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 473-493.	1.6	29
503	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	0.5	29
504	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29

#	ARTICLE	IF	CITATIONS
505	Searches for heavy ZZ and ZW resonances in the $\hat{a}, \hat{a}, \hat{q}q$ and $\hat{1}/2\hat{1}/2q\hat{q}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
506	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
507	Search for massive long-lived highly ionising particles with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 698, 353-370.	1.5	28
508	A search for prompt lepton-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 299-317.	1.5	28
509	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	28
510	Combination of searches for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.	1.5	28
511	Search for WW, WZ, and ZZ resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 755, 285-305.	1.6	28
512	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
513	Measurement of $WW/WZ \rightarrow \ell u q \hat{q}'$ $WW/WZ \hat{a}, \hat{1}/2 q q \hat{e}^2$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8$ TeV with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
514	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
515	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \hat{a} \hat{a} \hat{b}$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
516	Search for long-lived neutral particles in pp collisions at $\sqrt{s}=13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
517	In situ calibration of large-radius jet energy and mass in $13$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
518	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
519	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
520	Reinterpretation of LHC Results for New Physics: Status and recommendations after Run 2. SciPost Physics, 2020, 9, .	1.5	28
521	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	28
522	Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 706, 295-313.	1.4	28

#	ARTICLE	IF	CITATIONS
523	Logged time-dependent angular analysis of the $B \rightarrow J \bar{J} \ell \ell$ decay and extraction of $\hat{\alpha}'$ . Physical Review Letters, 2015, 114, 221802.	2.9	27
524	Search for New Phenomena in Dijet Angular Distributions in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.4	27
525	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
526	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
527	Measurements of top-quark pair differential cross-sections in the $e \bar{e} \rightarrow e \bar{e} \gamma \gamma$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
528	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
529	Search for single production of vector-like quarks decaying into $W b$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
530	Measurement of the top-quark mass in $t \bar{t} + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
531	Search for pair production of third-generation scalar leptiquarks decaying into a top quark and a $\bar{\nu}_\tau$ -lepton in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
532	Measurement of the $Z \rightarrow \bar{\nu}_\tau \nu_\tau$ cross section with the ATLAS detector. Physical Review D, 2011, 84, .	1.6	26
533	Search for Pair Production of a New Quark that Decays into a $Z$ Boson and a Bottom Quark with the ATLAS Detector. Physical Review Letters, 2012, 109, 071801.	2.9	26
534	Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. Physical Review D, 2012, 85, .	1.6	26
535	Measurement of the parity-violating asymmetry parameter $\hat{A}_{FB}^{\ell}$ for the decay $b \rightarrow c \ell \bar{\nu}_\ell$ using the helicity amplitudes for the decay $b \rightarrow c \ell \bar{\nu}_\ell$ . Physical Review Letters, 2012, 109, 071801.	1.6	26
536	Measurement of the top-pair production cross section in 8 TeV proton-proton collisions using kinematic information in the $l \bar{l} + jets$ final state with ATLAS. Physical Review D, 2015, 91, .	1.6	26
537	Search for new light gauge bosons in Higgs boson decays to four-lepton final states in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector at the LHC. Physical Review D, 2015, 92, .	1.6	26
538	Search for dark matter in association with a Higgs boson decaying to b-quarks in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 11-31.	1.6	26
539	Measurements of electroweak $W_{ij} W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
540	$Z \rightarrow Z$ cross-section measurements and search for anomal. Physical Review D, 2018, 97, .	1.6	26

#	ARTICLE	IF	CITATIONS
541	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^-$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	26
542	A search for $t\bar{t}$ resonances with the ATLAS detector in 2.05 fb $^{-1}$ of proton-proton collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 2083.	1.4	25
543	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	25
544	Search for the Standard Model Higgs boson produced in association with a vector boson and decaying to a b-quark pair with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 369-390.	1.5	25
545	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
546	Determination of the top-quark pole mass using $t\bar{t} + 1$ -jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
547	Searches for heavy diboson resonances in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25
548	Search for triboson $W^+W^+W^-$ production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
549	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
550	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
551	Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. New Journal of Physics, 2014, 16, 113013.	2.9	24
552	Search for type-III seesaw heavy leptons in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, 014017.	1.6	24
553	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.5	24
554	Measurement of the cross-section of high transverse momentum vector bosons reconstructed as single jets and studies of jet substructure in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. New Journal of Physics, 2014, 16, 113013.	2.9	24
555	Search for type-III seesaw heavy leptons in $p\bar{p}$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, 014017.	1.6	24
556	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
557	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions. European Physical Journal C, 2016, 76, 517.	1.4	24



#	ARTICLE	IF	CITATIONS
559	Measurement of the $W\pm Z$ boson pair-production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 762, 1-22.	1.6	24
560	Data-driven model-independent searches for long-lived particles at the LHC. Physical Review D, 2016, 94, .	1.6	24
561	Measurement of forward-backward multiplicity correlations in lead-lead, proton-lead, and proton-proton collisions with the ATLAS detector. Physical Review C, 2017, 95, Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $pp \rightarrow W/Z + H + \text{jets}$ channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 762, 1-22.	1.1	24
562	Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $pp \rightarrow W/Z + H + \text{jets}$ channel at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 762, 1-22.	1.5	24
563	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
564	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
565	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
566	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. European Physical Journal C, 2010, 70, 875-916.	1.4	23
567	Search for the Standard Model Higgs boson in the two photon decay channel with the ATLAS detector at the LHC. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2011, 705, 452-470.	1.5	23
568	Search for the Higgs Boson in the $W\tau^+\tau^-$ Decay Channel in pp Collisions at $\sqrt{s}=7$ TeV with the ATLAS Detector. Physical Review Letters, 2011, 107, 231801.	2.9	23
569	Search for pair-produced heavy quarks decaying to $W$ bosons in the two-lepton channel at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 728, 1-12.	1.6	23
570	Search for pair-produced heavy quarks decaying to $W$ bosons in the two-lepton channel at $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 728, 1-12.	1.6	23
571	A study of the material in the ATLAS inner detector using secondary hadronic interactions. Journal of Instrumentation, 2012, 7, P01013-P01013.	0.5	23
572	Time-dependent angular analysis of the decay $B_s^0 \rightarrow J/\psi \phi$ and extraction of $\arg(\alpha_s)$ and the CP-violating weak phase $\arg(\alpha_s)$ by ATLAS. Journal of High Energy Physics, 2012, 2012, .	1.6	23
573	Search for excited electrons and muons in $\sqrt{s}=8$ TeV proton-proton collisions with the ATLAS detector. New Journal of Physics, 2013, 15, 093011.	1.2	23
574	A measurement of the ratio of the production cross sections for $W^+W^-$ and $ZZ$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
575	Measurement of the underlying event in jet events from $\sqrt{s}=7$ TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
576	A search for high-mass resonances decaying to $J/\psi, \psi(2S)$ in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	23

#	ARTICLE	IF	CITATIONS
577	Measurement of three-jet production cross-sections in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 228.	1.4	23
578	Search for new phenomena in different-flavour high-mass dilepton final states in $pp$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 541.	1.4	23
579	Measurement of $W^{\pm}Z$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	1.6	23
580	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	23
581	Search for squarks and gluinos in events with an isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	1.6	23
582	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	23
583	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022, 6, 1	1.3	23
584	Search for the Standard Model Higgs boson in the decay channel $H \rightarrow \tau\tau$ . <i>Physics Letters B</i> , 2013, 718, 860-878.	1.5	22
585	Measurement of event shapes at large momentum transfer with the ATLAS detector in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	22
586	Search for new phenomena in the $W^{\pm}Z$ final state in $pp$ collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Physics Letters B</i> , 2013, 718, 860-878.	1.5	22
587	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 2982.	1.4	22
588	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	1.6	22
589	Measurement of the $t\bar{t}W$ and $t\bar{t}Z$ production cross sections in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
590	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	22
591	Measurement of top quark pair differential cross sections in the dilepton channel in $pp$ collisions at $\sqrt{s} = 7$ and $8 \text{ TeV}$ with ATLAS. <i>Physical Review D</i> , 2016, 94, .	1.6	22
592	High-ET isolated-photon plus jets production in $pp$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Nuclear Physics B</i> , 2017, 918, 257-316.	0.9	22
593	Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in $pp$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	22
594	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	22

#	ARTICLE	IF	CITATIONS
595	Measurements of top-quark pair spin correlations in the $\mu\mu$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
596	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	22
597	ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, .	1.5	21
598	ATLAS measurements of the properties of jets for boosted particle searches. Physical Review D, 2012, 86, .	1.6	21
599	Search for diphoton events with large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 719, 242-260.	1.5	21
600	Search for diphoton events with large missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 719, 242-260.	1.5	21
601	Measurement of $\tau$ , polarization in $W \rightarrow \tau \nu$ decays with the ATLAS detector in pp collisions at $\sqrt{s} = 7-13$ TeV. European Physical Journal C, 2012, 72, 2062.	1.4	21
602	A search for high-mass resonances decaying to $WZ$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2013, 719, 242-260.	1.5	21
603	Measurement of the production cross-section of $Z(\nu\bar{\nu})\ell\ell$ in pp collisions at $\sqrt{s} = 7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
604	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u\bar{u}$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
605	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
606	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
607	Search for new resonances decaying to a $W$ or $Z$ boson and a Higgs boson in the $WW \rightarrow b\bar{b}$ decay channel with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 32-52.	1.5	21
608	Search for new resonances decaying to a $W$ or $Z$ boson and a Higgs boson in the $WW \rightarrow b\bar{b}$ decay channel with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 32-52.	1.5	21
609	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
610	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21
611	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
612	Search for diphoton events with large missing transverse momentum in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 718, 411-430.	1.5	20

#	ARTICLE	IF	CITATIONS
613	Measurement of the cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 740, 199-217. Search for a heavy neutral particle decaying to a photon and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.5	20
614	Search for a heavy neutral particle decaying to a photon and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	2.9	20
615	Search for new phenomena in events with three or more charged leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
616	Search for the and other hidden-beauty states in the $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.5	20
617	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
618	Search for heavy resonances decaying to a Z boson and a photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 764, 11-30.	1.6	20
619	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.4	20
620	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.6	20
621	Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .	1.5	20
622	Search for $W\bar{a}'\bar{a}'\bar{a}'\bar{t}b$ decays in the hadronic final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.	1.6	20
623	Search for diboson resonances in hadronic final states in 139 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	2.9	19
624	Search for Diphoton Events with Large Missing Transverse Energy in 7 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2011, 106, 121803.	1.6	19
625	Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.	1.4	19
626	Measurement of $k_T$ splitting scales in $W\bar{a}'\bar{a}'\bar{t}$ events at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.	1.6	19
627	Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector. Physical Review D, 2015, 92, .	1.6	19
628	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.5	19
629	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 759, 229-246.	1.4	19
630	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e\bar{e} \rightarrow t\bar{t}$ events with b-tagged jets in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19

#	ARTICLE	IF	CITATIONS
631	Search for the production of single vector-like and excited quarks in the $Wt$ final state in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	19
632	Probing lepton flavour violation via neutrinoless $\nu\bar{\nu} \rightarrow 3\mu$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 232.	1.4	19
633	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 765.	1.4	19
634	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 780, 557-577.	1.5	19
635	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 784.	1.4	19
636	Search for top-quark decays $t \rightarrow Hq$ with $36 \text{ fb}^{-1}$ of $pp$ collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	19
637	Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	19
638	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	19
639	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	1.6	18
640	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7$ TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	18
641	Measurement of $W^+W^-$ and $Z^0$ production cross sections in $pp$ collisions at $\sqrt{s} = 7$ TeV and limits on anomalous triple gauge couplings with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 717, 49-69.	1.4	18
642	Search for resonant diboson production in the $WW/WZ$ decay channels with the ATLAS detector at $\sqrt{s} = 7$ TeV. <i>Physical Review D</i> , 2013, 87, .	1.6	18
643	Measurement of the transverse polarization of hyperons produced in proton-proton collisions. <i>Physical Review Letters</i> , 2013, 111, 172001.	1.6	18
644	Search for top quark decays $t \rightarrow Hq$ , with $H \rightarrow \tau\tau$ , in $s = 13$ TeV $pp$ collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	18
645	Search for dark matter in association with an energetic photon in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
646	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	18
647	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	18
648	Publishing statistical models: Getting the most out of particle physics experiments. <i>SciPost Physics</i> , 2022, 12, .	1.5	18

#	ARTICLE	IF	CITATIONS
649	Search for pair production of first or second generation leptoquarks in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. <i>Physical Review D</i> , 2011, 83, .	1.6	17
650	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	17
651	Search for anomalous production of prompt like-sign lepton pairs at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	17
652	Search for scalar top quark pair production in natural gauge mediated supersymmetry models with the ATLAS detector in pp collisions at $\sqrt{s}=7$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 709, 322-340.	1.5	17
653	Search for strong gravity signatures in same-sign dimuon final states using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 709, 322-340.	1.5	17
654	Measurement of the top quark charge in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	17
655	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	17
656	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 158.	1.4	17
657	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	17
658	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 774, 379-402.	1.5	17
659	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
660	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	1.6	17
661	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $\sqrt{s}=13$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17
662	Direct top-quark decay width measurement in the $t \rightarrow b \tau^+ \nu_\tau$ channel at $\sqrt{s}=8$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	1.4	17
663	Search for flavour-changing neutral current top-quark decays $t \rightarrow b \gamma$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17
664	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	17
665	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	17
666	Measurement of $W^{\pm} \gamma$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	1.4	17

#	ARTICLE	IF	CITATIONS
667	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
668	Search for the HH $\rightarrow$ $b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
669	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
670	Search for resonant top quark plus jet production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2012, 86, .	1.6	16
671	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	16
672	Search for a heavy Standard Model Higgs boson in the channel $pp \rightarrow H \rightarrow \gamma\gamma$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.5	16
673	Search for nonpointing photons in the diphoton and $pp \rightarrow H \rightarrow \gamma\gamma$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 353, 1.	1.5	16
674	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, .	1.6	16
675	Monitoring and data quality assessment of the ATLAS liquid argon calorimeter. Journal of Instrumentation, 2014, 9, P07024-P07024.	0.5	16
676	Measurement of the production of neighbouring jets in lead-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2015, 343, 1.	1.5	16
677	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2015, 92, .	1.6	16
678	Search for dark matter produced in association with a Higgs boson decaying to two bottom quarks in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2016, 93, .	1.6	16
679	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
680	Search for single production of a vector-like quark via a heavy gluon in the $4b$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 758, 249-268.	1.5	16
681	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
682	Top-quark mass measurement in the all-hadronic $t\bar{t} \rightarrow b\bar{b}q\bar{q}$ decay channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
683	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
684	Search for exclusive Higgs and Z boson decays to $\tilde{\chi}_1^0\tilde{\chi}_1^0$ and $\tilde{\chi}_1^0\tilde{\chi}_1^{\pm}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16

#	ARTICLE	IF	CITATIONS
685	Measurement of differential cross sections and $W^+/\hat{W}^+$ cross-section ratios for $W$ boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	16
686	Search for diphoton events with large missing transverse energy with $36 \text{ pb}^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.	1.4	15
687	Search for a Heavy Particle Decaying into an Electron and a Muon with the ATLAS Detector in $\langle \text{math xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline" \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle \text{mml:mi} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle = \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 7 \langle \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \hat{\epsilon} \% \langle \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 15$ collisions at the LHC. <i>Physical Review Letters</i> , 2011, 106, 251801.	2.9	15
688	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $\sqrt{s}=7$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	1.6	15
689	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.	1.4	15
690	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	1.6	15
691	Measurement of the flavour composition of dijet events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 1.	1.4	15
692	Search for $WH$ production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.	1.2	15
693	Search for a multi-Higgs-boson cascade in $W \rightarrow W + W$ with the ATLAS detector in $pp$ collisions at $\sqrt{s}=8$ TeV. <i>Physical Review D</i> , 2014, 89, .	1.6	15
694	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.	1.4	15
695	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow \ell^+ \ell^- \ell^+ \ell^-$ with the ATLAS detector at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	15
696	Search for strong gravity in multijet final states produced in pp collisions at $s = 13$ TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	15
697	Measurements of integrated and differential cross sections for isolated photon pair production in $pp$ collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2017, 95, 014004.	1.6	15
698	Measurement of the cross-section for electroweak production of dijets in association with a $Z$ boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017, 775, 206-228.	1.6	15
699	Search for dark matter in association with a Higgs boson decaying to two photons at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017, 96, .	1.6	15
700	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	15
701	Search for scalar resonances decaying into $\ell^+ \ell^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	15
702	Excitatory and inhibitory lateral interactions effects on contrast detection are modulated by tRNS. <i>Scientific Reports</i> , 2019, 9, 19274.	1.6	15



#	ARTICLE	IF	CITATIONS
703	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	1.4	15
704	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
705	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb <sup>-1</sup> of ATLAS data. European Physical Journal C, 2011, 71, 1.	1.4	14
706	Search for excited leptons in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Physical Review D, 2012, 85, .	1.6	14
707	Search for TeV-scale gravity signatures in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 578-602.	1.5	14
708	Search for microscopic black holes in a like-sign dimuon final state using large track multiplicity with the ATLAS detector. Physical Review D, 2013, 88, .	1.6	14
709	Search for new phenomena in events with three charged leptons at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2013, 87, .	1.6	14
710	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s} = 8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
711	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
712	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
713	Studies of $Z\bar{1}^3$ production in association with a high-mass dijet system in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
714	Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 578-602.	1.6	14
715	Measurement of VH, $\sigma(\text{H} \rightarrow \text{b}\bar{\text{b}})$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
716	Measurements of inclusive and differential fiducial cross-sections of $\text{t}\bar{\text{t}}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
717	Search for bottom-quark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
718	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
719	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 1.	1.4	14
720	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14

#	ARTICLE	IF	CITATIONS
721	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
722	Measurement of the c-jet mistagging efficiency in $\sqrt{s} = 13$ TeV events using pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	1.4	14
723	Integration of the trigger and data acquisition systems in ATLAS. Journal of Physics: Conference Series, 2008, 119, 022001.	0.3	13
724	Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
725	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2012, 72, 1.	1.4	13
726	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.	1.4	13
727	Search for lepton flavour violation in the $e\tau$ continuum with the ATLAS detector in $\sqrt{s} = 7$ TeV pp collisions at the LHC. European Physical Journal C, 2012, 72, 2040.	1.4	13
728	The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7$ TeV pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.	1.4	13
729	Search for new resonances in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 357, 1-6.	1.6	13
730	Search for Higgs and $Z$ Boson Decays to $\tau\tau$ in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS Detector. Physical Review Letters, 2016, 117, 111802.	2.9	13
731	Measurement of the CP-violating phase $\arg(\lambda_{cb})$ and the $B_s^0$ meson decay width difference with $B_s^0 \rightarrow \tau^+\tau^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
732	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
733	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.	1.6	13
734	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
735	Search for new phenomena in high-mass final states with a photon and a jet from $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.	1.4	13
736	Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55-76.	1.6	13
737	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
738	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	13

#	ARTICLE	IF	CITATIONS
739	The trigger and data acquisition system of the FASER experiment. Journal of Instrumentation, 2021, 16, P12028.	0.5	13
740	Underlying event characteristics and their dependence on jet size of charged-particle jet events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2012, 86, .	1.6	12
741	Search for Production of Resonant States in the Photon-Jet Mass Distribution Using pp Collisions at $\sqrt{s} = 7 \text{ TeV}$ Collected by the ATLAS Detector. Physical Review Letters, 2012, 108, 211802.	2.9	12
742	Search for resonant WZ production in the $WZ \rightarrow \ell \bar{\nu} \ell \nu$ channel in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2012, 85, .	1.6	12
743	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	12
744	Search for events with large missing transverse momentum, jets, and at least two tau leptons in 7 TeV proton-proton collision data with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 714, 180-196.	1.5	12
745	Measurement of the charge asymmetry in highly boosted top-quark pair production in $\sqrt{s} = 7 \text{ TeV}$ pp collision data collected by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	1.5	12
746	Measurement of charged-particle event shape variables in inclusive $\sqrt{s} = 7 \text{ TeV}$ proton-proton interactions with the ATLAS detector. Physical Review D, 2013, 88, .	1.6	12
747	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $\sqrt{s} = 8 \text{ TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
748	Study of heavy-flavor quarks produced in association with top-quark pairs at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Physical Review D, 2014, 89, .	1.6	12
749	Measurement of the $b \bar{b} \bar{d} j$ dijet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
750	Search for TeV-scale gravity signatures in high-mass final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 760, 520-537.	1.5	12
751	Measurement of the charge asymmetry in highly boosted top-quark pair production in $\sqrt{s} = 7 \text{ TeV}$ pp collision data collected by the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 50-71.	1.5	12
752	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
753	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
754	Measurement of differential cross sections of isolated-photon plus heavy-flavour jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 295-317.	1.6	12
755	Search for $B \rightarrow L R$ -parity-violating top squarks in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS experiment. Physical Review D, 2018, 97, .	1.6	12
756	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12

#	ARTICLE	IF	CITATIONS
757	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
758	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s} = 8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
759	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
760	Search for supersymmetry in events with four or more charged leptons in $139 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
761	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	12
762	The DNNLikelihood: enhancing likelihood distribution with Deep Learning. European Physical Journal C, 2020, 80, 1.	1.4	12
763	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	12
764	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
765	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13$ TeV. European Physical Journal C, 2022, 82, 1.	1.4	12
766	Measurement of $W^{\pm 3}$ and $Z^{\pm 3}$ production in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2011, 2011, 1.	1.6	11
767	Measurement of four-jet differential cross sections in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	1.6	11
768	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
769	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
770	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
771	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
772	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
773	Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 40-58.	1.5	10
774	Search for contact interactions in dilepton events from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2012, 712, 40-58.		

#	ARTICLE	IF	CITATIONS
775	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
776	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV $pp$ collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	0.5	10
777	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
778	Search for direct top squark pair production in final states with two tau leptons in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
779	Measurement of the dependence of transverse energy production at large pseudorapidity on the hard-scattering kinematics of proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 756, 1.	1.5	10
780	Measurement of W boson angular distributions in events with high transverse momentum jets at $\sqrt{s} = 8$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 765, 132-153.	1.5	10
781	Measurement of the $Z \rightarrow u\bar{u}$ production cross section in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
782	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
783	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^{\pm}$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
784	Measurement of $J/\psi$ production in association with a $W^{\pm}$ boson with $pp$ data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
785	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	0.5	10
786	Measurement of the $t\bar{t}$ production cross section in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
787	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb $^{-1}$ of $pp$ collision data at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	10
788	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	10
789	The tracking detector of the FASER experiment. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2022, 1034, 166825.	0.7	10
790	Search for a Standard Model Higgs boson in the mass range $m_H \in [130, 180]$ GeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.5	9
791	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
792	Measurement of the $W+W^{\pm}$ production cross section in $pp$ collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 773, 354-374.	1.4	9

#	ARTICLE	IF	CITATIONS
793	Measurement of the $\overline{\gamma}$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
794	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 \sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
795	Measurement of the ZZ production cross section in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV using the ZZ $\hat{a}, \hat{a}, \hat{a}, \hat{a}^2 \hat{a}, \hat{a}^2+$ and Z Z $\hat{a}, \hat{a}, \hat{a} + 1/2 1/2 \hat{A}$ ZZo $\{ell\}^{-}\{ell\}^{+}$ u $\overline{\nu}_e$ decay channel with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
796	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
797	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at $8\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	9
798	Measurement of the $Z(\hat{a}, \hat{a}, \hat{a})^3$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
799	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	9
800	A measurement of the ratio of the W and Z cross sections with exactly one associated jet in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	1.5	8
801	Measurement of the relative width difference of the $B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.5	8
802	Measurement of the relative width difference of the $B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
803	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
804	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
805	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8 \sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
806	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\hat{a}^{\dagger}q\bar{q}bb$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	1.5	8
807	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
808	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
809	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
810	Measurements of $W+W^{\dagger} + \text{1 jet}$ production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
811	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	8
812	Reconstruction and identification of boosted $di\bar{l}_j$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	8
813	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1.	1.4	8
814	Measurements of the top quark branching ratios into channels with leptons and quarks with the ATLAS detector. <i>Physical Review D</i> , 2015, 92, .	1.6	7
815	Femtoscopy with identified charged pions in proton-lead collisions at $\sqrt{s_{NN}} = 2.76$ TeV with ATLAS. <i>Physical Review C</i> , 2017, 96, .	1.4	7
816	Measurement of $\sigma_{\text{Au Au}} \frac{dN_{\text{ch}}}{d\eta d\phi}(\sqrt{s_{NN}})$ , polarisation in $\sqrt{s_{NN}}/\gamma^* \rightarrow \text{Au Au } \sqrt{s_{NN}}/Z/\gamma^*$ . <i>European Physical Journal C</i> , 2018, 78, 163.	1.4	7
817	Combination of inclusive and differential $\overline{\text{t}}\text{t}$ charge asymmetry measurements using ATLAS and CMS data at $\sqrt{s} = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	1.6	7
818	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	7
819	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13$ TeV proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7
820	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	1.4	7
821	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .	1.4	7
822	Search for contact interactions in dimuon events from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	1.6	6
823	Search for contact interactions in dimuon events from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 895, 139101.	1.5	6
824	Search for supersymmetry in events with photons, bottom quarks, and missing transverse momentum in proton-proton collisions at a centre-of-mass energy of 7 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2013, 719, 261-279.	1.5	6
825	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	6
826	Measurement of ZZ production in the $\gamma\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	1.6	6
827	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	1.6	6
828	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.	1.4	6

#	ARTICLE	IF	CITATIONS
829	Search for the standard model Higgs boson produced in association with a vector boson and decaying into a tau pair in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2016, 93, .	1.6	5
830	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged $pp$ collisions at $\sqrt{s} = 8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
831	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	5
832	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
833	Measurement of the inclusive isolated-photon cross section in $pp$ collisions at $\sqrt{s} = 13$ TeV using 36 fb <sup>-1</sup> of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
834	The ATLAS inner detector trigger performance in $pp$ collisions at 13 TeV during LHC Run 2. European Physical Journal C, 2022, 82, 1.	1.4	5
835	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	4
836	Measurement of $W+W'$ production in association with one jet in proton-proton collisions at $s=8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 114-133.	1.5	4
837	Measurement of jet activity in top quark events using the $e\bar{\nu}_e$ final state with two b-tagged jets in $pp$ collisions at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
838	Measurements of the charge asymmetry in top-quark pair production in the dilepton final state at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physical Review D, 2016, 94, .	1.6	4
839	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
840	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in $pp$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
841	Measurement of hadronic event shapes in high- $p_T$ multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
842	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of $pp$ collision data at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
843	Measurement of $S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in $pp$ collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
844	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W \rightarrow \mu \nu$ events in Run 2 data. European Physical Journal C, 2022, 82, 1.	1.4	4
845	Measurement of the production cross section of pairs of isolated photons in $pp$ collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
846	Search for exotic decays of the Higgs boson into long-lived particles in $pp$ collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4



#	ARTICLE	IF	CITATIONS
847	Measurement of the azimuthal ordering of charged hadrons with the ATLAS detector. Physical Review D, 2012, 86, .	1.6	3
848	Measurement of the $k_t$ splitting scales in $Z \rightarrow e^+e^-$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
849	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
850	Measurements of inclusive and differential cross-sections of combined $\gamma$ and $t\bar{t}$ production in the $e^+e^-$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
851	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
852	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
853	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
854	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.		3
855	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
856	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow K^* \ell^+ \ell^-$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	3
857	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
858	Study of ordered hadron chains with the ATLAS detector. Physical Review D, 2017, 96, .	1.6	2
859	Measurement of the $t$ production cross-section using $(e\mu)$ events with (b)-tagged jets in (pp) collisions at ( $\sqrt{s} = 7$ ) and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
860	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. , 2015, 75, 1.		2
861	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
862	Measurement of the energy asymmetry in $t\bar{t}$ production at $\sqrt{s} = 13$ TeV with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .	1.4	2
863	Tagging the Higgs boson decay to bottom quarks with colour-sensitive observables and the Lund jet plane. European Physical Journal C, 2022, 82, .	1.4	2
864	Track reconstruction and b-jet identification for the ATLAS trigger system. Journal of Physics: Conference Series, 2012, 368, 012034.	0.3	1

#	ARTICLE	IF	CITATIONS
865	ATLAS Collaboration. Nuclear Physics A, 2014, 932, 572-594.	0.6	1
866	Measurement of the $t\bar{t}$ production cross section in the $l, +jets$ final state in pp collisions at $s=8\text{ TeV}$ using the ATLAS detector. Physical Review D, 2017, 95, .	1.6	1
867	The ATLAS Simulation Infrastructure. , 2010, 70, 823.		1
868	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. , 2015, 75, 1.		1
869	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at ( $\sqrt{s}=8, \text{ TeV}$ ) with the ATLAS detector. , 2016, 76, 1.		1
870	Performance and strategies of the $b, \bar{b}$ -jet selection for the ATLAS High-Level Trigger. , 2008, , .		0
871	Event reconstruction algorithms for the ATLAS trigger. Journal of Physics: Conference Series, 2008, 119, 022022.	0.3	0
872	Performance and Strategies of the $b, \bar{b}$ -Jet Selection for the ATLAS High-Level Trigger. IEEE Transactions on Nuclear Science, 2009, 56, 2549-2553.	1.2	0
873	Fully hadronic $t\bar{t}$ cross section with the ATLAS detector. Journal of Physics: Conference Series, 2013, 452, 012045.	0.3	0
874	Looking for a hidden sector in exotic Higgs boson decays with the ATLAS experiment. Cogent Physics, 2015, 2, 1054679.	0.7	0