

Jorge Molina-Torres

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8316150/publications.pdf>

Version: 2024-02-01

56
papers

1,537
citations

331670

21
h-index

330143

37
g-index

57
all docs

57
docs citations

57
times ranked

2091
citing authors

#	ARTICLE	IF	CITATIONS
1	Plant growth-promoting and non-promoting rhizobacteria from avocado trees differentially emit volatiles that influence growth of <i>Arabidopsis thaliana</i> . <i>Protoplasma</i> , 2022, 259, 835-854.	2.1	8
2	Cumulative Metabolic and Epigenetic Effects of Paternal and/or Maternal Supplementation with Arachidonic Acid across Three Consecutive Generations in Mice. <i>Cells</i> , 2022, 11, 1057.	4.1	7
3	The aflatoxin inhibitors capsaicin and piperine from <i>Capsicum chinense</i> and <i>Piper nigrum</i> fruits modulate the antioxidant system in <i>Aspergillus parasiticus</i> . <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2022, 57, 358-368.	1.5	2
4	Phenolic Compound Content and the Antioxidant and Antimicrobial Activity of Wild Blueberries (<i>Vaccinium stenophyllum</i> Steud.) Fruits Extracts during Ripening. <i>Horticulturae</i> , 2022, 8, 15.	2.8	10
5	Anti-inflammatory, antinociceptive, and cytotoxic activity of methanolic extract of <i>Mansoa hymenaea</i> (DC.) A.H. Gentry. <i>Botany Letters</i> , 2021, 168, 110-119.	1.4	1
6	Down-regulation of aflatoxin biosynthetic genes in <i>Aspergillus parasiticus</i> by <i>Heliopsis longipes</i> roots and affinin for reduction of aflatoxin production. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2021, , 1-10.	1.5	1
7	Contrasting Metabolic Fingerprints and Seed Protein Profiles of <i>Cucurbita foetidissima</i> and <i>C. radicans</i> Fruits from Feral Plants Sampled in Central Mexico. <i>Plants</i> , 2021, 10, 2451.	3.5	1
8	GC-EIMS analysis, antifungal and anti-aflatoxigenic activity of <i>Capsicum chinense</i> and <i>Piper nigrum</i> fruits and their bioactive compounds capsaicin and piperine upon <i>Aspergillus parasiticus</i> . <i>Natural Product Research</i> , 2020, 34, 1452-1455.	1.8	13
9	Antifungal and anti-aflatoxigenic activity of <i>Heliopsis longipes</i> roots and affinin/spilanthol against <i>Aspergillus parasiticus</i> by downregulating the expression of <i>aflD</i> and <i>aflR</i> genes of the aflatoxins biosynthetic pathway. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2020, 55, 210-219.	1.5	10
10	Bioautography and GC-MS based identification of piperine and trichostachine as the active quorum quenching compounds in black pepper. <i>Heliyon</i> , 2020, 6, e03137.	3.2	14
11	Inhibitory effect of <i>Capsicum chinense</i> and <i>Piper nigrum</i> fruits, capsaicin and piperine on aflatoxins production in <i>Aspergillus parasiticus</i> by downregulating the expression of <i>aflD</i> , <i>aflM</i> , <i>aflR</i> , and <i>aflS</i> genes of aflatoxins biosynthetic pathway. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2020, 55, 835-843.	1.5	15
12	Alkamides and Piperamides as Potential Antivirals against the Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2). <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 8008-8016.	4.6	25
13	Sequestration of Exogenous Volatiles by Plant Cuticular Waxes as a Mechanism of Passive Associational Resistance: A Proof of Concept. <i>Frontiers in Plant Science</i> , 2020, 11, 121.	3.6	27
14	Profiling low molecular weight organic compounds from naphthenic acids, acid extractable organic mixtures, and oil sands process-affected water by SPME-GC-EIMS. <i>Journal of Hazardous Materials</i> , 2020, 390, 122186.	12.4	11
15	Mass spectrometry imaging of thin-layer chromatography plates using laser desorption/low-temperature plasma ionisation. <i>Analyst</i> , The, 2020, 145, 3885-3891.	3.5	16
16	Preference for Oviposition by Sweetpotato Whitefly, <i>Bemisia tabaci</i> (Gennadius)1, in Two Soybean Genotypes, and Volatile Release. <i>Southwestern Entomologist</i> , 2020, 45, 99.	0.2	3
17	Global gene expression analyses of the alkamide-producing plant <i>Heliopsis longipes</i> supports a polyketide synthase-mediated biosynthesis pathway. <i>PeerJ</i> , 2020, 8, e10074.	2.0	7
18	Identification of Factors Linked to Higher Water-Deficit Stress Tolerance in <i>Amaranthus hypochondriacus</i> Compared to Other Grain Amaranths and <i>A. hybridus</i> , Their Shared Ancestor. <i>Plants</i> , 2019, 8, 239.	3.5	14

#	ARTICLE	IF	CITATIONS
19	Seasonal Changes in the Metabolic Profiles and Biological Activity in Leaves of <i>Diospyros digyna</i> and <i>D. rekoii</i> Zapoteco Trees. <i>Plants</i> , 2019, 8, 449.	3.5	9
20	Elucidating the Distribution of Plant Metabolites from Native Tissues with Laser Desorption Low-Temperature Plasma Mass Spectrometry Imaging. <i>Analytical Chemistry</i> , 2019, 91, 2734-2743.	6.5	42
21	Shared weapons in fungus-fungus and fungus-plant interactions? Volatile organic compounds of plant or fungal origin exert direct antifungal activity in vitro. <i>Fungal Ecology</i> , 2018, 33, 115-121.	1.6	52
22	<i>Nodosilinea chupicuarensis</i> sp. nov. (Leptolyngbyaceae, Synechococcales) a subaerial cyanobacterium isolated from a stone monument in central Mexico. <i>Phytotaxa</i> , 2018, 334, 167.	0.3	36
23	Plants use resistance-related plant odours to assess host quality before colony founding. <i>Journal of Ecology</i> , 2018, 106, 379-390.	4.0	11
24	Enzymatic Method for N-Acyl Homoserine Lactones Synthesis Using Immobilized <i>Candida antarctica</i> Lipase. <i>Catalysis Letters</i> , 2018, 148, 62-67.	2.6	5
25	Biochemical Traits in the Flower Lifetime of a Mexican Mistletoe Parasitizing Mesquite Biomass. <i>Frontiers in Plant Science</i> , 2018, 9, 1031.	3.6	26
26	EFFECT OF THE ROOTS EXTRACT FROM <i>Heliopsis longipes</i> ON <i>Aspergillus parasiticus</i> GROWTH. <i>Biotechnia</i> , 2018, 20, 127-134.	0.3	3
27	Analysis of naphthenic acid mixtures as pentafluorobenzyl derivatives by gas chromatography-electron impact mass spectrometry. <i>Talanta</i> , 2017, 162, 440-452.	5.5	18
28	Seasonal variation in non-structural carbohydrates, sucrolytic activity and secondary metabolites in deciduous and perennial <i>Diospyros</i> species sampled in Western Mexico. <i>PLoS ONE</i> , 2017, 12, e0187235.	2.5	16
29	Associations between whole peripheral blood fatty acids and DNA methylation in humans. <i>Scientific Reports</i> , 2016, 6, 25867.	3.3	35
30	De novo sequencing and analysis of <i>Lophophora williamsii</i> transcriptome, and searching for putative genes involved in mescaline biosynthesis. <i>BMC Genomics</i> , 2015, 16, 657.	2.8	17
31	Larvicidal activity of affinin and its derived amides from <i>Heliopsis longipes</i> A. Gray Blake against <i>Anopheles albimanus</i> and <i>Aedes aegypti</i> . <i>Journal of Asia-Pacific Entomology</i> , 2015, 18, 227-231.	0.9	14
32	Circulating profiling reveals the effect of a polyunsaturated fatty acid-enriched diet on common microRNAs. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1095-1101.	4.2	76
33	MSI.R scripts reveal volatile and semi-volatile features in low-temperature plasma mass spectrometry imaging (LTP-MSI) of chilli (<i>Capsicum annuum</i>). <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 5673-5684.	3.7	22
34	Plant volatiles cause direct, induced and associational resistance in common bean to the fungal pathogen <i>Colletotrichum lindemuthianum</i> . <i>Journal of Ecology</i> , 2015, 103, 250-260.	4.0	101
35	IAA-producing rhizobacteria from chickpea (<i>Cicer arietinum</i> L.) induce changes in root architecture and increase root biomass. <i>Canadian Journal of Microbiology</i> , 2014, 60, 639-648.	1.7	33
36	Metabolic phenotyping for the classification of coffee trees and the exploration of selection markers. <i>Molecular BioSystems</i> , 2013, 9, 693.	2.9	27

#	ARTICLE	IF	CITATIONS
37	Short-term proteomic dynamics reveal metabolic factory for active extrafloral nectar secretion by <i>Acacia cornigera</i> plants. <i>Plant Journal</i> , 2013, 73, 546-554.	5.7	34
38	How Plants Sense Wounds: Damaged-Self Recognition Is Based on Plant-Derived Elicitors and Induces Octadecanoid Signaling. <i>PLoS ONE</i> , 2012, 7, e30537.	2.5	127
39	Volatile Dose and Exposure Time Impact Perception in Neighboring Plants. <i>Journal of Chemical Ecology</i> , 2012, 38, 226-228.	1.8	52
40	Valine and Phenylalanine as Precursors in the Biosynthesis of Alkamides in <i>Acmella Radicans</i> . <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.5	6
41	Alkamides Activate Jasmonic Acid Biosynthesis and Signaling Pathways and Confer Resistance to <i>Botrytis cinerea</i> in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2011, 6, e27251.	2.5	55
42	Transformed tobacco (<i>Nicotiana tabacum</i>) plants over-expressing a peroxisome proliferator-activated receptor gene from <i>Xenopus laevis</i> (xPPAR α) show increased susceptibility to infection by virulent <i>Pseudomonas syringae</i> pathogens. <i>Planta</i> , 2011, 233, 507-521.	3.2	13
43	<i>Heliopsis suffruticosa</i> (Compositae, Heliantheae), a new species from western Zacatecas. <i>Acta Botanica Mexicana</i> , 2011, , 39-47.	0.3	5
44	Valine and phenylalanine as precursors in the biosynthesis of alkamides in <i>Acmella radicans</i> . <i>Natural Product Communications</i> , 2011, 6, 857-61.	0.5	8
45	<i>Montanoa tomentosa</i> glandular trichomes containing kaurenoic acids chemical profile and distribution. <i>FÁ-toterapÃ-Ãç</i> , 2009, 80, 12-17.	2.2	15
46	Anti-inflammatory effects of ethanolic extract and alkamides-derived from <i>Heliopsis longipes</i> roots. <i>Journal of Ethnopharmacology</i> , 2009, 124, 649-652.	4.1	40
47	Cytokinin Receptors Are Involved in Alkamide Regulation of Root and Shoot Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2007, 145, 1703-1713.	4.8	57
48	Flavonoid glycosides from Cuban <i>Erythroxylum</i> species. <i>Biochemical Systematics and Ecology</i> , 2006, 34, 539-542.	1.3	12
49	Novel signals for plant development. <i>Current Opinion in Plant Biology</i> , 2006, 9, 523-529.	7.1	47
50	Volatile organic compounds of leaves and flowers of <i>Montanoa tomentosa</i> . <i>Flavour and Fragrance Journal</i> , 2006, 21, 225-227.	2.6	5
51	Alkamides Isolated from Plants Promote Growth and Alter Root Development in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2004, 134, 1058-1068.	4.8	67
52	Fungistatic and Bacteriostatic Activities of Alkamides from <i>Heliopsis longipes</i> Roots: Affin and Reduced Amides. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4700-4704.	5.2	91
53	El gÃ©nero <i>Heliopsis</i> (Heliantheae; Asteraceae) en MÃ©xico y las alcamidas presentes en sus raÃ©ces. <i>Acta Botanica Mexicana</i> , 2004, , 115-131.	0.3	21
54	Repellence of <i>Boophilus microplus</i> larvae in <i>Stylosanthes humilis</i> and <i>Stylosanthes hamata</i> plants. <i>Parasitologia Latinoamericana</i> , 2003, 58, 118.	0.2	10

#	ARTICLE	IF	CITATIONS
55	Antimicrobial properties of alkamides present in flavouring plants traditionally used in Mesoamerica: affinin and capsaicin. <i>Journal of Ethnopharmacology</i> , 1999, 64, 241-248.	4.1	131
56	Presence of the Bornyl Ester of deca-2E,6Z,8E-Trienoic Acid in <i>Heliopsis longipes</i> Roots. <i>Journal of Natural Products</i> , 1995, 58, 1590-1591.	3.0	13