

Elif I Ekinçi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8316828/elif-i-ekinci-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

2,449
citations

25
h-index

45
g-index

161
ext. papers

3,193
ext. citations

4.3
avg, IF

5.35
L-index

#	Paper	IF	Citations
141	Blood Plasma Metabolites in Diabetes-Associated Chronic Kidney Disease: A Focus on Lipid Profiles and Cardiovascular Risk.. <i>Frontiers in Nutrition</i> , 2022 , 9, 821209	6.2	
140	Testing for monogenic diabetes is lower than required to reveal its true prevalence in an Australian population. <i>Diabetes Epidemiology and Management</i> , 2022 , 6, 100069		0
139	Response to Comment on Hamblin et al. Capillary Ketone Concentrations at the Time of Colonoscopy: A Cross-Sectional Study With Implications for SGLT2 Inhibitor-Treated Type 2 Diabetes. <i>Diabetes Care</i> 2021;44:e124-e126.. <i>Diabetes Care</i> , 2022 , 45, e17-e18	14.6	3
138	Functional MRI in assessment of diabetic kidney disease in people with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2021 , 36, 108076	3.2	0
137	Geometric Distortion Correction of Renal Diffusion Tensor Imaging Using the Reversed Gradient Method. <i>Journal of Computer Assisted Tomography</i> , 2021 , 45, 218-223	2.2	1
136	Continuous glucose monitoring: A review of the evidence in type 1 and 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2021 , 38, e14528	3.5	9
135	Feasibility trial of metformin XR in people with pre-diabetes and stroke (MIPPS)-randomised open blinded endpoint controlled trial. <i>Journal of Clinical Neuroscience</i> , 2021 , 86, 103-109	2.2	
134	Capillary Ketone Concentrations at the Time of Colonoscopy: A Cross-Sectional Study With Implications for SGLT2 Inhibitor-Treated Type 2 Diabetes. <i>Diabetes Care</i> , 2021 , 44, e124-e126	14.6	2
133	Essentials of a new clinical practice guidance on familial hypercholesterolaemia for physicians. <i>Internal Medicine Journal</i> , 2021 , 51, 769-779	1.6	0
132	Gut microbiome, prebiotics, intestinal permeability and diabetes complications. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2021 , 35, 101507	6.5	12
131	Synopsis of an integrated guidance for enhancing the care of familial hypercholesterolaemia: an Australian perspective. <i>American Journal of Preventive Cardiology</i> , 2021 , 6, 100151	1.9	0
130	Risk factors for pregnancy outcomes in Type 1 and Type 2 diabetes. <i>Internal Medicine Journal</i> , 2021 , 51, 78-86	1.6	3
129	GripBMI - A fast and simple sarcopenia screening tool in post acute inpatient rehabilitation. <i>Clinical Nutrition</i> , 2021 , 40, 1022-1027	5.9	2
128	Lipoprotein apheresis and PCSK9 inhibitors for severe familial hypercholesterolaemia: Experience from Australia and New Zealand. <i>Journal of Clinical Apheresis</i> , 2021 , 36, 48-58	3.2	0
127	Sarcopenia Is Associated With Reduced Function on Admission to Rehabilitation in Patients With Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e687-e695	5.6	2
126	Integrated Guidance for Enhancing the Care of Familial Hypercholesterolaemia in Australia. <i>Heart Lung and Circulation</i> , 2021 , 30, 324-349	1.8	20
125	Performance of 4 Creatinine-based Equations in Assessing Glomerular Filtration Rate in Adults with Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e61-e73	5.6	2

124	The prevalence of sarcopenia in middle-aged and older patients in post-acute inpatient rehabilitation: a cross-sectional study. <i>JCSM Rapid Communications</i> , 2021 , 4, 16-23	2.6	0
123	Evaluation of the diagnostic performance of the creatinine-based Chronic Kidney Disease Epidemiology Collaboration equation in people with diabetes: A systematic review. <i>Diabetic Medicine</i> , 2021 , 38, e14391	3.5	0
122	Treatment implications of a delayed diagnosis of maturity-onset diabetes of the young. <i>Internal Medicine Journal</i> , 2021 , 51, 116-120	1.6	1
121	Comparison of two questionnaires for assessment of emotional eating in people undergoing treatment for obesity. <i>Eating and Weight Disorders</i> , 2021 , 26, 2353-2360	3.6	
120	An overview of COVID-19 in people with diabetes: Pathophysiology and considerations in the inpatient setting. <i>Diabetic Medicine</i> , 2021 , 38, e14509	3.5	13
119	Reply - Letter to the editor. <i>Clinical Nutrition</i> , 2021 , 40, 4822-4823	5.9	
118	Older People With Type 2 Diabetes-Individualising Management With a Specialised Community Team (OPTIMISE): Perspectives of Participants on Care. <i>Clinical Diabetes</i> , 2021 , 39, 397-410	2.9	
117	The comparative epidemiology and outcomes of hospitalized patients treated with SGLT2 or DPP4 inhibitors. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 108052	3.2	1
116	Feasibility of once weekly exenatide-LAR and enhanced diabetes care in Indigenous Australians with type 2 diabetes (Long-acting-Once-Weekly-Exenatide laR-SUGAR, Lower SUGARTstudy). <i>Internal Medicine Journal</i> , 2021 , 51, 1463-1472	1.6	
115	Dietary sodium and potassium intake in people with diabetes: are guidelines being met?. <i>Nutrition and Diabetes</i> , 2020 , 10, 23	4.7	1
114	Considerations for people with diabetes during the Coronavirus Disease (COVID-19) pandemic. <i>Diabetes Research and Clinical Practice</i> , 2020 , 166, 108296	7.4	11
113	A safety and pharmacodynamics study of temelimab, an antipathogenic human endogenous retrovirus type W envelope monoclonal antibody, in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1111-1121	6.7	6
112	Emotional eating in patients attending a specialist obesity treatment service. <i>Appetite</i> , 2020 , 151, 104708	4.5	2
111	Identifying stress-related eating in behavioural research: A review. <i>Hormones and Behavior</i> , 2020 , 124, 104752	3.7	7
110	Goal attainment scaling outcomes in general inpatient rehabilitation: association with functional independence and perceived goal importance and difficulty. <i>Journal of Rehabilitation Medicine</i> , 2020 , 52, jrm00054	3.4	0
109	Identification of Potential Biomarkers of Chronic Kidney Disease in Individuals with Diabetes: Protocol for a Cross-sectional Observational Study. <i>JMIR Research Protocols</i> , 2020 , 9, e16277	2	2
108	The association between maternal renal function and pregnancy outcomes in type 1 and type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 165, 108225	7.4	1
107	Complement C5a Induces Renal Injury in Diabetic Kidney Disease by Disrupting Mitochondrial Metabolic Agility. <i>Diabetes</i> , 2020 , 69, 83-98	0.9	20

106	Advances in type 2 diabetes therapy: a focus on cardiovascular and renal outcomes. <i>Medical Journal of Australia</i> , 2020 , 212, 133-139	4	6
105	A physician-initiated double-blind, randomised, placebo-controlled, phase 2 study evaluating the efficacy and safety of inhibition of NADPH oxidase with the first-in-class Nox-1/4 inhibitor, GKT137831, in adults with type 1 diabetes and persistently elevated urinary albumin excretion: Protocol and statistical considerations. <i>Contemporary Clinical Trials</i> , 2020 , 90, 105892	2.3	13
104	Effect of Salt Supplementation on Sympathetic Activity and Endothelial Function in Salt-Sensitive Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	5
103	Relative Hypoglycemia in Diabetic Patients With Critical Illness. <i>Critical Care Medicine</i> , 2020 , 48, e233-e240,	4.1	11
102	The Safety and Efficacy of Second-Generation Basal Insulin Analogues in Adults with Type 2 Diabetes at Risk of Hypoglycemia and Use in Other Special Populations: A Narrative Review. <i>Diabetes Therapy</i> , 2020 , 11, 2555-2593	3.6	8
101	Exploring the Relationship Between Maternal Circulating Hormones and Gestational Weight Gain in Women Without Obesity: A Cross-Sectional Study. <i>International Journal of Women's Health</i> , 2020 , 12, 455-462	2.8	2
100	Potential for Novel Biomarkers in Diabetes-Associated Chronic Kidney Disease: Epigenome, Metabolome, and Gut Microbiome. <i>Biomedicines</i> , 2020 , 8,	4.8	3
99	Diabetes and higher HbA1c levels are independently associated with adverse renal outcomes in inpatients following multiple hospital admissions. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107465	3.2	0
98	Effect of angiotensin II receptor blocker and salt supplementation on short-term blood pressure variability in type 2 diabetes. <i>Journal of Human Hypertension</i> , 2020 , 34, 143-150	2.6	1
97	Evolving Evidence of Diabetic Ketoacidosis in Patients Taking Sodium-Glucose Cotransporter 2 Inhibitors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	11
96	Impact of botanical fermented foods on metabolic biomarkers and gut microbiota in adults with metabolic syndrome and type 2 diabetes: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e029242	3	3
95	Progression of Diabetic Kidney Disease in the Absence of Albuminuria. <i>Diabetes Care</i> , 2019 , 42, 1842-1844,	4.6	9
94	New Agents for the Treatment of Type 2 Diabetes. <i>Critical Care Clinics</i> , 2019 , 35, 315-328	4.5	11
93	Metformin: time to review its role and safety in chronic kidney disease. <i>Medical Journal of Australia</i> , 2019 , 211, 37-42	4	13
92	SGLT2 Inhibitors Increase the Risk of Diabetic Ketoacidosis Developing in the Community and During Hospital Admission. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 3077-3087	5.6	47
91	Comparison of endothelial function and sympathetic nervous system activity along the glucose continuum in individuals with differing metabolic risk profiles and low dietary sodium intake. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7, e000606	4.5	3
90	Routine HbA1c among hematology and oncology inpatients: Diabetes-status and hospital-outcomes. <i>Diabetes Research and Clinical Practice</i> , 2019 , 152, 71-78	7.4	
89	Changes in soluble tumor necrosis factor receptor type-1 levels and early renal function decline in patients with diabetes. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 1537-1542	3.9	2

88	What is new in lipid-lowering therapies in diabetes?. <i>Internal Medicine Journal</i> , 2019 , 49, 1472-1480	1.6	4
87	Hospital-acquired complications in intensive care unit patients with diabetes: A before-and-after study of a conventional versus liberal glucose control protocol. <i>Acta Anaesthesiologica Scandinavica</i> , 2019 , 63, 761-768	1.9	2
86	Is hyperfiltration associated with higher urine albumin-to-creatinine ratio at follow up among Indigenous Australians? The eGFR follow-up study. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 343-349	3.2	3
85	Prevalence of pre-existing dysglycaemia among inpatients with acute coronary syndrome and associations with outcomes. <i>Diabetes Research and Clinical Practice</i> , 2019 , 154, 130-137	7.4	3
84	Prevalence of diabetes and its effects on stroke outcomes: A meta-analysis and literature review 2019 , 10, 780		1
83	Sodium Intake, Circulating Microvesicles and Cardiovascular Outcomes in Type 2 Diabetes. <i>Current Diabetes Reviews</i> , 2019 , 15, 435-445	2.7	1
82	Recent advances in management of type 1 diabetes. <i>Australian Journal of General Practice</i> , 2019 , 48, 256-261	1.5	1
81	Exploration of the shared pathophysiological mechanisms of gestational diabetes and large for gestational age offspring. <i>World Journal of Diabetes</i> , 2019 , 10, 333-340	4.7	5
80	Older People With Type 2 Diabetes-Individualizing Management With a Specialized (OPTIMISE) Community Team: Protocol for a Safety and Feasibility Mixed Methods Study. <i>JMIR Research Protocols</i> , 2019 , 8, e13986	2	2
79	Three Dimensional Glomerular Reconstruction: A Novel Approach to Evaluate Renal Microanatomy in Diabetic Kidney Disease. <i>Scientific Reports</i> , 2019 , 9, 1829	4.9	4
78	Feasibility of using a transition diabetes team to commence injectable therapies postdischarge from a tertiary hospital: a pilot, randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e023583	3	0
77	Diagnostic performance of the Chronic Kidney Disease Epidemiology Collaboration (CKD-EPI) equation at estimating glomerular filtration rate in adults with diabetes mellitus: a systematic review and meta-analysis protocol. <i>BMJ Open</i> , 2019 , 9, e031558	3	9
76	Prevalence of diabetes and its effects on stroke outcomes: A meta-analysis and literature review. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 780-792	3.9	96
75	Is Thermal Imaging a Useful Predictor of the Healing Status of Diabetes-Related Foot Ulcers? A Pilot Study. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 561-567	4.1	11
74	Liberal Glucose Control in ICU Patients With Diabetes: A Before-and-After Study. <i>Critical Care Medicine</i> , 2018 , 46, 935-942	1.4	29
73	Continuous glucose monitoring: a review of the evidence, opportunities for future use and ongoing challenges. <i>Internal Medicine Journal</i> , 2018 , 48, 499-508	1.6	30
72	Strategies for enumeration of circulating microvesicles on a conventional flow cytometer: Counting beads and scatter parameters. <i>Journal of Circulating Biomarkers</i> , 2018 , 7, 1849454418766966	3.3	12
71	Systematic review and meta-analysis of prevalence of sarcopenia in post acute inpatient rehabilitation. <i>Osteoporosis International</i> , 2018 , 29, 805-812	5.3	41

70	Pathophysiological Links Between Diabetes and Blood Pressure. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 585-594	3.8	24
69	High Baseline Levels of Tumor Necrosis Factor Receptor 1 Are Associated With Progression of Kidney Disease in Indigenous Australians With Diabetes: The eGFR Follow-up Study. <i>Diabetes Care</i> , 2018 , 41, 739-747	14.6	22
68	The Presence of Diabetes and Higher HbA Are Independently Associated With Adverse Outcomes After Surgery. <i>Diabetes Care</i> , 2018 , 41, 1172-1179	14.6	37
67	Glycemic Control as Primary Prevention for Diabetic Kidney Disease. <i>Advances in Chronic Kidney Disease</i> , 2018 , 25, 141-148	4.7	9
66	Contribution of cardiometabolic risk factors to estimated glomerular filtration rate decline in Indigenous Australians with and without albuminuria - the eGFR Follow-up Study. <i>Nephrology</i> , 2018 , 23, 682-689	2.2	2
65	Relationship between urinary sodium-to-potassium ratio and ambulatory blood pressure in patients with diabetes mellitus. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018 , 45, 94-97	3	2
64	Use of Readily Accessible Inflammatory Markers to Predict Diabetic Kidney Disease. <i>Frontiers in Endocrinology</i> , 2018 , 9, 225	5.7	20
63	High-Resolution Spectral Analysis Accurately Identifies the Bacterial Signature in Infected Chronic Foot Ulcers in People With Diabetes. <i>International Journal of Lower Extremity Wounds</i> , 2018 , 17, 78-86	1.6	4
62	Treatment with exenatide in acute ischemic stroke trial protocol: A prospective, randomized, open label, blinded end-point study of exenatide vs. standard care in post stroke hyperglycemia. <i>International Journal of Stroke</i> , 2018 , 13, 857-862	6.3	10
61	Biomarkers for Macrosomia Prediction in Pregnancies Affected by Diabetes. <i>Frontiers in Endocrinology</i> , 2018 , 9, 407	5.7	15
60	Using routine HbA1c measurements in stroke and the associations of dysglycaemia with stroke outcomes. <i>Journal of Diabetes and Its Complications</i> , 2018 , 32, 1056-1061	3.2	3
59	Impact of an integrated diabetes service involving specialist outreach and primary health care on risk factors for micro- and macrovascular diabetes complications in remote Indigenous communities in Australia. <i>Australian Journal of Rural Health</i> , 2018 , 26, 394-399	1.3	8
58	DNA methylation profiling of genomic DNA isolated from urine in diabetic chronic kidney disease: A pilot study. <i>PLoS ONE</i> , 2018 , 13, e0190280	3.7	8
57	How common is substantial weight gain after pregnancy?. <i>Obesity Research and Clinical Practice</i> , 2018 , 12, 139-145	5.4	7
56	Flash glucose monitoring-using technology to improve outcomes for patients with diabetes. <i>Australian Journal of Rural Health</i> , 2018 , 26, 453-454	1.3	3
55	The relationship between habitual dietary sodium intake and RAAS blockade on circulating microparticle levels in type two diabetes. <i>Clinical Science</i> , 2018 , 132, 2207-2220	6.5	2
54	Routine use of HbA1c amongst inpatients hospitalised with decompensated heart failure and the association of dysglycaemia with outcomes. <i>Scientific Reports</i> , 2018 , 8, 13564	4.9	3
53	Relationship Between Glycated Hemoglobin and Stroke Risk: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	40

52	Higher maternal serum prolactin levels are associated with reduced glucose tolerance during pregnancy. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 697-700	3.9	14
51	Comparison of creatinine and cystatin C based eGFR in the estimation of glomerular filtration rate in Indigenous Australians: The eGFR Study. <i>Clinical Biochemistry</i> , 2017 , 50, 301-308	3.5	13
50	Diabetic ketoacidosis in acromegaly; a rare complication precipitated by corticosteroid use. <i>Diabetes Research and Clinical Practice</i> , 2017 , 134, 29-37	7.4	4
49	Long-term intra-individual variability of albuminuria in type 2 diabetes mellitus: implications for categorization of albumin excretion rate. <i>BMC Nephrology</i> , 2017 , 18, 355	2.7	6
48	Effects of glycaemic management on diabetic kidney disease. <i>World Journal of Diabetes</i> , 2017 , 8, 172-186	4.7	35
47	NADPH Oxidase Nox5 Accelerates Renal Injury in Diabetic Nephropathy. <i>Diabetes</i> , 2017 , 66, 2691-2703	0.9	88
46	Does left ventricular hypertrophy affect cognition and brain structural integrity in type 2 diabetes? Study design and rationale of the Diabetes and Dementia (D2) study. <i>BMC Endocrine Disorders</i> , 2017 , 17, 24	3.3	
45	Clinical predictive factors in diabetic kidney disease progression. <i>Journal of Diabetes Investigation</i> , 2017 , 8, 6-18	3.9	79
44	Reducing sedentary time and fat mass may improve glucose tolerance and insulin sensitivity in adults surviving 6 months after stroke: A phase I pilot study. <i>European Stroke Journal</i> , 2017 , 2, 144-153	5.6	3
43	Caution advised with dapagliflozin in the setting of male urinary tract outlet obstruction. <i>BMJ Case Reports</i> , 2017 , 2017,	0.9	5
42	Using Routine Hemoglobin A1c Testing to Determine the Glycemic Status in Psychiatric Inpatients. <i>Frontiers in Endocrinology</i> , 2017 , 8, 53	5.7	2
41	Review of Evidence for Adult Diabetic Ketoacidosis Management Protocols. <i>Frontiers in Endocrinology</i> , 2017 , 8, 106	5.7	36
40	Using Automated HbA1c Testing to Detect Diabetes Mellitus in Orthopedic Inpatients and Its Effect on Outcomes. <i>PLoS ONE</i> , 2017 , 12, e0168471	3.7	6
39	The performance of flash glucose monitoring in critically ill patients with diabetes. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 167-174	2.8	16
38	Intensity of early correction of hyperglycaemia and outcome of critically ill patients with diabetic ketoacidosis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 266-273	2.8	2
37	Association of sex hormone-binding globulin and free testosterone with mortality in men with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2016 , 174, 59-68	6.5	22
36	Elevated baseline glomerular filtration rate (GFR) is independently associated with a more rapid decline in renal function of patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 256-61	3.2	18
35	Estimating glomerular filtration rate: Performance of the CKD-EPI equation over time in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 49-54	3.2	14

34	Deficiency in Apoptosis-Inducing Factor Recapitulates Chronic Kidney Disease via Aberrant Mitochondrial Homeostasis. <i>Diabetes</i> , 2016 , 65, 1085-98	0.9	34
33	Bowel perforation complicating an ACTH-secreting pheochromocytoma. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2016 , 2016,	1.4	8
32	Cardio-renal protection with empagliflozin. <i>Annals of Translational Medicine</i> , 2016 , 4, 409	3.2	11
31	Can Targeting the Incretin Pathway Dampen RAGE-Mediated Events in Diabetic Nephropathy?. <i>Current Drug Targets</i> , 2016 , 17, 1252-64	3	8
30	Sodium and Its Role in Cardiovascular Disease - The Debate Continues. <i>Frontiers in Endocrinology</i> , 2016 , 7, 164	5.7	28
29	Liberal Versus Conventional Glucose Targets in Critically Ill Diabetic Patients: An Exploratory Safety Cohort Assessment. <i>Critical Care Medicine</i> , 2016 , 44, 1683-91	1.4	32
28	Hyperfiltration in Indigenous Australians with and without diabetes. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1877-84	4.3	9
27	Changes to volumetric bone mineral density and bone strength after stroke: a prospective study. <i>International Journal of Stroke</i> , 2015 , 10, 396-9	6.3	6
26	The impact of hyperfiltration on the diabetic kidney. <i>Diabetes and Metabolism</i> , 2015 , 41, 5-17	5.4	57
25	Short-term dietary salt supplementation blunts telmisartan induced increases in plasma renin activity in hypertensive patients with type 2 diabetes mellitus. <i>Clinical Science</i> , 2015 , 129, 415-22	6.5	9
24	Inpatient HbA1c testing: a prospective observational study. <i>BMJ Open Diabetes Research and Care</i> , 2015 , 3, e000113	4.5	21
23	The Chronic Kidney Disease-Epidemiology Collaboration (CKD-EPI) equation does not improve the underestimation of Glomerular Filtration Rate (GFR) in people with diabetes and preserved renal function. <i>BMC Nephrology</i> , 2015 , 16, 198	2.7	43
22	A longitudinal study of thyroid autoantibodies in pregnancy: the importance of test timing. <i>Clinical Endocrinology</i> , 2015 , 82, 604-10	3.4	24
21	Cardiovascular outcomes with antihypertensive therapy in type 2 diabetes: an analysis of intervention trials. <i>Journal of Human Hypertension</i> , 2015 , 29, 473-7	2.6	6
20	Progressive diabetic nephropathy. How useful is microalbuminuria?: contra <i>Kidney International</i> , 2014 , 86, 50-7	9.9	53
19	Markers of and risk factors for the development and progression of diabetic kidney disease. <i>American Journal of Kidney Diseases</i> , 2014 , 63, S39-62	7.4	185
18	The high burden of inpatient diabetes mellitus: the Melbourne Public Hospitals Diabetes Inpatient Audit. <i>Medical Journal of Australia</i> , 2014 , 201, 334-8	4	46
17	Relationship between urinary sodium excretion and serum aldosterone in patients with diabetes in the presence and absence of modifiers of the renin-angiotensin-aldosterone system. <i>Clinical Science</i> , 2014 , 126, 147-54	6.5	10

16	Relationship between urinary sodium excretion over time and mortality in type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, e62-3	14.6	11
15	Spectrum of renal disease in diabetes. <i>Nephrology</i> , 2014 , 19, 528-36	2.2	16
14	Liver transplantation for the treatment of homozygous familial hypercholesterolaemia in an era of emerging lipid-lowering therapies. <i>Internal Medicine Journal</i> , 2014 , 44, 601-4	1.6	21
13	Clinical research potential in Victorian hospitals: the Victorian clinician researcher needs analysis survey. <i>Internal Medicine Journal</i> , 2014 , 44, 477-82	1.6	13
12	Performance of formulas for estimating glomerular filtration rate in Indigenous Australians with and without Type 2 diabetes: the eGFR Study. <i>Diabetic Medicine</i> , 2014 , 31, 829-38	3.5	21
11	Longitudinal assessment of thyroid function in pregnancy. <i>Annals of Clinical Biochemistry</i> , 2013 , 50, 595-602	2.0	20
10	Renal structure in normoalbuminuric and albuminuric patients with type 2 diabetes and impaired renal function. <i>Diabetes Care</i> , 2013 , 36, 3620-6	14.6	133
9	Dietary salt intake and mortality in patients with type 2 diabetes. <i>Diabetes Care</i> , 2011 , 34, 703-9	14.6	228
8	High sodium and low potassium intake in patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2010 , 27, 1401-8	3.5	27
7	Carbimazole-induced agranulocytosis: does antineutrophil cytoplasmic antibody have a role?. <i>Internal Medicine Journal</i> , 2010 , 40, 300-3	1.6	3
6	Salt supplementation blunts the blood pressure response to telmisartan with or without hydrochlorothiazide in hypertensive patients with type 2 diabetes. <i>Diabetologia</i> , 2010 , 53, 1295-303	10.3	22
5	Early Glomerular Filtration Rate Loss as a Marker of Diabetic Nephropathy. <i>European Endocrinology</i> , 2010 , 8, 27	3.4	3
4	Effects of salt supplementation on the albuminuric response to telmisartan with or without hydrochlorothiazide therapy in hypertensive patients with type 2 diabetes are modulated by habitual dietary salt intake. <i>Diabetes Care</i> , 2009 , 32, 1398-403	14.6	47
3	Serial measurements of cystatin C are more accurate than creatinine-based methods in detecting declining renal function in type 1 diabetes. <i>Diabetes Care</i> , 2008 , 31, 971-3	14.6	71
2	Images of interest. Gastrointestinal: complications of colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2005 , 20, 1301	4	5
1	Neurological manifestations of cardiac myxoma: a review of the literature and report of cases. <i>Internal Medicine Journal</i> , 2004 , 34, 243-9	1.6	86