Stephen J Sharp

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8318151/publications.pdf Version: 2024-02-01

		38738	32838
139	11,144	50	100
papers	citations	h-index	g-index
143 all docs	143 docs citations	143 times ranked	20933 citing authors

#	Article	IF	CITATIONS
1	Longitudinal associations between prepubertal childhood total energy and macronutrient intakes and subsequent puberty timing in UK boys and girls. European Journal of Nutrition, 2022, 61, 157-167.	3.9	5
2	Population level physical activity before and during the first national COVID-19 lockdown: A nationally representative repeat cross-sectional study of 5 years of Active Lives data in England. Lancet Regional Health - Europe, The, 2022, 12, 100265.	5.6	44
3	Risk models for recurrence and survival after kidney cancer: a systematic review. BJU International, 2022, 130, 562-579.	2.5	12
4	Association between patient activation, self-management behaviours and clinical outcomes in adults with diabetes or related metabolic disorders: a systematic review and meta-analysis protocol. BMJ Open, 2022, 12, e056293.	1.9	2
5	Participant Characteristics Associated with Changes in Mental Health in a Trial of Behavioural Weight Management Programmes: Secondary Analysis of the WRAP Trial. Obesity Facts, 2022, 15, 508-518.	3.4	0
6	Supporting Weight Management during COVID-19: A Randomized Controlled Trial of a Web-Based, ACT-Based, Guided Self-Help Intervention. Obesity Facts, 2022, 15, 550-559.	3.4	7
7	Acceptability and feasibility of an acceptance and commitment therapy-based guided self-help intervention for weight loss maintenance in adults who have previously completed a behavioural weight loss programme: the SWiM feasibility study protocol. BMJ Open, 2022, 12, e058103.	1.9	2
8	Associations of genetic susceptibility and healthy lifestyle with incidence of coronary heart disease and stroke in individuals with hypertension. European Journal of Preventive Cardiology, 2022, 29, 2101-2110.	1.8	17
9	Impacts of new cycle infrastructure on cycling levels in two French cities: an interrupted time series analysis. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, .	4.6	1
10	Plasma Vitamin C and Type 2 Diabetes: Genome-Wide Association Study and Mendelian Randomization Analysis in European Populations. Diabetes Care, 2021, 44, 98-106.	8.6	68
11	Association of weight loss and weight loss maintenance following diabetes diagnosis by screening and incidence of cardiovascular disease and allâ€cause mortality: An observational analysis of the ADDITIONâ€Europe trial. Diabetes, Obesity and Metabolism, 2021, 23, 730-741.	4.4	6
12	Interaction Between GAD65 Antibodies and Dietary Fish Intake or Plasma Phospholipid n-3 Polyunsaturated Fatty Acids on Incident Adult-Onset Diabetes: The EPIC-InterAct Study. Diabetes Care, 2021, 44, 416-424.	8.6	6
13	The absolute and relative risk of type 2 diabetes after gestational diabetes: A systematic review and meta-analysis of 129 studies. Diabetes Research and Clinical Practice, 2021, 171, 108625.	2.8	75
14	The impact of adult behavioural weight management interventions on mental health: A systematic review and metaâ€analysis. Obesity Reviews, 2021, 22, e13150.	6.5	38
15	Independent and combined associations between fast-food outlet exposure and genetic risk for obesity: a population-based, cross-sectional study in the UK. BMC Medicine, 2021, 19, 49.	5.5	7
16	Effectiveness of Minimal Contact Interventions: An RCT. American Journal of Preventive Medicine, 2021, 60, e111-e121.	3.0	3
17	Heterogeneity of Associations between Total and Types of Fish Intake and the Incidence of Type 2 Diabetes: Federated Meta-Analysis of 28 Prospective Studies Including 956,122 Participants. Nutrients, 2021, 13, 1223.	4.1	8
18	A school-based, peer-led programme to increase physical activity among 13- to 14-year-old adolescents: the GoActive cluster RCT. Public Health Research, 2021, 9, 1-134.	1.3	7

#	Article	IF	CITATIONS
19	Prescription of glucose-lowering therapies and risk of COVID-19 mortality in people with type 2 diabetes: a nationwide observational study in England. Lancet Diabetes and Endocrinology,the, 2021, 9, 293-303.	11.4	140
20	Promoting physical activity in a multi-ethnic population at high risk of diabetes: the 48-month PROPELS randomised controlled trial. BMC Medicine, 2021, 19, 130.	5.5	14
21	Positive maternal attitudes to following healthy infant feeding guidelines attenuate the associations between infant appetitive traits and both infant milk intake and weight. Appetite, 2021, 161, 105124.	3.7	2
22	Is occupational physical activity associated with mortality in UK Biobank?. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 102.	4.6	16
23	Impact of achievement and change in achievement of lifestyle recommendations in middle-age on risk of the most common potentially preventable cancers. Preventive Medicine, 2021, 153, 106712.	3.4	1
24	The impact of participant mental health on attendance and engagement in a trial of behavioural weight management programmes: secondary analysis of the WRAP randomised controlled trial. International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 146.	4.6	13
25	Behavioural interventions to promote physical activity in a multiethnic population at high risk of diabetes: PROPELS three-arm RCT. Health Technology Assessment, 2021, 25, 1-190.	2.8	7
26	Impact of follow-up time and analytical approaches to account for reverse causality on the association between physical activity and health outcomes in UK Biobank. International Journal of Epidemiology, 2020, 49, 162-172.	1.9	57
27	Effect of interventions including provision of personalised cancer risk information on accuracy of risk perception and psychological responses: A systematic review and meta-analysis. Patient Education and Counseling, 2020, 103, 83-95.	2.2	12
28	Autoimmunity plays a role in the onset of diabetes after 40 years of age. Diabetologia, 2020, 63, 266-277.	6.3	15
29	The association between circulating 25-hydroxyvitamin D metabolites and type 2 diabetes in European populations: AÂmeta-analysis and Mendelian randomisation analysis. PLoS Medicine, 2020, 17, e1003394.	8.4	45
30	Physical distancing interventions and incidence of coronavirus disease 2019: natural experiment in 149 countries. BMJ, The, 2020, 370, m2743.	6.0	427
31	Genome-wide association analysis of type 2 diabetes in the EPIC-InterAct study. Scientific Data, 2020, 7, 393.	5.3	19
32	Effectiveness and cost-effectiveness of the GoActive intervention to increase physical activity among UK adolescents: AÂcluster randomised controlled trial. PLoS Medicine, 2020, 17, e1003210.	8.4	28
33	Meta-analysis investigating the role of interleukin-6 mediated inflammation in type 2 diabetes. EBioMedicine, 2020, 61, 103062.	6.1	46
34	Wearable-device-measured physical activity and future health risk. Nature Medicine, 2020, 26, 1385-1391.	30.7	157
35	A randomised controlled trial of the effect of providing online risk information and lifestyle advice for the most common preventable cancers. Preventive Medicine, 2020, 138, 106154.	3.4	7
36	Use of the prevented fraction for the population to determine deaths averted by existing prevalence of physical activity: a descriptive study. The Lancet Global Health, 2020, 8, e920-e930.	6.3	86

#	Article	IF	CITATIONS
37	Thirdâ€wave cognitive behaviour therapies for weight management: A systematic review and network metaâ€analysis. Obesity Reviews, 2020, 21, e13013.	6.5	61
38	Estimating physical activity from self-reported behaviours in large-scale population studies using network harmonisation: findings from UK Biobank and associations with disease outcomes. International Journal of Behavioral Nutrition and Physical Activity, 2020, 17, 40.	4.6	18
39	Association of plasma biomarkers of fruit and vegetable intake with incident type 2 diabetes: EPIC-InterAct case-cohort study in eight European countries. BMJ, The, 2020, 370, m2194.	6.0	75
40	A pragmatic and scalable strategy using mobile technology to promote sustained lifestyle changes to prevent type 2 diabetes in India and the UK: a randomised controlled trial. Diabetologia, 2020, 63, 486-496.	6.3	38
41	Network Harmonization of Physical Activity Variables Through Indirect Validation. Journal for the Measurement of Physical Behaviour, 2020, 3, 8-18.	0.8	6
42	Anticipatory changes in British household purchases of soft drinks associated with the announcement of the Soft Drinks Industry Levy: A controlled interrupted time series analysis. PLoS Medicine, 2020, 17, e1003269.	8.4	10
43	Title is missing!. , 2020, 17, e1003210.		0
44	Title is missing!. , 2020, 17, e1003210.		0
45	Title is missing!. , 2020, 17, e1003210.		0
46	Title is missing!. , 2020, 17, e1003210.		0
47	Title is missing!. , 2020, 17, e1003210.		0
48	Title is missing!. , 2020, 17, e1003210.		0
49	Title is missing!. , 2020, 17, e1003269.		0
50	Title is missing!. , 2020, 17, e1003269.		0
51	Title is missing!. , 2020, 17, e1003269.		0
52	Title is missing!. , 2020, 17, e1003269.		0
53	Title is missing!. , 2020, 17, e1003269.		0
54	Estimated Substitution of Tea or Coffee for Sugar-Sweetened Beverages Was Associated with Lower Type 2 Diabetes Incidence in Case–Cohort Analysis across 8 European Countries in the EPIC-InterAct Study. Journal of Nutrition, 2019, 149, 1985-1993.	2.9	24

#	Article	IF	CITATIONS
55	Development and multi-cohort validation of a clinical score for predicting type 2 diabetes mellitus. PLoS ONE, 2019, 14, e0218933.	2.5	5
56	Substituting prolonged sedentary time and cardiovascular risk in children and youth: a meta-analysis within the International Children's Accelerometry database (ICAD). International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 96.	4.6	35
57	Generalizability of a Diabetes-Associated Country-Specific Exploratory Dietary Pattern Is Feasible Across European Populations. Journal of Nutrition, 2019, 149, 1047-1055.	2.9	6
58	Human Gain-of-Function MC4R Variants Show Signaling Bias and Protect against Obesity. Cell, 2019, 177, 597-607.e9.	28.9	192
59	Changes in plasma phospholipid fatty acid profiles over 13 years and correlates of change: European Prospective Investigation into Cancer and Nutrition-Norfolk Study. American Journal of Clinical Nutrition, 2019, 109, 1527-1534.	4.7	17
60	Association of Plasma Vitamin D Metabolites With Incident Type 2 Diabetes: EPIC-InterAct Case-Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 1293-1303.	3.6	25
61	Assessing the impact of the Barbados sugar-sweetened beverage tax on beverage sales: an observational study. International Journal of Behavioral Nutrition and Physical Activity, 2019, 16, 13.	4.6	75
62	Effect of communicating phenotypic and genetic risk of coronary heart disease alongside web-based lifestyle advice: the INFORM Randomised Controlled Trial. Heart, 2019, 105, 982-989.	2.9	34
63	Dairy Product Intake and Risk of Type 2 Diabetes in EPIC-InterAct: A Mendelian Randomization Study. Diabetes Care, 2019, 42, 568-575.	8.6	29
64	Long-term effects of intensive multifactorial therapy in individuals with screen-detected type 2 diabetes in primary care: 10-year follow-up of the ADDITION-Europe cluster-randomised trial. Lancet Diabetes and Endocrinology,the, 2019, 7, 925-937.	11.4	39
65	The Relationship between Self-Reported Exposure to Sugar-Sweetened Beverage Promotions and Intake: Cross-Sectional Analysis of the 2017 International Food Policy Study. Nutrients, 2019, 11, 3047.	4.1	24
66	Development and Validation of Lifestyle-Based Models to Predict Incidence of the Most Common Potentially Preventable Cancers. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 67-75.	2.5	13
67	Effect of interventions incorporating personalised cancer risk information on intentions and behaviour: a systematic review and meta-analysis of randomised controlled trials. BMJ Open, 2018, 8, e017717.	1.9	26
68	The combination of cardiorespiratory fitness and muscle strength, and mortality risk. European Journal of Epidemiology, 2018, 33, 953-964.	5.7	64
69	Circulating Fetuin-A and Risk of Type 2 Diabetes: A Mendelian Randomization Analysis. Diabetes, 2018, 67, 1200-1205.	0.6	17
70	Sedentary behaviour and risk of all-cause, cardiovascular and cancer mortality, and incident type 2 diabetes: a systematic review and dose response meta-analysis. European Journal of Epidemiology, 2018, 33, 811-829.	5.7	777
71	Interplay between genetic predisposition, macronutrient intake and type 2 diabetes incidence: analysis within EPIC-InterAct across eight European countries. Diabetologia, 2018, 61, 1325-1332.	6.3	20
72	Interaction of Dietary and Genetic Factors Influencing Body Iron Status and Risk of Type 2 Diabetes Within the EPIC-InterAct Study. Diabetes Care, 2018, 41, 277-285.	8.6	15

#	Article	IF	CITATIONS
73	Socio-economic and age variations in response to supermarket-led checkout food policies: a repeated measures analysis. International Journal of Behavioral Nutrition and Physical Activity, 2018, 15, 125.	4.6	9
74	Supermarket policies on less-healthy food at checkouts: Natural experimental evaluation using interrupted time series analyses of purchases. PLoS Medicine, 2018, 15, e1002712.	8.4	47
75	Association of Genetic Variants Related to Gluteofemoral vs Abdominal Fat Distribution With Type 2 Diabetes, Coronary Disease, and Cardiovascular Risk Factors. JAMA - Journal of the American Medical Association, 2018, 320, 2553.	7.4	152
76	Protocol for a clinical trial of text messaging in addition to standard care versus standard care alone in prevention of type 2 diabetes through lifestyle modification in India and the UK. BMC Endocrine Disorders, 2018, 18, 63.	2.2	3
77	Association of Genetically Enhanced Lipoprotein Lipase–Mediated Lipolysis and Low-Density Lipoprotein Cholesterol–Lowering Alleles With Risk of Coronary Disease and Type 2 Diabetes. JAMA Cardiology, 2018, 3, 957.	6.1	55
78	Alcohol intake in relation to non-fatal and fatal coronary heart disease and stroke: EPIC-CVD case-cohort study. BMJ: British Medical Journal, 2018, 361, k934.	2.3	70
79	Using alternatives to the car and risk of all-cause, cardiovascular and cancer mortality. Heart, 2018, 104, 1749-1755.	2.9	32
80	A randomised controlled trial of the effect of providing online risk information and lifestyle advice for the most common preventable cancers: study protocol. BMC Public Health, 2018, 18, 796.	2.9	5
81	Randomised controlled trial of a theory-based behavioural intervention to reduce formula milk intake. Archives of Disease in Childhood, 2018, 103, archdischild-2018-314784.	1.9	16
82	Metformin in non-diabetic hyperglycaemia: the GLINT feasibility RCT. Health Technology Assessment, 2018, 22, 1-64.	2.8	28
83	Mortality Risk Reductions from Substituting Screen Time by Discretionary Activities. Medicine and Science in Sports and Exercise, 2017, 49, 1111-1119.	0.4	30
84	Interaction between genes and macronutrient intake on the risk of developing type 2 diabetes: systematic review and findings from European Prospective Investigation into Cancer (EPIC)-InterAct. American Journal of Clinical Nutrition, 2017, 106, 263-275.	4.7	46
85	Integrative genomic analysis implicates limited peripheral adipose storage capacity in the pathogenesis of human insulin resistance. Nature Genetics, 2017, 49, 17-26.	21.4	452
86	A cluster randomised controlled trial to evaluate the effectiveness and cost-effectiveness of the GoActive intervention to increase physical activity among adolescents aged 13–14 years. BMJ Open, 2017, 7, e014419.	1.9	23
87	A combination of plasma phospholipid fatty acids and its association with incidence of type 2 diabetes: The EPIC-InterAct case-cohort study. PLoS Medicine, 2017, 14, e1002409.	8.4	61
88	Impact of common genetic determinants of Hemoglobin A1c on type 2 diabetes risk and diagnosis in ancestrally diverse populations: A transethnic genome-wide meta-analysis. PLoS Medicine, 2017, 14, e1002383.	8.4	341
89	Association between plasma phospholipid saturated fatty acids and metabolic markers of lipid, hepatic, inflammation and glycaemic pathways in eight European countries: a cross-sectional analysis in the EPIC-InterAct study. BMC Medicine, 2017, 15, 203.	5.5	47
90	Association of Plasma Phospholipid n-3 and n-6 Polyunsaturated Fatty Acids with Type 2 Diabetes: The EPIC-InterAct Case-Cohort Study. PLoS Medicine, 2016, 13, e1002094.	8.4	150

#	Article	IF	CITATIONS
91	Lifestyle Advice Combined with Personalized Estimates of Genetic or Phenotypic Risk of Type 2 Diabetes, and Objectively Measured Physical Activity: A Randomized Controlled Trial. PLoS Medicine, 2016, 13, e1002185.	8.4	55
92	Repeat Cardiovascular Risk Assessment after Four Years: Is There Improvement in Risk Prediction?. PLoS ONE, 2016, 11, e0147417.	2.5	9
93	The UKâ€PBC risk scores: Derivation and validation of a scoring system for longâ€term prediction of endâ€stage liver disease in primary biliary cholangitis. Hepatology, 2016, 63, 930-950.	7.3	269
94	The independent prospective associations of activity intensity and dietary energy density with adiposity in young adolescents. British Journal of Nutrition, 2016, 115, 921-929.	2.3	21
95	Age-related patterns of vigorous-intensity physical activity in youth: The International Children's Accelerometry Database. Preventive Medicine Reports, 2016, 4, 17-22.	1.8	84
96	Association Between Low-Density Lipoprotein Cholesterol–Lowering Genetic Variants and Risk of Type 2 Diabetes. JAMA - Journal of the American Medical Association, 2016, 316, 1383.	7.4	310
97	Residential neighbourhood greenspace is associated with reduced risk of incident diabetes in older people: a prospective cohort study. BMC Public Health, 2016, 16, 1171.	2.9	80
98	A genomic approach to therapeutic target validation identifies a glucose-lowering <i>GLP1R</i> variant protective for coronary heart disease. Science Translational Medicine, 2016, 8, 341ra76.	12.4	100
99	The spectrum effect in tests for risk prediction, screening, and diagnosis. BMJ, The, 2016, 353, i3139.	6.0	155
100	Galanin inhibits GLPâ€1 and GIP secretion via the GAL ₁ receptor in enteroendocrine L and K cells. British Journal of Pharmacology, 2016, 173, 888-898.	5.4	33
101	Association of Multiple Biomarkers of Iron Metabolism and Type 2 Diabetes: The EPIC-InterAct Study. Diabetes Care, 2016, 39, 572-581.	8.6	65
102	Genetic Predisposition to an Impaired Metabolism of the Branched-Chain Amino Acids and Risk of Type 2 Diabetes: A Mendelian Randomisation Analysis. PLoS Medicine, 2016, 13, e1002179.	8.4	324
103	A randomised trial of the effect and cost-effectiveness of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with screen-detected type 2 diabetes: the Anglo–Danish–Dutch Study of Intensive Treatment in People with Screen-Detected Diabetes in Primary Care (ADDITION-Furope) study. Health Technology Assessment. 2016, 20, 1-86.	2.8	12
104	The pathway to diagnosis of type 1 diabetes in children: a questionnaire study. BMJ Open, 2015, 5, e006470.	1.9	20
105	Magnitude and determinants of change in objectively-measured physical activity, sedentary time and sleep duration from ages 15 to 17.5y in UK adolescents: the ROOTS study. International Journal of Behavioral Nutrition and Physical Activity, 2015, 12, 61.	4.6	34
106	Information and Risk Modification Trial (INFORM): design of a randomised controlled trial of communicating different types of information about coronary heart disease risk, alongside lifestyle advice, to achieve change in health-related behaviour. BMC Public Health, 2015, 15, 868.	2.9	13
107	Evidence of a Causal Association Between Insulinemia and Endometrial Cancer: A Mendelian Randomization Analysis. Journal of the National Cancer Institute, 2015, 107, .	6.3	129
108	Tinned Fruit Consumption and Mortality in Three Prospective Cohorts. PLoS ONE, 2015, 10, e0117796.	2.5	15

#	Article	IF	CITATIONS
109	Associations between Potentially Modifiable Risk Factors and Alzheimer Disease: A Mendelian Randomization Study. PLoS Medicine, 2015, 12, e1001841.	8.4	153
110	The Association of Low-To-Moderate Alcohol Consumption with Breast Cancer Subtypes Defined by Hormone Receptor Status. PLoS ONE, 2015, 10, e0144680.	2.5	11
111	A Mendelian Randomization Study of Circulating Uric Acid and Type 2 Diabetes. Diabetes, 2015, 64, 3028-3036.	0.6	98
112	A method making fewer assumptions gave the most reliable estimates of exposure–outcome associations in stratified case–cohort studies. Journal of Clinical Epidemiology, 2015, 68, 1397-1405.	5.0	10
113	Association between 25-hydroxyvitamin D and type 2 diabetes – Authors' reply. Lancet Diabetes and Endocrinology,the, 2015, 3, 11-12.	11.4	1
114	Association between circulating 25-hydroxyvitamin D and incident type 2 diabetes: a mendelian randomisation study. Lancet Diabetes and Endocrinology,the, 2015, 3, 35-42.	11.4	164
115	Physical activity and all-cause mortality across levels of overall and abdominal adiposity in European men and women: the European Prospective Investigation into Cancer and Nutrition Study (EPIC). American Journal of Clinical Nutrition, 2015, 101, 613-621.	4.7	284
116	Change in objectively measured physical activity during the transition to adolescence. British Journal of Sports Medicine, 2015, 49, 730-736.	6.7	175
117	Reply to H Pareja-Galeano et al American Journal of Clinical Nutrition, 2015, 101, 1101.	4.7	11
118	Definitions of Metabolic Health and Risk of Future Type 2 Diabetes in BMI Categories: A Systematic Review and Network Meta-analysis. Diabetes Care, 2015, 38, 2177-2187.	8.6	61
119	Protocol for Get Moving: a randomised controlled trial to assess the effectiveness of three minimal contact interventions to promote fitness and physical activity in working adults. BMC Public Health, 2015, 15, 296.	2.9	10
120	Untargeted Metabolic Profiling Identifies Altered Serum Metabolites of Type 2 Diabetes Mellitus in a Prospective, Nested Case Control Study. Clinical Chemistry, 2015, 61, 487-497.	3.2	113
121	Inverse association between bone mineral density and risk of aortic stenosis in men and women in EPIC–Norfolk prospective study. International Journal of Cardiology, 2015, 178, 29-30.	1.7	11
122	HMG-coenzyme A reductase inhibition, type 2 diabetes, and bodyweight: evidence from genetic analysis and randomised trials. Lancet, The, 2015, 385, 351-361.	13.7	562
123	Gene-Lifestyle Interaction and Type 2 Diabetes: The EPIC InterAct Case-Cohort Study. PLoS Medicine, 2014, 11, e1001647.	8.4	180
124	Plasma vitamin C and risk of hospitalisation with diagnosis of atrial fibrillation in men and women in EPIC-Norfolk prospective study. International Journal of Cardiology, 2014, 177, 830-835.	1.7	14
125	Effect of Early Multifactorial Therapy Compared With Routine Care on Microvascular Outcomes at 5 Years in People With Screen-Detected Diabetes: A Randomized Controlled Trial. Diabetes Care, 2014, 37, 2015-2023.	8.6	56
126	Dietary Protein Intake and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. Diabetes Care, 2014, 37, 1854-1862.	8.6	141

#	Article	IF	CITATIONS
127	Low Bone Mineral Density Predicts Incident Heart Failure in Men and Women. JACC: Heart Failure, 2014, 2, 380-389.	4.1	37
128	Differences in the prospective association between individual plasma phospholipid saturated fatty acids and incident type 2 diabetes: the EPIC-InterAct case-cohort study. Lancet Diabetes and Endocrinology,the, 2014, 2, 810-818.	11.4	431
129	Association between alcohol and cardiovascular disease: Mendelian randomisation analysis based on individual participant data. BMJ, The, 2014, 349, g4164-g4164.	6.0	528
130	Common Genetic Variants Highlight the Role of Insulin Resistance and Body Fat Distribution in Type 2 Diabetes, Independent of Obesity. Diabetes, 2014, 63, 4378-4387.	0.6	153
131	Impact of Personalised Feedback about Physical Activity on Change in Objectively Measured Physical Activity (the FAB Study): A Randomised Controlled Trial. PLoS ONE, 2013, 8, e75398.	2.5	21
132	The amount and type of dairy product intake and incident type 2 diabetes: results from the EPIC-InterAct Study. American Journal of Clinical Nutrition, 2012, 96, 382-390.	4.7	183
133	Effect of communicating genetic and phenotypic risk for type 2 diabetes in combination with lifestyle advice on objectively measured physical activity: protocol of a randomised controlled trial. BMC Public Health, 2012, 12, 444.	2.9	20
134	Tea Consumption and Incidence of Type 2 Diabetes in Europe: The EPIC-InterAct Case-Cohort Study. PLoS ONE, 2012, 7, e36910.	2.5	59
135	Effect of early intensive multifactorial therapy on 5-year cardiovascular outcomes in individuals with type 2 diabetes detected by screening (ADDITION-Europe): a cluster-randomised trial. Lancet, The, 2011, 378, 156-167.	13.7	406
136	A simple risk score using routine data for predicting cardiovascular disease in primary care. British Journal of General Practice, 2010, 60, e327-e334.	1.4	10
137	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. Nature Genetics, 2010, 42, 142-148.	21.4	591
138	Fatty acids measured in plasma and erythrocyte-membrane phospholipids and derived by food-frequency questionnaire and the risk of new-onset type 2 diabetes: a pilot study in the European Prospective Investigation into Cancer and Nutrition (EPIC)–Norfolk cohort. American Journal of Clinical Nutrition, 2010, 92, 1214-1222.	4.7	190
139	A multilevel linear mixed model of the association between candidate genes and weight and body mass index using the Framingham longitudinal family data. BMC Proceedings, 2009, 3, S115.	1.6	20