Patrick Giraudoux

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8318547/publications.pdf

Version: 2024-02-01

170 papers 6,496 citations

43 h-index 91712 69 g-index

180 all docs

180 docs citations

times ranked

180

4801 citing authors

#	Article	IF	CITATIONS
1	Assessment of a 10-year dog deworming programme on the transmission of Echinococcus multilocularis in Tibetan communities in Sichuan Province, China. International Journal for Parasitology, 2021, 51, 159-166.	1.3	4
2	High endemicity of alveolar echinococcosis in Yili Prefecture, Xinjiang Autonomous Region, the People's Republic of China: Infection status in different ethnic communities and in small mammals. PLoS Neglected Tropical Diseases, 2021, 15, e0008891.	1.3	10
3	An agent-based model of a cutaneous leishmaniasis reservoir host, Meriones shawi. Ecological Modelling, 2021, 443, 109455.	1.2	3
4	Practices in research, surveillance and control of neglected tropical diseases by One Health approaches: A survey targeting scientists from French-speaking countries. PLoS Neglected Tropical Diseases, 2021, 15, e0009246.	1.3	13
5	Rodent control programmes can integrate Echinococcus multilocularis surveillance by facilitating parasite genotyping: the case of Arvicola terrestris voles screening in France. Parasitology Research, 2021, 120, 1903-1908.	0.6	2
6	Creating small food-habituated groups might alter genetic diversity in the endangered Yunnan snub-nosed monkey. Global Ecology and Conservation, 2021, 26, e01422.	1.0	3
7	Feeding sites promoting wildlife-related tourism might highly expose the endangered Yunnan snub-nosed monkey (Rhinopithecus bieti) to parasite transmission. Scientific Reports, 2021, 11, 15817.	1.6	5
8	Trophic transfer of pesticides: The fine line between predator–prey regulation and pesticide–pest regulation. Journal of Applied Ecology, 2020, 57, 806-818.	1.9	12
9	Spatio-temporal trends in richness and persistence of bacterial communities in decline-phase water vole populations. Scientific Reports, 2020, 10, 9506.	1.6	7
10	Volcanic activity controls cholera outbreaks in the East African Rift. PLoS Neglected Tropical Diseases, 2020, 14, e0008406.	1.3	9
11	Assessment of the exposure to Echinococcus multilocularis associated with carnivore faeces using real-time quantitative PCR and flotation technique assays. International Journal for Parasitology, 2020, 50, 1195-1204.	1.3	10
12	Numerical response of predators to large variations of grassland vole abundance and longâ€term community changes. Ecology and Evolution, 2020, 10, 14221-14246.	0.8	4
13	Europe-wide outbreaks of common voles in 2019. Journal of Pest Science, 2020, 93, 703-709.	1.9	47
14	Vole disturbances and plant community diversity in a productive hay meadow. Acta Oecologica, 2020, 106, 103585.	0.5	3
15	Mortality and demographic recovery in early post-black death epidemics: Role of recent emigrants in medieval Dijon. PLoS ONE, 2020, 15, e0226420.	1.1	5
16	Spatial and temporal distribution of Yunnan snub-nosed monkey, <i>Rhinopithecus bieti</i> , indices. Mammalia, 2019, 83, 103-109.	0.3	3
17	Weather influences M. arvalis reproduction but not population dynamics in a 17-year time series. Scientific Reports, 2019, 9, 13942.	1.6	21
18	Long-term retrospective assessment of a transmission hotspot for human alveolar echinococcosis in mid-west China. PLoS Neglected Tropical Diseases, 2019, 13, e0007701.	1.3	12

#	Article	IF	CITATIONS
19	Echinococcosis transmission on the Tibetan Plateau. Advances in Parasitology, 2019, 104, 165-246.	1.4	53
20	Identifying refugia and corridors under climate change conditions for the Sichuan snubâ€nosed monkey (⟨i⟩Rhinopithecus roxellana⟨/i⟩) in Hubei Province, China. Ecology and Evolution, 2019, 9, 1680-1690.	0.8	26
21	Do bromadiolone treatments to control grassland water voles (<i>Arvicola scherman</i>) affect small mustelid abundance?. Pest Management Science, 2019, 75, 900-907.	1.7	17
22	On the Synergistic Use of Optical and SAR Time-Series Satellite Data for Small Mammal Disease Host Mapping. Remote Sensing, 2019, 11, 39.	1.8	8
23	Spatial Dimensions of the Risks of Rodenticide Use to Non-target Small Mammals and Applications in Spatially Explicit Risk Modeling. Emerging Topics in Ecotoxicology, 2018, , 195-227.	1.5	5
24	Rural and urban distribution of wild and domestic carnivore stools in the context of Echinococcus multilocularis environmental exposure. International Journal for Parasitology, 2018, 48, 937-946.	1.3	25
25	Echinococcus multilocularis and Echinococcus shiquicus in a small mammal community on the eastern Tibetan Plateau: host species composition, molecular prevalence, and epidemiological implications. Parasites and Vectors, 2018, 11, 302.	1.0	23
26	The One Health Concept: 10 Years Old and a Long Road Ahead. Frontiers in Veterinary Science, 2018, 5, 14.	0.9	383
27	Coupling agent-based with equation-based models to study spatially explicit megapopulation dynamics. Ecological Modelling, 2018, 384, 34-42.	1.2	18
28	Ecology and Life Cycle Patterns of Echinococcus Species. Advances in Parasitology, 2017, 95, 213-314.	1.4	293
29	Improving landscape connectivity for the Yunnan snub-nosed monkey through cropland reforestation using graph theory. Journal for Nature Conservation, 2017, 38, 46-55.	0.8	17
30	Echinococcus multilocularis management by fox culling: An inappropriate paradigm. Preventive Veterinary Medicine, 2017, 147, 178-185.	0.7	23
31	A new recent genus and species of three-toed jerboas (Rodentia: Dipodinae) from China: A living fossil?. Journal of Zoological Systematics and Evolutionary Research, 2017, 55, 356-368.	0.6	12
32	Agroecological practices in oil palm plantations: examples from the field. OCL - Oilseeds and Fats, Crops and Lipids, 2017, 24, D305.	0.6	32
33	Consequences of organ choice in describing bacterial pathogen assemblages in a rodent population. Epidemiology and Infection, 2017, 145, 3070-3075.	1.0	5
34	Genetic variation of mitochondrial genes among Echinococcus multilocularis isolates collected in western China. Parasites and Vectors, 2017, 10, 265.	1.0	21
35	Quantitative assessment of the reliability of chironomid remains in paleoecology: effects of count density and sample size. Journal of Paleolimnology, 2017, 57, 205-212.	0.8	0
36	Non-invasive monitoring of red fox exposure to rodenticides from scats. Ecological Indicators, 2017, 72, 777-783.	2.6	10

#	Article	IF	Citations
37	Investigating Hybridization between the Two Sibling Bat Species Myotis myotis and M. blythii from Guano in a Natural Mixed Maternity Colony. PLoS ONE, 2017, 12, e0170534.	1.1	18
38	The adaptation of generalist predators' diet in a multiâ€prey context: insights from new functional responses. Ecology, 2016, 97, 1832-1841.	1.5	46
39	Seasonal pattern of Echinococcus re-infection in owned dogs in Tibetan communities of Sichuan, China and its implications for control. Infectious Diseases of Poverty, 2016, 5, 60.	1.5	20
40	Is the lesser horseshoe bat (Rhinolophus hipposideros) exposed to causes that may have contributed to its decline? A non-invasive approach. Global Ecology and Conservation, 2016, 8, 123-137.	1.0	24
41	Swine cysticercosis in the Karangasem district of Bali, Indonesia: An evaluation of serological screening methods. Acta Tropica, 2016, 163, 46-53.	0.9	13
42	A graph-based approach to defend agro-ecological systems against water vole outbreaks. Ecological Indicators, 2016, 71, 87-98.	2.6	15
43	Retrospective analyses of fox feces by real-time PCR to identify new endemic areas of Echinococcus multilocularis in France. Parasitology Research, 2016, 115, 4437-4441.	0.6	13
44	Vegetation phenology and habitat discrimination: Impacts for E. multilocularis transmission host modelling. Remote Sensing of Environment, 2016, 176, 320-327.	4.6	9
45	The landscape epidemiology of echinococcoses. Infectious Diseases of Poverty, 2016, 5, 13.	1.5	68
46	A neglected opportunity for bird conservation: The value of a perennial, semiarid agroecosystem in the Llanos de Ojuelos, central Mexico. Journal of Arid Environments, 2016, 124, 1-9.	1.2	8
47	<i>Echinococcus multilocularis</i> in Kyrgyzstan: similarity in the Asian EmsB genotypic profiles from village populations of Eastern mole voles (<i>Ellobius tancrei</i>) and dogs in the Alay valley. Journal of Helminthology, 2015, 89, 664-670.	0.4	20
48	Potential habitat corridors and restoration areas for the black-and-white snub-nosed monkey Rhinopithecus bieti in Yunnan, China. Oryx, 2015, 49, 719-726.	0.5	19
49	Historical agricultural changes and the expansion of a water vole population in an Alpine valley. Agriculture, Ecosystems and Environment, 2015, 212, 198-206.	2.5	11
50	A Newly Discovered Epidemic Area of Echinococcus multilocularis in West Gansu Province in China. PLoS ONE, 2015, 10, e0132731.	1.1	17
51	Historical Epidemics Cartography Generated by Spatial Analysis: Mapping the Heterogeneity of Three Medieval "Plagues" in Dijon. PLoS ONE, 2015, 10, e0143866.	1.1	12
52	Wilderness in the â€~city' revisited: different urbes shape transmission of Echinococcus multilocularis by altering predator and prey communities. Trends in Parasitology, 2015, 31, 297-305.	1.5	47
53	Assessing the impact of road developments on connectivity across multiple scales: Application to Yunnan snub-nosed monkey conservation. Biological Conservation, 2015, 192, 207-217.	1.9	43
54	Trophic ecology, behaviour and host population dynamics in Echinococcus multilocularis transmission. Veterinary Parasitology, 2015, 213, 162-171.	0.7	42

#	Article	IF	Citations
55	Increased Incidence and Characteristics of Alveolar Echinococcosis in Patients With Immunosuppression-Associated Conditions. Clinical Infectious Diseases, 2014, 59, 1095-1104.	2.9	103
56	Dispersal, landscape and travelling waves in cyclic vole populations. Ecology Letters, 2014, 17, 53-64.	3.0	36
57	Review of risk factors for human echinococcosis prevalence on the Qinghai-Tibet Plateau, China: a prospective for control options. Infectious Diseases of Poverty, 2014, 3, 3.	1.5	71
58	Unintentional Wildlife Poisoning and Proposals for Sustainable Management of Rodents. Conservation Biology, 2014, 28, 315-321.	2.4	71
59	Relative age determination of Rattus tiomanicus using allometric measurements. Mammalia, 2014, .	0.3	0
60	Responses of wild small mammals to arsenic pollution at a partially remediated mining site in Southern France. Science of the Total Environment, 2014, 470-471, 1012-1022.	3.9	30
61	A random forest approach for predicting the presence of Echinococcus multilocularis intermediate host Ochotona spp. presence in relation to landscape characteristics in western China. Applied Geography, 2014, 55, 176-183.	1.7	31
62	Real time PCR to detect the environmental faecal contamination by Echinococcus multilocularis from red fox stools. Veterinary Parasitology, 2014, 201, 40-47.	0.7	64
63	Spatially Explicit Analysis of Metal Transfer to Biota. , 2014, , 69-107.		0
64	Using longâ€ŧerm monitoring of red fox populations to assess changes in rodent control practices. Journal of Applied Ecology, 2013, 50, 1406-1414.	1.9	39
65	Evaluating the effect of habitat connectivity on the distribution of lesser horseshoe bat maternity roosts using landscape graphs. Biological Conservation, 2013, 164, 39-49.	1.9	40
66	Efficacy of anthelmintic baiting of foxes against Echinococcus multilocularis in northern Japan. Veterinary Parasitology, 2013, 198, 122-126.	0.7	19
67	Priorities for research and control of cestode zoonoses in Asia. Infectious Diseases of Poverty, 2013, 2, 16.	1.5	22
68	Fox baiting against Echinococcus multilocularis: Contrasted achievements among two medium size cities. Preventive Veterinary Medicine, 2013, 111, 147-155.	0.7	33
69	Breeding performance of blue tits (Cyanistes $c\tilde{A}_i^{\dagger}$ ruleus ultramarinus) in relation to lead pollution and nest failure rates in rural, intermediate, and urban sites in Algeria. Environmental Pollution, 2013, 174, 171-178.	3.7	32
70	Drivers of Echinococcus multilocularis Transmission in China: Small Mammal Diversity, Landscape or Climate?. PLoS Neglected Tropical Diseases, 2013, 7, e2045.	1.3	67
71	Advances in diagnosis and spatial analysis of cysticercosis and taeniasis. Parasitology, 2013, 140, 1578-1588.	0.7	15
72	Transmission ecosystems of <i>Echinococcus multilocularis </i> in China and Central Asia. Parasitology, 2013, 140, 1655-1666.	0.7	66

#	Article	IF	Citations
73	Reinfection studies of canine echinococcosis and role of dogs in transmission of <i>Echinococcus multilocularis</i> i> in Tibetan communities, Sichuan, China. Parasitology, 2013, 140, 1685-1692.	0.7	40
74	Detecting nested clusters of human alveolar echinococcosis. Parasitology, 2013, 140, 1693-1700.	0.7	27
75	Control of cestode zoonoses in Asia: role of basic and applied science. Parasitology, 2013, 140, 1547-1550.	0.7	8
76	Detection of human taeniases in Tibetan endemic areas, China. Parasitology, 2013, 140, 1602-1607.	0.7	26
77	Can Body Condition and Somatic Indices be Used to Evaluate Metal-Induced Stress in Wild Small Mammals?. PLoS ONE, 2013, 8, e66399.	1.1	20
78	A graph-based approach to investigating the influence of the landscape on population spread processes. Ecological Indicators, 2012, 18, 684-692.	2.6	24
79	Usefulness of pumpkin seeds combined with areca nut extract in community-based treatment of human taeniasis in northwest Sichuan Province, China. Acta Tropica, 2012, 124, 152-157.	0.9	51
80	A loop-mediated isothermal amplification method for a differential identification of Taenia tapeworms from human: Application to a field survey. Parasitology International, 2012, 61, 723-725.	0.6	37
81	Westward Spread of <i>Echinococcus multilocularis</i> in Foxes, France, 2005–2010. Emerging Infectious Diseases, 2012, 18, 2059-2062.	2.0	91
82	The diet of migrant Red Kites <i>Milvus milvus</i> during a Water Vole <i>Arvicola terrestris</i> outbreak in eastern France and the associated risk of secondary poisoning by the rodenticide bromadiolone. Ibis, 2012, 154, 136-146.	1.0	23
83	Influence of landscape composition and diversity on contaminant flux in terrestrial food webs: A case study of trace metal transfer to European blackbirds Turdus merula. Science of the Total Environment, 2012, 432, 275-287.	3.9	44
84	Cholera ante portas – The re-emergence of cholera in Kinshasa after a ten-year hiatus. PLOS Currents, 2012, 4, RRN1310.	1.4	20
85	Dynamics of Cholera Outbreaks in Great Lakes Region of Africa, 1978–2008. Emerging Infectious Diseases, 2011, 17, 2026-34.	2.0	100
86	Environmental risk factors for haemorrhagic fever with renal syndrome in a French new epidemic area. Epidemiology and Infection, 2011, 139, 867-874.	1.0	22
87	Landscape partitioning by nocturnal rodent assemblages in the Llanos de Ojuelos, in Mexico's Central High Plateau. Diversity and Distributions, 2011, 17, 739-747.	1.9	6
88	Fox defecation behaviour in relation to spatial distribution of voles in an urbanised area: An increasing risk of transmission of Echinococcus multilocularis?. International Journal for Parasitology, 2011, 41, 145-154.	1.3	29
89	A real-time multiplex-nested PCR system for coprological diagnosis of Echinococcus multilocularis and host species. Parasitology Research, 2011, 109, 493-498.	0.6	48
90	Role of dog behaviour and environmental fecal contamination in transmission of <i>Echinococcus multilocularis </i> in Tibetan communities. Parasitology, 2011, 138, 1316-1329.	0.7	72

#	Article	IF	CITATIONS
91	Spatially Explicit Analysis of Metal Transfer to Biota: Influence of Soil Contamination and Landscape. PLoS ONE, 2011, 6, e20682.	1.1	46
92	A historical view of alveolar echinococcosis, 160 years after the discovery of the first case in humans: part 1. What have we learnt on the distribution of the disease and on its parasitic agent?. Chinese Medical Journal, 2011, 124, 2943-53.	0.9	20
93	Predator dietary response to prey density variation and consequences for cestode transmission. Oecologia, 2010, 164, 129-139.	0.9	47
94	Responses of wild small mammals to a pollution gradient: Host factors influence metal and metallothionein levels. Environmental Pollution, 2010, 158, 827-840.	3.7	61
95	Spatial distribution of heavy metal concentrations in urban, suburban and agricultural soils in a Mediterranean city of Algeria. Environmental Pollution, 2010, 158, 2294-2301.	3.7	238
96	Spatial distribution of metals in smelter-impacted soils of woody habitats: Influence of landscape and soil properties, and risk for wildlife. Chemosphere, 2010, 81, 141-155.	4.2	84
97	Genetic polymorphisms of Echinococcus tapeworms in China as determined by mitochondrial and nuclear DNA sequences. International Journal for Parasitology, 2010, 40, 379-385.	1.3	118
98	Dietary response of Barn Owls (Tyto alba) to large variations in populations of common voles (Microtus arvalis) and European water voles (Arvicola terrestris). Canadian Journal of Zoology, 2010, 88, 416-426.	0.4	36
99	Widespread co-endemicity of human cystic and alveolar echinococcosis on the eastern Tibetan Plateau, northwest Sichuan/southeast Qinghai, China. Acta Tropica, 2010, 113, 248-256.	0.9	78
100	Determination of bromadiolone residues in fox faeces by LC/ESI-MS in relationship with toxicological data and clinical signs after repeated exposure. Environmental Research, 2010, 110, 664-674.	3.7	45
101	Grass height and transmission ecology of Echinococcus multilocularis in Tibetan communities, China. Chinese Medical Journal, 2010, 123, 61-7.	0.9	21
102	Cholera Epidemics, War and Disasters around Goma and Lake Kivu: An Eight-Year Survey. PLoS Neglected Tropical Diseases, 2009, 3, e436.	1.3	75
103	Natural Infection of the Ground Squirrel (Spermophilus spp.) with Echinococcus granulosus in China. PLoS Neglected Tropical Diseases, 2009, 3, e518.	1.3	16
104	Modelling and spatial discrimination of small mammal assemblages: An example from western Sichuan (China). Ecological Modelling, 2009, 220, 1218-1231.	1.2	20
105	Do parafluvial zones have an impact in regulating river pollution? Spatial and temporal dynamics of nutrients, carbon, and bacteria in a large gravel bar of the Doubs River (France). Hydrobiologia, 2009, 623, 235-250.	1.0	15
106	Numerical and dietary responses of a predator community in a temperate zone of Europe. Ecography, 2009, 32, 277-290.	2.1	16
107	Original biological and ecological data on the endemic Chinese jumping mouse Eozapus setchuanus (Pousargues, 1896). Mammalian Biology, 2009, 74, 507-513.	0.8	2
108	Influence of watershed's anthropogenic activities on fish nitrogen and carbon stable isotope ratios in nine French lakes. Knowledge and Management of Aquatic Ecosystems, 2009, , 01.	0.5	8

7

#	Article	IF	CITATIONS
109	Genetic Diversity of the Cestode Echinococcus multilocularis in Red Foxes at a Continental Scale in Europe. PLoS Neglected Tropical Diseases, 2009, 3, e452.	1.3	74
110	Neighbourhood landscape effect on population kinetics of the fossorial water vole (Arvicola) Tj ETQq0 0 0 rgBT	Overlock I	10 If 50 702
111	Echinococcosis in Ningxia Hui Autonomous Region, northwest China. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 319-328.	0.7	20
112	Species identification of human echinococcosis using histopathology and genotyping in northwestern China. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2008, 102, 585-590.	0.7	53
113	Genetic diversity of Echinococcus multilocularis on a local scale. Infection, Genetics and Evolution, 2008, 8, 367-373.	1.0	46
114	Serological prevalence of echinococcosis and risk factors for infection among children in rural communities of southern Ningxia, China. Tropical Medicine and International Health, 2008, 13, 1086-1094.	1.0	44
115	Kinetics of bromadiolone in rodent populations and implications for predators after field control of the water vole, Arvicola terrestris. Science of the Total Environment, 2008, 407, 211-222.	3.9	32
116	Small-mammal assemblage response to deforestation and afforestation in central China. Mammalia, 2008, 72, .	0.3	25
117	Echinococcoses and Tibetan Communities. Emerging Infectious Diseases, 2008, 14, 1674-1675.	2.0	53
118	Small mammal assemblages and habitat distribution in the northern Junggar Basin, Xinjiang, China: a pilot survey. Mammalia, 2008, 72, .	0.3	14
119	Ecological and biological factors involved in the transmission of <i>Echinococcus multilocularis </i> in the French Ardennes. Journal of Helminthology, 2008, 82, 143-151.	0.4	36
120	Infection of foxes by <i>Echinococcocus multilocularis </i> in urban and suburban areas of Nancy, France: influence of feeding habits and environment. Parasite, 2008, 15, 77-85.	0.8	54
121	The influence of size, hydrological characteristics and vegetation cover on nitrogen, phosphorus and organic carbon cycling in lowland river gravel bars (Doubs River, France). Fundamental and Applied Limnology, 2008, 171, 161-173.	0.4	3
122	Lakes as Source of Cholera Outbreaks, Democratic Republic of Congo. Emerging Infectious Diseases, 2008, 14, 798-800.	2.0	74
123	Multidisciplinary studies, systems approaches and parasite eco-epidemiology: something old, something new. Parasite, 2008, 15, 469-476.	0.8	14
124	Landscape Composition and Spatial Prediction of Alveolar Echinococcosis in Southern Ningxia, China. PLoS Neglected Tropical Diseases, 2008, 2, e287.	1.3	41
125	Le parasite et ses relations avec ses hà tes. Bulletin De L'Academie Nationale De Medecine, 2008, 192, 1103-1117.	0.0	1
126	L'échinococcose alvéolaire : une maladie comparable à un cancer du foie à marche lente. Bulletin De L'Academie Nationale De Medecine, 2008, 192, 1131-1139.	0.0	4

#	Article	IF	CITATIONS
127	Où l'échinococcose alvéolaire sévit-elle ?. Bulletin De L'Academie Nationale De Medecine, 2008, 192, 1119-1130.	0.0	O
128	Fox faeces and vole distribution on a local range: ecological data in a parasitological perspective for <i>Echinococcus multilocularis</i> . Parasite, 2007, 14, 299-308.	0.8	23
129	How environment and vole behaviour may impact rodenticide bromadiolone persistence in wheat baits after field controls of Arvicola terrestris?. Environmental Pollution, 2007, 148, 372-379.	3.7	17
130	Echinococcus Multilocularis: Why are multidisciplinary and multiscale approaches essential in infectious disease ecology?. Tropical Medicine and Health, 2007, 35, 293-299.	1.0	12
131	Impact of overgrazing on the transmission of Echinococcus multilocularis in Tibetan pastoral communities of Sichuan Province, China. Chinese Medical Journal, 2007, 120, 237-242.	0.9	20
132	Responses of Arvicola terrestris scherman populations to agricultural practices, and to Talpa europaea abundance in eastern France. Agriculture, Ecosystems and Environment, 2007, 122, 392-398.	2.5	23
133	Impact of overgrazing on the transmission of Echinococcus multilocularis in Tibetan pastoral communities of Sichuan Province, China. Chinese Medical Journal, 2007, 120, 237-42.	0.9	9
134	Transmission ecology of Echinococcus multilocularis: What are the ranges of parasite stability among various host communities in China?. Parasitology International, 2006, 55, S237-S246.	0.6	64
135	Spatial modelling and ecology of Echinococcus multilocularis transmission in China. Parasitology International, 2006, 55, S227-S231.	0.6	18
136	Persistence of bromadiolone anticoagulant rodenticide in Arvicola terrestris populations after field control. Environmental Research, 2006, 102, 291-298.	3.7	42
137	Pasture Types and <i>Echinococcus multilocularis </i> , Tibetan Communities. Emerging Infectious Diseases, 2006, 12, 1008-1010.	2.0	33
138	Morphological and molecular characteristics of Echinococcus multilocularis and Echinococcus granulosus mixed infection in a dog from Xinjiang, China. Veterinary Parasitology, 2006, 139, 244-248.	0.7	31
139	Synchrony between small mammal population dynamics in marshes and adjacent grassland in a landscape of the Jura plateau, France: a ten year investigation. Acta Theriologica, 2006, 51, 155-162.	1.1	10
140	A comparative study of the diets of two sympatric carnivores – the golden jackal (Canis aureus) and the common genet (Genetta genetta) – in Kabylia, Algeria / Etude comparative des régimes alimentaires de deux carnivores sympatriques – le chacal doré (Canis aureus) et la genette commune (Genetta) Tj ETQq0 (o 8:3gBT /0	Overlock 10
141	Distribution of small mammals in a pastoral landscape of the Tibetan plateaus (Western Sichuan,) Tj ETQq1 1 0.78 pastoral du plateau Tibétain (Ouest Sichuan, Chine), et relation avec les pratiques de pâturage. Mammalia, 2006, 70.	34314 rgB 0.3	ST /Overlock 33
142	Towards understanding the impacts of environmental variation on Echinococcus multilocularis transmission., 2006,, 545-564.		3
143	Community surveys and risk factor analysis of human alveolar and cystic echinococcosis in Ningxia Hui Autonomous Region, China. Bulletin of the World Health Organization, 2006, 84, 714-721.	1.5	89
144	UNIQUE FAMILY CLUSTERING OF HUMAN ECHINOCOCCOSIS CASES IN A CHINESE COMMUNITY. American Journal of Tropical Medicine and Hygiene, 2006, 74, 487-494.	0.6	39

#	Article	IF	CITATIONS
145	SOCIOECONOMIC AND BEHAVIOR RISK FACTORS OF HUMAN ALVEOLAR ECHINOCOCCOSIS IN TIBETAN COMMUNITIES IN SICHUAN, PEOPLE'S REPUBLIC OF CHINA. American Journal of Tropical Medicine and Hygiene, 2006, 74, 856-862.	0.6	41
146	DUAL INFECTION OF ANIMAL HOSTS WITH DIFFERENT ECHINOCOCCUS SPECIES IN THE EASTERN QINGHAI-TIBET PLATEAU REGION OF CHINA. American Journal of Tropical Medicine and Hygiene, 2006, 75, 292-294.	0.6	37
147	Unique family clustering of human echinococcosis cases in a chinese community. American Journal of Tropical Medicine and Hygiene, 2006, 74, 487-94.	0.6	11
148	Socioeconomic and behavior risk factors of human alveolar echinococcosis in Tibetan communities in Sichuan, People's Republic of China. American Journal of Tropical Medicine and Hygiene, 2006, 74, 856-62.	0.6	24
149	Dual infection of animal hosts with different Echinococcus species in the eastern Qinghai-Tibet plateau region of China. American Journal of Tropical Medicine and Hygiene, 2006, 75, 292-4.	0.6	17
150	MERCURY CONCENTRATIONS IN KING PENGUIN (APTENODYTES PATAGONICUS) FEATHERS AT CROZET ISLANDS (SUB-ANTARCTIC): TEMPORAL TREND BETWEEN 1966–1974 AND 2000–2001. Environmental Toxicology and Chemistry, 2005, 24, 125.	2.2	32
151	Echinococcosis in Tibetan Populations, Western Sichuan Province, China. Emerging Infectious Diseases, 2005, 11, 1866-1873.	2.0	127
152	Fenced pasture: a possible risk factor for human alveolar echinococcosis in Tibetan pastoralist communities of Sichuan, China. Acta Tropica, 2004, 90, 285-293.	0.9	59
153	Modelling the spatial distribution of Echinococcus multilocularis infection in foxes. Acta Tropica, 2004, 91, 253-265.	0.9	53
154	Landscape Dynamics and Risk Modeling of Human Alveolar Echinococcosis. Photogrammetric Engineering and Remote Sensing, 2004, 70, 359-366.	0.3	38
155	Epidemiology of alveolar echinococcosis in southern Cantal, Auvergne region, France. Journal of Helminthology, 2004, 78, 237-242.	0.4	11
156	IS THE PREVALENCE OF TAENIA TAENIAEFORMIS IN MICROTUS ARVALIS DEPENDENT ON POPULATION DENSITY?. Journal of Parasitology, 2003, 89, 1147-1152.	0.3	14
157	Echinococcus multilocularis: secondary poisoning of fox population during a vole outbreak reduces environmental contamination in a high endemicity area. International Journal for Parasitology, 2003, 33, 945-954.	1.3	44
158	Interactions between landscape changes and host communities can regulate Echinococcus multilocularis transmission. Parasitology, 2003, 127, S121-S131.	0.7	113
159	Epidemiology of alveolar echinococcosis with particular reference to China and Europe. Parasitology, 2003, 127, S87-S107.	0.7	195
160	Combined ultrasound and serologic screening for hepatic alveolar echinococcosis in central China American Journal of Tropical Medicine and Hygiene, 2002, 66, 23-29.	0.6	119
161	Alveolar echinococcosis: characteristics of a possible emergence and new perspectives in epidemiosurveillance. Médecine Et Maladies Infectieuses, 2001, 31, 247-256.	5.1	50
162	Assessment of the epidemiological status of Echinococcus multilocularis in foxes in France using ELISA coprotests on fox faeces collected in the field. International Journal for Parasitology, 2001, 31, 1579-1588.	1.3	77

#	ARTICLE	IF	CITATION
163	Epidemiology of alveolar echinococcosis in Xinjiang Uygur autonomous region, China: a preliminary analysis. Annals of Tropical Medicine and Parasitology, 2000, 94, 715-729.	1.6	27
164	Title is missing!. Landscape Ecology, 2000, 15, 89-98.	1.9	30
165	Karyological and dental identification of Microtus limnophilus in a large focus of alveolar echinococcosis (Gansu, China). Comptes Rendus De L'Académie Des Sciences Série 3, Sciences De La Vie, 1999, 322, 473-480.	0.8	11
166	Estimation of fat sand rat Psammomys obesus abundance by using surface indices. Acta Theriologica, 1999, 44, 353-362.	1.1	13
167	Distribution of small mammals along a deforestation gradient in southern Gansu, central China. Acta Theriologica, 1998, 43, 349-362.	1.1	44
168	Estimation of water vole abundance by using surface indices. Acta Theriologica, 1995, 40, 77-96.	1.1	76
169	Land use patterns and types of common vole (Microtus arvalis) population kinetics. Agriculture, Ecosystems and Environment, 1992, 39, 153-168.	2.5	97
170	Caractéristiques écologiques et épidémiologiques de l' <i>Echinococcus multilocularis</i> au cours d'un cycle complet des populations d'un hÃte intermédiaire (<i>Microtus arvalis</i>). Canadian Journal of Zoology, 1988, 66, 2740-2750.	0.4	33