

A Faik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8320026/publications.pdf>

Version: 2024-02-01

106
papers

2,613
citations

196777

29
h-index

252626

46
g-index

114
all docs

114
docs citations

114
times ranked

2435
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced inorganic salts stability using bentonite clay for high-performance and low-cost thermochemical energy storage. <i>Journal of Energy Storage</i> , 2022, 49, 104140.	3.9	11
2	Effect of silica nanoparticle size on the stability and thermophysical properties of molten salts based nanofluids for thermal energy storage applications at concentrated solar power plants. <i>Journal of Energy Storage</i> , 2022, 51, 104276.	3.9	16
3	Investigation of the structural, optical and dielectric properties of La-doped BaTi _{0.97} Y _{0.03} O ₃ ceramic. <i>Optical Materials</i> , 2022, 129, 112488.	1.7	1
4	Development of a Kinetic Model for the Redox Reactions of Co _{2.4} Ni _{0.6} O ₄ and SiO ₂ /Co _{2.4} Ni _{0.6} O ₄ Oxides for Thermochemical Energy Storage. <i>Materials</i> , 2022, 15, 3695.	1.3	4
5	Performance assessment of an oil-based packed bed thermal energy storage unit in a demonstration concentrated solar power plant. <i>Energy</i> , 2021, 217, 119378.	4.5	16
6	Nanofluids based on molten carbonate salts for high-temperature thermal energy storage: Thermophysical properties, stability, compatibility and life cycle analysis. <i>Solar Energy Materials and Solar Cells</i> , 2021, 220, 110838.	3.0	38
7	Insight into the structure–elastic property relationship of calcium silicate glasses: a multi-length scale approach. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 17973-17983.	1.3	1
8	The time-varying radiation applied in the temperature-sensitive reaction system stabilized with heat storage technology. <i>Applied Energy</i> , 2021, 283, 116377.	5.1	0
9	The Effect of Surface Entropy on the Heat of Non-Wetting Liquid Intrusion into Nanopores. <i>Langmuir</i> , 2021, 37, 4827-4835.	1.6	6
10	Synthesis, structural refinement and physical properties of novel perovskite ceramics Ba _{1-x} BixTi _{1-x} MnxO ₃ (x = 0.3 and 0.4). <i>Materials Chemistry and Physics</i> , 2021, 262, 124302.	2.0	14
11	Compact Thermal Actuation by Water and Flexible Hydrophobic Nanopore. <i>ACS Nano</i> , 2021, 15, 9048-9056.	7.3	10
12	Sensing selectivity of SnO ₂ -Mn ₃ O ₄ nanocomposite sensors for the detection of H ₂ and CO gases. <i>Surfaces and Interfaces</i> , 2021, 25, 101190.	1.5	36
13	Improved thermocline initialization through optimized inlet design for single-tank thermal energy storage systems. <i>Journal of Energy Storage</i> , 2021, 42, 103088.	3.9	15
14	Development of a kinetic reaction model for reduction and oxidation of Si doped Mn ₂ O ₃ for thermochemical energy storage in concentrated solar power plants. <i>Journal of Energy Storage</i> , 2021, 43, 103271.	3.9	2
15	New insight into thermocline packed bed energy storage systems: Fast algorithm for sizing. <i>Journal of Energy Storage</i> , 2021, 44, 103419.	3.9	3
16	Experimental Characterization EAF Slag under Thermal Cycling as Sensible Thermal Energy Storage Material. , 2021, , .		0
17	Compatibility of container materials for Concentrated Solar Power with a solar salt and alumina based nanofluid: A study under dynamic conditions. <i>Renewable Energy</i> , 2020, 146, 384-396.	4.3	33
18	Characterization of natural rocks as filler materials for medium-temperature packed bed thermal energy storage system. <i>Journal of Energy Storage</i> , 2020, 32, 101822.	3.9	14

#	ARTICLE	IF	CITATIONS
19	Synthesis of high temperature TES materials from silicates wastes for application in solar tower power plants. <i>Solar Energy Materials and Solar Cells</i> , 2020, 218, 110763.	3.0	10
20	Investigation of Ca ₁₂ Al ₁₄ O ₃₃ Mayenite for hydration/dehydration thermochemical energy storage. <i>Journal of Energy Storage</i> , 2020, 31, 101647.	3.9	3
21	Design and characterization of novel manganite perovskites Ba _{1-x} Bi _x Ti _{1-x} Mn _x O ₃ (0 ≤ x ≤ 0.2). <i>Ceramics International</i> , 2020, 46, 26911-26922.	2.3	13
22	Advanced experimental investigation of double hydrated salts and their composite for improved cycling stability and metal compatibility for long-term heat storage technologies. <i>Renewable Energy</i> , 2020, 162, 447-457.	4.3	15
23	Rheological behaviour of eutectic nanofluids containing a low fraction of GO/TiO ₂ hybrid nanoparticles. <i>Thermal Science and Engineering Progress</i> , 2020, 20, 100753.	1.3	4
24	Lesson learned during the designing and construction phases of the ORC-PLUS thermal energy storage system of 20 MWh. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	0
25	Silica gel/inorganic salts composites for thermochemical heat storage: Improvement of energy storage density and assessment of cycling stability. <i>Materials Today: Proceedings</i> , 2020, 30, 937-941.	0.9	14
26	Improving the redox performance of Mn ₂ O ₃ /Mn ₃ O ₄ pair by Si doping to be used as thermochemical energy storage for concentrated solar power plants. <i>Solar Energy</i> , 2020, 204, 144-154.	2.9	29
27	Inhibiting hot corrosion of molten Li ₂ CO ₃ -Na ₂ CO ₃ -K ₂ CO ₃ salt through graphitization of construction materials for concentrated solar power. <i>Solar Energy Materials and Solar Cells</i> , 2020, 215, 110650.	3.0	31
28	Shape effect of Al ₂ O ₃ nanoparticles on the thermophysical properties and viscosity of molten salt nanofluids for TES application at CSP plants. <i>Applied Thermal Engineering</i> , 2020, 169, 114942.	3.0	63
29	Tunable Redox Temperature of a Co _{3-x} Mn _x O ₄ (0 ≤ x ≤ 1) Interfaces, 2020, 12, 7010-7020.	4.0	20
30	Double hydrates salt as sustainable thermochemical energy storage materials: Evaluation of dehydration behavior and structural phase transition reversibility. <i>Solar Energy</i> , 2020, 201, 846-856.	2.9	26
31	Hierarchical macro-nanoporous metals for leakage-free high-thermal conductivity shape-stabilized phase change materials. <i>Applied Energy</i> , 2020, 269, 115088.	5.1	52
32	Spray-graphitization against molten salts corrosion for concentrated solar power plants. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	2
33	Thermochemical heat storage for CSP using Mn ₂ O ₃ /Mn ₃ O ₄ : Effects of Si doping in cyclability improvement. <i>AIP Conference Proceedings</i> , 2020, , .	0.3	1
34	Corrosion aspects of molten nitrate salt-based nanofluids for thermal energy storage applications. <i>Solar Energy</i> , 2019, 189, 219-227.	2.9	42
35	Development of a continuous solid solution with extended Red-Ox temperature range and unexpected high reaction enthalpies for thermochemical energy storage. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	2
36	Structural and thermophysical characterization of potential natural rocks for medium temperature thermal energy storage in CSP plants. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0

#	ARTICLE	IF	CITATIONS
37	Spray-graphitization as a protection method against corrosion by molten nitrate salts and molten salts based nanofluids for thermal energy storage applications. <i>Solar Energy Materials and Solar Cells</i> , 2019, 200, 110024.	3.0	29
38	Preparation and characterization of nanofluids based on molten salts with enhanced thermophysical properties for thermal energy storage at concentrate solar power. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	15
39	Development of molten nitrate salt based nanofluids for thermal energy storage application: High thermal performance and long storage components life-time. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	11
40	Experimental validation of steel slag as thermal energy storage material in a 400 kWh prototype. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	3
41	Thermodynamic properties of isobutane/mineral compressor oil and isobutane/mineral compressor oil/fullerenes C60 solutions. <i>International Journal of Refrigeration</i> , 2019, 106, 153-162.	1.8	12
42	SiO ₂ @Al ₂ O ₃ core-shell nanoparticles based molten salts nanofluids for thermal energy storage applications. <i>Journal of Energy Storage</i> , 2019, 26, 101033.	3.9	26
43	Investigation of Mg ₂₁ Cu ₄ eutectic alloy as new PCM for latent heat thermal energy storage. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
44	Efficiency improvement of Mn ₂ O ₃ /Mn ₃ O ₄ redox reaction by means of different operation strategies. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	5
45	Nanoparticles as a high-temperature anticorrosion additive to molten nitrate salts for concentrated solar power. <i>Solar Energy Materials and Solar Cells</i> , 2019, 203, 110171.	3.0	30
46	Graphitization as efficient inhibitor of the carbon steel corrosion by molten binary nitrate salt for thermal energy storage at concentrated solar power. <i>Solar Energy Materials and Solar Cells</i> , 2019, 203, 110172.	3.0	27
47	Investigation of magnesium-copper eutectic alloys with high thermal conductivity as a new PCM for latent heat thermal energy storage at intermediate-high temperature. <i>Journal of Energy Storage</i> , 2019, 26, 100974.	3.9	19
48	Wettability Control for Correct Thermophysical Properties Determination of Molten Salts and Their Nanofluids. <i>Energies</i> , 2019, 12, 3765.	1.6	20
49	Effect of Flexibility and Nanotriboelectrification on the Dynamic Reversibility of Water Intrusion into Nanopores: Pressure-Transmitting Fluid with Frequency-Dependent Dissipation Capability. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 40842-40849.	4.0	25
50	Effect of Al ₂ O ₃ nanoparticles on laminar, transient and turbulent flow of isopropyl alcohol. <i>International Journal of Heat and Mass Transfer</i> , 2019, 130, 1032-1044.	2.5	31
51	Operation strategies guideline for packed bed thermal energy storage systems. <i>International Journal of Energy Research</i> , 2019, 43, 6211-6221.	2.2	12
52	Trimodal hierarchical nanoporous copper with tunable porosity prepared by dealloying Mg-Cu alloys of close-to-eutectic compositions. <i>Applied Surface Science</i> , 2019, 475, 748-753.	3.1	10
53	Pore Morphology Determines Spontaneous Liquid Extrusion from Nanopores. <i>ACS Nano</i> , 2019, 13, 1728-1738.	7.3	25
54	Multilevel comparison between magnetite and quartzite as thermocline energy storage materials. <i>Applied Thermal Engineering</i> , 2019, 149, 1142-1153.	3.0	23

#	ARTICLE	IF	CITATIONS
55	Natural and by-product materials for thermocline-based thermal energy storage system at CSP plant: Structural and thermophysical properties. Applied Thermal Engineering, 2018, 136, 185-193.	3.0	41
56	Unexpected effect of nanoparticles doping on the corrosivity of molten nitrate salt for thermal energy storage. Solar Energy Materials and Solar Cells, 2018, 178, 91-97.	3.0	51
57	Natural and by-product materials for thermocline-based thermal energy storage system at CSP plant: Compatibility with mineral oil and molten nitrate salt. Applied Thermal Engineering, 2018, 136, 657-665.	3.0	19
58	The effect of humidity, impurities and initial state on the corrosion of carbon and stainless steels in molten HitecXL salt for CSP application. Solar Energy Materials and Solar Cells, 2018, 174, 34-41.	3.0	48
59	Solid packed bed thermal energy storage for ORC electric generation in Fresnel type CSP plants. AIP Conference Proceedings, 2018, , .	0.3	2
60	A simple method for the inhibition of the corrosion of carbon steel by molten nitrate salt for thermal storage in concentrating solar power applications. Npj Materials Degradation, 2018, 2, .	2.6	39
61	Sensitivity of thermal emission spectroscopy for the study of structural phase transitions. Infrared Physics and Technology, 2018, 93, 16-19.	1.3	0
62	New insights into the corrosion mechanism between molten nitrate salts and ceramic materials for packed bed thermocline systems: A case study for steel slag and Solar salt. Solar Energy, 2018, 173, 152-159.	2.9	16
63	Viscosity at the Nanoscale: Confined Liquid Dynamics and Thermal Effects in Self-Recovering Nanobumpers. Journal of Physical Chemistry C, 2018, 122, 14248-14256.	1.5	15
64	Zinc-rich eutectic alloys for high energy density latent heat storage applications. Journal of Alloys and Compounds, 2017, 705, 714-721.	2.8	36
65	Thermal cycling testing of Zn-Mg-Al eutectic metal alloys as potential high-temperature phase change materials for latent heat storage. Journal of Thermal Analysis and Calorimetry, 2017, 129, 885-894.	2.0	18
66	Reversible Wetting in Nanopores for Thermal Expansivity Control: From Extreme Dilatation to Unprecedented Negative Thermal Expansion. Journal of Physical Chemistry C, 2017, 121, 11499-11507.	1.5	7
67	Natural Magnetite for thermal energy storage: Excellent thermophysical properties, reversible latent heat transition and controlled thermal conductivity. Solar Energy Materials and Solar Cells, 2017, 161, 170-176.	3.0	58
68	Effect of the M ³⁺ cation size on the structural and high temperature phase transitions in Sr ₂ MSbO ₆ (M = Ln, Y) double perovskites. Polyhedron, 2017, 123, 265-276.	1.0	6
69	Graphite foam as interpenetrating matrices for phase change paraffin wax: A candidate composite for low temperature thermal energy storage. Solar Energy Materials and Solar Cells, 2017, 172, 324-334.	3.0	83
70	Round robin test on the measurement of the specific heat of solar salt. AIP Conference Proceedings, 2017, , .	0.3	10
71	Parametric analysis of a packed bed thermal energy storage system. AIP Conference Proceedings, 2017, , .	0.3	14
72	Experimental investigation of solid by-product as sensible heat storage material: Characterization and corrosion study. AIP Conference Proceedings, 2016, , .	0.3	0

#	ARTICLE	IF	CITATIONS
73	Thermal emissivity spectra and structural phase transitions of the eutectic Mg-51%Zn alloy: A candidate for thermal energy storage. <i>Journal of Alloys and Compounds</i> , 2016, 684, 62-67.	2.8	9
74	A Highly Stable Nonhysteretic $\{Cu_2(tebpz) MOF+water\}$ Molecular Spring. <i>ChemPhysChem</i> , 2016, 17, 3359-3364.	1.0	42
75	Experimental investigation of Mg-Zn-Al metal alloys for latent heat storage application. <i>Journal of Alloys and Compounds</i> , 2016, 685, 724-732.	2.8	25
76	High temperature induced phase transitions in SrCaCoTeO ₆ and SrCaNiTeO ₆ ordered double perovskites. <i>Polyhedron</i> , 2016, 110, 119-124.	1.0	12
77	Parametric and Thermal Management Optimization of a Steel Slag Based Packed Bed Heat Storage. , 2015, , .		0
78	New Thermal Energy Storage Materials From Industrial Wastes: Compatibility of Steel Slag With the Most Common Heat Transfer Fluids. <i>Journal of Solar Energy Engineering, Transactions of the ASME</i> , 2015, 137, .	1.1	4
79	A simple approach for fabrication of interconnected graphitized macroporous carbon foam with uniform mesopore walls by using hydrothermal method. <i>Carbon</i> , 2015, 87, 434-443.	5.4	57
80	Mg-Zn-Al Eutectic Alloys as Phase Change Material for Latent Heat Thermal Energy Storage. <i>Energy Procedia</i> , 2015, 69, 1006-1013.	1.8	50
81	Thermophysical characterization of a by-product from the steel industry to be used as a sustainable and low-cost thermal energy storage material. <i>Energy</i> , 2015, 89, 601-609.	4.5	108
82	Mode-crystallography analysis of the crystal structures and the low- and high-temperature phase transitions in Na _{0.5} K _{0.5} NbO ₃ . <i>Journal of Applied Crystallography</i> , 2015, 48, 318-333.	1.9	47
83	Preparation of erythritolâ€“graphite foam phase change composite with enhanced thermal conductivity for thermal energy storage applications. <i>Carbon</i> , 2015, 94, 266-276.	5.4	156
84	Thermo-physical Properties of a Steel-making by-product to be used as Thermal Energy Storage Material in a Packed-bed System. <i>Energy Procedia</i> , 2015, 69, 968-977.	1.8	27
85	Synthesis, structural, magnetic and phase-transition studies of the ferromagnetic La ₂ CoMnO ₆ double perovskite by symmetry-adapted modes. <i>Dalton Transactions</i> , 2015, 44, 13867-13880.	1.6	29
86	New Thermal Energy Storage Materials From Industrial Wastes: Compatibility of Steel Slags With the Most Common Heat Transfer Fluids. , 2014, , .		1
87	A study of organic working fluids of an organic Rankine cycle for solar concentrating power plant. <i>Applied Solar Energy (English Translation of Geliotekhnika)</i> , 2014, 50, 158-167.	0.2	9
88	Iron titanium phosphates as high-specific-capacity electrode materials for lithium ion batteries. <i>Journal of Alloys and Compounds</i> , 2014, 585, 434-441.	2.8	22
89	Improving powder bed properties for thermochemical storage by adding nanoparticles. <i>Energy Conversion and Management</i> , 2014, 86, 93-98.	4.4	91
90	Crystal structures and high-temperature phase-transitions in SrNdMRuO ₆ (M=Zn,Co,Mg,Ni) new double perovskites studied by symmetry-mode analysis. <i>Journal of Solid State Chemistry</i> , 2013, 198, 24-38.	1.4	17

#	ARTICLE	IF	CITATIONS
91	Compatibility of a post-industrial ceramic with nitrate molten salts for use as filler material in a thermochemical storage system. <i>Applied Energy</i> , 2013, 109, 387-393.	5.1	86
92	Post-Industrial Ceramics Compatibility With Heat Transfer Fluids for Low-Cost Thermal Energy Storage Applications in CSP. , 2012, , .		0
93	A study of the crystal structures and the phase transitions of the ordered double perovskites Sr ₂ ScSbO ₆ and Ca ₂ ScSbO ₆ . <i>Journal of Solid State Chemistry</i> , 2012, 192, 273-283.	1.4	29
94	Structural changes upon lithium insertion in Ni _{0.5} TiOPO ₄ . <i>Journal of Alloys and Compounds</i> , 2012, 530, 178-185.	2.8	25
95	Corrosion effects between molten salts and thermal storage material for concentrated solar power plants. <i>Applied Energy</i> , 2012, 94, 174-181.	5.1	184
96	Thermal storage material from inertized wastes: Evolution of structural and radiative properties with temperature. <i>Solar Energy</i> , 2012, 86, 139-146.	2.9	44
97	A study of the crystal structures and the phase transitions of Sr ₂ FeSbO ₆ , SrCaFeSbO ₆ and Ca ₂ FeSbO ₆ double perovskite oxides. <i>Journal of Molecular Structure</i> , 2010, 963, 145-152.	1.8	30
98	Cationic ordering and role of the A-site cation on the structure of the new double perovskites Ca ₂ â ^x Sr _x RSbO ₆ (R=La,Sm) and (x=0,0.5,1). <i>Journal of Molecular Structure</i> , 2010, 977, 137-144.	1.8	13
99	Crystal growth and twinned crystal structure of Sr ₂ CaWO ₆ . <i>Acta Crystallographica Section B: Structural Science</i> , 2010, 66, 109-116.	1.8	9
100	Crystal structures and high-temperature phase transitions of the new ordered double perovskites and. <i>Journal of Solid State Chemistry</i> , 2009, 182, 2656-2663.	1.4	37
101	Synthesis, structures and temperature-induced phase transitions of the Sr ₂ Cd _{1-â^x} CaxWO ₆ (0â ^{1/2} â ^{1/2}) double perovskite tungsten oxides. <i>Journal of Molecular Structure</i> , 2009, 920, 196-201.	1.8	10
102	Crystal structures and temperature-induced phase transitions of , and of its transformation to. <i>Journal of Molecular Structure</i> , 2009, 933, 53-62.	1.8	5
103	Crystal structures and phase transitions of Sr ₂ CrSbO ₆ . <i>Journal of Solid State Chemistry</i> , 2009, 182, 1717-1725.	1.4	50
104	Solving crystal structures using symmetry-mode collective coordinates. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2009, 65, s328-s328.	0.3	1
105	Crystal structures and cation ordering of Sr ₂ AlSbO ₆ and Sr ₂ CoSbO ₆ . <i>Journal of Solid State Chemistry</i> , 2008, 181, 1759-1766.	1.4	29
106	Crystal structure and phase transitions of. <i>Journal of Solid State Chemistry</i> , 2007, 180, 2248-2255.	1.4	17