

# Gyeong Hoon Kang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8320727/gyeong-hoon-kang-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

274  
papers

11,397  
citations

53  
h-index

97  
g-index

291  
ext. papers

12,752  
ext. citations

5.1  
avg, IF

5.98  
L-index

#	Paper	IF	Citations
274	Methylation statuses of NCOR2, PARK2, and ZSCAN12 signify densities of tumor-infiltrating lymphocytes in gastric carcinoma.. <i>Scientific Reports</i> , <b>2022</b> , 12, 862	4.9	
273	Comprehensive clinicopathologic, molecular, and immunologic characterization of colorectal carcinomas with loss of three intestinal markers, CDX2, SATB2, and KRT20.. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2022</b> , 480, 543	5.1	2
272	Prognostic and clinicopathological significance of Fusobacterium nucleatum in colorectal cancer: a systemic review and meta-analysis.. <i>Journal of Pathology and Translational Medicine</i> , <b>2022</b> , 56, 144-151	2.9	0
271	The usefulness of noninvasive liver stiffness assessment using shear-wave elastography for predicting liver fibrosis in children. <i>BMC Medical Imaging</i> , <b>2021</b> , 21, 68	2.9	3
270	Development and operation of a digital platform for sharing pathology image data. <i>BMC Medical Informatics and Decision Making</i> , <b>2021</b> , 21, 114	3.6	1
269	Assessment of copy number in protooncogenes are predictive of poor survival in advanced gastric cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 12117	4.9	
268	Open versus laparoscopic surgery for mid or low rectal cancer after neoadjuvant chemoradiotherapy (COREAN trial): 10-year follow-up of an open-label, non-inferiority, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2021</b> , 6, 569-577	18.8	11
267	Tumor microenvironment-adjusted prognostic implications of the KRAS mutation subtype in patients with stage III colorectal cancer treated with adjuvant FOLFOX. <i>Scientific Reports</i> , <b>2021</b> , 11, 14609	4.9	2
266	Differential immune microenvironmental features of microsatellite-unstable colorectal cancers according to Fusobacterium nucleatum status. <i>Cancer Immunology, Immunotherapy</i> , <b>2021</b> , 70, 47-59	7.4	8
265	Phenotype-based single cell sequencing identifies diverse genetic subclones in CD133 positive cancer stem cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2021</b> , 558, 209-215	3.4	3
264	Pan-cancer methylation analysis reveals an inverse correlation of tumor immunogenicity with methylation aberrancy. <i>Cancer Immunology, Immunotherapy</i> , <b>2021</b> , 70, 1605-1617	7.4	2
263	Alteration in stemness causes exclusivity between Epstein-Barr virus-positivity and microsatellite instability status in gastric cancer. <i>Gastric Cancer</i> , <b>2021</b> , 24, 602-610	7.6	0
262	A comparative prognostic performance of definitions of Crohn-like lymphoid reaction in colorectal carcinoma. <i>Journal of Pathology and Translational Medicine</i> , <b>2021</b> , 55, 53-59	2.9	
261	Targeted next-generation sequencing-based detection of microsatellite instability in colorectal carcinomas. <i>PLoS ONE</i> , <b>2021</b> , 16, e0246356	3.7	2
260	Circulating tumor DNA sequencing in colorectal cancer patients treated with first-line chemotherapy with anti-EGFR. <i>Scientific Reports</i> , <b>2021</b> , 11, 16333	4.9	3
259	NTRK oncogenic fusions are exclusively associated with the serrated neoplasia pathway in the colorectum and begin to occur in sessile serrated lesions. <i>Journal of Pathology</i> , <b>2021</b> , 255, 399-411	9.4	1
258	Liquid biopsy-based tumor profiling for metastatic colorectal cancer patients with ultra-deep targeted sequencing. <i>PLoS ONE</i> , <b>2020</b> , 15, e0232754	3.7	7

257	Quantitative evaluation of Crohn's disease using dynamic contrast-enhanced MRI in children and young adults. <i>European Radiology</i> , <b>2020</b> , 30, 3168-3177	8	6
256	Expression Profile and Prognostic Significance of EPHB3 in Colorectal Cancer. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	4
255	Blood-Based Detection of Colorectal Cancer Using Cancer-Specific DNA Methylation Markers. <i>Diagnostics</i> , <b>2020</b> , 11,	3.8	6
254	Standardized Pathology Report for Colorectal Cancer, 2nd Edition. <i>Journal of Pathology and Translational Medicine</i> , <b>2020</b> , 54, 1-19	2.9	13
253	Evolving pathologic concepts of serrated lesions of the colorectum. <i>Journal of Pathology and Translational Medicine</i> , <b>2020</b> , 54, 276-289	2.9	9
252	Immune landscape and biomarkers for immuno-oncology in colorectal cancers. <i>Journal of Pathology and Translational Medicine</i> , <b>2020</b> , 54, 351-360	2.9	3
251	Fibroblast Growth Factor Receptor 1 (FGFR1) Amplification Detected by Droplet Digital Polymerase Chain Reaction (ddPCR) Is a Prognostic Factor in Colorectal Cancers. <i>Cancer Research and Treatment</i> , <b>2020</b> , 52, 74-84	5.2	13
250	Successful Treatment of a Korean Infant with Giant Cell Hepatitis with Autoimmune Hemolytic Anemia Using Rituximab. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , <b>2020</b> , 23, 180-187	2.3	1
249	Combination of L1 methylation and tumor-infiltrating lymphocytes as prognostic marker in advanced gastric cancer. <i>Gastric Cancer</i> , <b>2020</b> , 23, 464-472	7.6	2
248	Whole-Slide Image Analysis Reveals Quantitative Landscape of Tumor-Immune Microenvironment in Colorectal Cancers. <i>Clinical Cancer Research</i> , <b>2020</b> , 26, 870-881	12.9	10
247	Intrahepatic cholangiocarcinomas with IDH1/2 mutation-associated hypermethylation at selective genes and their clinicopathological features. <i>Scientific Reports</i> , <b>2020</b> , 10, 15820	4.9	12
246	Prospective study of oncologic outcomes after laparoscopic modified complete mesocolic excision for non-metastatic right colon cancer (PIONEER study): study protocol of a multicentre single-arm trial. <i>BMC Cancer</i> , <b>2020</b> , 20, 657	4.8	2
245	SMOC2, an intestinal stem cell marker, is an independent prognostic marker associated with better survival in colorectal cancers. <i>Scientific Reports</i> , <b>2020</b> , 10, 14591	4.9	7
244	Association of pathway mutation with survival after recurrence in colorectal cancer patients treated with adjuvant fluoropyrimidine and oxaliplatin chemotherapy. <i>BMC Cancer</i> , <b>2019</b> , 19, 421	4.8	1
243	Prognostic implications and interaction of L1 methylation and p53 expression statuses in advanced gastric cancer. <i>Clinical Epigenetics</i> , <b>2019</b> , 11, 77	7.7	9
242	p53 expression status is associated with cancer-specific survival in stage III and high-risk stage II colorectal cancer patients treated with oxaliplatin-based adjuvant chemotherapy. <i>British Journal of Cancer</i> , <b>2019</b> , 120, 797-805	8.7	16
241	Benign Recurrent Intrahepatic Cholestasis Type 2 in Siblings with Novel Mutations. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , <b>2019</b> , 22, 201-206	2.3	3
240	Prognostic significance of CD103+ immune cells in solid tumor: a systemic review and meta-analysis. <i>Scientific Reports</i> , <b>2019</b> , 9, 3808	4.9	8

239	Interpretation of EBV infection in pan-cancer genome considering viral life cycle: LiEB (Life cycle of Epstein-Barr virus). <i>Scientific Reports</i> , <b>2019</b> , 9, 3465	4.9	5
238	Combinatory low methylation statuses of SAT-β and L1 are associated with shortened survival time in patients with advanced gastric cancer. <i>Gastric Cancer</i> , <b>2019</b> , 22, 37-47	7.6	11
237	Tumor Mutation Burden and Prognosis in Patients with Colorectal Cancer Treated with Adjuvant Fluoropyrimidine and Oxaliplatin. <i>Clinical Cancer Research</i> , <b>2019</b> , 25, 6141-6147	12.9	51
236	Prognostic Impact of Fusobacterium nucleatum Depends on Combined Tumor Location and Microsatellite Instability Status in Stage II/III Colorectal Cancers Treated with Adjuvant Chemotherapy. <i>Journal of Pathology and Translational Medicine</i> , <b>2019</b> , 53, 40-49	2.9	24
235	CpG Island Methylation in Sessile Serrated Adenoma/Polyp of the Colorectum: Implications for Differential Diagnosis of Molecularly High-Risk Lesions among Non-dysplastic Sessile Serrated Adenomas/Polyps. <i>Journal of Pathology and Translational Medicine</i> , <b>2019</b> , 53, 225-235	2.9	2
234	Clinicopathological Characterization and Prognostic Implication of SMAD4 Expression in Colorectal Carcinoma. <i>Journal of Pathology and Translational Medicine</i> , <b>2019</b> , 53, 289-297	2.9	5
233	Impact of Mucin Proportion in the Pretreatment MRI on the Outcomes of Rectal Cancer Patients Undergoing Neoadjuvant Chemoradiotherapy. <i>Cancer Research and Treatment</i> , <b>2019</b> , 51, 1188-1197	5.2	3
232	DLEC1 methylation is associated with a better clinical outcome in patients with intrahepatic cholangiocarcinoma of the small duct subtype. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2019</b> , 475, 49-58	5.1	8
231	Reply to Comment on "Distinct clinical outcomes of two CIMP-positive colorectal cancer subtypes based on a revised CIMP classification system". <i>British Journal of Cancer</i> , <b>2018</b> , 118, e4	8.7	
230	Clinicopathological and molecular implications of aberrant thyroid transcription factor-1 expression in colorectal carcinomas: an immunohistochemical analysis of 1319 cases using three different antibody clones. <i>Histopathology</i> , <b>2018</b> , 72, 423-432	7.3	8
229	Association Between Fusobacterium nucleatum, Pathway Mutation, and Patient Prognosis in Colorectal Cancer. <i>Annals of Surgical Oncology</i> , <b>2018</b> , 25, 3389-3395	3.1	46
228	Expression Profile of LGR5 and Its Prognostic Significance in Colorectal Cancer Progression. <i>American Journal of Pathology</i> , <b>2018</b> , 188, 2236-2250	5.8	25
227	The distribution of intratumoral macrophages correlates with molecular phenotypes and impacts prognosis in colorectal carcinoma. <i>Histopathology</i> , <b>2018</b> , 73, 663-671	7.3	27
226	Prognostic Significance of EPHB2 Expression in Colorectal Cancer Progression. <i>Journal of Pathology and Translational Medicine</i> , <b>2018</b> , 52, 298-306	2.9	10
225	Multiplicity of Advanced T Category-Tumors Is a Risk Factor for Survival in Patients with Colorectal Carcinoma. <i>Journal of Pathology and Translational Medicine</i> , <b>2018</b> , 52, 386-395	2.9	2
224	Aberrant GATA2 epigenetic dysregulation induces a GATA2/GATA6 switch in human gastric cancer. <i>Oncogene</i> , <b>2018</b> , 37, 993-1004	9.2	15
223	Intratumoral immune cells expressing PD-1/PD-L1 and their prognostic implications in cancer: a meta-analysis. <i>International Journal of Biological Markers</i> , <b>2018</b> , 1724600818770941	2.8	7
222	Distinct clinical outcomes of two CIMP-positive colorectal cancer subtypes based on a revised CIMP classification system. <i>British Journal of Cancer</i> , <b>2017</b> , 116, 1012-1020	8.7	29

221	Improved results of LINE-1 methylation analysis in formalin-fixed, paraffin-embedded tissues with the application of a heating step during the DNA extraction process. <i>Clinical Epigenetics</i> , <b>2017</b> , 9, 1	7.7	29
220	Association between mutations of critical pathway genes and survival outcomes according to the tumor location in colorectal cancer. <i>Cancer</i> , <b>2017</b> , 123, 3513-3523	6.4	27
219	Intratumoral <i>Fusobacterium nucleatum</i> abundance correlates with macrophage infiltration and CDKN2A methylation in microsatellite-unstable colorectal carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2017</b> , 471, 329-336	5.1	49
218	Prognostic significance of stromal GREM1 expression in colorectal cancer. <i>Human Pathology</i> , <b>2017</b> , 62, 56-65	3.7	15
217	Dominant high expression of wild-type HSP110 defines a poor prognostic subgroup of colorectal carcinomas with microsatellite instability: a whole-section immunohistochemical analysis. <i>Apmis</i> , <b>2017</b> , 125, 1076-1083	3.4	7
216	A Novel Homozygous Mutation in a Korean Child with Lysosomal Acid Lipase Deficiency. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , <b>2017</b> , 20, 263-267	2.3	2
215	CpG Island Methylator Phenotype-High Colorectal Cancers and Their Prognostic Implications and Relationships with the Serrated Neoplasia Pathway. <i>Gut and Liver</i> , <b>2017</b> , 11, 38-46	4.8	21
214	Combined prognostic effect of PD-L1 expression and immunoscore in microsatellite-unstable advanced gastric cancers. <i>Oncotarget</i> , <b>2017</b> , 8, 58887-58902	3.3	20
213	Deletion in HSP110 T: correlation with wild-type HSP110 expression and prognostic significance in microsatellite-unstable advanced gastric cancers. <i>Human Pathology</i> , <b>2017</b> , 67, 109-118	3.7	1
212	Low-dose CT for the diagnosis of appendicitis in adolescents and young adults (LOCAT): a pragmatic, multicentre, randomised controlled non-inferiority trial. <i>The Lancet Gastroenterology and Hepatology</i> , <b>2017</b> , 2, 793-804	18.8	29
211	Chemoradiation-Induced Alteration of Programmed Death-Ligand 1 and CD8 Tumor-Infiltrating Lymphocytes Identified Patients With Poor Prognosis in Rectal Cancer: A Matched Comparison Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2017</b> , 99, 1216-1224	4	42
210	Downregulation of acetyl-CoA synthetase 2 is a metabolic hallmark of tumor progression and aggressiveness in colorectal carcinoma. <i>Modern Pathology</i> , <b>2017</b> , 30, 267-277	9.8	24
209	Total lesion glycolysis (TLG) as an imaging biomarker in metastatic colorectal cancer patients treated with regorafenib. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2017</b> , 44, 757-764	8.8	18
208	Tumoral LINE-1 hypomethylation is associated with poor survival of patients with intrahepatic cholangiocarcinoma. <i>BMC Cancer</i> , <b>2017</b> , 17, 588	4.8	7
207	Overexpression of POSTN in Tumor Stroma Is a Poor Prognostic Indicator of Colorectal Cancer. <i>Journal of Pathology and Translational Medicine</i> , <b>2017</b> , 51, 306-313	2.9	31
206	Eradication Downregulates Cellular Inhibitor of Apoptosis Protein 2 in Gastric Carcinogenesis. <i>Gut and Liver</i> , <b>2017</b> , 11, 79-86	4.8	4
205	Characterisation of PD-L1-positive subsets of microsatellite-unstable colorectal cancers. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 490-6	8.7	71
204	Molecular Subtypes of Colorectal Cancer and Their Clinicopathologic Features, With an Emphasis on the Serrated Neoplasia Pathway. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2016</b> , 140, 406-12	5	54

203	Associations and prognostic implications of Eastern Cooperative Oncology Group performance status and tumoral LINE-1 methylation status in stage III colon cancer patients. <i>Clinical Epigenetics</i> , <b>2016</b> , 8, 36	7.7	11
202	Abatacept alleviates severe autoimmune symptoms in a patient carrying a de novo variant in CTLA-4. <i>Journal of Allergy and Clinical Immunology</i> , <b>2016</b> , 137, 327-330	11.5	98
201	Adverse prognostic impact of the CpG island methylator phenotype in metastatic colorectal cancer. <i>British Journal of Cancer</i> , <b>2016</b> , 115, 164-71	8.7	30
200	Distribution of intestinal stem cell markers in colorectal precancerous lesions. <i>Histopathology</i> , <b>2016</b> , 68, 567-77	7.3	22
199	Methylation status of long interspersed element-1 in advanced gastric cancer and its prognostic implication. <i>Gastric Cancer</i> , <b>2016</b> , 19, 98-106	7.6	14
198	Are clinicopathological features of colorectal cancers with methylation in half of CpG island methylator phenotype panel markers different from those of CpG island methylator phenotype-high colorectal cancers?. <i>Human Pathology</i> , <b>2016</b> , 47, 85-94	3.7	8
197	Clinicopathologic, molecular, and prognostic implications of the loss of EPCAM expression in colorectal carcinoma. <i>Oncotarget</i> , <b>2016</b> , 7, 13372-87	3.3	16
196	Distinct features between MLH1-methylated and unmethylated colorectal carcinomas with the CpG island methylator phenotype: implications in the serrated neoplasia pathway. <i>Oncotarget</i> , <b>2016</b> , 7, 14095-111	3.1	28
195	Risk Factors for Metachronous Gastric Neoplasms in Patients Who Underwent Endoscopic Resection of a Gastric Neoplasm. <i>Gut and Liver</i> , <b>2016</b> , 10, 228-36	4.8	19
194	Multiple Polypoid Angiodysplasia with Obscure Overt Bleeding. <i>Clinical Endoscopy</i> , <b>2016</b> , 49, 91-6	2.5	2
193	Stepwise Endoscopy Based on Sigmoidoscopy in Evaluating Pediatric Graft-versus-Host Disease. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , <b>2016</b> , 19, 29-37	2.3	9
192	Living Related Liver Transplantation in an Infant with Neonatal Hemochromatosis. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , <b>2016</b> , 19, 147-51	2.3	
191	Comparative validation of assessment criteria for Crohn-like lymphoid reaction in colorectal carcinoma. <i>Journal of Clinical Pathology</i> , <b>2015</b> , 68, 22-8	3.9	23
190	Identification of long-range epigenetic silencing on chromosome 15q25 and its clinical implication in gastric cancer. <i>American Journal of Pathology</i> , <b>2015</b> , 185, 666-78	5.8	4
189	Gastric-type expression signature in serrated pathway-associated colorectal tumors. <i>Human Pathology</i> , <b>2015</b> , 46, 643-56	3.7	30
188	Prognostic significance of promoter CpG island hypermethylation and repetitive DNA hypomethylation in stage I lung adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2015</b> , 466, 675-83	5.1	18
187	Detection of KIT and PDGFRA mutations in the plasma of patients with gastrointestinal stromal tumor. <i>Targeted Oncology</i> , <b>2015</b> , 10, 597-601	5	34
186	KRAS mutation is associated with worse prognosis in stage III or high-risk stage II colon cancer patients treated with adjuvant FOLFOX. <i>Annals of Surgical Oncology</i> , <b>2015</b> , 22, 187-94	3.1	41

185	Different prognostic effect of CpG island methylation according to sex in colorectal cancer patients treated with adjuvant FOLFOX. <i>Clinical Epigenetics</i> , <b>2015</b> , 7, 63	7.7	15
184	Synchronous mucosal Schwann-cell hamartomas in a young adult suggestive of mucosal Schwann-cell hamartomatosis: a case report. <i>BMC Gastroenterology</i> , <b>2015</b> , 15, 128	3	8
183	Prognostic influence of body mass index and body weight gain during adjuvant FOLFOX chemotherapy in Korean colorectal cancer patients. <i>BMC Cancer</i> , <b>2015</b> , 15, 690	4.8	7
182	Clinical Manifestations and Treatment Outcomes of Eosinophilic Gastroenteritis in Children. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , <b>2015</b> , 18, 253-60	2.3	22
181	Image analyzer-based assessment of tumor-infiltrating T cell subsets and their prognostic values in colorectal carcinomas. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122183	3.7	27
180	Prognostic Implication of M2 Macrophages Are Determined by the Proportional Balance of Tumor Associated Macrophages and Tumor Infiltrating Lymphocytes in Microsatellite-Unstable Gastric Carcinoma. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144192	3.7	48
179	Loss of CDX2 expression is associated with poor prognosis in colorectal cancer patients. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 1457-67	5.6	74
178	Clinical Implication of Anti-Angiogenic Effect of Regorafenib in Metastatic Colorectal Cancer. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145004	3.7	19
177	Nuclear maspin expression correlates with the CpG island methylator phenotype and tumor aggressiveness in colorectal cancer. <i>International Journal of Clinical and Experimental Pathology</i> , <b>2015</b> , 8, 1920-8	1.4	11
176	Decrease of 5hmC in gastric cancers is associated with TET1 silencing due to with DNA methylation and bivalent histone marks at TET1 CpG island 3Qshore. <i>Oncotarget</i> , <b>2015</b> , 6, 37647-62	3.3	22
175	Annexin A10 expression in colorectal cancers with emphasis on the serrated neoplasia pathway. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 9749-57	5.6	17
174	Pathologic Factors Associated with Prognosis after Adjuvant Chemotherapy in Stage II/III Microsatellite-Unstable Colorectal Cancers. <i>Journal of Pathology and Translational Medicine</i> , <b>2015</b> , 49, 118-28	2.9	15
173	Annexin A10 expression correlates with serrated pathway features in colorectal carcinoma with microsatellite instability. <i>Apmis</i> , <b>2014</b> , 122, 1187-95	3.4	16
172	ITF2 prevents activation of the E-catenin-TCF4 complex in colon cancer cells and levels decrease with tumor progression. <i>Gastroenterology</i> , <b>2014</b> , 147, 430-442.e8	13.3	15
171	Open versus laparoscopic surgery for mid-rectal or low-rectal cancer after neoadjuvant chemoradiotherapy (COREAN trial): survival outcomes of an open-label, non-inferiority, randomised controlled trial. <i>Lancet Oncology, The</i> , <b>2014</b> , 15, 767-74	21.7	549
170	RNA editing in RHOQ promotes invasion potential in colorectal cancer. <i>Journal of Experimental Medicine</i> , <b>2014</b> , 211, 613-21	16.6	67
169	Differential Features of Microsatellite-Unstable Colorectal Carcinomas Depending on EPCAM Expression Status. <i>Korean Journal of Pathology</i> , <b>2014</b> , 48, 276-82		15
168	Expression status of wild-type HSP110 correlates with HSP110 T17 deletion size and patient prognosis in microsatellite-unstable colorectal cancer. <i>Modern Pathology</i> , <b>2014</b> , 27, 443-53	9.8	23

167	Downregulation of spleen tyrosine kinase in hepatocellular carcinoma by promoter CpG island hypermethylation and its potential role in carcinogenesis. <i>Laboratory Investigation</i> , <b>2014</b> , 94, 1396-405	5.9	8
166	Annexin A10 expression in microsatellite-unstable colorectal cancers: is it specific to sporadic tumors?. <i>American Journal of Surgical Pathology</i> , <b>2014</b> , 38, 1577-9	6.7	2
165	Intermediate serrated polyp as an intermediate lesion of hyperplastic polyp and sessile serrated polyp/adenoma in terms of morphological and molecular features. <i>Human Pathology</i> , <b>2014</b> , 45, 1759-65	3.7	9
164	Prognostic implications of tumor-infiltrating FoxP3+ regulatory T cells and CD8+ cytotoxic T cells in microsatellite-unstable gastric cancers. <i>Human Pathology</i> , <b>2014</b> , 45, 285-93	3.7	80
163	Alu and LINE-1 hypomethylation is associated with HER2 enriched subtype of breast cancer. <i>PLoS ONE</i> , <b>2014</b> , 9, e100429	3.7	50
162	Molecular and prognostic heterogeneity of microsatellite-unstable colorectal cancer. <i>World Journal of Gastroenterology</i> , <b>2014</b> , 20, 4230-43	5.6	62
161	RNA Editing in RHOQ Promotes Invasion Potential in Colorectal Cancer. <i>Journal of Cell Biology</i> , <b>2014</b> , 204, 204701A60	7.3	1
160	Prognostic implication of the CpG island methylator phenotype in colorectal cancers depends on tumour location. <i>British Journal of Cancer</i> , <b>2013</b> , 109, 1004-12	8.7	86
159	Pharmacogenetic analysis of adjuvant FOLFOX for Korean patients with colon cancer. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2013</b> , 71, 843-51	3.5	33
158	Down-regulation of dual-specificity phosphatase 5 in gastric cancer by promoter CpG island hypermethylation and its potential role in carcinogenesis. <i>American Journal of Pathology</i> , <b>2013</b> , 182, 1275-85	5.8	43
157	Methylation and microsatellite status and recurrence following adjuvant FOLFOX in colorectal cancer. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 2209-16	7.5	44
156	Changes in aberrant DNA methylation after Helicobacter pylori eradication: a long-term follow-up study. <i>International Journal of Cancer</i> , <b>2013</b> , 133, 2034-42	7.5	40
155	Differential clinicopathologic features in microsatellite-unstable gastric cancers with and without MLH1 methylation. <i>Human Pathology</i> , <b>2013</b> , 44, 1055-64	3.7	16
154	cAMP signalling decreases p300 protein levels by promoting its ubiquitin/proteasome dependent degradation via Epac and p38 MAPK in lung cancer cells. <i>FEBS Letters</i> , <b>2013</b> , 587, 1373-8	3.8	9
153	The beneficial effect of palliative resection in metastatic colorectal cancer. <i>British Journal of Cancer</i> , <b>2013</b> , 108, 1425-31	8.7	35
152	Effect of the combination of metformin and fenofibrate on glucose homeostasis in diabetic Goto-Kakizaki rats. <i>Experimental and Molecular Medicine</i> , <b>2013</b> , 45, e30	12.8	8
151	Subsets of microsatellite-unstable colorectal cancers exhibit discordance between the CpG island methylator phenotype and MLH1 methylation status. <i>Modern Pathology</i> , <b>2013</b> , 26, 1013-22	9.8	19
150	Loss of CDX2/CK20 expression is associated with poorly differentiated carcinoma, the CpG island methylator phenotype, and adverse prognosis in microsatellite-unstable colorectal cancer. <i>American Journal of Surgical Pathology</i> , <b>2013</b> , 37, 1532-41	6.7	71



149	Interleukin-10 receptor mutations in children with neonatal-onset Crohn's disease and intractable ulcerating enterocolitis. <i>European Journal of Gastroenterology and Hepatology</i> , <b>2013</b> , 25, 1235-40	2.2	42
148	Early colorectal epithelial neoplasm in Korea: a multicenter survey of pathologic diagnosis. <i>Korean Journal of Pathology</i> , <b>2013</b> , 47, 245-51		1
147	Prognostic implication of mucinous histology in colorectal cancer patients treated with adjuvant FOLFOX chemotherapy. <i>British Journal of Cancer</i> , <b>2013</b> , 108, 1978-84	8.7	35
146	The influence of the treatment response on the impact of resection margin status after preoperative chemoradiotherapy in locally advanced rectal cancer. <i>BMC Cancer</i> , <b>2013</b> , 13, 576	4.8	11
145	Targeted sequencing of cancer-related genes in colorectal cancer using next-generation sequencing. <i>PLoS ONE</i> , <b>2013</b> , 8, e64271	3.7	61
144	The influence of treatment response on the impact of resection margin status after preoperative chemoradiotherapy in rectal cancer.. <i>Journal of Clinical Oncology</i> , <b>2013</b> , 31, 505-505	2.2	8
143	Epigenetic alterations in colorectal cancer: the CpG island methylator phenotype. <i>Histology and Histopathology</i> , <b>2013</b> , 28, 585-95	1.4	22
142	Methylome of fetal and maternal monocytes and macrophages at the feto-maternal interface. <i>American Journal of Reproductive Immunology</i> , <b>2012</b> , 68, 8-27	3.8	65
141	Mesenchymal stem cells transfer mitochondria to the cells with virtually no mitochondrial function but not with pathogenic mtDNA mutations. <i>PLoS ONE</i> , <b>2012</b> , 7, e32778	3.7	113
140	Clinical outcomes of patients with microsatellite-unstable colorectal carcinomas depend on L1 methylation level. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 3441-8	3.1	46
139	BRCA2 fine-tunes the spindle assembly checkpoint through reinforcement of BubR1 acetylation. <i>Developmental Cell</i> , <b>2012</b> , 22, 295-308	10.2	60
138	Distinct patterns of promoter CpG island methylation of breast cancer subtypes are associated with stem cell phenotypes. <i>Modern Pathology</i> , <b>2012</b> , 25, 185-96	9.8	44
137	Postoperative prognostic predictors of pancreatic ductal adenocarcinoma: clinical analysis and immunoprofile on tissue microarrays. <i>Annals of Surgical Oncology</i> , <b>2012</b> , 19, 2664-72	3.1	16
136	Bile-based detection of extrahepatic cholangiocarcinoma with quantitative DNA methylation markers and its high sensitivity. <i>Journal of Molecular Diagnostics</i> , <b>2012</b> , 14, 256-63	5.1	24
135	Pharmacological unmasking microarray approach-based discovery of novel DNA methylation markers for hepatocellular carcinoma. <i>Journal of Korean Medical Science</i> , <b>2012</b> , 27, 594-604	4.7	10
134	Prediction of the risk for gastric cancer using candidate methylation markers in the non-neoplastic gastric mucosae. <i>Journal of Pathology</i> , <b>2012</b> , 226, 654-65	9.4	28
133	ALU and LINE-1 hypomethylations in multistep gastric carcinogenesis and their prognostic implications. <i>International Journal of Cancer</i> , <b>2012</b> , 131, 1323-31	7.5	63
132	Leptin, MUC2 and mTOR in appendiceal mucinous neoplasms. <i>Pathobiology</i> , <b>2012</b> , 79, 45-53	3.6	18

131	Depth of mesorectal extension has prognostic significance in patients with T3 rectal cancer. <i>Diseases of the Colon and Rectum</i> , <b>2012</b> , 55, 1220-8	3.1	44
130	Clinicopathologic and molecular characteristics of synchronous colorectal cancers: heterogeneity of clinical outcome depending on microsatellite instability status of individual tumors. <i>Diseases of the Colon and Rectum</i> , <b>2012</b> , 55, 181-90	3.1	21
129	Heterodimerization of glycosylated insulin-like growth factor-1 receptors and insulin receptors in cancer cells sensitive to anti-IGF1R antibody. <i>PLoS ONE</i> , <b>2012</b> , 7, e33322	3.7	37
128	CpG island hypermethylation in gastric carcinoma and its premalignant lesions. <i>Korean Journal of Pathology</i> , <b>2012</b> , 46, 1-9		19
127	Risk factors for complications after total colectomy in ulcerative colitis. <i>Turkish Journal of Gastroenterology</i> , <b>2012</b> , 23, 515-22	1	6
126	Expression of hMLH1, hMSH2 and hMSH6 in small intestinal carcinomas. <i>Hepato-Gastroenterology</i> , <b>2012</b> , 59, 2228-32		7
125	Methylations of NEUROG1, p16, and MLH1 and recurrence following adjuvant FOLFOX in colorectal cancer.. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 3624-3624	2.2	
124	Epigenetic subgroups of esophageal and gastric adenocarcinoma with differential GATA5 DNA methylation associated with clinical and lifestyle factors. <i>PLoS ONE</i> , <b>2011</b> , 6, e25985	3.7	10
123	Genome-wide DNA methylation profiles in noncancerous gastric mucosae with regard to Helicobacter pylori infection and the presence of gastric cancer. <i>Helicobacter</i> , <b>2011</b> , 16, 179-88	4.9	35
122	Promoter CpG island hypermethylation during breast cancer progression. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2011</b> , 458, 73-84	5.1	120
121	DNA methylation profile during multistage progression of pulmonary adenocarcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2011</b> , 459, 201-11	5.1	38
120	Differential clinicopathological features in microsatellite instability-positive colorectal cancers depending on CIMP status. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2011</b> , 459, 55-63	5.1	37
119	High survivin expression as a predictor of poor response to preoperative chemoradiotherapy in locally advanced rectal cancer. <i>International Journal of Colorectal Disease</i> , <b>2011</b> , 26, 1019-23	3	23
118	Phase II study of biweekly S-1 and oxaliplatin combination chemotherapy in metastatic colorectal cancer and pharmacogenetic analysis. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2011</b> , 67, 1323-31	3.5	28
117	Bowel sonography in sepsis with pathological correlation: an experimental study. <i>Pediatric Radiology</i> , <b>2011</b> , 41, 237-43	2.8	8
116	The CpG island methylator phenotype may confer a survival benefit in patients with stage II or III colorectal carcinomas receiving fluoropyrimidine-based adjuvant chemotherapy. <i>BMC Cancer</i> , <b>2011</b> , 11, 344	4.8	73
115	Aberrant CpG island hypermethylation in pediatric gastric mucosa in association with Helicobacter pylori infection. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2011</b> , 135, 759-65	5	16
114	Four molecular subtypes of colorectal cancer and their precursor lesions. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2011</b> , 135, 698-703	5	65

113	Role of Helicobacter pylori infection in aberrant DNA methylation along multistep gastric carcinogenesis. <i>Cancer Science</i> , <b>2010</b> , 101, 1337-46	6.9	50
112	Clinicopathological features of severe forms of low gamma-glutamyltranspeptidase familial intrahepatic cholestasis in Korean pediatric patients. <i>Basic and Applied Pathology</i> , <b>2010</b> , 3, 126-133		
111	A novel DHCR7 mutation in a Smith-Lemli-Opitz syndrome infant presenting with neonatal cholestasis. <i>Journal of Korean Medical Science</i> , <b>2010</b> , 25, 159-62	4.7	13
110	Tufting Enteropathy with EpCAM Mutations in Two Siblings. <i>Gut and Liver</i> , <b>2010</b> , 4, 407-10	4.8	31
109	Identification of novel methylation markers in hepatocellular carcinoma using a methylation array. <i>Journal of Korean Medical Science</i> , <b>2010</b> , 25, 1152-9	4.7	39
108	Estrogen and progesterone receptor status affect genome-wide DNA methylation profile in breast cancer. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 4273-7	5.6	71
107	Adenocarcinoma of the small intestine: a multi-institutional study of 197 surgically resected cases. <i>Human Pathology</i> , <b>2010</b> , 41, 1087-96	3.7	62
106	Mixed-type gastric cancer and its association with high-frequency CpG island hypermethylation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2010</b> , 456, 625-33	5.1	31
105	Influence of IL1B polymorphism on CpG island hypermethylation in Helicobacter pylori-infected gastric cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2010</b> , 456, 647-52	5.1	17
104	DNA methylation changes in ex-adenoma carcinoma of the large intestine. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2010</b> , 457, 433-41	5.1	16
103	CpG island hypermethylator phenotype in gastric carcinoma and its clinicopathological features. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2010</b> , 457, 415-22	5.1	34
102	Identification of microRNA-21 as a biomarker for chemoresistance and clinical outcome following adjuvant therapy in resectable pancreatic cancer. <i>PLoS ONE</i> , <b>2010</b> , 5, e10630	3.7	230
101	Changes in hepatic gene expression upon oral administration of taurine-conjugated ursodeoxycholic acid in ob/ob mice. <i>PLoS ONE</i> , <b>2010</b> , 5, e13858	3.7	44
100	Clinical, Endoscopic and Pathologic Findings of Colonic Polyposis in Korean Children. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2010</b> , 13, 154		2
99	Combination chemotherapy with S-1 and platinum in advanced hepatocellular carcinoma. <i>Anticancer Research</i> , <b>2010</b> , 30, 5245-50	2.3	5
98	Prognostic implications of and relationship between CpG island hypermethylation and repetitive DNA hypomethylation in hepatocellular carcinoma. <i>Clinical Cancer Research</i> , <b>2009</b> , 15, 812-20	12.9	80
97	Genomic hypomethylation and CpG island hypermethylation in prostatic intraepithelial neoplasm. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2009</b> , 454, 17-23	5.1	41
96	CpG island hypermethylation and repetitive DNA hypomethylation in premalignant lesion of extrahepatic cholangiocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2009</b> , 455, 343-51	5.1	36

95	Prognostic implications of CpG island hypermethylator phenotype in colorectal cancers. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2009</b> , 455, 485-94	5.1	111
94	Clinical and histological features of nonalcoholic fatty liver disease in children. <i>Digestive Diseases and Sciences</i> , <b>2009</b> , 54, 2225-30	4	49
93	Comparison of CpG island hypermethylation and repetitive DNA hypomethylation in premalignant stages of gastric cancer, stratified for Helicobacter pylori infection. <i>Journal of Pathology</i> , <b>2009</b> , 219, 410-64	9.4	98
92	Differential protein immunoexpression profiles in appendiceal mucinous neoplasms: a special reference to classification and predictive factors. <i>Modern Pathology</i> , <b>2009</b> , 22, 1102-12	9.8	17
91	Feasibility of endoscopic papillectomy in early stage ampulla of Vater cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , <b>2009</b> , 24, 120-4	4	46
90	Phosphorylation of ERK1/2 and prognosis of clear cell renal cell carcinoma. <i>Urology</i> , <b>2009</b> , 73, 394-9	1.6	10
89	The Relationship between the Methylenetetrahydrofolate Reductase Genotypes and the Methylation Status of the CpG Island Loci, LINE-1 and Alu in Prostate Adenocarcinoma. <i>Korean Journal of Pathology</i> , <b>2009</b> , 43, 26		2
88	Immunohistochemical and Molecular Characteristics of Follicular Patterned Thyroid Nodules with Incomplete Nuclear Features of Papillary Thyroid Carcinoma. <i>Korean Journal of Pathology</i> , <b>2009</b> , 43, 495		2
87	Effect of Suboptimal Chemotherapy on Preoperative Chemoradiation in Rectal Cancer. <i>The Journal of the Korean Society for Therapeutic Radiology and Oncology</i> , <b>2009</b> , 27, 78		1
86	Posttransplantation Lymphoproliferative Disorder after Liver Transplantation in Pediatric Patients: Report from a Single-center Over 21 Years. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2009</b> , 12, 199		1
85	DNA methylation profiles of gastric carcinoma characterized by quantitative DNA methylation analysis. <i>Laboratory Investigation</i> , <b>2008</b> , 88, 161-70	5.9	139
84	Clinicopathological features of CpG island methylator phenotype-positive colorectal cancer and its adverse prognosis in relation to KRAS/BRAF mutation. <i>Pathology International</i> , <b>2008</b> , 58, 104-13	1.8	114
83	CpG methylation in exon 1 of transcription factor 4 increases with age in normal gastric mucosa and is associated with gene silencing in intestinal-type gastric cancers. <i>Carcinogenesis</i> , <b>2008</b> , 29, 1623-31	4.6	30
82	STAT3 inhibits the degradation of HIF-1alpha by pVHL-mediated ubiquitination. <i>Experimental and Molecular Medicine</i> , <b>2008</b> , 40, 479-85	12.8	77
81	BRAF activation initiates but does not maintain invasive prostate adenocarcinoma. <i>PLoS ONE</i> , <b>2008</b> , 3, e3949	3.7	38
80	Helicobacter pylori-infection-associated CpG island hypermethylation in the stomach and its possible association with polycomb repressive marks. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2008</b> , 452, 515-24	5.1	24
79	Treatment guidelines for branch duct type intraductal papillary mucinous neoplasms of the pancreas: when can we operate or observe?. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 199-205	3.1	138
78	Epigenetic inactivation of protein kinase D1 in gastric cancer and its role in gastric cancer cell migration and invasion. <i>Carcinogenesis</i> , <b>2008</b> , 29, 629-37	4.6	66

77	CpG island methylator phenotype in colorectal cancers: comparison of the new and classic CpG island methylator phenotype marker panels. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2008</b> , 132, 1657-65	5	54
76	Nonalcoholic Fatty Liver Disease Progressing to Cirrhosis in an Obese Boy with Hypopituitarism. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2008</b> , 11, 204		2
75	A Case of Blue Rubber Bleb Nevus Syndrome. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2008</b> , 11, 198		1
74	Multiphase contrast-enhanced CT imaging in hepatocellular carcinoma correlation with immunohistochemical angiogenic activities. <i>Academic Radiology</i> , <b>2007</b> , 14, 1084-91	4.3	7
73	Radiological spectrum of hepatic mesenchymal hamartoma in children. <i>Korean Journal of Radiology</i> , <b>2007</b> , 8, 498-505	6.9	33
72	Methylation profiles of CpG island loci in major types of human cancers. <i>Journal of Korean Medical Science</i> , <b>2007</b> , 22, 311-7	4.7	20
71	Hypermethylation of CpG island loci and hypomethylation of LINE-1 and Alu repeats in prostate adenocarcinoma and their relationship to clinicopathological features. <i>Journal of Pathology</i> , <b>2007</b> , 211, 269-77	9.4	157
70	Hypermethylation of the COX-2 gene is a potential prognostic marker for cervical cancer. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2007</b> , 33, 236-41		19
69	Recurrence and prognostic factors of ampullary carcinoma after radical resection: comparison with distal extrahepatic cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , <b>2007</b> , 14, 3195-201	3.1	99
68	Panels of immunohistochemical markers help determine primary sites of metastatic adenocarcinoma. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2007</b> , 131, 1561-7	5	169
67	Methylation profiles of multiple CpG island loci in extrahepatic cholangiocarcinoma versus those of intrahepatic cholangiocarcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2007</b> , 131, 923-30	5	39
66	A Case of Metastatic Signet Ring Cell Carcinoma of the Colon in a Child. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2007</b> , 10, 76		
65	Comparison of DNA hypermethylation patterns in different types of uterine cancer: cervical squamous cell carcinoma, cervical adenocarcinoma and endometrial adenocarcinoma. <i>International Journal of Cancer</i> , <b>2006</b> , 118, 2168-71	7.5	75
64	BRAF and KRAS mutations in prostatic adenocarcinoma. <i>International Journal of Cancer</i> , <b>2006</b> , 119, 1858-63		81
63	Association of promoter hypermethylation of the RASSF1A gene with prognostic parameters in endometrial cancer. <i>Oncology Research</i> , <b>2006</b> , 16, 205-9	4.8	23
62	CpG island methylator phenotype underlies sporadic microsatellite instability and is tightly associated with BRAF mutation in colorectal cancer. <i>Nature Genetics</i> , <b>2006</b> , 38, 787-93	36.3	1514
61	DNA hypomethylation of CAGE promoters in squamous cell carcinoma of uterine cervix. <i>Annals of the New York Academy of Sciences</i> , <b>2006</b> , 1091, 218-24	6.5	19
60	Prediction of treatment outcome in chronic hepatitis C patients based on early viral dynamics during high-dose induction interferon and ribavirin therapy. <i>Intervirology</i> , <b>2005</b> , 48, 230-8	2.5	7

59	Polymorphism in folate- and methionine-metabolizing enzyme and aberrant CpG island hypermethylation in uterine cervical cancer. <i>Gynecologic Oncology</i> , <b>2005</b> , 96, 173-80	4.9	95
58	Nur77 activated by hypoxia-inducible factor-1alpha overproduces proopiomelanocortin in von Hippel-Lindau-mutated renal cell carcinoma. <i>Cancer Research</i> , <b>2004</b> , 64, 35-9	10.1	52
57	Methylation of RUNX3 in various types of human cancers and premalignant stages of gastric carcinoma. <i>Laboratory Investigation</i> , <b>2004</b> , 84, 479-84	5.9	180
56	Aberrant CpG island hypermethylation of multiple genes in colorectal neoplasia. <i>Laboratory Investigation</i> , <b>2004</b> , 84, 884-93	5.9	127
55	Geno- and pheno-typic characterization in ten patients with double-primary gastric and colorectal adenocarcinomas. <i>International Journal of Colorectal Disease</i> , <b>2004</b> , 19, 561-8	3	4
54	Aberrant CpG island hypermethylation of multiple genes in prostate cancer and prostatic intraepithelial neoplasia. <i>Journal of Pathology</i> , <b>2004</b> , 202, 233-40	9.4	203
53	Synovial sarcoma of the kidney with rhabdoid features: report of three cases. <i>American Journal of Surgical Pathology</i> , <b>2004</b> , 28, 634-7	6.7	35
52	Hepatocyte expressions in hepatocellular carcinomas, gastrointestinal neoplasms, and non-neoplastic gastrointestinal mucosa: its role as a diagnostic marker. <i>Journal of Korean Medical Science</i> , <b>2003</b> , 18, 842-8	4.7	12
51	Profile of aberrant CpG island methylation along multistep gastric carcinogenesis. <i>Laboratory Investigation</i> , <b>2003</b> , 83, 519-26	5.9	89
50	Profile of aberrant CpG island methylation along the multistep pathway of gastric carcinogenesis. <i>Laboratory Investigation</i> , <b>2003</b> , 83, 635-41	5.9	124
49	Aberrant CpG island hypermethylation along multistep hepatocarcinogenesis. <i>American Journal of Pathology</i> , <b>2003</b> , 163, 1371-8	5.8	277
48	Aberrant CpG island hypermethylation of chronic gastritis, in relation to aging, gender, intestinal metaplasia, and chronic inflammation. <i>American Journal of Pathology</i> , <b>2003</b> , 163, 1551-6	5.8	205
47	Promoter hypomethylation of a novel cancer/testis antigen gene CAGE is correlated with its aberrant expression and is seen in premalignant stage of gastric carcinoma. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 307, 52-63	3.4	112
46	Histology of gastroesophageal junction in fetal and pediatric autopsy. <i>Archives of Pathology and Laboratory Medicine</i> , <b>2003</b> , 127, 451-5	5	43
45	Profile of methylated CpG sites of hMLH1 promoter in primary gastric carcinoma with microsatellite instability. <i>Pathology International</i> , <b>2002</b> , 52, 764-8	1.8	8
44	Nested PCR for diagnosis of tuberculous lymphadenitis and PCR-SSCP for identification of rifampicin resistance in fine-needle aspirates. <i>Diagnostic Cytopathology</i> , <b>2002</b> , 26, 228-31	1.4	24
43	Comparison of clinicopathologic characteristics and genetic alterations between microsatellite instability-positive and microsatellite instability-negative sporadic colorectal carcinomas in patients younger than 40 years old. <i>Diseases of the Colon and Rectum</i> , <b>2002</b> , 45, 219-28	3.1	20
42	Evaluation of myenteric ganglion cells and interstitial cells of Cajal in patients with chronic idiopathic constipation. <i>International Journal of Colorectal Disease</i> , <b>2002</b> , 17, 253-8	3	44

41	Distinct clinical features and outcomes of gastric cancers with microsatellite instability. <i>Modern Pathology</i> , <b>2002</b> , 15, 632-40	9.8	115
40	Aberrant CpG island methylation of multiple genes in intrahepatic cholangiocarcinoma. <i>American Journal of Pathology</i> , <b>2002</b> , 161, 1015-22	5.8	128
39	Epstein-barr virus-positive gastric carcinoma demonstrates frequent aberrant methylation of multiple genes and constitutes CpG island methylator phenotype-positive gastric carcinoma. <i>American Journal of Pathology</i> , <b>2002</b> , 160, 787-94	5.8	271
38	Genotypic analysis at multiple loci across Kaposi's sarcoma herpesvirus (KSHV) DNA molecules: clustering patterns, novel variants and chimerism. <i>Journal of Clinical Virology</i> , <b>2002</b> , 23, 119-48	14.5	91
37	A Case of Colitis Cystica Profunda Mixed with Juvenile Retention Polyp in a 7-month-old Infant. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2002</b> , 5, 96		
36	Neonatal Cholestasis Associated with Congenital Hypopituitarism. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2002</b> , 5, 199		1
35	A Case of Solid and Papillary Epithelial Neoplasm of Pancreas in a Young Adolescent. <i>Korean Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2002</b> , 5, 108		
34	Mutations at the APC exon 15 in the colorectal neoplastic tissues of serial array. <i>International Journal of Colorectal Disease</i> , <b>2001</b> , 16, 102-7	3	13
33	Source of errors in the evaluation of early rectal cancer by endoluminal ultrasonography. <i>Diseases of the Colon and Rectum</i> , <b>2001</b> , 44, 1302-9	3.1	41
32	Methylation of the hMLH1 promoter in multiple gastric carcinomas with microsatellite instability. <i>Pathology International</i> , <b>2001</b> , 51, 445-51	1.8	16
31	Endoscopic treatment of gastritis cystica polyposa found in an unoperated stomach. <i>Gastrointestinal Endoscopy</i> , <b>2001</b> , 54, 101-3	5.2	27
30	Peloid-type hepatocellular carcinoma masquerading as a hepatic hemangioma on technetium-99m red blood cell scintigraphy. <i>Clinical Nuclear Medicine</i> , <b>2001</b> , 26, 33-5	1.7	17
29	Fibrous dysplasia with barely increased uptake on bone scan: a case report. <i>Clinical Nuclear Medicine</i> , <b>2000</b> , 25, 785-8	1.7	12
28	Smooth muscle distribution in the extrahepatic bile duct: histologic and immunohistochemical studies of 122 cases. <i>American Journal of Surgical Pathology</i> , <b>2000</b> , 24, 660-7	6.7	32
27	Correlation of p16 hypermethylation with p16 protein loss in sporadic gastric carcinomas. <i>Laboratory Investigation</i> , <b>2000</b> , 80, 689-95	5.9	108
26	Efficiency of combined colonoscopy and computed tomography for diagnosis of colonic actinomycosis: a retrospective evaluation of eight consecutive patients. <i>International Journal of Colorectal Disease</i> , <b>2000</b> , 15, 236-42	3	23
25	Isolated splenic metastasis from colorectal carcinoma: a case report. <i>Journal of Korean Medical Science</i> , <b>2000</b> , 15, 355-8	4.7	22
24	5 CpG island methylation of p16 is associated with absence of p16 expression in glioblastomas. <i>Journal of Korean Medical Science</i> , <b>2000</b> , 15, 555-9	4.7	18

23	Biliary cystadenocarcinoma. <i>Gastrointestinal Endoscopy</i> , <b>2000</b> , 51, 66	5.2	3
22	Nodular regenerative hyperplasia of the liver in Budd-Chiari syndrome: CT and MR features. <i>Abdominal Imaging</i> , <b>2000</b> , 25, 255-8		39
21	Cholangioscopic findings in bile duct tumors. <i>Gastrointestinal Endoscopy</i> , <b>2000</b> , 52, 630-4	5.2	128
20	A Spindle Cell Tumor of Unknown Origin and Diffuse Bone Marrow Involvement in a Patient with Hypercalcemia. <i>Tumori</i> , <b>1999</b> , 85, 526-529	1.7	1
19	Development of intracytoplasmic lumens in colon cancer cells cultured on non-adhesive surface. <i>Experimental and Toxicologic Pathology</i> , <b>1999</b> , 51, 21-6		2
18	Gross type-matched study of clinicopathologic features of advanced gastric carcinoma with replication error. <i>Pathology International</i> , <b>1999</b> , 49, 1053-9	1.8	3
17	Somatic mutations of the first 14 exons of APC in hamartomatous polyps of the colon. <i>Human Mutation</i> , <b>1999</b> , 14, 351-2	4.7	
16	Portal vein embolization with use of a new liquid embolic material: an experimental study. <i>Journal of Vascular and Interventional Radiology</i> , <b>1999</b> , 10, 339-45	2.4	5
15	Appendiceal orifice inflammation as a skip lesion in ulcerative colitis: an analysis in relation to medical therapy and disease extent. <i>Gastrointestinal Endoscopy</i> , <b>1999</b> , 49, 743-7	5.2	106
14	Usefulness of cholangioscopy in patients with focal stricture of the intrahepatic duct unrelated to intrahepatic stones. <i>Gastrointestinal Endoscopy</i> , <b>1999</b> , 49, 204-9	5.2	48
13	Zinc deficiency manifested by dermatitis and visual dysfunction in a patient with Crohn's disease. <i>Journal of Gastroenterology</i> , <b>1998</b> , 33, 876-9	6.9	35
12	p53 mutation and overexpression in hepatocellular carcinoma and dysplastic nodules in the liver. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>1998</b> , 432, 27-32	5.1	26
11	Alpha-fetoprotein-producing gastric carcinoma presenting focal hepatoid differentiation in metastatic lymph nodes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>1998</b> , 432, 85-7	5.1	18
10	Kaposi's sarcoma-associated herpesvirus in Kikuchi's disease. <i>Human Pathology</i> , <b>1998</b> , 29, 1091-6	3.7	61
9	Pathology of the malignant colorectal polyp. <i>Human Pathology</i> , <b>1998</b> , 29, 1173-4	3.7	
8	Human herpesvirus 8 in Kaposi's sarcoma and Kaposi's sarcoma-mimicking vascular tumors. <i>Journal of Korean Medical Science</i> , <b>1998</b> , 13, 54-9	4.7	7
7	Primary pulmonary sarcoma with morphologic features of biphasic synovial sarcoma: a case report. <i>Journal of Korean Medical Science</i> , <b>1998</b> , 13, 71-6	4.7	16
6	Primary hepatic carcinoid tumor with a paranuclear clear zone: a case report. <i>Journal of Korean Medical Science</i> , <b>1998</b> , 13, 317-20	4.7	17



- 5 An experimental study of embolic effect according to infusion rate and concentration of suspension in transarterial particulate embolization. *Investigative Radiology*, **1997**, 32, 260-7 10.1 31
- 4 Adamantinoma of tibia with predominant features of fibrous dysplasia--a case report. *Journal of Korean Medical Science*, **1996**, 11, 444-8 4.7 6
- 3 Pigmented villonodular synovitis in the sacral joint with extensive bone destruction in a child. *Pediatric Pathology*, **1992**, 12, 725-30 12
- 2 Congenital tuberculosis--report of an autopsy case. *Journal of Korean Medical Science*, **1990**, 5, 59-64 4.7 11
- 1 CpG Island Methylator Phenotype in Cancer1-10