
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8321435/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	6.0	1,085
2	Depression and Cardiac Mortality. Archives of General Psychiatry, 2001, 58, 221.	13.8	828
3	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. International Journal of Methods in Psychiatric Research, 2008, 17, 121-140.	1.1	791
4	Depression and the risk for cardiovascular diseases: systematic review and meta analysis. International Journal of Geriatric Psychiatry, 2007, 22, 613-626.	1.3	785
5	Comorbidity Patterns of Anxiety and Depressive Disorders in a Large Cohort Study. Journal of Clinical Psychiatry, 2011, 72, 341-348.	1.1	648
6	Anxiety disorders in later life: a report from the longitudinal aging study Amsterdam. , 1998, 13, 717-726.		432
7	Duration of major depressive episodes in the general population: Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). British Journal of Psychiatry, 2002, 181, 208-213.	1.7	403
8	The Natural History of Late-Life Depression. Archives of General Psychiatry, 2002, 59, 605.	13.8	386
9	Cohort Profile: The Longitudinal Aging Study Amsterdam. International Journal of Epidemiology, 2011, 40, 868-876.	0.9	378
10	Preventing the Onset of Depressive Disorders: A Meta-Analytic Review of Psychological Interventions. American Journal of Psychiatry, 2008, 165, 1272-1280.	4.0	353
11	Preventing the onset of major depressive disorder: A meta-analytic review of psychological interventions. International Journal of Epidemiology, 2014, 43, 318-329.	0.9	347
12	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). Journal of Affective Disorders, 2011, 133, 76-85.	2.0	278
13	Stepped-Care Prevention of Anxiety and Depression in Late Life. Archives of General Psychiatry, 2009, 66, 297.	13.8	273
14	Costs of nine common mental disorders: implications for curative and preventive psychiatry. Journal of Mental Health Policy and Economics, 2006, 9, 193-200.	0.6	258
15	The impact of depression on the well-being, disability and use of services in older adults: a longitudinal perspective. Acta Psychiatrica Scandinavica, 2002, 105, 20-27.	2.2	232
16	Opportunities for Cost-effective Prevention of Late-Life Depression. Archives of General Psychiatry, 2006, 63, 290.	13.8	169
17	Prevention of Late-Life Depression in Primary Care: Do We Know Where to Begin?. American Journal of Psychiatry, 2006, 163, 1611-1621.	4.0	121
18	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2â€week ambulatory assessment study. Depression and Anxiety, 2019, 36, 975-986.	2.0	121

#	Article	IF	CITATIONS
19	Glucocorticoid receptor gene polymorphisms and childhood adversity are associated with depression: New evidence for a gene–environment interaction. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 660-669.	1.1	114
20	Inflammatory and Metabolic Dysregulation and the 2-Year Course of Depressive Disorders in Antidepressant Users. Neuropsychopharmacology, 2014, 39, 1624-1634.	2.8	108
21	Effect of fish-oil supplementation on mental well-being in older subjects: a randomized, double-blind, placebo-controlled trial. American Journal of Clinical Nutrition, 2008, 88, 706-713.	2.2	104
22	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. Lancet Psychiatry,the, 2018, 5, 581-590.	3.7	97
23	On becoming depressed or anxious in late life: similar vulnerability factors but different effects of stressful life events. British Journal of Psychiatry, 2001, 179, 426-431.	1.7	95
24	Impact of loneliness and depression on mortality: Results from the Longitudinal Ageing Study Amsterdam. British Journal of Psychiatry, 2016, 209, 127-134.	1.7	94
25	The association between depressive symptoms and cognitive decline in community-dwelling elderly persons. International Journal of Geriatric Psychiatry, 2001, 16, 361-367.	1.3	89
26	Differences in heart rate variability between depressed and non-depressed elderly. International Journal of Geriatric Psychiatry, 2006, 21, 147-150.	1.3	88
27	The association between depressive symptoms in the community, non-psychiatric hospital admission and hospital outcomes: A systematic review. Journal of Psychosomatic Research, 2015, 78, 25-33.	1.2	87
28	Effectiveness of a Blended Web-Based Intervention on Return to Work for Sick-Listed Employees With Common Mental Disorders: Results of a Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2015, 17, e116.	2.1	75
29	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. BMC Medicine, 2017, 15, 215.	2.3	73
30	The Relationships Between ADHD and Social Functioning and Participation in Older Adults in a Population-Based Study. Journal of Attention Disorders, 2015, 19, 368-379.	1.5	71
31	Psychiatric and Medical Comorbidities: Results from a Bipolar Elderly Cohort Study. American Journal of Geriatric Psychiatry, 2014, 22, 1066-1074.	0.6	70
32	Internet and Computer-Based Cognitive Behavioral Therapy for Anxiety and Depression in Adolescents and Young Adults: Systematic Review and Meta-Analysis. Journal of Medical Internet Research, 2020, 22, e17831.	2.1	70
33	Collaborative care for sick-listed workers with major depressive disorder: a randomised controlled trial from the Netherlands Depression Initiative aimed at return to work and depressive symptoms. Occupational and Environmental Medicine, 2013, 70, 223-230.	1.3	69
34	Cost-effectiveness of collaborative care for the treatment of major depressive disorder in primary care. A systematic review. BMC Health Services Research, 2010, 10, 19.	0.9	63
35	The prognosis of minor depression in the general population: a systematic review. General Hospital Psychiatry, 2004, 26, 453-462.	1.2	62
36	Prevalence of depression in older patients consulting their general practitioner in The Netherlands. International Journal of Geriatric Psychiatry, 2005, 20, 1013-1019.	1.3	59

#	Article	IF	CITATIONS
37	Cue Reactivity Is Associated with Duration and Severity of Alcohol Dependence: An fMRI Study. PLoS ONE, 2014, 9, e84560.	1.1	58
38	Longitudinal Predictive Validity of the <em>DSM-5</em> Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2017, 78, 207-213.	1.1	56
39	Long-term disability in anxiety disorders. BMC Psychiatry, 2016, 16, 248.	1.1	55
40	Course of subthreshold depression into a depressive disorder and its risk factors. Journal of Affective Disorders, 2018, 241, 206-215.	2.0	55
41	Effectiveness of a Web-Based Guided Self-help Intervention for Outpatients With a Depressive Disorder: Short-term Results From a Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e80.	2.1	54
42	Thresholds for health and thresholds for illness: panic disorder versus subthreshold panic disorder. Psychological Medicine, 2007, 37, 247-256.	2.7	53
43	Diagnostic accuracy of the Montreal Cognitive Assessment (MoCA) for cognitive screening in old age psychiatry: Determining cutoff scores in clinical practice. Avoiding spectrum bias caused by healthy controls. International Journal of Geriatric Psychiatry, 2020, 35, 261-269.	1.3	53
44	Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. Journal of Affective Disorders, 2004, 81, 241-249.	2.0	50
45	The identification of symptom-based subtypes of depression: A nationally representative cohort study. Journal of Affective Disorders, 2016, 190, 395-406.	2.0	50
46	God image and mood in old age: Results from a community-based pilot study in the Netherlands. Mental Health, Religion and Culture, 2008, 11, 221-237.	0.6	49
47	The role of anxious distress in immune dysregulation in patients with major depressive disorder. Translational Psychiatry, 2017, 7, 1268.	2.4	47
48	Preventing depression in high-risk groups. Current Opinion in Psychiatry, 2010, 23, 8-11.	3.1	43
49	Contradictory effects for prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. International Psychogeriatrics, 2012, 24, 1242-1251.	0.6	39
50	Distress in patients with cancer – on the need to distinguish between adaptive and maladaptive emotional responses. Acta Oncológica, 2017, 56, 1026-1029.	0.8	36
51	Short-Term Effectiveness of Web-Based Guided Self-Help for Phobic Outpatients: Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e226.	2.1	35
52	The interplay between emotional exhaustion, common mental disorders, functioning and health care use in the working population. Journal of Psychosomatic Research, 2017, 100, 8-14.	1.2	32
53	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. Biological Psychiatry, 2017, 81, 316-324.	0.7	31
54	Collaborative care for patients with bipolar disorder: randomised controlled trial. British Journal of Psychiatry, 2015, 206, 393-400.	1.7	29

#	Article	IF	CITATIONS
55	Collaborative care for patients with bipolar disorder: Effects on functioning and quality of life. Journal of Affective Disorders, 2015, 179, 14-22.	2.0	28
56	Depression increases the onset of cardiovascular disease over and above other determinants in older primary care patients, a cohort study. BMC Cardiovascular Disorders, 2015, 15, 40.	0.7	27
57	Factors associated with treatment intensification in child and adolescent psychiatry: a cross-sectional study. BMC Psychiatry, 2018, 18, 291.	1.1	27
58	Shared decision-making in mental health care using routine outcome monitoring: results of a cluster randomised-controlled trial. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 209-219.	1.6	27
59	Effects of Light Therapy on Mood and Insulin Sensitivity in Patients With Type 2 Diabetes and Depression: Results From a Randomized Placebo-Controlled Trial. Diabetes Care, 2019, 42, 529-538.	4.3	26
60	Religious denomination as a symptom-formation factor of depression in older dutch citizens. , 2000, 15, 458-466.		24
61	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. European Journal of Ageing, 2004, 1, 26-36.	1.2	24
62	The influence of acculturation on mental health and specialized mental healthcare for non-western migrants. International Journal of Social Psychiatry, 2015, 61, 530-538.	1.6	24
63	A 13â€year prospective cohort study on the effects of aging and frailty on the depression–pain relationship in older adults. International Journal of Geriatric Psychiatry, 2015, 30, 751-757.	1.3	24
64	Association of Cost Sharing With Mental Health Care Use, Involuntary Commitment, and Acute Care. JAMA Psychiatry, 2017, 74, 932.	6.0	24
65	Shared Decision Making in mental health care using Routine Outcome Monitoring as a source of information: a cluster randomised controlled trial. BMC Psychiatry, 2015, 15, 313.	1.1	23
66	Testing a clinical staging model for bipolar disorder using longitudinal life chart data. Bipolar Disorders, 2019, 21, 228-234.	1.1	23
67	Longitudinal Examination of Emotional Functioning in Older Adults After Spousal Bereavement. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2020, 75, 1668-1678.	2.4	23
68	Effects of chronotherapy on circadian rhythm and ADHD symptoms in adults with attention-deficit/hyperactivity disorder and delayed sleep phase syndrome: a randomized clinical trial. Chronobiology International, 2021, 38, 260-269.	0.9	22
69	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. BMC Cancer, 2010, 10, 361.	1.1	21
70	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. BMC Psychiatry, 2012, 12, 137.	1.1	21
71	Risk factors for adverse driving outcomes in Dutch adults with ADHD and controls. Accident Analysis and Prevention, 2018, 111, 338-344.	3.0	21
72	The Center for Epidemiologic Studies Depression scale (CES-D) in a mixed-mode repeated measurements design: sex and age effects in older adults. International Journal of Methods in Psychiatric Research, 1999, 8, 102-109.	1.1	20

#	Article	IF	CITATIONS
73	Feasibility and effectiveness of activity-scheduling as a guided self-help intervention for the prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. International Psychogeriatrics, 2011, 23, 969-978.	0.6	20
74	Barriers and facilitators to employment in borderline personality disorder: A qualitative study among patients, mental health practitioners and insurance physicians. PLoS ONE, 2019, 14, e0220233.	1.1	20
75	Accuracy of the Delirium Observational Screening Scale (DOS) as a screening tool for delirium in patients with advanced cancer. BMC Cancer, 2019, 19, 160.	1.1	20
76	High incidence of clinically relevant depressive symptoms in vulnerable persons of 75 years or older living in the community. Aging and Mental Health, 2010, 14, 828-833.	1.5	19
77	The care needs of older patients with bipolar disorder. Aging and Mental Health, 2016, 20, 899-907.	1.5	19
78	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. Psychotherapy and Psychosomatics, 2018, 87, 308-310.	4.0	19
79	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. BMC Cancer, 2015, 15, 302.	1.1	18
80	Distribution of ADHD symptoms, and associated comorbidity, exposure to risk factors and disability: Results from a general population study. Psychiatry Research, 2018, 267, 256-265.	1.7	18
81	Effect of Fish Oil Supplementation on Quality of Life in a General Population of Older Dutch Subjects: A Randomized, Doubleâ€Blind, Placeboâ€Controlled Trial. Journal of the American Geriatrics Society, 2009, 57, 1481-1486.	1.3	17
82	Light therapy for better mood and insulin sensitivity in patients with major depression and type 2 diabetes: a randomised, double-blind, parallel-arm trial. BMC Psychiatry, 2015, 15, 169.	1.1	17
83	Mortality and Its Determinants in Late-Life Schizophrenia: A 5-Year Prospective Study in a Dutch Catchment Area. American Journal of Geriatric Psychiatry, 2016, 24, 272-277.	0.6	17
84	Cognitive performance in olderâ€age bipolar disorder: Investigating psychiatric characteristics, cardiovascular burden and psychotropic medication. Acta Psychiatrica Scandinavica, 2021, 144, 392-406.	2.2	17
85	Test-Characteristics of the GDS-15 in Screening for Major Depression in Elderly Patients in General Practice. Clinical Gerontologist, 2006, 29, 1-9.	1.2	16
86	Effectiveness of a multi-facetted blended eHealth intervention during intake supporting patients and clinicians in Shared Decision Making: A cluster randomised controlled trial in a specialist mental health outpatient setting. PLoS ONE, 2018, 13, e0199795.	1.1	16
87	EFFORT-D: results of a randomised controlled trial testing the EFFect of running therapy on depression. BMC Psychiatry, 2019, 19, 170.	1.1	16
88	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. Journal of the National Comprehensive Cancer Network: JNCCN, 2019, 17, 911-920.	2.3	16
89	Intensive home treatment for patients in acute psychiatric crisis situations: a multicentre randomized controlled trial. BMC Psychiatry, 2018, 18, 55.	1.1	15
90	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. Multiple Sclerosis Journal, 2017, 23, 1112-1122.	1.4	14

#	Article	IF	CITATIONS
91	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. Journal of Attention Disorders, 2018, 22, 460-471.	1.5	14
92	Collaborative Care for patients with severe borderline and NOS personality disorders: A comparative multiple case study on processes and outcomes. BMC Psychiatry, 2011, 11, 102.	1.1	13
93	Enhanced care for depression. Current Opinion in Psychiatry, 2013, 26, 7-12.	3.1	13
94	Depression in context of low neuroticism is a risk factor for stroke. Neurology, 2014, 83, 1692-1698.	1.5	13
95	Decisional conflict in mental health care: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 161-169.	1.6	13
96	Applying machine learning on health record data from general practitioners to predict suicidality. Internet Interventions, 2020, 21, 100337.	1.4	13
97	Exploration of Benefits and Potential Harmful Effects of an Online Forum for Visitors to the Suicide Prevention Platform in The Netherlands. Crisis, 2020, 41, 205-213.	0.9	13
98	Blended E-health module on return to work embedded in collaborative occupational health care for common mental disorders: design of a cluster randomized controlled trial. Neuropsychiatric Disease and Treatment, 2013, 9, 529.	1.0	12
99	Adherence to a web-based pre-treatment for phobias in outpatient clinics. Internet Interventions, 2017, 9, 38-45.	1.4	12
100	ldentification of patients with cancer with a high risk to develop delirium. Cancer Medicine, 2017, 6, 1861-1870.	1.3	12
101	Clinical value of the Montreal Cognitive Assessment (MoCA) in patients suspected of cognitive impairment in old age psychiatry. Using the MoCA for triaging to a memory clinic. Cognitive Neuropsychiatry, 2021, 26, 1-17.	0.7	12
102	Neuropathological correlates of late-life depression. Expert Review of Neurotherapeutics, 2011, 11, 947-949.	1.4	11
103	Exploring the clinical utility of two staging models for bipolar disorder. Bipolar Disorders, 2020, 22, 38-45.	1.1	11
104	Return-to-work intervention versus usual care for sick-listed employees: health-economic investment appraisal alongside a cluster randomised trial. BMJ Open, 2017, 7, e016348.	0.8	11
105	Effectiveness and cost-effectiveness of web-based treatment for phobic outpatients on a waiting list for psychotherapy: protocol of a randomised controlled trial. BMC Psychiatry, 2012, 12, 131.	1.1	10
106	Effectiveness and cost effectiveness of guided online treatment for patients with major depressive disorder on a waiting list for psychotherapy: study protocol of a randomized controlled trial. Trials, 2013, 14, 412.	0.7	10
107	Discussing suicidality with depressed patients: an observational study in Dutch sentinel general practices. BMJ Open, 2019, 9, e027624.	0.8	10
108	Olanzapine Versus Haloperidol for Treatment of Delirium in Patients with Advanced Cancer: A Phase III Randomized Clinical Trial. Oncologist, 2020, 25, e570-e577.	1.9	10

#	Article	IF	CITATIONS
109	Personality traits as predictors of exercise treatment adherence in major depressive disorder: lessons from a randomised clinical trial. International Journal of Psychiatry in Clinical Practice, 2020, 24, 380-386.	1.2	10
110	Response and Side Effects Using Stimulant Medication in Older Adults With ADHD: An Observational Archive Study. Journal of Attention Disorders, 2021, 25, 1712-1719.	1.5	10
111	One-year severity of depressive symptoms: Results from the NESDA study. Psychiatry Research, 2011, 190, 226-231.	1.7	9
112	A National Quality Improvement Collaborative for the clinical use of outcome measurement in specialised mental healthcare: Results from a parallel group design and a nested cluster randomised controlled trial. BJPsych Open, 2017, 3, 106-112.	0.3	9
113	The long-lasting impact of childhood trauma on adult chronic physical disorders. Journal of Psychiatric Research, 2021, 136, 87-94.	1.5	9
114	The relationship between serum 25(OH)D levels and anxiety symptoms in older persons: Results from the Longitudinal Aging Study Amsterdam. Journal of Psychosomatic Research, 2017, 97, 90-95.	1.2	8
115	Prevalence and predictors of violent victimization in remitted patients with recurrent depression. Journal of Affective Disorders, 2018, 238, 405-411.	2.0	8
116	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. Palliative Medicine, 2020, 34, 934-945.	1.3	8
117	Do Cardiovascular Risk Factors and Cardiovascular Disease Explain Sex Differences in Cognitive Functioning in Old Age?. Journal of Alzheimer's Disease, 2021, 80, 1643-1655.	1.2	8
118	Psychosocial factors and cancer incidence (PSY A): Protocol for individual participant data metaâ€analyses. Brain and Behavior, 2021, 11, e2340.	1.0	8
119	Clinical management of emotions in patients with cancer: introducing the approach "emotional support and case finding― Translational Behavioral Medicine, 2020, 10, 1399-1405.	1.2	8
120	Recognition of psychopathology with religious content by clergy members: a case vignette study. Mental Health, Religion and Culture, 2012, 15, 205-215.	0.6	7
121	Preventing depression in homes for older adults: are effects sustained over 2 years?. International Journal of Geriatric Psychiatry, 2014, 29, 191-197.	1.3	7
122	Comparative Effect of Collaborative Care, Pain Medication, and Duloxetine in the Treatment of Major Depressive Disorder and Comorbid (Sub)Chronic Pain: Results of an Exploratory Randomized, Placebo-Controlled, Multicenter Trial (CC:PAINDIP). Frontiers in Psychiatry, 2018, 9, 118.	1.3	7
123	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: which groups specifically benefit? Secondary analyses of a randomized controlled trial. Supportive Care in Cancer, 2019, 27, 4543-4553.	1.0	7
124	Epistemic Trust as a Psycho-marker for Outcome in Psychosocial Interventions. Journal of Infant, Child, and Adolescent Psychotherapy, 2020, 19, 417-426.	0.4	7
125	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). BMC Psychiatry, 2020, 20, 414.	1.1	7
126	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. Psychological Medicine, 2022, 52, 696-706.	2.7	7

#	Article	IF	CITATIONS
127	Steeling or Sensitizing? A Longitudinal Examination of How Ongoing Accumulation of Negative Life Events Affects Depressive Symptoms in Older Adults. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2021, 76, 2041-2053.	2.4	7
128	Is the naturalistic course of depression in older people related to received support over time? Results from a longitudinal populationâ€based study. International Journal of Geriatric Psychiatry, 2017, 32, 657-663.	1.3	6
129	Characteristics and Predictors of Educational and Occupational Disengagement Among Outpatient Youth With Borderline Personality Disorder. Journal of Personality Disorders, 2022, 36, 116-128.	0.8	6
130	Insulin resistance as a marker for the immune-metabolic subtype of depression. Journal of Affective Disorders, 2021, 295, 1371-1376.	2.0	6
131	Patterns of Care Consumption after Compulsory Admission: A Five-Year Follow-Up to the Amsterdam Study of Acute Psychiatry VIII. International Journal of Mental Health, 2016, 45, 105-117.	0.5	5
132	The predictive performance of the bipolarity index in a Dutch epidemiological sample manuscript. Journal of Affective Disorders, 2020, 262, 373-380.	2.0	5
133	Does cognitive function in older bipolar patients depend on recurrent or current mood symptoms?. International Journal of Geriatric Psychiatry, 2020, 35, 1163-1170.	1.3	5
134	Unmet care needs of children with ADHD. PLoS ONE, 2020, 15, e0228049.	1.1	5
135	Effects of dietary interventions on depressive symptom profiles: results from the MooDFOOD depression prevention study. Psychological Medicine, 2021, , 1-10.	2.7	5
136	Clinical profiles of subsequent stages in bipolar disorder: Results from the Dutch Bipolar Cohort. Bipolar Disorders, 2022, 24, 424-433.	1.1	5
137	Late-life anxiety is coming of age. International Psychogeriatrics, 2015, 27, 1053-1056.	0.6	4
138	A digital intake approach in specialized mental health care: study protocol of a cluster randomised controlled trial. BMC Psychiatry, 2017, 17, 86.	1.1	4
139	Combined impact of ADHD and insomnia symptoms on quality of life, productivity, and health care use in the general population. Psychological Medicine, 2022, 52, 36-47.	2.7	4
140	The Montreal Cognitive Assessment (MoCA) with a double threshold: improving the MoCA for triaging patients in need of a neuropsychological assessment International Psychogeriatrics, 2022, 34, 571-583.	0.6	4
141	The joint effects of clinically relevant depressive symptoms and cardiovascular risk factors on incident cardiovascular disease among older adults in the community. Journal of Psychosomatic Research, 2021, 149, 110572.	1.2	4
142	Defining the Concept and Clinical Features of Epistemic Trust. Journal of Nervous and Mental Disease, 2022, 210, 312-314.	0.5	4
143	Rising co-payments and continuity of healthcare for Dutch patients with bipolar disorder: retrospective longitudinal cohort study. BJPsych Open, 2021, 7, .	0.3	3
144	Symptoms of depression and insomnia in older age: A withinâ€individual analysis over 20 years. Journal of the American Geriatrics Society, 2022, 70, 2051-2059.	1.3	3

#	Article	IF	CITATIONS
145	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. Journal of Psychosomatic Research, 2017, 103, 70-76.	1.2	2
146	Aging Affects Us All: Aging Physicians and Screening for Impaired Professional Proficiency. American Journal of Geriatric Psychiatry, 2018, 26, 641-642.	0.6	2
147	Seasonal Variations in the Severity of ADHD Symptoms in the Dutch General Population. Journal of Attention Disorders, 2019, 23, 924-930.	1.5	2
148	Agreement between patients and mental healthcare providers on unmet care needs in child and adolescent psychiatry. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 2005-2015.	1.6	2
149	Police Encounters, Agitation, Diagnosis, and Employment Predict Psychiatric Hospitalisation of Intensive Home Treatment Patients During a Psychiatric Crisis. Frontiers in Psychiatry, 2021, 12, 602912.	1.3	2
150	Neural correlates of treatment effect and prediction of treatment outcome in patients with PTSD and comorbid personality disorder: study design. Borderline Personality Disorder and Emotion Dysregulation, 2021, 8, 13.	1.1	2
151	The Role of Suffering in the "Tired of Life―Debate. American Journal of Bioethics, 2022, 22, 68-70.	0.5	2
152	Global Mental Health for Older Adults. American Journal of Geriatric Psychiatry, 2016, 24, 259-260.	0.6	1
153	Identification of patients at risk for delirium on a medical oncology hospital ward Journal of Clinical Oncology, 2014, 32, 130-130.	0.8	1
154	Efficacy and side effect profile of olanzapine versus haloperidol for symptoms of delirium in hospitalized patients with advanced cancer: A multicenter, investigator-blinded, randomized, controlled trial (RCT) Journal of Clinical Oncology, 2017, 35, 231-231.	0.8	1
155	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. Journal of Cancer Survivorship, 2021, , 1.	1.5	1
156	Evaluation of a Collaborative Care Program for Patients With Treatment-Resistant Schizophrenia: Protocol for a Multiple Case Study. JMIR Research Protocols, 2022, 11, e35336.	0.5	1
157	Cost Sharing Does Not Lead to an Overall Increase of Involuntary Commitments in the Netherlands—Reply. JAMA Psychiatry, 2018, 75, 213.	6.0	0
158	Atrial Fibrillation and Dementia. American Journal of Geriatric Psychiatry, 2021, 29, 1099-1100.	0.6	0
159	What if children with psychiatric problems disagree with their clinicians on the need for care? Factors explaining discordance and clinical directions. Child and Adolescent Psychiatry and Mental Health, 2022, 16, 10.	1.2	0
160	A historical perspective on illness progression in bipolar disorder. Bipolar Disorders, 2022, 24, 109-112.	1.1	0
161	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0
162	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0

10

0

#	Article	IF	CITATIONS
163	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0

164 Unmet care needs of children with ADHD. , 2020, 15, e0228049.