

Aartjan T F Beekman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8321435/publications.pdf>

Version: 2024-02-01

164
papers

11,408
citations

61857

43
h-index

32761

100
g-index

169
all docs

169
docs citations

169
times ranked

15737
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined impact of ADHD and insomnia symptoms on quality of life, productivity, and health care use in the general population. <i>Psychological Medicine</i> , 2022, 52, 36-47.	2.7	4
2	Familial risk for depressive and anxiety disorders: associations with genetic, clinical, and psychosocial vulnerabilities. <i>Psychological Medicine</i> , 2022, 52, 696-706.	2.7	7
3	Characteristics and Predictors of Educational and Occupational Disengagement Among Outpatient Youth With Borderline Personality Disorder. <i>Journal of Personality Disorders</i> , 2022, 36, 116-128.	0.8	6
4	The Montreal Cognitive Assessment (MoCA) with a double threshold: improving the MoCA for triaging patients in need of a neuropsychological assessment.. <i>International Psychogeriatrics</i> , 2022, 34, 571-583.	0.6	4
5	Clinical profiles of subsequent stages in bipolar disorder: Results from the Dutch Bipolar Cohort. <i>Bipolar Disorders</i> , 2022, 24, 424-433.	1.1	5
6	The Role of Suffering in the "Tired of Life" Debate. <i>American Journal of Bioethics</i> , 2022, 22, 68-70.	0.5	2
7	What if children with psychiatric problems disagree with their clinicians on the need for care? Factors explaining discordance and clinical directions. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2022, 16, 10.	1.2	0
8	A historical perspective on illness progression in bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 109-112.	1.1	0
9	Symptoms of depression and insomnia in older age: A within-individual analysis over 20 years. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2051-2059.	1.3	3
10	Defining the Concept and Clinical Features of Epistemic Trust. <i>Journal of Nervous and Mental Disease</i> , 2022, 210, 312-314.	0.5	4
11	Evaluation of a Collaborative Care Program for Patients With Treatment-Resistant Schizophrenia: Protocol for a Multiple Case Study. <i>JMIR Research Protocols</i> , 2022, 11, e35336.	0.5	1
12	Agreement between patients and mental healthcare providers on unmet care needs in child and adolescent psychiatry. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 2005-2015.	1.6	2
13	Response and Side Effects Using Stimulant Medication in Older Adults With ADHD: An Observational Archive Study. <i>Journal of Attention Disorders</i> , 2021, 25, 1712-1719.	1.5	10
14	Clinical value of the Montreal Cognitive Assessment (MoCA) in patients suspected of cognitive impairment in old age psychiatry. Using the MoCA for triaging to a memory clinic. <i>Cognitive Neuropsychiatry</i> , 2021, 26, 1-17.	0.7	12
15	Effects of chronotherapy on circadian rhythm and ADHD symptoms in adults with attention-deficit/hyperactivity disorder and delayed sleep phase syndrome: a randomized clinical trial. <i>Chronobiology International</i> , 2021, 38, 260-269.	0.9	22
16	Police Encounters, Agitation, Diagnosis, and Employment Predict Psychiatric Hospitalisation of Intensive Home Treatment Patients During a Psychiatric Crisis. <i>Frontiers in Psychiatry</i> , 2021, 12, 602912.	1.3	2
17	Atrial Fibrillation and Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 1099-1100.	0.6	0
18	Do Cardiovascular Risk Factors and Cardiovascular Disease Explain Sex Differences in Cognitive Functioning in Old Age?. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 1643-1655.	1.2	8

#	ARTICLE	IF	CITATIONS
19	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021, , 1-10.	2.7	5
20	The long-lasting impact of childhood trauma on adult chronic physical disorders. <i>Journal of Psychiatric Research</i> , 2021, 136, 87-94.	1.5	9
21	Neural correlates of treatment effect and prediction of treatment outcome in patients with PTSD and comorbid personality disorder: study design. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2021, 8, 13.	1.1	2
22	Steeling or Sensitizing? A Longitudinal Examination of How Ongoing Accumulation of Negative Life Events Affects Depressive Symptoms in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021, 76, 2041-2053.	2.4	7
23	Cognitive performance in olderâ€age bipolar disorder: Investigating psychiatric characteristics, cardiovascular burden and psychotropic medication. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 392-406.	2.2	17
24	Rising co-payments and continuity of healthcare for Dutch patients with bipolar disorder: retrospective longitudinal cohort study. <i>BJPsych Open</i> , 2021, 7, .	0.3	3
25	Psychosocial factors and cancer incidence (PSYâ€CA): Protocol for individual participant data metaâ€analyses. <i>Brain and Behavior</i> , 2021, 11, e2340.	1.0	8
26	Insulin resistance as a marker for the immune-metabolic subtype of depression. <i>Journal of Affective Disorders</i> , 2021, 295, 1371-1376.	2.0	6
27	The joint effects of clinically relevant depressive symptoms and cardiovascular risk factors on incident cardiovascular disease among older adults in the community. <i>Journal of Psychosomatic Research</i> , 2021, 149, 110572.	1.2	4
28	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. <i>Journal of Cancer Survivorship</i> , 2021, , 1.	1.5	1
29	Longitudinal Examination of Emotional Functioning in Older Adults After Spousal Bereavement. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 1668-1678.	2.4	23
30	Exploring the clinical utility of two staging models for bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 38-45.	1.1	11
31	Diagnostic accuracy of the Montreal Cognitive Assessment (MoCA) for cognitive screening in old age psychiatry: Determining cutoff scores in clinical practice. Avoiding spectrum bias caused by healthy controls. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 261-269.	1.3	53
32	Olanzapine Versus Haloperidol for Treatment of Delirium in Patients with Advanced Cancer: A Phase III Randomized Clinical Trial. <i>Oncologist</i> , 2020, 25, e570-e577.	1.9	10
33	The predictive performance of the bipolarity index in a Dutch epidemiological sample manuscript. <i>Journal of Affective Disorders</i> , 2020, 262, 373-380.	2.0	5
34	Personality traits as predictors of exercise treatment adherence in major depressive disorder: lessons from a randomised clinical trial. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 380-386.	1.2	10
35	Applying machine learning on health record data from general practitioners to predict suicidality. <i>Internet Interventions</i> , 2020, 21, 100337.	1.4	13
36	Epistemic Trust as a Psycho-marker for Outcome in Psychosocial Interventions. <i>Journal of Infant, Child, and Adolescent Psychotherapy</i> , 2020, 19, 417-426.	0.4	7

#	ARTICLE	IF	CITATIONS
37	The role of borderline personality disorder symptoms on absenteeism & work performance in the Netherlands Study of Depression and Anxiety (NESDA). <i>BMC Psychiatry</i> , 2020, 20, 414.	1.1	7
38	Does cognitive function in older bipolar patients depend on recurrent or current mood symptoms?. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1163-1170.	1.3	5
39	Unmet care needs of children with ADHD. <i>PLoS ONE</i> , 2020, 15, e0228049.	1.1	5
40	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. <i>Palliative Medicine</i> , 2020, 34, 934-945.	1.3	8
41	Exploration of Benefits and Potential Harmful Effects of an Online Forum for Visitors to the Suicide Prevention Platform in The Netherlands. <i>Crisis</i> , 2020, 41, 205-213.	0.9	13
42	Internet and Computer-Based Cognitive Behavioral Therapy for Anxiety and Depression in Adolescents and Young Adults: Systematic Review and Meta-Analysis. <i>Journal of Medical Internet Research</i> , 2020, 22, e17831.	2.1	70
43	Clinical management of emotions in patients with cancer: introducing the approach of emotional support and case finding. <i>Translational Behavioral Medicine</i> , 2020, 10, 1399-1405.	1.2	8
44	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0
45	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0
46	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0
47	Unmet care needs of children with ADHD. , 2020, 15, e0228049.		0
48	EFFORT-D: results of a randomised controlled trial testing the Effect of running therapy on depression. <i>BMC Psychiatry</i> , 2019, 19, 170.	1.1	16
49	Barriers and facilitators to employment in borderline personality disorder: A qualitative study among patients, mental health practitioners and insurance physicians. <i>PLoS ONE</i> , 2019, 14, e0220233.	1.1	20
50	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2-week ambulatory assessment study. <i>Depression and Anxiety</i> , 2019, 36, 975-986.	2.0	121
51	Discussing suicidality with depressed patients: an observational study in Dutch sentinel general practices. <i>BMJ Open</i> , 2019, 9, e027624.	0.8	10
52	Stepped care targeting psychological distress in head and neck cancer and lung cancer patients: which groups specifically benefit? Secondary analyses of a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2019, 27, 4543-4553.	1.0	7
53	Accuracy of the Delirium Observational Screening Scale (DOS) as a screening tool for delirium in patients with advanced cancer. <i>BMC Cancer</i> , 2019, 19, 160.	1.1	20
54	Effects of Light Therapy on Mood and Insulin Sensitivity in Patients With Type 2 Diabetes and Depression: Results From a Randomized Placebo-Controlled Trial. <i>Diabetes Care</i> , 2019, 42, 529-538.	4.3	26

#	ARTICLE	IF	CITATIONS
55	Testing a clinical staging model for bipolar disorder using longitudinal life chart data. <i>Bipolar Disorders</i> , 2019, 21, 228-234.	1.1	23
56	Shared decision-making in mental health care using routine outcome monitoring: results of a cluster randomised-controlled trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 209-219.	1.6	27
57	Seasonal Variations in the Severity of ADHD Symptoms in the Dutch General Population. <i>Journal of Attention Disorders</i> , 2019, 23, 924-930.	1.5	2
58	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 911-920.	2.3	16
59	Cost Sharing Does Not Lead to an Overall Increase of Involuntary Commitments in the Netherlandsâ€”Reply. <i>JAMA Psychiatry</i> , 2018, 75, 213.	6.0	0
60	Risk factors for adverse driving outcomes in Dutch adults with ADHD and controls. <i>Accident Analysis and Prevention</i> , 2018, 111, 338-344.	3.0	21
61	Intensive home treatment for patients in acute psychiatric crisis situations: a multicentre randomized controlled trial. <i>BMC Psychiatry</i> , 2018, 18, 55.	1.1	15
62	The Association Between Metabolic Syndrome, Obesity-Related Outcomes, and ADHD in Adults With Comorbid Affective Disorders. <i>Journal of Attention Disorders</i> , 2018, 22, 460-471.	1.5	14
63	Decisional conflict in mental health care: a cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 161-169.	1.6	13
64	Factors associated with treatment intensification in child and adolescent psychiatry: a cross-sectional study. <i>BMC Psychiatry</i> , 2018, 18, 291.	1.1	27
65	Effectiveness of a multi-facetted blended eHealth intervention during intake supporting patients and clinicians in Shared Decision Making: A cluster randomised controlled trial in a specialist mental health outpatient setting. <i>PLoS ONE</i> , 2018, 13, e0199795.	1.1	16
66	Prevalence and predictors of violent victimization in remitted patients with recurrent depression. <i>Journal of Affective Disorders</i> , 2018, 238, 405-411.	2.0	8
67	Comparative Effect of Collaborative Care, Pain Medication, and Duloxetine in the Treatment of Major Depressive Disorder and Comorbid (Sub)Chronic Pain: Results of an Exploratory Randomized, Placebo-Controlled, Multicenter Trial (CC:PAINDIP). <i>Frontiers in Psychiatry</i> , 2018, 9, 118.	1.3	7
68	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018, 360, .	6.0	1,085
69	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 308-310.	4.0	19
70	Course of subthreshold depression into a depressive disorder and its risk factors. <i>Journal of Affective Disorders</i> , 2018, 241, 206-215.	2.0	55
71	Distribution of ADHD symptoms, and associated comorbidity, exposure to risk factors and disability: Results from a general population study. <i>Psychiatry Research</i> , 2018, 267, 256-265.	1.7	18
72	Aging Affects Us All: Aging Physicians and Screening for Impaired Professional Proficiency. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 641-642.	0.6	2

#	ARTICLE	IF	CITATIONS
73	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 581-590.	3.7	97
74	Is the naturalistic course of depression in older people related to received support over time? Results from a longitudinal population-based study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 657-663.	1.3	6
75	Distress in patients with cancer – on the need to distinguish between adaptive and maladaptive emotional responses. <i>Acta Oncologica</i> , 2017, 56, 1026-1029.	0.8	36
76	Adherence to a web-based pre-treatment for phobias in outpatient clinics. <i>Internet Interventions</i> , 2017, 9, 38-45.	1.4	12
77	The relationship between serum 25(OH)D levels and anxiety symptoms in older persons: Results from the Longitudinal Aging Study Amsterdam. <i>Journal of Psychosomatic Research</i> , 2017, 97, 90-95.	1.2	8
78	A digital intake approach in specialized mental health care: study protocol of a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2017, 17, 86.	1.1	4
79	Association of Cost Sharing With Mental Health Care Use, Involuntary Commitment, and Acute Care. <i>JAMA Psychiatry</i> , 2017, 74, 932.	6.0	24
80	Identification of patients with cancer with a high risk to develop delirium. <i>Cancer Medicine</i> , 2017, 6, 1861-1870.	1.3	12
81	The role of anxious distress in immune dysregulation in patients with major depressive disorder. <i>Translational Psychiatry</i> , 2017, 7, 1268.	2.4	47
82	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017, 103, 70-76.	1.2	2
83	The interplay between emotional exhaustion, common mental disorders, functioning and health care use in the working population. <i>Journal of Psychosomatic Research</i> , 2017, 100, 8-14.	1.2	32
84	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. <i>Biological Psychiatry</i> , 2017, 81, 316-324.	0.7	31
85	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1112-1122.	1.4	14
86	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. <i>BMC Medicine</i> , 2017, 15, 215.	2.3	73
87	A National Quality Improvement Collaborative for the clinical use of outcome measurement in specialised mental healthcare: Results from a parallel group design and a nested cluster randomised controlled trial. <i>BJPsych Open</i> , 2017, 3, 106-112.	0.3	9
88	Return-to-work intervention versus usual care for sick-listed employees: health-economic investment appraisal alongside a cluster randomised trial. <i>BMJ Open</i> , 2017, 7, e016348.	0.8	11
89	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 207-213.	1.1	56
90	Efficacy and side effect profile of olanzapine versus haloperidol for symptoms of delirium in hospitalized patients with advanced cancer: A multicenter, investigator-blinded, randomized, controlled trial (RCT).. <i>Journal of Clinical Oncology</i> , 2017, 35, 231-231.	0.8	1

#	ARTICLE	IF	CITATIONS
91	Patterns of Care Consumption after Compulsory Admission: A Five-Year Follow-Up to the Amsterdam Study of Acute Psychiatry VIII. <i>International Journal of Mental Health</i> , 2016, 45, 105-117.	0.5	5
92	Impact of loneliness and depression on mortality: Results from the Longitudinal Ageing Study Amsterdam. <i>British Journal of Psychiatry</i> , 2016, 209, 127-134.	1.7	94
93	Long-term disability in anxiety disorders. <i>BMC Psychiatry</i> , 2016, 16, 248.	1.1	55
94	Global Mental Health for Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 259-260.	0.6	1
95	The identification of symptom-based subtypes of depression: A nationally representative cohort study. <i>Journal of Affective Disorders</i> , 2016, 190, 395-406.	2.0	50
96	Mortality and Its Determinants in Late-Life Schizophrenia: A 5-Year Prospective Study in a Dutch Catchment Area. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 272-277.	0.6	17
97	The care needs of older patients with bipolar disorder. <i>Aging and Mental Health</i> , 2016, 20, 899-907.	1.5	19
98	Effectiveness of a Web-Based Guided Self-help Intervention for Outpatients With a Depressive Disorder: Short-term Results From a Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2016, 18, e80.	2.1	54
99	Late-life anxiety is coming of age. <i>International Psychogeriatrics</i> , 2015, 27, 1053-1056.	0.6	4
100	Shared Decision Making in mental health care using Routine Outcome Monitoring as a source of information: a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2015, 15, 313.	1.1	23
101	Collaborative care for patients with bipolar disorder: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015, 206, 393-400.	1.7	29
102	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015, 15, 302.	1.1	18
103	The influence of acculturation on mental health and specialized mental healthcare for non-western migrants. <i>International Journal of Social Psychiatry</i> , 2015, 61, 530-538.	1.6	24
104	The association between depressive symptoms in the community, non-psychiatric hospital admission and hospital outcomes: A systematic review. <i>Journal of Psychosomatic Research</i> , 2015, 78, 25-33.	1.2	87
105	Collaborative care for patients with bipolar disorder: Effects on functioning and quality of life. <i>Journal of Affective Disorders</i> , 2015, 179, 14-22.	2.0	28
106	Depression increases the onset of cardiovascular disease over and above other determinants in older primary care patients, a cohort study. <i>BMC Cardiovascular Disorders</i> , 2015, 15, 40.	0.7	27
107	Light therapy for better mood and insulin sensitivity in patients with major depression and type 2 diabetes: a randomised, double-blind, parallel-arm trial. <i>BMC Psychiatry</i> , 2015, 15, 169.	1.1	17
108	The Relationships Between ADHD and Social Functioning and Participation in Older Adults in a Population-Based Study. <i>Journal of Attention Disorders</i> , 2015, 19, 368-379.	1.5	71

#	ARTICLE	IF	CITATIONS
109	A 13-year prospective cohort study on the effects of aging and frailty on the depression-pain relationship in older adults. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 751-757.	1.3	24
110	Effectiveness of a Blended Web-Based Intervention on Return to Work for Sick-Listed Employees With Common Mental Disorders: Results of a Cluster Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2015, 17, e116.	2.1	75
111	Cue Reactivity Is Associated with Duration and Severity of Alcohol Dependence: An fMRI Study. <i>PLoS ONE</i> , 2014, 9, e84560.	1.1	58
112	Preventing the onset of major depressive disorder: A meta-analytic review of psychological interventions. <i>International Journal of Epidemiology</i> , 2014, 43, 318-329.	0.9	347
113	Preventing depression in homes for older adults: are effects sustained over 2-years?. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 191-197.	1.3	7
114	Depression in context of low neuroticism is a risk factor for stroke. <i>Neurology</i> , 2014, 83, 1692-1698.	1.5	13
115	Inflammatory and Metabolic Dysregulation and the 2-Year Course of Depressive Disorders in Antidepressant Users. <i>Neuropsychopharmacology</i> , 2014, 39, 1624-1634.	2.8	108
116	Psychiatric and Medical Comorbidities: Results from a Bipolar Elderly Cohort Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1066-1074.	0.6	70
117	Identification of patients at risk for delirium on a medical oncology hospital ward.. <i>Journal of Clinical Oncology</i> , 2014, 32, 130-130.	0.8	1
118	Short-Term Effectiveness of Web-Based Guided Self-Help for Phobic Outpatients: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e226.	2.1	35
119	Effectiveness and cost effectiveness of guided online treatment for patients with major depressive disorder on a waiting list for psychotherapy: study protocol of a randomized controlled trial. <i>Trials</i> , 2013, 14, 412.	0.7	10
120	Enhanced care for depression. <i>Current Opinion in Psychiatry</i> , 2013, 26, 7-12.	3.1	13
121	Collaborative care for sick-listed workers with major depressive disorder: a randomised controlled trial from the Netherlands Depression Initiative aimed at return to work and depressive symptoms. <i>Occupational and Environmental Medicine</i> , 2013, 70, 223-230.	1.3	69
122	Blended E-health module on return to work embedded in collaborative occupational health care for common mental disorders: design of a cluster randomized controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 529.	1.0	12
123	Recognition of psychopathology with religious content by clergy members: a case vignette study. <i>Mental Health, Religion and Culture</i> , 2012, 15, 205-215.	0.6	7
124	Contradictory effects for prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. <i>International Psychogeriatrics</i> , 2012, 24, 1242-1251.	0.6	39
125	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 137.	1.1	21
126	Effectiveness and cost-effectiveness of web-based treatment for phobic outpatients on a waiting list for psychotherapy: protocol of a randomised controlled trial. <i>BMC Psychiatry</i> , 2012, 12, 131.	1.1	10

#	ARTICLE	IF	CITATIONS
127	One-year severity of depressive symptoms: Results from the NESDA study. <i>Psychiatry Research</i> , 2011, 190, 226-231.	1.7	9
128	Two-year course of depressive and anxiety disorders: Results from the Netherlands Study of Depression and Anxiety (NESDA). <i>Journal of Affective Disorders</i> , 2011, 133, 76-85.	2.0	278
129	Collaborative Care for patients with severe borderline and NOS personality disorders: A comparative multiple case study on processes and outcomes. <i>BMC Psychiatry</i> , 2011, 11, 102.	1.1	13
130	Neuropathological correlates of late-life depression. <i>Expert Review of Neurotherapeutics</i> , 2011, 11, 947-949.	1.4	11
131	Feasibility and effectiveness of activity-scheduling as a guided self-help intervention for the prevention of depression and anxiety in residents in homes for the elderly: a pragmatic randomized controlled trial. <i>International Psychogeriatrics</i> , 2011, 23, 969-978.	0.6	20
132	Cohort Profile: The Longitudinal Aging Study Amsterdam. <i>International Journal of Epidemiology</i> , 2011, 40, 868-876.	0.9	378
133	Comorbidity Patterns of Anxiety and Depressive Disorders in a Large Cohort Study. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 341-348.	1.1	648
134	Preventing depression in high-risk groups. <i>Current Opinion in Psychiatry</i> , 2010, 23, 8-11.	3.1	43
135	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. <i>BMC Cancer</i> , 2010, 10, 361.	1.1	21
136	Cost-effectiveness of collaborative care for the treatment of major depressive disorder in primary care. A systematic review. <i>BMC Health Services Research</i> , 2010, 10, 19.	0.9	63
137	High incidence of clinically relevant depressive symptoms in vulnerable persons of 75 years or older living in the community. <i>Aging and Mental Health</i> , 2010, 14, 828-833.	1.5	19
138	Stepped-Care Prevention of Anxiety and Depression in Late Life. <i>Archives of General Psychiatry</i> , 2009, 66, 297.	13.8	273
139	Glucocorticoid receptor gene polymorphisms and childhood adversity are associated with depression: New evidence for a gene-environment interaction. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 660-669.	1.1	114
140	Effect of Fish Oil Supplementation on Quality of Life in a General Population of Older Dutch Subjects: A Randomized, Double-blind, Placebo-controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 1481-1486.	1.3	17
141	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008, 17, 121-140.	1.1	791
142	God image and mood in old age: Results from a community-based pilot study in the Netherlands. <i>Mental Health, Religion and Culture</i> , 2008, 11, 221-237.	0.6	49
143	Preventing the Onset of Depressive Disorders: A Meta-Analytic Review of Psychological Interventions. <i>American Journal of Psychiatry</i> , 2008, 165, 1272-1280.	4.0	353
144	Effect of fish-oil supplementation on mental well-being in older subjects: a randomized, double-blind, placebo-controlled trial. <i>American Journal of Clinical Nutrition</i> , 2008, 88, 706-713.	2.2	104

#	ARTICLE	IF	CITATIONS
145	Thresholds for health and thresholds for illness: panic disorder versus subthreshold panic disorder. <i>Psychological Medicine</i> , 2007, 37, 247-256.	2.7	53
146	Depression and the risk for cardiovascular diseases: systematic review and meta analysis. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 613-626.	1.3	785
147	Test-Characteristics of the GDS-15 in Screening for Major Depression in Elderly Patients in General Practice. <i>Clinical Gerontologist</i> , 2006, 29, 1-9.	1.2	16
148	Differences in heart rate variability between depressed and non-depressed elderly. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 147-150.	1.3	88
149	Prevention of Late-Life Depression in Primary Care: Do We Know Where to Begin?. <i>American Journal of Psychiatry</i> , 2006, 163, 1611-1621.	4.0	121
150	Opportunities for Cost-effective Prevention of Late-Life Depression. <i>Archives of General Psychiatry</i> , 2006, 63, 290.	13.8	169
151	Costs of nine common mental disorders: implications for curative and preventive psychiatry. <i>Journal of Mental Health Policy and Economics</i> , 2006, 9, 193-200.	0.6	258
152	Prevalence of depression in older patients consulting their general practitioner in The Netherlands. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 1013-1019.	1.3	59
153	Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. <i>Journal of Affective Disorders</i> , 2004, 81, 241-249.	2.0	50
154	The prognosis of minor depression in the general population: a systematic review. <i>General Hospital Psychiatry</i> , 2004, 26, 453-462.	1.2	62
155	National context of healthcare, economy and religion, and the association between disability and depressive symptoms in older Europeans: results from the EURODEP concerted action. <i>European Journal of Ageing</i> , 2004, 1, 26-36.	1.2	24
156	The impact of depression on the well-being, disability and use of services in older adults: a longitudinal perspective. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 20-27.	2.2	232
157	The Natural History of Late-Life Depression. <i>Archives of General Psychiatry</i> , 2002, 59, 605.	13.8	386
158	Duration of major depressive episodes in the general population: Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>British Journal of Psychiatry</i> , 2002, 181, 208-213.	1.7	403
159	The association between depressive symptoms and cognitive decline in community-dwelling elderly persons. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 361-367.	1.3	89
160	On becoming depressed or anxious in late life: similar vulnerability factors but different effects of stressful life events. <i>British Journal of Psychiatry</i> , 2001, 179, 426-431.	1.7	95
161	Depression and Cardiac Mortality. <i>Archives of General Psychiatry</i> , 2001, 58, 221.	13.8	828
162	Religious denomination as a symptom-formation factor of depression in older dutch citizens. , 2000, 15, 458-466.		24

#	ARTICLE	IF	CITATIONS
163	The Center for Epidemiologic Studies Depression scale (CES-D) in a mixed-mode repeated measurements design: sex and age effects in older adults. <i>International Journal of Methods in Psychiatric Research</i> , 1999, 8, 102-109.	1.1	20
164	Anxiety disorders in later life: a report from the longitudinal aging study Amsterdam. , 1998, 13, 717-726.		432