

Dennis Christensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8321812/publications.pdf>

Version: 2024-02-01

105
papers

4,828
citations

87723

38
h-index

106150

65
g-index

112
all docs

112
docs citations

112
times ranked

4646
citing authors

#	ARTICLE	IF	CITATIONS
1	Personalized therapy with peptide-based neoantigen vaccine (EVX-01) including a novel adjuvant, CAF09b, in patients with metastatic melanoma. <i>Oncolmunology</i> , 2022, 11, 2023255.	2.1	18
2	A Novel Prophylaxis Strategy Using Liposomal Vaccine Adjuvant CAF09b Protects against Influenza Virus Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1850.	1.8	4
3	Sublingual Boosting with A Novel Mucoadhesive Thermogelling Hydrogel Following Parenteral CAF01 Priming as A Strategy Against Chlamydia Trachomatis. <i>Advanced Healthcare Materials</i> , 2022, , 2102508.	3.9	7
4	Adjuvants, immunomodulators, and adaptogens. , 2022, , 223-280.		0
5	A gaps-and-needs analysis of vaccine R&D in Europe: Recommendations to improve the research infrastructure. <i>Biologicals</i> , 2022, 76, 15-23.	0.5	3
6	A Mutated Prostatic Acid Phosphatase (PAP) Peptide-Based Vaccine Induces PAP-Specific CD8+ T Cells with Ex Vivo Cytotoxic Capacities in HHDII/DR1 Transgenic Mice. <i>Cancers</i> , 2022, 14, 1970.	1.7	1
7	Monocytes Elicit a Neutrophil-Independent Th1/Th17 Response Upon Immunization With a Mincle-Dependent Glycolipid Adjuvant. <i>Frontiers in Immunology</i> , 2022, 13, 880474.	2.2	3
8	Hyaluronan is a natural and effective immunological adjuvant for protein-based vaccines. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1197-1210.	4.8	14
9	Immune Responses to Pandemic H1N1 Influenza Virus Infection in Pigs Vaccinated with a Conserved Hemagglutinin HA1 Peptide Adjuvanted with CAF01 or CDA/±GalCerMPEG. <i>Vaccines</i> , 2021, 9, 751.	2.1	6
10	Adsorption of protein antigen to the cationic liposome adjuvant CAF01 is required for induction of Th1 and Th17 responses but not for antibody induction. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021, 165, 293-305.	2.0	9
11	Adjuvanted SARS-CoV-2 spike protein elicits neutralizing antibodies and CD4 T cell responses after a single immunization in mice. <i>EBioMedicine</i> , 2021, 63, 103197.	2.7	31
12	Investigating Prime-Pull Vaccination through a Combination of Parenteral Vaccination and Intranasal Boosting. <i>Vaccines</i> , 2020, 8, 10.	2.1	9
13	Vaccine Adjuvants Differentially Affect Kinetics of Antibody and Germinal Center Responses. <i>Frontiers in Immunology</i> , 2020, 11, 579761.	2.2	36
14	CD4+ T Cells Induced by Tuberculosis Subunit Vaccine H1 Can Improve the HIV-1 Env Humoral Response by Intrastructural Help. <i>Vaccines</i> , 2020, 8, 604.	2.1	8
15	Applying Microfluidics for the Production of the Cationic Liposome-Based Vaccine Adjuvant CAF09b. <i>Pharmaceutics</i> , 2020, 12, 1237.	2.0	8
16	Pustulan Activates Chicken Bone Marrow-Derived Dendritic Cells In Vitro and Promotes Ex Vivo CD4+ T Cell Recall Response to Infectious Bronchitis Virus. <i>Vaccines</i> , 2020, 8, 226.	2.1	6
17	Intrapulmonary (i.pulmon.) Pull Immunization With the Tuberculosis Subunit Vaccine Candidate H56/CAF01 After Intramuscular (i.m.) Priming Elicits a Distinct Innate Myeloid Response and Activation of Antigen-Presenting Cells Than i.m. or i.pulmon. Prime Immunization Alone. <i>Frontiers in Immunology</i> , 2020, 11, 803.	2.2	15
18	Cutting Edge: TNF Is Essential for Mycobacteria-Induced MINCLE Expression, Macrophage Activation, and Th17 Adjuvanticity. <i>Journal of Immunology</i> , 2020, 205, 323-328.	0.4	13

#	ARTICLE	IF	CITATIONS
19	Translating the fabrication of protein-loaded poly(lactic-co-glycolic acid) nanoparticles from bench to scale-independent production using microfluidics. <i>Drug Delivery and Translational Research</i> , 2020, 10, 582-593.	3.0	50
20	Modulation of immune responses using adjuvants to facilitate therapeutic vaccination. <i>Immunological Reviews</i> , 2020, 296, 169-190.	2.8	56
21	Toll like-receptor agonist Pam3Cys modulates the immunogenicity of liposomes containing the tuberculosis vaccine candidate H56. <i>Medical Microbiology and Immunology</i> , 2020, 209, 163-176.	2.6	2
22	Injection Vaccines Formulated with Nucleotide, Liposomal or Mineral Oil Adjuvants Induce Distinct Differences in Immunogenicity in Rainbow Trout. <i>Vaccines</i> , 2020, 8, 103.	2.1	6
23	Influenza NG-34 T cell conserved epitope adjuvanted with CAF01 as a possible influenza vaccine candidate. <i>Veterinary Research</i> , 2020, 51, 57.	1.1	4
24	Site-Specific DC Surface Signatures Influence CD4+ T Cell Co-stimulation and Lung-Homing. <i>Frontiers in Immunology</i> , 2019, 10, 1650.	2.2	12
25	Maternal Antibodies Inhibit Neonatal and Infant Responses to Vaccination by Shaping the Early-Life B Cell Repertoire within Germinal Centers. <i>Cell Reports</i> , 2019, 28, 1773-1784.e5.	2.9	63
26	Scale-Independent Microfluidic Production of Cationic Liposomal Adjuvants and Development of Enhanced Lymphatic Targeting Strategies. <i>Molecular Pharmaceutics</i> , 2019, 16, 4372-4386.	2.3	32
27	Design of Gadoteridol-Loaded Cationic Liposomal Adjuvant CAF01 for MRI of Lung Deposition of Intrapulmonary Administered Particles. <i>Molecular Pharmaceutics</i> , 2019, 16, 4725-4737.	2.3	5
28	Parenteral Vaccination With a Tuberculosis Subunit Vaccine in Presence of Retinoic Acid Provides Early but Transient Protection to M. Tuberculosis Infection. <i>Frontiers in Immunology</i> , 2019, 10, 934.	2.2	14
29	Effects of cationic adjuvant formulation particle type, fluidity and immunomodulators on delivery and immunogenicity of saRNA. <i>Journal of Controlled Release</i> , 2019, 304, 65-74.	4.8	30
30	Comparison of two different PEGylation strategies for the liposomal adjuvant CAF09: Towards induction of CTL responses upon subcutaneous vaccine administration. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 140, 29-39.	2.0	19
31	Cross-Protective Potential and Protection-Relevant Immune Mechanisms of Whole Inactivated Influenza Virus Vaccines Are Determined by Adjuvants and Route of Immunization. <i>Frontiers in Immunology</i> , 2019, 10, 646.	2.2	14
32	Mucosal boosting of H56:CAF01 immunization promotes lung-localized T cells and an accelerated pulmonary response to Mycobacterium tuberculosis infection without enhancing vaccine protection. <i>Mucosal Immunology</i> , 2019, 12, 816-826.	2.7	43
33	A Liposome-Based Adjuvant Containing Two Delivery Systems with the Ability to Induce Mucosal Immunoglobulin A Following a Parenteral Immunization. <i>ACS Nano</i> , 2019, 13, 1116-1126.	7.3	22
34	Abstract B118: Development of a novel prostatic acid phosphatase-derived vaccine for the treatment of advanced prostate cancer. , 2019, , .		0
35	Immunological and physical evaluation of the multistage tuberculosis subunit vaccine candidate H56/CAF01 formulated as a spray-dried powder. <i>Vaccine</i> , 2018, 36, 3331-3339.	1.7	33
36	Rational Design and In Vivo Characterization of Vaccine Adjuvants. <i>ILAR Journal</i> , 2018, 59, 309-322.	1.8	4

#	ARTICLE	IF	CITATIONS
37	Immunocorrelates of CAF family adjuvants. <i>Seminars in Immunology</i> , 2018, 39, 4-13.	2.7	64
38	Dual-Isotope SPECT/CT Imaging of the Tuberculosis Subunit Vaccine H56/CAF01: Induction of Strong Systemic and Mucosal IgA and T-Cell Responses in Mice Upon Subcutaneous Prime and Intrapulmonary Boost Immunization. <i>Frontiers in Immunology</i> , 2018, 9, 2825.	2.2	23
39	Lipid conjugation of TLR7 agonist Resiquimod ensures co-delivery with the liposomal Cationic Adjuvant Formulation 01 (CAF01) but does not enhance immunopotentiality compared to non-conjugated Resiquimod+CAF01. <i>Journal of Controlled Release</i> , 2018, 291, 1-10.	4.8	19
40	Immune responses induced by nano-self-assembled lipid adjuvants based on a monomycoloyl glycerol analogue after vaccination with the <i>Chlamydia trachomatis</i> major outer membrane protein. <i>Journal of Controlled Release</i> , 2018, 285, 12-22.	4.8	17
41	Overcoming the Neonatal Limitations of Inducing Germinal Centers through Liposome-Based Adjuvants Including C-Type Lectin Agonists Trehalose Dibehenate or Curdlan. <i>Frontiers in Immunology</i> , 2018, 9, 381.	2.2	43
42	Induction of Cytotoxic T-Lymphocyte Responses Upon Subcutaneous Administration of a Subunit Vaccine Adjuvanted With an Emulsion Containing the Toll-Like Receptor 3 Ligand Poly(I:C). <i>Frontiers in Immunology</i> , 2018, 9, 898.	2.2	18
43	Vaccine-induced Th17 cells are established as resident memory cells in the lung and promote local IgA responses. <i>Mucosal Immunology</i> , 2017, 10, 260-270.	2.7	124
44	Adjuvants Based on Synthetic Mycobacterial Cord Factor Analogues: Biophysical Properties of Neat Glycolipids and Nanoself-Assemblies with DDA. <i>Molecular Pharmaceutics</i> , 2017, 14, 2294-2306.	2.3	11
45	Increased humoral immunity by DNA vaccination using an α -tocopherol-based adjuvant. <i>Human Vaccines and Immunotherapeutics</i> , 2017, 13, 1823-1830.	1.4	11
46	Systematic Investigation of the Role of Surfactant Composition and Choice of oil: Design of a Nanoemulsion-Based Adjuvant Inducing Concomitant Humoral and CD4+ T-Cell Responses. <i>Pharmaceutical Research</i> , 2017, 34, 1716-1727.	1.7	8
47	Robust antibody and CD8+ T-cell responses induced by <i>P. falciparum</i> CSP adsorbed to cationic liposomal adjuvant CAF09 confer sterilizing immunity against experimental rodent malaria infection. <i>Npj Vaccines</i> , 2017, 2, .	2.9	41
48	Alternatives to mineral oil adjuvants in vaccines against <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> in rainbow trout offer reductions in adverse effects. <i>Scientific Reports</i> , 2017, 7, 5930.	1.6	11
49	TBVAC2020: Advancing Tuberculosis Vaccines from Discovery to Clinical Development. <i>Frontiers in Immunology</i> , 2017, 8, 1203.	2.2	44
50	Development and Evaluation of CAF01. , 2017, , 333-345.		7
51	Seasonal Influenza Split Vaccines Confer Partial Cross-Protection against Heterologous Influenza Virus in Ferrets When Combined with the CAF01 Adjuvant. <i>Frontiers in Immunology</i> , 2017, 8, 1928.	2.2	21
52	Local Th17/IgA immunity correlate with protection against intranasal infection with <i>Streptococcus pyogenes</i> . <i>PLoS ONE</i> , 2017, 12, e0175707.	1.1	20
53	Liposome-Based Adjuvants for Subunit Vaccines: Formulation Strategies for Subunit Antigens and Immunostimulators. <i>Pharmaceutics</i> , 2016, 8, 7.	2.0	147
54	Testing the H56 Vaccine Delivered in 4 Different Adjuvants as a BCG-Booster in a Non-Human Primate Model of Tuberculosis. <i>PLoS ONE</i> , 2016, 11, e0161217.	1.1	39

#	ARTICLE	IF	CITATIONS
55	Nano-Self-Assemblies Based on Synthetic Analogues of Mycobacterial Monomycoloyl Glycerol and DDA: Supramolecular Structure and Adjuvant Efficacy. <i>Molecular Pharmaceutics</i> , 2016, 13, 2771-2781.	2.3	12
56	Comparative Systems Analyses Reveal Molecular Signatures of Clinically tested Vaccine Adjuvants. <i>Scientific Reports</i> , 2016, 6, 39097.	1.6	53
57	The administration route is decisive for the ability of the vaccine adjuvant CAF09 to induce antigen-specific CD8 + T-cell responses: The immunological consequences of the biodistribution profile. <i>Journal of Controlled Release</i> , 2016, 239, 107-117.	4.8	62
58	Vaccine adjuvants: Why and how. <i>Human Vaccines and Immunotherapeutics</i> , 2016, 12, 2709-2711.	1.4	56
59	Age-Specific Adjuvant Synergy: Dual TLR7/8 and Mincle Activation of Human Newborn Dendritic Cells Enables Th1 Polarization. <i>Journal of Immunology</i> , 2016, 197, 4413-4424.	0.4	79
60	Trehalose diester glycolipids are superior to the monoesters in binding to Mincle, activation of macrophages <i>in vitro</i> and adjuvant activity <i>in vivo</i> . <i>Innate Immunity</i> , 2016, 22, 405-418.	1.1	47
61	Intranasal vaccination with killed <i>Leishmania amazonensis</i> promastigotes antigen (LaAg) associated with CAF01 adjuvant induces partial protection in BALB/c mice challenged with <i>Leishmania (infantum) chagasi</i> . <i>Parasitology</i> , 2015, 142, 1640-1646.	0.7	17
62	Characterization of the Antigen-Specific CD4+ T Cell Response Induced by Prime-Boost Strategies with CAF01 and CpG Adjuvants Administered by the Intranasal and Subcutaneous Routes. <i>Frontiers in Immunology</i> , 2015, 6, 430.	2.2	39
63	The Application of Liposomes as Vaccine Adjuvants. <i>Advances in Delivery Science and Technology</i> , 2015, , 77-94.	0.4	4
64	Influence of trehalose 6,6'-diester (TDX) chain length on the physicochemical and immunopotentiating properties of DDA/TDX liposomes. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015, 90, 80-89.	2.0	19
65	Peptide-specific T helper cells identified by MHC class II tetramers differentiate into several subtypes upon immunization with CAF01 adjuvanted H56 tuberculosis vaccine formulation. <i>Vaccine</i> , 2015, 33, 6823-6830.	1.7	15
66	Correlating liposomal adjuvant characteristics to in-vivo cell-mediated immunity using a novel <i>Mycobacterium tuberculosis</i> fusion protein: a multivariate analysis study. <i>Journal of Pharmacy and Pharmacology</i> , 2015, 67, 450-463.	1.2	8
67	A stable nanoparticulate DDA/MMG formulation acts synergistically with CpG ODN 1826 to enhance the CD4 ⁺ T-cell response. <i>Nanomedicine</i> , 2014, 9, 2625-2638.	1.7	13
68	Effect of Incorporating Cholesterol into DDA:TDB Liposomal Adjuvants on Bilayer Properties, Biodistribution, and Immune Responses. <i>Molecular Pharmaceutics</i> , 2014, 11, 197-207.	2.3	37
69	Th1 immune responses can be modulated by varying dimethyldioctadecylammonium and distearoyl-sn-glycero-3-phosphocholine content in liposomal adjuvants. <i>Journal of Pharmacy and Pharmacology</i> , 2014, 66, 358-366.	1.2	36
70	High-frequency vaccine-induced CD8 ⁺ T cells specific for an epitope naturally processed during infection with <i>Mycobacterium tuberculosis</i> do not confer protection. <i>European Journal of Immunology</i> , 2014, 44, 1699-1709.	1.6	42
71	The in vivo expressed <i>Mycobacterium tuberculosis</i> (IVE-TB) antigen Rv2034 induces CD4+ T-cells that protect against pulmonary infection in HLA-DR transgenic mice and guinea pigs. <i>Vaccine</i> , 2014, 32, 3580-3588.	1.7	25
72	Elucidating the mechanisms of protein antigen adsorption to the CAF/NAF liposomal vaccine adjuvant systems: Effect of charge, fluidity and antigen-to-lipid ratio. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 2001-2010.	1.4	35

#	ARTICLE	IF	CITATIONS
73	Induction of CD8+ T-cell responses against subunit antigens by the novel cationic liposomal CAF09 adjuvant. <i>Vaccine</i> , 2014, 32, 3927-3935.	1.7	97
74	The Physical Stability of the Recombinant Tuberculosis Fusion Antigens H1 and H56. <i>Journal of Pharmaceutical Sciences</i> , 2013, 102, 3567-3578.	1.6	21
75	Designing CAF-adjuvanted dry powder vaccines: Spray drying preserves the adjuvant activity of CAF01. <i>Journal of Controlled Release</i> , 2013, 167, 256-264.	4.8	38
76	Protein Antigen Adsorption to the DDA/TDB Liposomal Adjuvant: Effect on Protein Structure, Stability, and Liposome Physicochemical Characteristics. <i>Pharmaceutical Research</i> , 2013, 30, 140-155.	1.7	43
77	The supramolecular structure is decisive for the immunostimulatory properties of synthetic analogues of a mycobacterial lipid in vitro. <i>RSC Advances</i> , 2013, 3, 20673-20683.	1.7	16
78	The Mincle-Activating Adjuvant TDB Induces MyD88-Dependent Th1 and Th17 Responses through IL-1R Signaling. <i>PLoS ONE</i> , 2013, 8, e53531.	1.1	130
79	Synchronization of Dendritic Cell Activation and Antigen Exposure Is Required for the Induction of Th1/Th17 Responses. <i>Journal of Immunology</i> , 2012, 188, 4828-4837.	0.4	78
80	Increased Immunogenicity and Protective Efficacy of Influenza M2e Fused to a Tetramerizing Protein. <i>PLoS ONE</i> , 2012, 7, e46395.	1.1	35
81	Cationic liposomal vaccine adjuvants in animal challenge models: overview and current clinical status. <i>Expert Review of Vaccines</i> , 2012, 11, 561-577.	2.0	34
82	A cationic vaccine adjuvant based on a saturated quaternary ammonium lipid have different in vivo distribution kinetics and display a distinct CD4 T cell-inducing capacity compared to its unsaturated analog. <i>Journal of Controlled Release</i> , 2012, 160, 468-476.	4.8	101
83	Comparison of the Depot Effect and Immunogenicity of Liposomes Based on Dimethyldioctadecylammonium (DDA), 3 β -[N-(N,N-dimethylaminoethane)carbonyl] Cholesterol (DC-Chol), and 1,2-Dioleoyl-3-trimethylammonium Propane (DOTAP): Prolonged Liposome Retention Mediates Stronger Th1 Responses. <i>Molecular Pharmaceutics</i> , 2011, 8, 153-161.	2.3	96
84	Cationic liposomes as vaccine adjuvants. <i>Expert Review of Vaccines</i> , 2011, 10, 513-521.	2.0	166
85	Liposomal vaccine delivery systems. <i>Expert Opinion on Drug Delivery</i> , 2011, 8, 505-519.	2.4	120
86	Immunity by formulation design: Induction of high CD8+ T-cell responses by poly(I:C) incorporated into the CAF01 adjuvant via a double emulsion method. <i>Journal of Controlled Release</i> , 2011, 150, 307-317.	4.8	85
87	Microscopy imaging of liposomes: From coverslips to environmental SEM. <i>International Journal of Pharmaceutics</i> , 2011, 417, 138-150.	2.6	107
88	CAF01 Potentiates Immune Responses and Efficacy of an Inactivated Influenza Vaccine in Ferrets. <i>PLoS ONE</i> , 2011, 6, e22891.	1.1	29
89	CAF01 liposomes as a mucosal vaccine adjuvant: In vitro and in vivo investigations. <i>International Journal of Pharmaceutics</i> , 2010, 390, 19-24.	2.6	54
90	Liposomes based on dimethyldioctadecylammonium promote a depot effect and enhance immunogenicity of soluble antigen. <i>Journal of Controlled Release</i> , 2010, 142, 180-186.	4.8	182

#	ARTICLE	IF	CITATIONS
91	Liposomal cationic charge and antigen adsorption are important properties for the efficient deposition of antigen at the injection site and ability of the vaccine to induce a CMI response. <i>Journal of Controlled Release</i> , 2010, 145, 102-108.	4.8	152
92	Syringe Free Vaccination with CAF01 Adjuvated Ag85B-ESAT-6 in Bioneedles Provides Strong and Prolonged Protection Against Tuberculosis. <i>PLoS ONE</i> , 2010, 5, e15043.	1.1	15
93	Protection against Chlamydia Promoted by a Subunit Vaccine (CTH1) Compared with a Primary Intranasal Infection in a Mouse Genital Challenge Model. <i>PLoS ONE</i> , 2010, 5, e10768.	1.1	54
94	Novel Generation Mycobacterial Adjuvant Based on Liposome-Encapsulated Monomycoloyl Glycerol from <i>Mycobacterium bovis</i> Bacillus Calmette-Guérin. <i>Journal of Immunology</i> , 2009, 183, 2294-2302.	0.4	39
95	Liposome-based cationic adjuvant formulations (CAF): Past, present, and future. <i>Journal of Liposome Research</i> , 2009, 19, 2-11.	1.5	105
96	A Liposome-Based Mycobacterial Vaccine Induces Potent Adult and Neonatal Multifunctional T Cells through the Exquisite Targeting of Dendritic Cells. <i>PLoS ONE</i> , 2009, 4, e5771.	1.1	91
97	Protein adsorption and displacement at lipid layers determined by total internal reflection fluorescence (TIRF). <i>Journal of Liposome Research</i> , 2009, 19, 99-104.	1.5	11
98	Cationic Liposomes Formulated with Synthetic Mycobacterial Cordfactor (CAF01): A Versatile Adjuvant for Vaccines with Different Immunological Requirements. <i>PLoS ONE</i> , 2008, 3, e3116.	1.1	262
99	NIR transmission spectroscopy for rapid determination of lipid and lyoprotector content in liposomal vaccine adjuvant system CAF01. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2008, 70, 914-920.	2.0	19
100	α,α-trehalose 6,6-dibehenate in non-phospholipid-based liposomes enables direct interaction with trehalose, offering stability during freeze-drying. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 1365-1373.	1.4	36
101	Trehalose preserves DDA/TDB liposomes and their adjuvant effect during freeze-drying. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007, 1768, 2120-2129.	1.4	79
102	The adjuvant mechanism of cationic dimethyldioctadecylammonium liposomes. <i>Immunology</i> , 2007, 121, 216-226.	2.0	167
103	Comparison of vesicle based antigen delivery systems for delivery of hepatitis B surface antigen. <i>Journal of Controlled Release</i> , 2007, 119, 102-110.	4.8	52
104	Cationic liposomes as vaccine adjuvants. <i>Expert Review of Vaccines</i> , 2007, 6, 785-796.	2.0	126
105	Characterization of cationic liposomes based on dimethyldioctadecylammonium and synthetic cord factor from <i>M. tuberculosis</i> (trehalose 6,6-dibehenate) – A novel adjuvant inducing both strong CMI and antibody responses. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2005, 1718, 22-31.	1.4	314