

# Masao Matsuhashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8322865/publications.pdf>

Version: 2024-02-01

49  
papers

944  
citations

516215

16  
h-index

500791

28  
g-index

50  
all docs

50  
docs citations

50  
times ranked

1022  
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional cortical localization of tongue movements using corticokinematic coherence with a deep learning-assisted motion capture system. <i>Scientific Reports</i> , 2022, 12, 388.	1.6	4
2	Case Report: Event-Related Desynchronization Observed During Volitional Swallow by Electroencephalography Recordings in ALS Patients With Dysphagia. <i>Frontiers in Behavioral Neuroscience</i> , 2022, 16, 798375.	1.0	1
3	Neural Sources of Vagus Nerve Stimulation-Induced Slow Cortical Potentials. <i>Neuromodulation</i> , 2022, 25, 407-413.	0.4	0
4	Two types of clinical ictal direct current shifts in invasive EEG of intractable focal epilepsy identified by waveform cluster analysis. <i>Clinical Neurophysiology</i> , 2022, 137, 113-121.	0.7	3
5	Cortico-cortical evoked potential by single-pulse electrical stimulation is a generally safe procedure. <i>Clinical Neurophysiology</i> , 2021, 132, 1033-1040.	0.7	7
6	Appearance of bitemporal periodic EEG activity in the last stage of Gerstmann-Strussler-Scheinker syndrome (Pro102Leu): A case report. <i>Clinical Neurology and Neurosurgery</i> , 2021, 204, 106602.	0.6	3
7	Appraisal of definition of baseline length for somatosensory evoked magnetic fields. <i>Journal of Neuroscience Methods</i> , 2021, 359, 109213.	1.3	0
8	Evaluation of movement and brain activity. <i>Clinical Neurophysiology</i> , 2021, 132, 2608-2638.	0.7	22
9	Marked response to perampanel: A decade-long course of giant somatosensory evoked potentials in Unverricht-Lundborg disease. <i>Clinical Neurophysiology</i> , 2021, 132, 2329-2331.	0.7	1
10	A study on the relationship between non-epileptic fast (40–200 Hz) oscillations in scalp EEG and development in children. <i>Brain and Development</i> , 2021, 43, 904-911.	0.6	4
11	Long Time Constant May Endorses Sharp Waves and Spikes Than Sharp Transients in Scalp Electroencephalography: A Comparison of Both After-Slow Among Different Time Constant and High-Frequency Activity Analysis. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 748893.	1.0	0
12	Event-Related Desynchronization and Corticomuscular Coherence Observed During Volitional Swallow by Electroencephalography Recordings in Humans. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 643454.	1.0	2
13	Gait-synchronized oscillatory brain stimulation modulates common neural drives to ankle muscles in patients after stroke: A pilot study. <i>Neuroscience Research</i> , 2020, 156, 256-264.	1.0	10
14	Mathematical structures for epilepsy: High-frequency oscillation and interictal epileptic slow (red) Tj ETQq0 0 0 rgBJ /Overlock 10 Tf 50	1.0	2
15	Scalp EEG Could Record Both Ictal Direct Current Shift and High-Frequency Oscillation Together Even With a Time Constant of 2 Seconds. <i>Journal of Clinical Neurophysiology</i> , 2020, 37, 191-194.	0.9	4
16	Gait-combined transcranial alternating current stimulation modulates cortical control of muscle activities during gait. <i>European Journal of Neuroscience</i> , 2020, 52, 4791-4802.	1.2	12
17	Cortical Distribution of Fragile Periventricular Anastomatic Collateral Vessels in Moyamoya Disease: An Exploratory Cross-Sectional Study of Japanese Patients with Moyamoya Disease. <i>American Journal of Neuroradiology</i> , 2020, 41, 2243-2249.	1.2	12
18	Electrical cortical stimulations modulate spike and post-spike slow-related high-frequency activities in human epileptic foci. <i>Clinical Neurophysiology</i> , 2020, 131, 1741-1754.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Engagement of cortico-cortical and cortico-subcortical networks in a patient with epileptic spasms: An integrated neurophysiological study. <i>Clinical Neurophysiology</i> , 2020, 131, 2255-2264.	0.7	6
20	Longitudinal correspondence of epilepsy and scalp EEG fast (40–200 Hz) oscillations in pediatric patients with tuberous sclerosis complex. <i>Brain and Development</i> , 2020, 42, 663-674.	0.6	8
21	Active direct current (DC) shifts and “Red slow” two new concepts for seizure mechanisms and identification of the epileptogenic zone. <i>Neuroscience Research</i> , 2020, 156, 95-101.	1.0	33
22	Entrainment of chewing rhythm by gait speed during treadmill walking in humans. <i>Neuroscience Research</i> , 2020, 156, 88-94.	1.0	5
23	High-frequency oscillations in a spectrum of pediatric epilepsies characterized by sleep-activated spikes in scalp EEG. <i>Clinical Neurophysiology</i> , 2019, 130, 1971-1980.	0.7	19
24	Low-dose perampanel improves refractory cortical myoclonus by the dispersed and suppressed paroxysmal depolarization shifts in the sensorimotor cortex. <i>Clinical Neurophysiology</i> , 2019, 130, 1804-1812.	0.7	38
25	Gait-Synchronized Rhythmic Brain Stimulation Improves Poststroke Gait Disturbance. <i>Stroke</i> , 2019, 50, 3205-3212.	1.0	22
26	The neural tides of sleep and consciousness revealed by single-pulse electrical brain stimulation. <i>Sleep</i> , 2019, 42, .	0.6	24
27	Intraoperative cortico-cortical evoked potentials show disconnection of the motor cortex from the epileptogenic network during subtotal hemispherotomy. <i>Clinical Neurophysiology</i> , 2018, 129, 455-457.	0.7	6
28	Anodal transcranial patterned stimulation of the motor cortex during gait can induce activity-dependent corticospinal plasticity to alter human gait. <i>PLoS ONE</i> , 2018, 13, e0208691.	1.1	14
29	Do scalp-recorded slow potentials during neuro-feedback training reflect the cortical activity?. <i>Clinical Neurophysiology</i> , 2018, 129, 1884-1890.	0.7	3
30	Phasic REM Transiently Approaches Wakefulness in the Human Cortex—A Single-Pulse Electrical Stimulation Study. <i>Sleep</i> , 2017, 40, .	0.6	10
31	We could predict good responders to vagus nerve stimulation: A surrogate marker by slow cortical potential shift. <i>Clinical Neurophysiology</i> , 2017, 128, 1583-1589.	0.7	9
32	Magnetoencephalography with temporal spread imaging to visualize propagation of epileptic activity. <i>Clinical Neurophysiology</i> , 2017, 128, 734-743.	0.7	5
33	High frequency activity overriding cortico-cortical evoked potentials reflects altered excitability in the human epileptic focus. <i>Clinical Neurophysiology</i> , 2017, 128, 1673-1681.	0.7	20
34	Cortico-muscular synchronization by proprioceptive afferents from the tongue muscles during isometric tongue protrusion. <i>NeuroImage</i> , 2016, 128, 284-292.	2.1	16
35	Sleep modulates cortical connectivity and excitability in humans: Direct evidence from neural activity induced by single-pulse electrical stimulation. <i>Human Brain Mapping</i> , 2015, 36, 4714-4729.	1.9	59
36	Different Mode of Afferents Determines the Frequency Range of High Frequency Activities in the Human Brain: Direct Electroencephalographic Comparison between Peripheral Nerve and Direct Cortical Stimulation. <i>PLoS ONE</i> , 2015, 10, e0130461.	1.1	9

#	ARTICLE	IF	CITATIONS
37	Intracranially recorded ictal direct current shifts may precede high frequency oscillations in human epilepsy. <i>Clinical Neurophysiology</i> , 2015, 126, 47-59.	0.7	70
38	Neural correlates of perceptual grouping effects in the processing of sound omission by musicians and nonmusicians. <i>Hearing Research</i> , 2015, 319, 25-31.	0.9	6
39	Evaluation of lip sensory disturbance using somatosensory evoked magnetic fields. <i>Clinical Neurophysiology</i> , 2014, 125, 363-369.	0.7	11
40	Long-term follow-up of cortical hyperexcitability in Japanese Unverricht-Lundborg disease. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2014, 23, 746-750.	0.9	11
41	Contralateral dominance of corticomuscular coherence for both sides of the tongue during human tongue protrusion: An MEG study. <i>NeuroImage</i> , 2014, 101, 245-255.	2.1	19
42	Categorical speech perception during active discrimination of consonants and vowels. <i>Neuropsychologia</i> , 2014, 64, 13-23.	0.7	35
43	Bereitschaftspotential augmentation by neuro-feedback training in Parkinson's disease. <i>Clinical Neurophysiology</i> , 2013, 124, 1398-1405.	0.7	19
44	Ictal wideband ECoG: Direct comparison between ictal slow shifts and high frequency oscillations. <i>Clinical Neurophysiology</i> , 2011, 122, 1500-1504.	0.7	43
45	Left anterior temporal cortex actively engages in speech perception: A direct cortical stimulation study. <i>Neuropsychologia</i> , 2011, 49, 1350-1354.	0.7	39
46	Low-frequency electric cortical stimulation decreases interictal and ictal activity in human epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006, 15, 520-527.	0.9	75
47	Motor-related functional subdivisions of human lateral premotor cortex: epicortical recording in conditional visuomotor task. <i>Clinical Neurophysiology</i> , 2003, 114, 1102-1115.	0.7	34
48	Maturation change of parallel auditory processing in school-aged children revealed by simultaneous recording of magnetic and electric cortical responses. <i>Clinical Neurophysiology</i> , 2002, 113, 1470-1484.	0.7	66
49	Low-frequency Electric Cortical Stimulation Has an Inhibitory Effect on Epileptic Focus in Mesial Temporal Lobe Epilepsy. <i>Epilepsia</i> , 2002, 43, 491-495.	2.6	123