## **Imad Saoud**

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8322943/imad-saoud-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers
1,189
citations
18
h-index
g-index

49
ext. papers
ext. citations
2.5
avg, IF
L-index

#	Paper	IF	Citations
48	Influence of salinity on survival, growth, hemolymph osmolality, gill sodium potassium ATPase activity, and sodium potassium chloride co-transporter expression in the redclaw crayfish Cherax quadricarinatus. <i>Journal of the World Aquaculture Society</i> , <b>2021</b> , 52, 466-474	2.5	1
47	Preliminary assessment of restaurant food waste as a feed ingredient for small juvenile rainbow trout (Oncorhynchus mykiss). <i>Aquaculture International</i> , <b>2021</b> , 29, 669-679	2.6	3
46	Clove oil as an anaesthetic for Australian redclaw crayfish Cherax quadricarinatus. <i>Aquaculture Research</i> , <b>2019</b> , 50, 3628-3632	1.9	11
45	Evaluation of post-consumer food waste as partial replacement of commercial feed in marbled rabbitfish, Siganus rivulatus aquaculture. <i>International Journal of Environmental Science and Technology</i> , <b>2019</b> , 16, 4059-4068	3.3	4
44	Effect of cannabis oil on growth performance, haematology and metabolism of Nile Tilapia Oreochromis niloticus. <i>Aquaculture Research</i> , <b>2018</b> , 49, 809-815	1.9	2
43	Using restaurant food waste as feed for Nile tilapia production. <i>Aquaculture Research</i> , <b>2018</b> , 49, 3142-3	15.0)	4
42	Effects of salinity on standard metabolic rate of juvenile marbled spinefoot (Siganus rivulatus). <i>Aquaculture Research</i> , <b>2017</b> , 48, 2561-2566	1.9	4
41	Substitution of fish meal by soybean meal in diets for juvenile marbled spinefoot, Siganus rivulatus. Journal of Applied Aquaculture, <b>2017</b> , 29, 101-116	0.8	9
40	Roof top gardens as a means to use recycled waste and A/C condensate and reduce temperature variation in buildings. <i>Building and Environment</i> , <b>2017</b> , 117, 127-134	6.5	15
39	Ensuring Food Security by Improving Breshwater Use Efficiencylor by Farming the Seas <b>2017</b> , 341-360		1
38	Toxicity of Four Chemotherapeutic Agents to RabbitfishSiganus rivulatus. <i>Journal of the World Aquaculture Society</i> , <b>2017</b> , 48, 877-886	2.5	4
37	Survival and respiration of marbled rabbitfish (Siganus rivulatus) fingerlings at various oxygen tensions. <i>Aquaculture Research</i> , <b>2017</b> , 48, 4219-4227	1.9	2
36	Effects of water temperature and body weight on anaesthetic efficiency in marbled rabbitfish (Siganus rivulatus). <i>Aquaculture Research</i> , <b>2015</b> , 46, 928-936	1.9	12
35	Effect of Dietary Protein Level on Growth Performance and Blood Parameters of Marbled Spinefoot Siganus rivulatus. <i>Journal of Applied Aquaculture</i> , <b>2014</b> , 26, 103-118	0.8	8
34	Anaesthetic efficacy of clove oil, benzocaine, 2-phenoxyethanol and tricaine methanesulfonate in juvenile marbled spinefoot (Siganus rivulatus). <i>Aquaculture Research</i> , <b>2013</b> , 44, 359-366	1.9	25
33	A review of nutritional biology and dietary requirements of redclaw crayfish Cherax quadricarinatus (von Martens 1868). <i>Aquaculture Nutrition</i> , <b>2012</b> , 18, 349-368	3.2	43
32	Acute and chronic effects of aqueous ammonia on marbled spinefoot rabbitfish, Siganus rivulatus (Forssk[1775). <i>Aquaculture Research</i> , <b>2012</b> , 44, n/a-n/a	1.9	5

31	Seasonal changes in phosphorus content of fish tissue as they relate to diets of renal patients. <i>Journal of Renal Nutrition</i> , <b>2012</b> , 22, 67-71	3	4
30	Evaluation of practical diets containing various terrestrial protein sources on survival and growth parameters of redclaw crayfish Cherax quadricarinatus. <i>Aquaculture Research</i> , <b>2012</b> , 43, 84-90	1.9	22
29	Effects of dietary lipid levels on growth performance of marbled spinefoot rabbitfish Siganus rivulatus. <i>Aquaculture</i> , <b>2011</b> , 310, 395-400	4.4	50
28	Effects of Stargrass Hay Supplementation on Growth and Survival of Juvenile Redclaw Crayfish Cherax quadricarinatus. <i>North American Journal of Aquaculture</i> , <b>2011</b> , 73, 484-488	1.5	4
27	Feed regimen affects growth, condition index, proximate analysis and myocyte ultrastructure of juvenile spinefoot rabbitfish Siganus rivulatus. <i>Aquaculture Nutrition</i> , <b>2011</b> , 17, e773-e780	3.2	9
26	Dietary protein requirement of juvenile marbled spinefoot rabbitfish Siganus rivulatus. <i>Aquaculture Research</i> , <b>2011</b> , 42, 1050-1055	1.9	22
25	Improving Water Use Efficiency in Semi-Arid Regions through Integrated Aquaculture/Agriculture. Journal of Applied Aquaculture, <b>2011</b> , 23, 212-230	0.8	13
24	Growth, Feed Utilization and Body Composition of White Sea Bream Diplodus sargus Juveniles Offered Diets with Various Protein and Energy Levels. <i>Journal of King Abdulaziz University, Marine Science</i> , <b>2011</b> , 22, 3-17	0.3	2
23	Effect of Size Sorting on Growth Performance of Juvenile Spinefoot Rabbitfish, Siganus rivulatus. Journal of the World Aquaculture Society, <b>2010</b> , 41, 565-573	2.5	5
22	Shrimp culture in inland low salinity waters. <i>Reviews in Aquaculture</i> , <b>2010</b> , 2, 191-208	8.9	106
22	Shrimp culture in inland low salinity waters. <i>Reviews in Aquaculture</i> , <b>2010</b> , 2, 191-208  Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , <b>2009</b> , 40, 248-254	8.9 2.5	106
	Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , <b>2009</b> , 40, 248-254		
21	Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , <b>2009</b> , 40, 248-254  Replacement of fish meal with poultry by-product meal in practical diets for redclaw crayfish (Cherax quadricarinatus). <i>Aquaculture Nutrition</i> , <b>2008</b> , 14, 139-142  Effects of temperature on survival and growth of juvenile spinefoot rabbitfish (Siganus rivulatus)	2.5	20
21	Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , 2009, 40, 248-254  Replacement of fish meal with poultry by-product meal in practical diets for redclaw crayfish (Cherax quadricarinatus). <i>Aquaculture Nutrition</i> , 2008, 14, 139-142  Effects of temperature on survival and growth of juvenile spinefoot rabbitfish (Siganus rivulatus). <i>Aquaculture Research</i> , 2008, 39, 491-497	2.5	20
21 20 19	Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , <b>2009</b> , 40, 248-254  Replacement of fish meal with poultry by-product meal in practical diets for redclaw crayfish (Cherax quadricarinatus). <i>Aquaculture Nutrition</i> , <b>2008</b> , 14, 139-142  Effects of temperature on survival and growth of juvenile spinefoot rabbitfish (Siganus rivulatus). <i>Aquaculture Research</i> , <b>2008</b> , 39, 491-497  Seasonal evaluation of nutritional benefits of two fish species in the eastern Mediterranean Sea.	2.5	20 18 28
21 20 19	Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , 2009, 40, 248-254  Replacement of fish meal with poultry by-product meal in practical diets for redclaw crayfish (Cherax quadricarinatus). <i>Aquaculture Nutrition</i> , 2008, 14, 139-142  Effects of temperature on survival and growth of juvenile spinefoot rabbitfish (Siganus rivulatus). <i>Aquaculture Research</i> , 2008, 39, 491-497  Seasonal evaluation of nutritional benefits of two fish species in the eastern Mediterranean Sea. <i>International Journal of Food Science and Technology</i> , 2008, 43, 538-542  Effects of stocking density on the survival, growth, size variation and condition index of juvenile	2.5 3.2 1.9	20 18 28
21 20 19 18	Supplementation of Chelated Magnesium to Diets of the Pacific White Shrimp, Litopenaeus vannamei, Reared in Low-salinity Waters of West Alabama. <i>Journal of the World Aquaculture Society</i> , 2009, 40, 248-254  Replacement of fish meal with poultry by-product meal in practical diets for redclaw crayfish (Cherax quadricarinatus). <i>Aquaculture Nutrition</i> , 2008, 14, 139-142  Effects of temperature on survival and growth of juvenile spinefoot rabbitfish (Siganus rivulatus). <i>Aquaculture Research</i> , 2008, 39, 491-497  Seasonal evaluation of nutritional benefits of two fish species in the eastern Mediterranean Sea. <i>International Journal of Food Science and Technology</i> , 2008, 43, 538-542  Effects of stocking density on the survival, growth, size variation and condition index of juvenile rabbitfish Siganus rivulatus. <i>Aquaculture International</i> , 2008, 16, 109-116  Chelated Potassium and Arginine Supplementation in Diets of Pacific White Shrimp Reared in	2.5 3.2 1.9 3.8 2.6	20 18 28 14 30

13	Influence of salinity on survival, growth, plasma osmolality and gill Na+K+ATPase activity in the rabbitfish Siganus rivulatus. <i>Journal of Experimental Marine Biology and Ecology</i> , <b>2007</b> , 348, 183-190	2.1	63	
12	Effects of varying levels of aqueous potassium and magnesium on survival, growth, and respiration of the Pacific white shrimp, Litopenaeus vannamei, reared in low salinity waters. <i>Aquaculture</i> , <b>2007</b> , 262, 461-469	4.4	83	
11	Seasonal Variation in Highly Unsaturated Fatty Acid Composition of Muscle Tissue of Two Fishes Endemic to the Eastern Mediterranean. <i>Ecology of Food and Nutrition</i> , <b>2007</b> , 46, 77-89	1.9	4	
10	Effects of lecithin and cholesterol supplementation to practical diets for Litopenaeus vannamei reared in low salinity waters. <i>Aquaculture</i> , <b>2006</b> , 257, 446-452	4.4	45	
9	Nursery Protocols for the Rearing of the Brown Shrimp, Farfantepenaeus aztecus. <i>Journal of Applied Aquaculture</i> , <b>2006</b> , 18, 47-59	0.8	2	
8	Evaluating the Benefits of Size-Sorting Tilapia Fry Before Stocking. <i>Journal of Applied Aquaculture</i> , <b>2005</b> , 17, 73-85	0.8	12	
7	Effects of Betaine Supplementation to Feeds of Pacific White Shrimp Litopenaeus vannamei Reared at Extreme Salinities. <i>North American Journal of Aquaculture</i> , <b>2005</b> , 67, 351-353	1.5	12	
6	The Effect of Feeding Regimen on Mixed-Size Pond-Grown Channel Catfish, Ictalurus punctatus. Journal of Applied Aquaculture, <b>2004</b> , 15, 115-125	0.8	9	
5	Overwintering Yellow Perch Fry in Alabama. North American Journal of Aquaculture, 2004, 66, 217-221	1.5	1	
4	Substitution of fish meal by co-extruded soybean poultry by-product meal in practical diets for the Pacific white shrimp, Litopenaeus vannamei. <i>Aquaculture</i> , <b>2004</b> , 231, 197-203	4.4	121	
3	Salinity tolerance of brown shrimpFarfantepenaeus aztecus as it relates to postlarval and juvenile survival, distribution, and growth in estuaries. <i>Estuaries and Coasts</i> , <b>2003</b> , 26, 970-974		19	
2	Suitability studies of inland well waters for Litopenaeus vannamei culture. <i>Aquaculture</i> , <b>2003</b> , 217, 373-	-3,8,3,	203	
1	The Effects of Stocking Density on Survival, Growth, Condition, and Feed Efficiency of Bluegill Juveniles. <i>North American Journal of Aquaculture</i> , <b>2002</b> , 64, 297-300	1.5	13	