

# Yan Bi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8323558/publications.pdf>

Version: 2024-02-01

42  
papers

1,013  
citations

566801

15  
h-index

454577

30  
g-index

44  
all docs

44  
docs citations

44  
times ranked

1686  
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomized trial comparing the effects of gliclazide, liraglutide, and metformin on diabetes with nonalcoholic fatty liver disease. <i>Journal of Diabetes</i> , 2017, 9, 800-809.	0.8	116
2	Modulation of gut microbiota contributes to curcumin-mediated attenuation of hepatic steatosis in rats. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 1801-1812.	1.1	105
3	Short-Term Intensive Therapy in Newly Diagnosed Type 2 Diabetes Partially Restores Both Insulin Sensitivity and $\beta$ -Cell Function in Subjects With Long-Term Remission. <i>Diabetes Care</i> , 2011, 34, 1848-1853.	4.3	89
4	Effects of liraglutide, metformin and gliclazide on body composition in patients with both type 2 diabetes and nonalcoholic fatty liver disease: A randomized trial. <i>Journal of Diabetes Investigation</i> , 2019, 10, 399-407.	1.1	77
5	Olfactory Dysfunction Mediates Adiposity in Cognitive Impairment of Type 2 Diabetes: Insights From Clinical and Functional Neuroimaging Studies. <i>Diabetes Care</i> , 2019, 42, 1274-1283.	4.3	66
6	Adipose group 1 innate lymphoid cells promote adipose tissue fibrosis and diabetes in obesity. <i>Nature Communications</i> , 2019, 10, 3254.	5.8	63
7	The status of glycemic control: A cross-sectional study of outpatients with type 2 diabetes mellitus across primary, secondary, and tertiary hospitals in the jiangsu province of China. <i>Clinical Therapeutics</i> , 2010, 32, 973-983.	1.1	60
8	Effects of exenatide, insulin, and pioglitazone on liver fat content and body fat distributions in drug-naive subjects with type 2 diabetes. <i>Acta Diabetologica</i> , 2014, 51, 865-873.	1.2	52
9	Adipose Morphology: a Critical Factor in Regulation of Human Metabolic Diseases and Adipose Tissue Dysfunction. <i>Obesity Surgery</i> , 2020, 30, 5086-5100.	1.1	50
10	Silymarin alleviates hepatic oxidative stress and protects against metabolic disorders in high-fat diet-fed mice. <i>Free Radical Research</i> , 2016, 50, 314-327.	1.5	41
11	Altered Odor-Induced Brain Activity as an Early Manifestation of Cognitive Decline in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 994-1006.	0.3	39
12	Association of Androgen Excess with Glucose Intolerance in Women with Polycystic Ovary Syndrome. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	25
13	Hepatocyte growth factor alleviates hepatic insulin resistance and lipid accumulation in high-fat diet-fed mice. <i>Journal of Diabetes Investigation</i> , 2019, 10, 251-260.	1.1	20
14	Insulin therapy stimulates lipid synthesis and improves endocrine functions of adipocytes in dietary obese C57BL/6 mice. <i>Acta Pharmacologica Sinica</i> , 2010, 31, 341-346.	2.8	18
15	Metabolic effects and safety of Roux-en-Y gastric bypass surgery vs. conventional medication in obese Chinese patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3138.	1.7	16
16	Cardiovascular and microvascular outcomes of glucagon-like peptide-1 receptor agonists in type 2 diabetes: a meta-analysis of randomized controlled cardiovascular outcome trials with trial sequential analysis. <i>BMC Pharmacology &amp; Toxicology</i> , 2018, 19, 58.	1.0	15
17	Prevalence, treatment patterns and control rates of metabolic syndrome in a Chinese diabetic population: China Cardiometabolic Registries 3B study. <i>Journal of Diabetes Investigation</i> , 2018, 9, 789-798.	1.1	15
18	Liraglutide Attenuates Nonalcoholic Fatty Liver Disease by Modulating Gut Microbiota in Rats Administered a High-Fat Diet. <i>BioMed Research International</i> , 2020, 2020, 1-10.	0.9	14

#	ARTICLE	IF	CITATIONS
19	Self-Reported adverse events among Chinese healthcare workers immunized with COVID-19 vaccines composed of inactivated SARS-CoV-2. <i>Human Vaccines and Immunotherapeutics</i> , 2022, 18, 1-7.	1.4	14
20	Modulation of gut microbiota contributes to effects of intensive insulin therapy on intestinal morphological alteration in high-fat-diet-treated mice. <i>Acta Diabetologica</i> , 2020, 57, 455-467.	1.2	13
21	Enhancement of Impaired Olfactory Neural Activation and Cognitive Capacity by Liraglutide, but Not Dapagliflozin or Acarbose, in Patients With Type 2 Diabetes: A 16-Week Randomized Parallel Comparative Study. <i>Diabetes Care</i> , 2022, 45, 1201-1210.	4.3	12
22	Active surveillance of low-risk papillary thyroid carcinoma: a promising strategy requiring additional evidence. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2751-2759.	1.2	10
23	Connecting Peripheral to Central Neuropathy: Examination of Nerve Conduction Combined with Olfactory Tests in Patients with Type 2 Diabetes. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 3097-3107.	1.1	10
24	Nocturnal ventricular arrhythmias are associated with the severity of cardiovascular autonomic neuropathy in type 2 diabetes. <i>Journal of Diabetes</i> , 2019, 11, 794-801.	0.8	8
25	Cardiovascular Autonomic Neuropathy Is an Independent Risk Factor for Left Ventricular Diastolic Dysfunction in Patients with Type 2 Diabetes. <i>BioMed Research International</i> , 2017, 2017, 1-6.	0.9	7
26	Insulin restores UCP3 activity and decreases energy surfeit to alleviate lipotoxicity in skeletal muscle. <i>International Journal of Molecular Medicine</i> , 2017, 40, 2000-2010.	1.8	7
27	Influence of fetal sex on perinatal outcomes in women with gestational diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3245.	1.7	7
28	Comparison of Beiglutide Versus Metformin for Weight Loss in Overweight and Obese Non-diabetic Patients. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 358-367.	0.6	7
29	Perinatal outcomes in pregnancies complicated by type 1 diabetes mellitus. <i>Gynecological Endocrinology</i> , 2020, 36, 879-884.	0.7	5
30	Effects of Early Intensive Insulin Therapy on Endothelial Progenitor Cells in Patients with Newly Diagnosed Type 2 Diabetes. <i>Diabetes Therapy</i> , 2022, 13, 679-690.	1.2	5
31	Corneal confocal microscopy: A useful tool for diagnosis of small fiber neuropathy in type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2021, , .	1.1	4
32	Improved skeletal muscle energy metabolism relates to the recovery of $\beta^2$ cell function by intensive insulin therapy in drug naïve type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3177.	1.7	3
33	Comparative effect of saxagliptin and glimepiride with a composite endpoint of adequate glycaemic control without hypoglycaemia and without weight gain in patients uncontrolled with metformin therapy: Results from the SPECIFY study, a 48-week, multicentre, randomized, controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 939-948.	2.2	3
34	Peripheral Administration of NMU Promotes White Adipose Tissue Beiging and Improves Glucose Tolerance. <i>International Journal of Endocrinology</i> , 2021, 2021, 1-10.	0.6	3
35	Gender differences in the association of body composition and biopsy-proved nonalcoholic steatohepatitis. <i>Hepatology International</i> , 2022, , 1.	1.9	3
36	Associations Between Obesity and Kidney Disease in Chinese Men and Women With Type 2 Diabetes: A Retrospective Cohort Study. <i>Canadian Journal of Diabetes</i> , 2021, , .	0.4	2

#	ARTICLE	IF	CITATIONS
37	Quantitative sensory testing can effectively predict cardiovascular autonomic neuropathy in patients with type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2021, 58, 1541-1549.	1.2	2
38	Better Islet Function and Cardiovascular Autonomic Function in Chinese Type 2 Diabetic Patients with Pure Small Fiber Neuropathy than with Mixed Neuropathy. <i>Diabetes Therapy</i> , 2021, 12, 2423-2436.	1.2	2
39	Expression and clinical significance of VISTA and PD-L1 in adrenocortical carcinoma. <i>Endocrine-Related Cancer</i> , 2022, 29, 403-413.	1.6	2
40	Are Chinese Patients with Type 2 Diabetes and a Body Mass Index of 27.5â€“32.5Âkg/m <sup>2</sup> Suitable for Metabolic Surgery? A One-Year Post-Surgery Study. <i>Diabetes Therapy</i> , 2021, 12, 1429-1444.	1.2	1
41	Association of Omental Adipocyte Hypertrophy and Fibrosis with Human Obesity and Type 2 Diabetes. <i>Obesity</i> , 2021, 29, 976-984.	1.5	1
42	New way, new recommendation: Individualized treatment of novel antidiabetic drugs for people living with type 2 diabetes based on the cardiorenal risks. <i>Journal of Evidence-Based Medicine</i> , 2021, 14, 262-264.	0.7	1