

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8323558/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Randomized trial comparing the effects of gliclazide, liraglutide, and metformin on diabetes with nonâ€alcoholic fatty liver disease. Journal of Diabetes, 2017, 9, 800-809.	1.8	116
2	Modulation of gut microbiota contributes to curcumin-mediated attenuation of hepatic steatosis in rats. Biochimica Et Biophysica Acta - General Subjects, 2017, 1861, 1801-1812.	2.4	105
3	Short-Term Intensive Therapy in Newly Diagnosed Type 2 Diabetes Partially Restores Both Insulin Sensitivity and β-Cell Function in Subjects With Long-Term Remission. Diabetes Care, 2011, 34, 1848-1853.	8.6	89
4	Effects of liraglutide, metformin and gliclazide on body composition in patients with both type 2 diabetes and nonâ€alcoholic fatty liver disease: A randomized trial. Journal of Diabetes Investigation, 2019, 10, 399-407.	2.4	77
5	Olfactory Dysfunction Mediates Adiposity in Cognitive Impairment of Type 2 Diabetes: Insights From Clinical and Functional Neuroimaging Studies. Diabetes Care, 2019, 42, 1274-1283.	8.6	66
6	Adipose group 1 innate lymphoid cells promote adipose tissue fibrosis and diabetes in obesity. Nature Communications, 2019, 10, 3254.	12.8	63
7	The status of glycemic control: A cross-sectional study of outpatients with type 2 diabetes mellitus across primary, secondary, and tertiary hospitals in the jiangsu province of China. Clinical Therapeutics, 2010, 32, 973-983.	2.5	60
8	Effects of exenatide, insulin, and pioglitazone on liver fat content and body fat distributions in drug-naive subjects with type 2 diabetes. Acta Diabetologica, 2014, 51, 865-873.	2.5	52
9	Adipose Morphology: a Critical Factor in Regulation of Human Metabolic Diseases and Adipose Tissue Dysfunction. Obesity Surgery, 2020, 30, 5086-5100.	2.1	50
10	Silymarin alleviates hepatic oxidative stress and protects against metabolic disorders in high-fat diet-fed mice. Free Radical Research, 2016, 50, 314-327.	3.3	41
11	Altered Odor-Induced Brain Activity as an Early Manifestation of Cognitive Decline in Patients With Type 2 Diabetes. Diabetes, 2018, 67, 994-1006.	0.6	39
12	Association of Androgen Excess with Glucose Intolerance in Women with Polycystic Ovary Syndrome. BioMed Research International, 2018, 2018, 1-8.	1.9	25
13	Hepatocyte growth factor alleviates hepatic insulin resistance and lipid accumulation in highâ€fat dietâ€fed mice. Journal of Diabetes Investigation, 2019, 10, 251-260.	2.4	20
14	Insulin therapy stimulates lipid synthesis and improves endocrine functions of adipocytes in dietary obese C57BL/6 mice. Acta Pharmacologica Sinica, 2010, 31, 341-346.	6.1	18
15	Metabolic effects and safety of Rouxâ€en‥ gastric bypass surgery vs. conventional medication in obese Chinese patients with type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2019, 35, e3138.	4.0	16
16	Cardiovascular and microvascular outcomes of glucagon-like peptide-1 receptor agonists in type 2 diabetes: a meta-analysis of randomized controlled cardiovascular outcome trials with trial sequential analysis. BMC Pharmacology & Toxicology, 2018, 19, 58.	2.4	15
17	Prevalence, treatment patterns and control rates of metabolic syndrome in a Chinese diabetic population: China Cardiometabolic Registries 3B study. Journal of Diabetes Investigation, 2018, 9, 789-798.	2.4	15
18	Liraglutide Attenuates Nonalcoholic Fatty Liver Disease by Modulating Gut Microbiota in Rats Administered a High-Fat Diet. BioMed Research International, 2020, 2020, 1-10.	1.9	14

Yan Bi

#	Article	IF	CITATIONS
19	Self-Reported adverse events among Chinese healthcare workers immunized with COVID-19 vaccines composed of inactivated SARS-CoV-2. Human Vaccines and Immunotherapeutics, 2022, 18, 1-7.	3.3	14
20	Modulation of gut microbiota contributes to effects of intensive insulin therapy on intestinal morphological alteration in high-fat-diet-treated mice. Acta Diabetologica, 2020, 57, 455-467.	2.5	13
21	Enhancement of Impaired Olfactory Neural Activation and Cognitive Capacity by Liraglutide, but Not Dapagliflozin or Acarbose, in Patients With Type 2 Diabetes: A 16-Week Randomized Parallel Comparative Study. Diabetes Care, 2022, 45, 1201-1210.	8.6	12
22	Active surveillance of low-risk papillary thyroid carcinoma: a promising strategy requiring additional evidence. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2751-2759.	2.5	10
23	Connecting Peripheral to Central Neuropathy: Examination of Nerve Conduction Combined with Olfactory Tests in Patients with Type 2 Diabetes. Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2021, Volume 14, 3097-3107.	2.4	10
24	Nocturnal ventricular arrhythmias are associated with the severity of cardiovascular autonomic neuropathy in type 2 diabetes. Journal of Diabetes, 2019, 11, 794-801.	1.8	8
25	Cardiovascular Autonomic Neuropathy Is an Independent Risk Factor for Left Ventricular Diastolic Dysfunction in Patients with Type 2 Diabetes. BioMed Research International, 2017, 2017, 1-6.	1.9	7
26	Insulin restores UCP3 activity and decreases energy surfeit to alleviate lipotoxicity in skeletal muscle. International Journal of Molecular Medicine, 2017, 40, 2000-2010.	4.0	7
27	Influence of fetal sex on perinatal outcomes in women with gestational diabetes mellitus. Diabetes/Metabolism Research and Reviews, 2020, 36, e3245.	4.0	7
28	Comparison of Beinaglutide Versus Metformin for Weight Loss in Overweight and Obese Non-diabetic Patients. Experimental and Clinical Endocrinology and Diabetes, 2022, 130, 358-367.	1.2	7
29	Perinatal outcomes in pregnancies complicated by type 1 diabetes mellitus. Gynecological Endocrinology, 2020, 36, 879-884.	1.7	5
30	Effects of Early Intensive Insulin Therapy on Endothelial Progenitor Cells in Patients with Newly Diagnosed TypeÂ2 Diabetes. Diabetes Therapy, 2022, 13, 679-690.	2.5	5
31	Corneal confocal microscopy: A useful tool for diagnosis of small fiber neuropathy in type 2 diabetes. Journal of Diabetes Investigation, 2021, , .	2.4	4
32	Improved skeletal muscle energy metabolism relates to the recovery of β cell function by intensive insulin therapy in drug naìve type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2019, 35, e3177.	4.0	3
33	Comparative effect of saxagliptin and glimepiride with a composite endpoint of adequate glycaemic control without hypoglycaemia and without weight gain in patients uncontrolled with metformin therapy: Results from the SPECIFY study, a 48â€week, multiâ€centre, randomized, controlled trial. Diabetes, Obesity and Metabolism, 2019, 21, 939-948.	4.4	3
34	Peripheral Administration of NMU Promotes White Adipose Tissue Beiging and Improves Glucose Tolerance. International Journal of Endocrinology, 2021, 2021, 1-10.	1.5	3
35	Gender differences in the association of body composition and biopsy-proved nonalcoholic steatohepatitis. Hepatology International, 2022, , 1.	4.2	3
36	Associations Between Obesity and Kidney Disease in Chinese Men and Women With Type 2 Diabetes: A Retrospective Cohort Study. Canadian Journal of Diabetes, 2021, , .	0.8	2

Yan Bi

#	Article	IF	CITATIONS
37	Quantitative sensory testing can effectively predict cardiovascular autonomic neuropathy in patients with type 2 diabetes mellitus. Acta Diabetologica, 2021, 58, 1541-1549.	2.5	2
38	Better Islet Function and Cardiovascular Autonomic Function in Chinese Type 2 Diabetic Patients with Pure Small Fiber Neuropathy than with Mixed Neuropathy. Diabetes Therapy, 2021, 12, 2423-2436.	2.5	2
39	Expression and clinical significance of VISTA and PD-L1 in adrenocortical carcinoma. Endocrine-Related Cancer, 2022, 29, 403-413.	3.1	2
40	Are Chinese Patients with Type 2 Diabetes and a Body Mass Index of 27.5–32.5Âkg/m2 Suitable for Metabolic Surgery? A One-Year Post-Surgery Study. Diabetes Therapy, 2021, 12, 1429-1444.	2.5	1
41	Association of Omental Adipocyte Hypertrophy and Fibrosis with Human Obesity and Type 2 Diabetes. Obesity, 2021, 29, 976-984.	3.0	1
42	New way, new recommendation: Individualized treatment of novel antidiabetic drugs for people living with type 2 diabetes based on the cardiorenal risks. Journal of Evidence-Based Medicine, 2021, 14, 262-264.	1.8	1