

Yan Bi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8323558/yan-bi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

607
citations

13
h-index

24
g-index

44
ext. papers

812
ext. citations

5.2
avg, IF

3.73
L-index

#	Paper	IF	Citations
36	Gender differences in the association of body composition and biopsy-proved nonalcoholic steatohepatitis.. <i>Hepatology International</i> , 2022 , 1	8.8	0
35	Self-Reported adverse events among Chinese healthcare workers immunized with COVID-19 vaccines composed of inactivated SARS-CoV-2.. <i>Human Vaccines and Immunotherapeutics</i> , 2022 , 1-7	4.4	0
34	Effects of Early Intensive Insulin Therapy on Endothelial Progenitor Cells in Patients with Newly Diagnosed Type 2 Diabetes. <i>Diabetes Therapy</i> , 2021 , 13, 679	3.6	0
33	Are Chinese Patients with Type 2 Diabetes and a Body Mass Index of 27.5-32.5kg/m Suitable for Metabolic Surgery? A One-Year Post-Surgery Study. <i>Diabetes Therapy</i> , 2021 , 12, 1429-1444	3.6	
32	Association of Omental Adipocyte Hypertrophy and Fibrosis with Human Obesity and Type 2 Diabetes. <i>Obesity</i> , 2021 , 29, 976-984	8	0
31	Quantitative sensory testing can effectively predict cardiovascular autonomic neuropathy in patients with type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2021 , 58, 1541-1549	3.9	1
30	Connecting Peripheral to Central Neuropathy: Examination of Nerve Conduction Combined with Olfactory Tests in Patients with Type 2 Diabetes. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021 , 14, 3097-3107	3.4	3
29	Peripheral Administration of NMU Promotes White Adipose Tissue Beiging and Improves Glucose Tolerance. <i>International Journal of Endocrinology</i> , 2021 , 2021, 6142096	2.7	1
28	Better Islet Function and Cardiovascular Autonomic Function in Chinese Type 2 Diabetic Patients with Pure Small Fiber Neuropathy than with Mixed Neuropathy. <i>Diabetes Therapy</i> , 2021 , 12, 2423-2436	3.6	1
27	Liraglutide Attenuates Nonalcoholic Fatty Liver Disease by Modulating Gut Microbiota in Rats Administered a High-Fat Diet. <i>BioMed Research International</i> , 2020 , 2020, 2947549	3	7
26	Perinatal outcomes in pregnancies complicated by type 1 diabetes mellitus. <i>Gynecological Endocrinology</i> , 2020 , 36, 879-884	2.4	2
25	Modulation of gut microbiota contributes to effects of intensive insulin therapy on intestinal morphological alteration in high-fat-diet-treated mice. <i>Acta Diabetologica</i> , 2020 , 57, 455-467	3.9	6
24	Influence of fetal sex on perinatal outcomes in women with gestational diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2020 , 36, e3245	7.5	2
23	Adipose Morphology: a Critical Factor in Regulation of Human Metabolic Diseases and Adipose Tissue Dysfunction. <i>Obesity Surgery</i> , 2020 , 30, 5086-5100	3.7	17
22	Active surveillance of low-risk papillary thyroid carcinoma: a promising strategy requiring additional evidence. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 2751-2759	4.9	5
21	Olfactory Dysfunction Mediates Adiposity in Cognitive Impairment of Type 2 Diabetes: Insights From Clinical and Functional Neuroimaging Studies. <i>Diabetes Care</i> , 2019 , 42, 1274-1283	14.6	30
20	Improved skeletal muscle energy metabolism relates to the recovery of cell function by intensive insulin therapy in drug naïve type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3177	7.5	1

19	Nocturnal ventricular arrhythmias are associated with the severity of cardiovascular autonomic neuropathy in type 2 diabetes. <i>Journal of Diabetes</i> , 2019 , 11, 794-801	3.8	4
18	Metabolic effects and safety of Roux-en-Y gastric bypass surgery vs. conventional medication in obese Chinese patients with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019 , 35, e3138	7.5	7
17	Hepatocyte growth factor alleviates hepatic insulin resistance and lipid accumulation in high-fat diet-fed mice. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 251-260	3.9	12
16	Effects of liraglutide, metformin and gliclazide on body composition in patients with both type 2 diabetes and non-alcoholic fatty liver disease: A randomized trial. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 399-407	3.9	50
15	Adipose group 1 innate lymphoid cells promote adipose tissue fibrosis and diabetes in obesity. <i>Nature Communications</i> , 2019 , 10, 3254	17.4	43
14	Comparative effect of saxagliptin and glimepiride with a composite endpoint of adequate glycaemic control without hypoglycaemia and without weight gain in patients uncontrolled with metformin therapy: Results from the SPECIFY study, a 48-week, multi-centre, randomized, controlled trial. <i>Diabetes, Obesity & Metabolism</i> , 2019 , 21, 833-840	6.7	1
13	Altered Odor-Induced Brain Activity as an Early Manifestation of Cognitive Decline in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2018 , 67, 994-1006	0.9	22
12	Prevalence, treatment patterns and control rates of metabolic syndrome in a Chinese diabetic population: China Cardiometabolic Registries 3B study. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 789-798	2.9	11
11	Cardiovascular and microvascular outcomes of glucagon-like peptide-1 receptor agonists in type 2 diabetes: a meta-analysis of randomized controlled cardiovascular outcome trials with trial sequential analysis. <i>BMC Pharmacology & Toxicology</i> , 2018 , 19, 58	2.6	10
10	Association of Androgen Excess with Glucose Intolerance in Women with Polycystic Ovary Syndrome. <i>BioMed Research International</i> , 2018 , 2018, 6869705	3	18
9	Modulation of gut microbiota contributes to curcumin-mediated attenuation of hepatic steatosis in rats. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 1801-1812	4	65
8	Randomized trial comparing the effects of gliclazide, liraglutide, and metformin on diabetes with non-alcoholic fatty liver disease. <i>Journal of Diabetes</i> , 2017 , 9, 800-809	3.8	69
7	Cardiovascular Autonomic Neuropathy Is an Independent Risk Factor for Left Ventricular Diastolic Dysfunction in Patients with Type 2 Diabetes. <i>BioMed Research International</i> , 2017 , 2017, 3270617	3	4
6	Insulin restores UCP3 activity and decreases energy surfeit to alleviate lipotoxicity in skeletal muscle. <i>International Journal of Molecular Medicine</i> , 2017 , 40, 2000-2010	4.4	6
5	Silymarin alleviates hepatic oxidative stress and protects against metabolic disorders in high-fat diet-fed mice. <i>Free Radical Research</i> , 2016 , 50, 314-27	4	29
4	Effects of exenatide, insulin, and pioglitazone on liver fat content and body fat distributions in drug-naive subjects with type 2 diabetes. <i>Acta Diabetologica</i> , 2014 , 51, 865-73	3.9	44
3	Short-term intensive therapy in newly diagnosed type 2 diabetes partially restores both insulin sensitivity and β -cell function in subjects with long-term remission. <i>Diabetes Care</i> , 2011 , 34, 1848-53	14.6	71
2	Insulin therapy stimulates lipid synthesis and improves endocrine functions of adipocytes in dietary obese C57BL/6 mice. <i>Acta Pharmacologica Sinica</i> , 2010 , 31, 341-6	8	16

- 1 The status of glycemic control: A cross-sectional study of outpatients with type 2 diabetes mellitus across primary, secondary, and tertiary hospitals in the Jiangsu province of China. *Clinical Therapeutics*, **2010**, 32, 973-83 3.5 46