Dung-Fang Lee

List of Publications by Citations

Source: https://exaly.com/author-pdf/8324039/dung-fang-lee-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers
7,976
citations
89
g-index

85
ext. papers
87,976
citations
13
avg, IF
L-index

#	Paper	IF	Citations
86	IkappaB kinase promotes tumorigenesis through inhibition of forkhead FOXO3a. <i>Cell</i> , 2004 , 117, 225-3	37 _{56.2}	747
85	Patient-specific induced pluripotent stem-cell-derived models of LEOPARD syndrome. <i>Nature</i> , 2010 , 465, 808-12	50.4	573
84	ERK promotes tumorigenesis by inhibiting FOXO3a via MDM2-mediated degradation. <i>Nature Cell Biology</i> , 2008 , 10, 138-48	23.4	515
83	IKK beta suppression of TSC1 links inflammation and tumor angiogenesis via the mTOR pathway. <i>Cell</i> , 2007 , 130, 440-55	56.2	514
82	Erk associates with and primes GSK-3beta for its inactivation resulting in upregulation of beta-catenin. <i>Molecular Cell</i> , 2005 , 19, 159-70	17.6	475
81	Wdr5 mediates self-renewal and reprogramming via the embryonic stem cell core transcriptional network. <i>Cell</i> , 2011 , 145, 183-97	56.2	433
80	KrasG12D-induced IKK2/INF-B activation by IL-1\(\text{land}\) p62 feedforward loops is required for development of pancreatic ductal adenocarcinoma. <i>Cancer Cell</i> , 2012 , 21, 105-20	24.3	379
79	Degradation of Mcl-1 by beta-TrCP mediates glycogen synthase kinase 3-induced tumor suppression and chemosensitization. <i>Molecular and Cellular Biology</i> , 2007 , 27, 4006-17	4.8	316
78	KEAP1 E3 ligase-mediated downregulation of NF-kappaB signaling by targeting IKKbeta. <i>Molecular Cell</i> , 2009 , 36, 131-40	17.6	277
77	The crosstalk of mTOR/S6K1 and Hedgehog pathways. <i>Cancer Cell</i> , 2012 , 21, 374-87	24.3	270
76	Binding at and transactivation of the COX-2 promoter by nuclear tyrosine kinase receptor ErbB-2. <i>Cancer Cell</i> , 2004 , 6, 251-61	24.3	237
75	Endosomal transport of ErbB-2: mechanism for nuclear entry of the cell surface receptor. <i>Molecular and Cellular Biology</i> , 2005 , 25, 11005-18	4.8	189
74	Coordination of m(6)A mRNA Methylation and Gene Transcription by ZFP217 Regulates Pluripotency and Reprogramming. <i>Cell Stem Cell</i> , 2015 , 17, 689-704	18	185
73	FOXO1 is an essential regulator of pluripotency in human embryonic stem cells. <i>Nature Cell Biology</i> , 2011 , 13, 1092-9	23.4	180
7 ²	Myeloid cell leukemia-1 inversely correlates with glycogen synthase kinase-3beta activity and associates with poor prognosis in human breast cancer. <i>Cancer Research</i> , 2007 , 67, 4564-71	10.1	158
71	Down-regulation of myeloid cell leukemia-1 through inhibiting Erk/Pin 1 pathway by sorafenib facilitates chemosensitization in breast cancer. <i>Cancer Research</i> , 2008 , 68, 6109-17	10.1	151
70	Modeling familial cancer with induced pluripotent stem cells. <i>Cell</i> , 2015 , 161, 240-54	56.2	135

(2008-2004)

69	Phosphorylation/cytoplasmic localization of p21Cip1/WAF1 is associated with HER2/neu overexpression and provides a novel combination predictor for poor prognosis in breast cancer patients. <i>Clinical Cancer Research</i> , 2004 , 10, 3815-24	12.9	135
68	Tumor-suppressor role for the SPOP ubiquitin ligase in signal-dependent proteolysis of the oncogenic co-activator SRC-3/AIB1. <i>Oncogene</i> , 2011 , 30, 4350-64	9.2	123
67	Regulation of embryonic and induced pluripotency by aurora kinase-p53 signaling. <i>Cell Stem Cell</i> , 2012 , 11, 179-94	18	117
66	Oct4 and klf4 reprogram dermal papilla cells into induced pluripotent stem cells. <i>Stem Cells</i> , 2010 , 28, 221-8	5.8	105
65	Prdm16 is a physiologic regulator of hematopoietic stem cells. <i>Blood</i> , 2011 , 117, 5057-66	2.2	96
64	All roads lead to mTOR: integrating inflammation and tumor angiogenesis. Cell Cycle, 2007, 6, 3011-4	4.7	95
63	Osteosarcoma: Molecular Pathogenesis and iPSC Modeling. <i>Trends in Molecular Medicine</i> , 2017 , 23, 737	-7 :5:5 5	93
62	Advances in targeting IKK and IKK-related kinases for cancer therapy. <i>Clinical Cancer Research</i> , 2008 , 14, 5656-62	12.9	92
61	APOBEC3G promotes liver metastasis in an orthotopic mouse model of colorectal cancer and predicts human hepatic metastasis. <i>Journal of Clinical Investigation</i> , 2011 , 121, 4526-36	15.9	90
60	APOBEC3G promotes liver metastasis in an orthotopic mouse model of colorectal cancer and predicts human hepatic metastasis. <i>Journal of Clinical Investigation</i> , 2012 , 122, 419-419	15.9	78
59	Single transcription factor reprogramming of hair follicle dermal papilla cells to induced pluripotent stem cells. <i>Stem Cells</i> , 2011 , 29, 964-71	5.8	76
58	Subunit 6 of the COP9 signalosome promotes tumorigenesis in mice through stabilization of MDM2 and is upregulated in human cancers. <i>Journal of Clinical Investigation</i> , 2011 , 121, 851-65	15.9	76
57	IKK Eactivation of NOTCH links tumorigenesis via FOXA2 suppression. <i>Molecular Cell</i> , 2012 , 45, 171-84	17.6	70
56	ARD1 stabilization of TSC2 suppresses tumorigenesis through the mTOR signaling pathway. <i>Science Signaling</i> , 2010 , 3, ra9	8.8	70
55	Epigenetic roles of MLL oncoproteins are dependent on NF-B. Cancer Cell, 2013, 24, 423-37	24.3	63
54	Tex10 Coordinates Epigenetic Control of Super-Enhancer Activity in Pluripotency and Reprogramming. <i>Cell Stem Cell</i> , 2015 , 16, 653-68	18	61
53	AKT1 Inhibits Epithelial-to-Mesenchymal Transition in Breast Cancer through Phosphorylation-Dependent Twist1 Degradation. <i>Cancer Research</i> , 2016 , 76, 1451-62	10.1	58
52	Bile acid exposure up-regulates tuberous sclerosis complex 1/mammalian target of rapamycin pathway in Barrett associated esophageal adenocarcinoma. <i>Cancer Research</i> , 2008 , 68, 2632-40	10.1	54

51	Myeloid Dysregulation in a Human Induced Pluripotent Stem Cell Model of PTPN11-Associated Juvenile Myelomonocytic Leukemia. <i>Cell Reports</i> , 2015 , 13, 504-515	10.6	52
50	IKKbeta suppression of TSC1 function links the mTOR pathway with insulin resistance. <i>International Journal of Molecular Medicine</i> , 2008 , 22, 633-8	4.4	51
49	A genome-wide RNAi screen identifies opposing functions of Snai1 and Snai2 on the Nanog dependency in reprogramming. <i>Molecular Cell</i> , 2014 , 56, 140-52	17.6	47
48	Genomic editing tools to model human diseases with isogenic pluripotent stem cells. <i>Stem Cells and Development</i> , 2014 , 23, 2673-86	4.4	42
47	Ihor R. Lemischka (1953 ½ 017). <i>Cell</i> , 2018 , 172, 1-2	56.2	39
46	Tbx3 Controls Dppa3 Levels and Exit from Pluripotency toward Mesoderm. <i>Stem Cell Reports</i> , 2015 , 5, 97-110	8	38
45	FOXO3a-Dependent Mechanism of E1A-Induced Chemosensitization. Cancer Research, 2011, 71, 6878-8	37 10.1	37
44	Genomic Profiling and Metabolic Homeostasis in Primary Liver Cancers. <i>Trends in Molecular Medicine</i> , 2018 , 24, 395-411	11.5	35
43	Li-Fraumeni Syndrome Disease Model: A Platform to Develop Precision Cancer Therapy Targeting Oncogenic p53. <i>Trends in Pharmacological Sciences</i> , 2017 , 38, 908-927	13.2	28
42	Combining competition assays with genetic complementation strategies to dissect mouse embryonic stem cell self-renewal and pluripotency. <i>Nature Protocols</i> , 2012 , 7, 729-48	18.8	27
41	Modeling Cancer with Pluripotent Stem Cells. <i>Trends in Cancer</i> , 2016 , 2, 485-494	12.5	26
40	TNFalpha induces HIF-1alpha expression through activation of IKKbeta. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 389, 640-4	3.4	22
39	Oncogenic role of SFRP2 in p53-mutant osteosarcoma development via autocrine and paracrine mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E11128-E11137	11.5	21
38	E1A sensitizes cancer cells to TRAIL-induced apoptosis through enhancement of caspase activation. <i>Molecular Cancer Research</i> , 2005 , 3, 219-26	6.6	18
37	The suppression of MAD1 by AKT-mediated phosphorylation activates MAD1 target genes transcription. <i>Molecular Carcinogenesis</i> , 2009 , 48, 1048-58	5	17
36	Activation of Keap1/Nrf2 signaling pathway by nuclear epidermal growth factor receptor in cancer cells. <i>American Journal of Translational Research (discontinued)</i> , 2014 , 6, 649-63	3	16
35	Phosphorylation of ARD1 by IKKbeta contributes to its destabilization and degradation. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 389, 156-61	3.4	13
34	ZNF217/ZFP217 Meets Chromatin and RNA. <i>Trends in Biochemical Sciences</i> , 2016 , 41, 986-988	10.3	12

33	H19, a Long Non-coding RNA, Mediates Transcription Factors and Target Genes through Interference of MicroRNAs in Pan-Cancer. <i>Molecular Therapy - Nucleic Acids</i> , 2020 , 21, 180-191	10.7	11
32	Generation of human embryonic stem cell line with heterozygous RB1 deletion by CRIPSR/Cas9 nickase. <i>Stem Cell Research</i> , 2018 , 28, 29-32	1.6	10
31	Exploration of self-renewal and pluripotency in ES cells using RNAi. <i>Methods in Enzymology</i> , 2010 , 477, 351-65	1.7	10
30	RNA mA modification orchestrates a LINE-1-host interaction that facilitates retrotransposition and contributes to long gene vulnerability. <i>Cell Research</i> , 2021 , 31, 861-885	24.7	10
29	A homozygous p53 R282W mutant human embryonic stem cell line generated using TALEN-mediated precise gene editing. <i>Stem Cell Research</i> , 2018 , 27, 131-135	1.6	9
28	Induced Pluripotent Stem Cells and Induced Pluripotent Cancer Cells in Cancer Disease Modeling. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1119, 169-183	3.6	9
27	A delayed chemically induced tumorigenesis in Brca2 mutant mice. Oncogene, 2004, 23, 1896-901	9.2	9
26	Establishment of a human embryonic stem cell line with homozygous TP53 R248W mutant by TALEN mediated gene editing. <i>Stem Cell Research</i> , 2018 , 29, 215-219	1.6	8
25	The Histogenesis of Ewing Sarcoma. Cancer Reports and Reviews, 2017, 1,	0.3	8
24	Molecular signatures of BRCAness analysis identifies PARP inhibitor Niraparib as a novel targeted therapeutic strategy for soft tissue Sarcomas. <i>Theranostics</i> , 2020 , 10, 9477-9494	12.1	7
23	Modeling Osteosarcoma Using Li-Fraumeni Syndrome Patient-derived Induced Pluripotent Stem Cells. <i>Journal of Visualized Experiments</i> , 2018 ,	1.6	7
22	Cancer in a dish: progress using stem cells as a platform for cancer research. <i>American Journal of Cancer Research</i> , 2018 , 8, 944-954	4.4	6
21	Genomic Integrity Safeguards Self-Renewal in Embryonic Stem Cells. <i>Cell Reports</i> , 2019 , 28, 1400-1409.	≘4 o.6	5
20	Distribution Analyzer, a methodology for identifying and clustering outlier conditions from single-cell distributions, and its application to a Nanog reporter RNAi screen. <i>BMC Bioinformatics</i> , 2015 , 16, 225	3.6	5
19	The Function of the Mutant p53-R175H in Cancer. <i>Cancers</i> , 2021 , 13,	6.6	5
18	Cytoplasmic expression of p21CIP1/WAF1 is correlated with IKK bverexpression in human breast cancers 2006 , 29, 1103		4
17	Engineering Mutation Clones in Mammalian Cells with CRISPR/Cas9. <i>Methods in Molecular Biology</i> , 2020 , 2108, 355-369	1.4	4
16	Generation of a genetically modified human embryonic stem cells expressing fluorescence tagged ATOX1. Stem Cell Research, 2019 , 41, 101631	1.6	3

15	Transient HES5 Activity Instructs Mesodermal Cells toward a Cardiac Fate. <i>Stem Cell Reports</i> , 2017 , 9, 136-148	8	3
14	Patient-derived iPSCs link elevated mitochondrial respiratory complex I function to osteosarcoma in Rothmund-Thomson syndrome <i>PLoS Genetics</i> , 2021 , 17, e1009971	6	3
13	IB Kinase Promotes Tumorigenesis through Inhibition of Forkhead FOXO3a. <i>Cell</i> , 2007 , 129, 1427-1428	56.2	2
12	Modeling of osteosarcoma with induced pluripotent stem cells. Stem Cell Research, 2020, 49, 102006	1.6	2
11	Generation of an induced pluripotent stem cell line from an individual with a heterozygous RECQL4 mutation. <i>Stem Cell Research</i> , 2018 , 33, 36-40	1.6	2
10	ZFP207 sustains pluripotency by coordinating OCT4 stability, alternative splicing and RNA export <i>EMBO Reports</i> , 2022 , e53191	6.5	1
9	Cardiotoxicity of Antineoplastic Therapies and Applications of Induced Pluripotent Stem Cell-Derived Cardiomyocytes. <i>Cells</i> , 2021 , 10,	7.9	1
8	Oncogenic role of sFRP2 in P53-mutant osteosarcoma development via autocrine and paracrine mechan	nism	1
7	An Esrrb and Nanog Cell Fate Regulatory Module Controlled by Feed Forward Loop Interactions. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 630067	5.7	1
6	Generation of a homozygous knock-in human embryonic stem cell line expressing SNAP-tagged SOD1. Stem Cell Research, 2021 , 54, 102415	1.6	1
5	LncRNA H19 Suppresses Osteosarcomagenesis by Regulating snoRNAs and DNA Repair Protein Complexes. <i>Frontiers in Genetics</i> , 2020 , 11, 611823	4.5	1
4	Hereditary retinoblastoma iPSC model reveals aberrant spliceosome function driving bone malignancies <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119, e2117857119	11.5	1
3	Ihor R. Lemischka (1953-2017). <i>Cell Stem Cell</i> , 2018 , 22, 16-17	18	
2	Ihor R. Lemischka (1953🛭017). <i>Developmental Cell</i> , 2018 , 44, 10-11	10.2	

Progress and possibilities for patient-derived iPSCs and genetically engineered stem cells in cancer modeling and targeted therapies **2022**, 247-288