

Aylin Dincer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8324281/publications.pdf>

Version: 2024-02-01

20
papers

746
citations

933447

10
h-index

1125743

13
g-index

20
all docs

20
docs citations

20
times ranked

1489
citing authors

#	ARTICLE	IF	CITATIONS
1	Beta-Amyloid Moderates the Relationship Between Cortical Thickness and Attentional Control in Middle- and Older-Aged Adults. <i>Neurobiology of Aging</i> , 2022, 112, 181-190.	3.1	3
2	Intracranial internal carotid artery calcification is not predictive of future cognitive decline. <i>Alzheimer's Research and Therapy</i> , 2022, 14, 32.	6.2	6
3	Socioeconomic Status Mediates Racial Differences Seen Using the <scp>AT(N)</scp> Framework. <i>Annals of Neurology</i> , 2021, 89, 254-265.	5.3	42
4	Lack of association between acute stroke, post-stroke dementia, race, and β -amyloid status. <i>NeuroImage: Clinical</i> , 2021, 29, 102553.	2.7	12
5	Temporal Correlation of CSF and Neuroimaging in the Amyloid-Tau-Neurodegeneration Model of Alzheimer Disease. <i>Neurology</i> , 2021, 97, e76-e87.	1.1	17
6	Sex-related Differences in Tau Positron Emission Tomography (PET) and the Effects of Hormone Therapy (HT). <i>Alzheimer Disease and Associated Disorders</i> , 2021, 35, 164-168.	1.3	30
7	Single-subject grey matter network trajectories over the disease course of autosomal dominant Alzheimer's disease. <i>Brain Communications</i> , 2020, 2, fcaa102.	3.3	11
8	Comparing cortical signatures of atrophy between late-onset and autosomal dominant Alzheimer disease. <i>NeuroImage: Clinical</i> , 2020, 28, 102491.	2.7	17
9	Serum neurofilament light chain levels are associated with white matter integrity in autosomal dominant Alzheimer's disease. <i>Neurobiology of Disease</i> , 2020, 142, 104960.	4.4	31
10	Higher Body Mass Index Is Associated with Lower Cortical Amyloid- β Burden in Cognitively Normal Individuals in Late-Life. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 817-827.	2.6	23
11	Tau PET in autosomal dominant Alzheimer's disease: relationship with cognition, dementia and other biomarkers. <i>Brain</i> , 2019, 142, 1063-1076.	7.6	122
12	Spatial patterns of neuroimaging biomarker change in individuals from families with autosomal dominant Alzheimer's disease: a longitudinal study. <i>Lancet Neurology</i> , The, 2018, 17, 241-250.	10.2	383
13	Cross-sectional and longitudinal atrophy is preferentially associated with tau rather than amyloid β positron emission tomography pathology. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 245-252.	2.4	49
14	OASIS-3: THE RELATIONSHIP BETWEEN TAU PET AND OTHER AD BIOMARKERS IN AUTOSOMAL DOMINANT ALZHEIMER DISEASE. <i>Alzheimer's and Dementia</i> , 2018, 14, P1056.	0.8	0
15	P3-401: EXAMINING THE ABILITY OF A TAU SPATIAL SPREAD METRIC TO INDICATE DISEASE PROGRESSION COMPARED TO AN INTENSITY-BASED APPROACH. <i>Alzheimer's and Dementia</i> , 2018, 14, P1255.	0.8	0
16	P3-439: REGIONAL CORTICAL THINNING PATTERNS IN COGNITIVELY IMPAIRED AND CONVERTER INDIVIDUALS USING OASIS-3 DATA. <i>Alzheimer's and Dementia</i> , 2018, 14, P1282.	0.8	0
17	[ICAP-054]: EXAMINING LONGITUDINAL NEUROIMAGING PATTERNS IN AUTOSOMAL DOMINANT ALZHEIMER DISEASE: RESULTS FROM THE DOMINANTLY INHERITED ALZHEIMER NETWORK. <i>Alzheimer's and Dementia</i> , 2017, 13, P44.	0.8	0
18	[ICAP-138]: CORTICAL THINNING PATTERN IN AUTOSOMAL DOMINANT AD PREDICTS AMYLOID POSITIVITY IN SPORADIC AD. <i>Alzheimer's and Dementia</i> , 2017, 13, P105.	0.8	0

#	ARTICLE	IF	CITATIONS
19	[1]: CORTICAL THINNING PATTERN IN AUTOSOMAL DOMINANT AD PREDICTS AMYLOID POSITIVITY IN SPORADIC AD. Alzheimer's and Dementia, 2017, 13, P184.	0.8	0
20	[2]: EXAMINING LONGITUDINAL NEUROIMAGING PATTERNS IN AUTOSOMAL DOMINANT ALZHEIMER DISEASE: FINDINGS FROM THE DOMINANTLY INHERITED ALZHEIMER NETWORK. Alzheimer's and Dementia, 2017, 13, P186.	0.8	0