Lisa A Carey

List of Publications by Citations

Source: https://exaly.com/author-pdf/8324475/lisa-a-carey-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22,761 148 70 234 h-index g-index citations papers 6.61 7.6 258 27,135 L-index avg, IF ext. papers ext. citations

| # | Paper | IF | Citations |
|-----|--|-------|-----------|
| 234 | Race, breast cancer subtypes, and survival in the Carolina Breast Cancer Study. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 295, 2492-502 | 27.4 | 2683 |
| 233 | The triple negative paradox: primary tumor chemosensitivity of breast cancer subtypes. <i>Clinical Cancer Research</i> , 2007 , 13, 2329-34 | 12.9 | 1534 |
| 232 | The molecular portraits of breast tumors are conserved across microarray platforms. <i>BMC Genomics</i> , 2006 , 7, 96 | 4.5 | 1016 |
| 231 | Epidemiology of basal-like breast cancer. Breast Cancer Research and Treatment, 2008, 109, 123-39 | 4.4 | 651 |
| 230 | Impact of the addition of carboplatin and/or bevacizumab to neoadjuvant once-per-week paclitaxel followed by dose-dense doxorubicin and cyclophosphamide on pathologic complete response rates in stage II to III triple-negative breast cancer: CALGB 40603 (Alliance). <i>Journal of Clinical Oncology</i> , | 2.2 | 590 |
| 229 | Triple-negative breast cancer: disease entity or title of convenience?. <i>Nature Reviews Clinical Oncology</i> , 2010 , 7, 683-92 | 19.4 | 588 |
| 228 | Adjuvant paclitaxel and trastuzumab for node-negative, HER2-positive breast cancer. <i>New England Journal of Medicine</i> , 2015 , 372, 134-41 | 59.2 | 455 |
| 227 | Phase II trial of bicalutamide in patients with androgen receptor-positive, estrogen receptor-negative metastatic Breast Cancer. <i>Clinical Cancer Research</i> , 2013 , 19, 5505-12 | 12.9 | 443 |
| 226 | Biology, metastatic patterns, and treatment of patients with triple-negative breast cancer. <i>Clinical Breast Cancer</i> , 2009 , 9 Suppl 2, S73-81 | 3 | 424 |
| 225 | Tucatinib, Trastuzumab, and Capecitabine for HER2-Positive Metastatic Breast Cancer. <i>New England Journal of Medicine</i> , 2020 , 382, 597-609 | 59.2 | 396 |
| 224 | Molecular characterization of basal-like and non-basal-like triple-negative breast cancer. <i>Oncologist</i> , 2013 , 18, 123-33 | 5.7 | 376 |
| 223 | TBCRC 001: randomized phase II study of cetuximab in combination with carboplatin in stage IV triple-negative breast cancer. <i>Journal of Clinical Oncology</i> , 2012 , 30, 2615-23 | 2.2 | 359 |
| 222 | Triple-negative breast cancer: risk factors to potential targets. Clinical Cancer Research, 2008, 14, 8010- | 812.9 | 336 |
| 221 | Recommendations from an international consensus conference on the current status and future of neoadjuvant systemic therapy in primary breast cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1508-16 | 3.1 | 329 |
| 220 | Pathologic complete response predicts recurrence-free survival more effectively by cancer subset: results from the I-SPY 1 TRIALCALGB 150007/150012, ACRIN 6657. <i>Journal of Clinical Oncology</i> , 2012 , 30, 3242-9 | 2.2 | 318 |
| 219 | Intrinsic breast tumor subtypes, race, and long-term survival in the Carolina Breast Cancer Study. <i>Clinical Cancer Research</i> , 2010 , 16, 6100-10 | 12.9 | 286 |
| 218 | TBCRC009: A Multicenter Phase II Clinical Trial of Platinum Monotherapy With Biomarker Assessment in Metastatic Triple-Negative Breast Cancer. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1902-9 | 2.2 | 281 |

(2012-2006)

| 217 | Estrogen-regulated genes predict survival in hormone receptor-positive breast cancers. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1656-64 | 2.2 | 275 |
|-----|---|---------------------------------|-----|
| 216 | Molecular portraits and 70-gene prognosis signature are preserved throughout the metastatic process of breast cancer. <i>Cancer Research</i> , 2005 , 65, 9155-8 | 10.1 | 264 |
| 215 | A common variant at the TERT-CLPTM1L locus is associated with estrogen receptor-negative breast cancer. <i>Nature Genetics</i> , 2011 , 43, 1210-4 | 36.3 | 253 |
| 214 | Chemotherapy response and recurrence-free survival in neoadjuvant breast cancer depends on biomarker profiles: results from the I-SPY 1 TRIAL (CALGB 150007/150012; ACRIN 6657). <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 1049-62 | 4.4 | 252 |
| 213 | Estrogen and Progesterone Receptor Testing in Breast Cancer: ASCO/CAP Guideline Update. Journal of Clinical Oncology, 2020 , 38, 1346-1366 | 2.2 | 249 |
| 212 | Molecular Heterogeneity and Response to Neoadjuvant Human Epidermal Growth Factor Receptor 2 Targeting in CALGB 40601, a Randomized Phase III Trial of Paclitaxel Plus Trastuzumab With or Without Lapatinib. <i>Journal of Clinical Oncology</i> , 2016 , 34, 542-9 | 2.2 | 242 |
| 211 | CYP2D6 and tamoxifen: DNA matters in breast cancer. <i>Nature Reviews Cancer</i> , 2009 , 9, 576-86 | 31.3 | 242 |
| 210 | Asparagine bioavailability governs metastasis in a model of breast cancer. <i>Nature</i> , 2018 , 554, 378-381 | 50.4 | 234 |
| 209 | What is triple-negative breast cancer?. European Journal of Cancer, 2008, 44, 2799-805 | 7.5 | 230 |
| 208 | Inhibition of Lapatinib-Induced Kinome Reprogramming in ERBB2-Positive Breast Cancer by Targeting BET Family Bromodomains. <i>Cell Reports</i> , 2015 , 11, 390-404 | 10.6 | 210 |
| 207 | EGFR associated expression profiles vary with breast tumor subtype. <i>BMC Genomics</i> , 2007 , 8, 258 | 4.5 | 208 |
| 206 | Lower-dose vs high-dose oral estradiol therapy of hormone receptor-positive, aromatase inhibitor-resistant advanced breast cancer: a phase 2 randomized study. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 302, 774-80 | 27.4 | 206 |
| 205 | Chemotherapy and targeted therapy for women with human epidermal growth factor receptor 2-negative (or unknown) advanced breast cancer: American Society of Clinical Oncology Clinical Practice Guideline. <i>Journal of Clinical Oncology</i> , 2014 , 32, 3307-29 | 2.2 | 185 |
| 204 | Prognostic B-cell signatures using mRNA-seq in patients with subtype-specific breast and ovarian cancer. <i>Clinical Cancer Research</i> , 2014 , 20, 3818-29 | 12.9 | 168 |
| 203 | Neratinib Plus Paclitaxel vs Trastuzumab Plus Paclitaxel in Previously Untreated Metastatic ERBB2-Positive Breast Cancer: The NEFERT-T Randomized Clinical Trial. <i>JAMA Oncology</i> , 2016 , 2, 1557- | 15 ¹ 64 ⁴ | 168 |
| 202 | Understanding and treating triple-negative breast cancer. <i>Oncology</i> , 2008 , 22, 1233-9; discussion 1239-40, 1243 | 1.8 | 167 |
| 201 | A phase II study of afatinib (BIBW 2992), an irreversible ErbB family blocker, in patients with HER2-positive metastatic breast cancer progressing after trastuzumab. <i>Breast Cancer Research and Treatment</i> , 2012 , 133, 1057-65 | 4.4 | 166 |
| 200 | Genomic analysis identifies unique signatures predictive of brain, lung, and liver relapse. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 523-35 | 4.4 | 165 |

| 199 | Ki67 Proliferation Index as a Tool for Chemotherapy Decisions During and After Neoadjuvant Aromatase Inhibitor Treatment of Breast Cancer: Results From the American College of Surgeons Oncology Group Z1031 Trial (Alliance). <i>Journal of Clinical Oncology</i> , 2017 , 35, 1061-1069 | 2.2 | 164 |
|-----|---|------|-----|
| 198 | Randomized Phase III Trial of Paclitaxel Once Per Week Compared With Nanoparticle Albumin-Bound Nab-Paclitaxel Once Per Week or Ixabepilone With Bevacizumab As First-Line Chemotherapy for Locally Recurrent or Metastatic Breast Cancer: CALGB 40502/NCCTG N063H | 2.2 | 157 |
| 197 | Effect of cytotoxic chemotherapy on markers of molecular age in patients with breast cancer. Journal of the National Cancer Institute, 2014 , 106, dju057 | 9.7 | 157 |
| 196 | Genotype-guided tamoxifen dosing increases active metabolite exposure in women with reduced CYP2D6 metabolism: a multicenter study. <i>Journal of Clinical Oncology</i> , 2011 , 29, 3232-9 | 2.2 | 157 |
| 195 | American Joint Committee on Cancer tumor-node-metastasis stage after neoadjuvant chemotherapy and breast cancer outcome. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1137-42 | 9.7 | 153 |
| 194 | Breast carcinomas arising at a young age: unique biology or a surrogate for aggressive intrinsic subtypes?. <i>Journal of Clinical Oncology</i> , 2011 , 29, e18-20 | 2.2 | 152 |
| 193 | Molecular subtypes in breast cancer evaluation and management: divide and conquer. <i>Cancer Investigation</i> , 2008 , 26, 1-10 | 2.1 | 150 |
| 192 | Increasing the dose intensity of chemotherapy by more frequent administration or sequential scheduling: a patient-level meta-analysis of 37 298 women with early breast cancer in 26 randomised trials. <i>Lancet, The</i> , 2019 , 393, 1440-1452 | 40 | 137 |
| 191 | Intracranial Efficacy and Survival With Tucatinib Plus Trastuzumab and Capecitabine for Previously Treated HER2-Positive Breast Cancer With Brain Metastases in the HER2CLIMB Trial. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2610-2619 | 2.2 | 134 |
| 190 | Disparities in breast cancer treatment and outcomes: biological, social, and health system determinants and opportunities for research. <i>Oncologist</i> , 2013 , 18, 986-93 | 5.7 | 134 |
| 189 | Molecular features and survival outcomes of the intrinsic subtypes within HER2-positive breast cancer. <i>Journal of the National Cancer Institute</i> , 2014 , 106, | 9.7 | 132 |
| 188 | A compact VEGF signature associated with distant metastases and poor outcomes. <i>BMC Medicine</i> , 2009 , 7, 9 | 11.4 | 132 |
| 187 | Directed therapy of subtypes of triple-negative breast cancer. <i>Oncologist</i> , 2011 , 16 Suppl 1, 71-8 | 5.7 | 126 |
| 186 | Seven-Year Follow-Up Analysis of Adjuvant Paclitaxel and Trastuzumab Trial for Node-Negative, Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2019 , 37, 1868-1875 | 2.2 | 120 |
| 185 | Poly(ADP-Ribose) polymerase inhibition: "targeted" therapy for triple-negative breast cancer. <i>Clinical Cancer Research</i> , 2010 , 16, 4702-10 | 12.9 | 120 |
| 184 | Novel methylated biomarkers and a robust assay to detect circulating tumor DNA in metastatic breast cancer. <i>Cancer Research</i> , 2014 , 74, 2160-70 | 10.1 | 115 |
| 183 | The prognostic contribution of clinical breast cancer subtype, age, and race among patients with breast cancer brain metastases. <i>Cancer</i> , 2011 , 117, 1602-11 | 6.4 | 110 |
| 182 | Sacituzumab Govitecan in Metastatic Triple-Negative Breast Cancer. <i>New England Journal of Medicine</i> , 2021 , 384, 1529-1541 | 59.2 | 108 |

| 181 | Long-Term Outcome of Neoadjuvant Therapy for Locally Advanced Breast Carcinoma. <i>Annals of Surgery</i> , 2002 , 236, 295-303 | 7.8 | 107 |
|-----|--|-------|-----|
| 180 | Building prognostic models for breast cancer patients using clinical variables and hundreds of gene expression signatures. <i>BMC Medical Genomics</i> , 2011 , 4, 3 | 3.7 | 104 |
| 179 | Defining breast cancer intrinsic subtypes by quantitative receptor expression. <i>Oncologist</i> , 2015 , 20, 474 | 1-827 | 102 |
| 178 | Neoadjuvant Chemotherapy, Endocrine Therapy, and Targeted Therapy for Breast Cancer: ASCO Guideline. <i>Journal of Clinical Oncology</i> , 2021 , 39, 1485-1505 | 2.2 | 102 |
| 177 | Antagonism of EGFR and HER3 enhances the response to inhibitors of the PI3K-Akt pathway in triple-negative breast cancer. <i>Science Signaling</i> , 2014 , 7, ra29 | 8.8 | 93 |
| 176 | TBCRC 048: Phase II Study of Olaparib for Metastatic Breast Cancer and Mutations in Homologous Recombination-Related Genes. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4274-4282 | 2.2 | 92 |
| 175 | Age-specific changes in intrinsic breast cancer subtypes: a focus on older women. <i>Oncologist</i> , 2014 , 19, 1076-83 | 5.7 | 85 |
| 174 | Treg depletion potentiates checkpoint inhibition in claudin-low breast cancer. <i>Journal of Clinical Investigation</i> , 2017 , 127, 3472-3483 | 15.9 | 84 |
| 173 | Integrated RNA and DNA sequencing reveals early drivers of metastatic breast cancer. <i>Journal of Clinical Investigation</i> , 2018 , 128, 1371-1383 | 15.9 | 83 |
| 172 | Estrogen and Progesterone Receptor Testing in Breast Cancer: American Society of Clinical Oncology/College of American Pathologists Guideline Update. <i>Archives of Pathology and Laboratory Medicine</i> , 2020 , 144, 545-563 | 5 | 82 |
| 171 | Breast cancer molecular subtypes in patients with locally advanced disease: impact on prognosis, patterns of recurrence, and response to therapy. <i>Seminars in Radiation Oncology</i> , 2009 , 19, 204-10 | 5.5 | 82 |
| 170 | Enhancer Remodeling during Adaptive Bypass to MEK Inhibition Is Attenuated by Pharmacologic Targeting of the P-TEFb Complex. <i>Cancer Discovery</i> , 2017 , 7, 302-321 | 24.4 | 80 |
| 169 | Phase III Trial Evaluating Letrozole As First-Line Endocrine Therapy With or Without Bevacizumab for the Treatment of Postmenopausal Women With Hormone Receptor-Positive Advanced-Stage Breast Cancer: CALGB 40503 (Alliance). <i>Journal of Clinical Oncology</i> , 2016 , 34, 2602-9 | 2.2 | 77 |
| 168 | The 2014 Society of Surgical Oncology Susan G. Komen for the Cure Symposium: triple-negative breast cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 874-82 | 3.1 | 74 |
| 167 | Lobular histology and response to neoadjuvant chemotherapy in invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2012 , 136, 35-43 | 4.4 | 73 |
| 166 | Impact of breast cancer molecular subtypes on locoregional recurrence in patients treated with neoadjuvant chemotherapy for locally advanced breast cancer. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2851-7 | 3.1 | 73 |
| 165 | CYP2C8*3 predicts benefit/risk profile in breast cancer patients receiving neoadjuvant paclitaxel. Breast Cancer Research and Treatment, 2012 , 134, 401-10 | 4.4 | 71 |
| 164 | B -crystallin: a novel regulator of breast cancer metastasis to the brain. <i>Clinical Cancer Research</i> , 2014 , 20, 56-67 | 12.9 | 70 |

| 163 | Retention and use of breast cancer recurrence risk information from genomic tests: the role of health literacy. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007 , 16, 249-55 | 4 | 69 |
|-----|--|--------------------|----|
| 162 | Treatment of single brain metastasis with resection, intracavity carmustine polymer wafers, and radiation therapy is safe and provides excellent local control. <i>Clinical Cancer Research</i> , 2007 , 13, 3637-4 | 41 ^{12.9} | 69 |
| 161 | Feasibility Assessment of Patient Reporting of Symptomatic Adverse Events in Multicenter Cancer Clinical Trials. <i>JAMA Oncology</i> , 2017 , 3, 1043-1050 | 13.4 | 67 |
| 160 | Pharmacokinetics and efficacy of PEGylated liposomal doxorubicin in an intracranial model of breast cancer. <i>PLoS ONE</i> , 2013 , 8, e61359 | 3.7 | 67 |
| 159 | Breast cancer biologic and etiologic heterogeneity by young age and menopausal status in the Carolina Breast Cancer Study: a case-control study. <i>Breast Cancer Research</i> , 2016 , 18, 79 | 8.3 | 64 |
| 158 | The management of early-stage and metastatic triple-negative breast cancer: a review. Hematology/Oncology Clinics of North America, 2013, 27, 737-49, viii | 3.1 | 64 |
| 157 | Improved surgical outcomes for breast cancer patients receiving neoadjuvant aromatase inhibitor therapy: results from a multicenter phase II trial. <i>Journal of the American College of Surgeons</i> , 2009 , 208, 906-14; discussion 915-6 | 4.4 | 64 |
| 156 | Tumor Evolution in Two Patients with Basal-like Breast Cancer: A Retrospective Genomics Study of Multiple Metastases. <i>PLoS Medicine</i> , 2016 , 13, e1002174 | 11.6 | 62 |
| 155 | Racial Differences in PAM50 Subtypes in the Carolina Breast Cancer Study. <i>Journal of the National Cancer Institute</i> , 2018 , 110, | 9.7 | 62 |
| 154 | Current treatment paradigms for the management of patients with brain metastases. <i>Neurosurgery</i> , 2005 , 57, S66-77; discussion S1-4 | 3.2 | 58 |
| 153 | PAM50 gene signatures and breast cancer prognosis with adjuvant anthracycline- and taxane-based chemotherapy: correlative analysis of C9741 (Alliance). <i>Npj Breast Cancer</i> , 2016 , 2, | 7.8 | 58 |
| 152 | Axillary lymph node count is lower after neoadjuvant chemotherapy. <i>American Journal of Surgery</i> , 2006 , 191, 827-9 | 2.7 | 57 |
| 151 | Size of residual lymph node metastasis after neoadjuvant chemotherapy in locally advanced breast cancer patients is prognostic. <i>Annals of Surgical Oncology</i> , 2006 , 13, 685-91 | 3.1 | 56 |
| 150 | Financial Impact of Breast Cancer in Black Versus White Women. <i>Journal of Clinical Oncology</i> , 2018 , 36, 1695-1701 | 2.2 | 56 |
| 149 | Improving communication of breast cancer recurrence risk. <i>Breast Cancer Research and Treatment</i> , 2012 , 133, 553-61 | 4.4 | 55 |
| 148 | Guidelines for the initial management of metastatic brain tumors: role of surgery, radiosurgery, and radiation therapy. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2008 , 6, 505-13; quiz 514 | 7.3 | 55 |
| 147 | Research issues affecting preoperative systemic therapy for operable breast cancer. <i>Journal of Clinical Oncology</i> , 2008 , 26, 806-13 | 2.2 | 54 |
| 146 | TBCRC 008: early change in 18F-FDG uptake on PET predicts response to preoperative systemic therapy in human epidermal growth factor receptor 2-negative primary operable breast cancer. Journal of Nuclear Medicine, 2015, 56, 31-7 | 8.9 | 48 |

| 145 | Cardiac Outcomes of Patients Receiving Adjuvant Weekly Paclitaxel and Trastuzumab for Node-Negative, ERBB2-Positive Breast Cancer. <i>JAMA Oncology</i> , 2016 , 2, 29-36 | 13.4 | 48 |
|-----|--|---------------------------|----|
| 144 | TBCRC 018: phase II study of iniparib in combination with irinotecan to treat progressive triple negative breast cancer brain metastases. <i>Breast Cancer Research and Treatment</i> , 2014 , 146, 557-66 | 4.4 | 48 |
| 143 | Central nervous system metastases in women after multimodality therapy for high risk breast cancer. <i>Breast Cancer Research and Treatment</i> , 2004 , 88, 273-80 | 4.4 | 47 |
| 142 | Chemotherapy-related amenorrhea after adjuvant paclitaxel-trastuzumab (APT trial). <i>Breast Cancer Research and Treatment</i> , 2015 , 151, 589-96 | 4.4 | 46 |
| 141 | Telomerase activity and prognosis in primary breast cancers. <i>Journal of Clinical Oncology</i> , 1999 , 17, 307 | 5 ₂ 8 <u>1</u> | 46 |
| 140 | Dysregulation of the epigenome in triple-negative breast cancers: basal-like and claudin-low breast cancers express aberrant DNA hypermethylation. <i>Experimental and Molecular Pathology</i> , 2013 , 95, 276- | 8 7 ·4 | 45 |
| 139 | Altered-function p53 missense mutations identified in breast cancers can have subtle effects on transactivation. <i>Molecular Cancer Research</i> , 2010 , 8, 701-16 | 6.6 | 44 |
| 138 | Customizing local and systemic therapies for women with early breast cancer: the St. Gallen International Consensus Guidelines for treatment of early breast cancer 2021. <i>Annals of Oncology</i> , 2021 , 32, 1216-1235 | 10.3 | 44 |
| 137 | PARP and cancerif it@broke, don@fix it. New England Journal of Medicine, 2011, 364, 277-9 | 59.2 | 43 |
| 136 | Clinical and translational results of CALGB 40601: A neoadjuvant phase III trial of weekly paclitaxel and trastuzumab with or without lapatinib for HER2-positive breast cancer <i>Journal of Clinical Oncology</i> , 2013 , 31, 500-500 | 2.2 | 43 |
| 135 | Impact of neoadjuvant therapy on eligibility for and frequency of breast conservation in stage II-III HER2-positive breast cancer: surgical results of CALGB 40601 (Alliance). <i>Breast Cancer Research and Treatment</i> , 2016 , 160, 297-304 | 4.4 | 42 |
| 134 | Women@experiences with genomic testing for breast cancer recurrence risk. <i>Cancer</i> , 2010 , 116, 1992-2 | 9000p | 42 |
| 133 | Long-term outcome of neoadjuvant therapy for locally advanced breast carcinoma: effective clinical downstaging allows breast preservation and predicts outstanding local control and survival. <i>Annals of Surgery</i> , 2002 , 236, 295-302; discussion 302-3 | 7.8 | 42 |
| 132 | Integrated Analysis of RNA and DNA from the Phase III Trial CALGB 40601 Identifies Predictors of Response to Trastuzumab-Based Neoadjuvant Chemotherapy in HER2-Positive Breast Cancer. <i>Clinical Cancer Research</i> , 2018 , 24, 5292-5304 | 12.9 | 41 |
| 131 | Directed therapy of subtypes of triple-negative breast cancer. <i>Oncologist</i> , 2010 , 15 Suppl 5, 49-56 | 5.7 | 41 |
| 130 | Gene expression profiling in breast cancer. Current Opinion in Oncology, 2007, 19, 547-51 | 4.2 | 40 |
| 129 | HER2-enriched subtype and pathological complete response in HER2-positive breast cancer: A systematic review and meta-analysis. <i>Cancer Treatment Reviews</i> , 2020 , 84, 101965 | 14.4 | 39 |
| 128 | Racial Variation in the Uptake of Oncotype DX Testing for Early-Stage Breast Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 130-8 | 2.2 | 39 |

| 127 | Disparities in Use of Human Epidermal Growth Hormone Receptor 2-Targeted Therapy for Early-Stage Breast Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2003-9 | 2.2 | 39 |
|--------------------------|--|------------------|--|
| 126 | Women@interest in gene expression analysis for breast cancer recurrence risk. <i>Journal of Clinical Oncology</i> , 2007 , 25, 4628-34 | 2.2 | 38 |
| 125 | Cross-species DNA copy number analyses identifies multiple 1q21-q23 subtype-specific driver genes for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 347-56 | 4.4 | 37 |
| 124 | Comparison of residual cancer burden, American Joint Committee on Cancer staging and pathologic complete response in breast cancer after neoadjuvant chemotherapy: results from the I-SPY 1 TRIAL (CALGB 150007/150012; ACRIN 6657). <i>Breast Cancer Research and Treatment</i> , 2017 , | 4.4 | 37 |
| 123 | Patient-reported and clinician-reported chemotherapy-induced peripheral neuropathy in patients with early breast cancer: Current clinical practice. <i>Cancer</i> , 2019 , 125, 2945-2954 | 6.4 | 34 |
| 122 | Genetic heterogeneity beyond CYP2C8*3 does not explain differential sensitivity to paclitaxel-induced neuropathy. <i>Breast Cancer Research and Treatment</i> , 2014 , 145, 245-54 | 4.4 | 34 |
| 121 | Molecular profiling in breast cancer. Reviews in Endocrine and Metabolic Disorders, 2007, 8, 185-98 | 10.5 | 34 |
| 120 | Blood vessel morphologic changes depicted with MR angiography during treatment of brain metastases: a feasibility study. <i>Radiology</i> , 2007 , 245, 824-30 | 20.5 | 34 |
| 119 | Circulating tumor cell analysis in metastatic triple-negative breast cancers. <i>Clinical Cancer Research</i> , 2015 , 21, 1098-105 | 12.9 | 33 |
| 118 | Targeted chemotherapy? Platinum in BRCA1-dysfunctional breast cancer. <i>Journal of Clinical</i> | 2.2 | 33 |
| | Oncology, 2010 , 28, 361-3 | | |
| 117 | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 260-2 | 11.5 | 33 |
| 117 116 | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , | | |
| | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 260-2 | | 33 |
| 116 | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 260-2 Treatment of melanoma metastases in the brain. <i>Journal of Surgical Oncology</i> , 1996 , 12, 429-35 Race, response to chemotherapy, and outcome within clinical breast cancer subtypes. <i>Breast Cancer</i> | 11.5 | 33 |
| 116 | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 260-2 Treatment of melanoma metastases in the brain. <i>Journal of Surgical Oncology</i> , 1996 , 12, 429-35 Race, response to chemotherapy, and outcome within clinical breast cancer subtypes. <i>Breast Cancer Research and Treatment</i> , 2015 , 150, 667-74 Through a glass darkly: advances in understanding breast cancer biology, 2000-2010. <i>Clinical Breast</i> | 11.5 | 33 33 32 |
| 116 115 | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 260-2 Treatment of melanoma metastases in the brain. <i>Journal of Surgical Oncology</i> , 1996 , 12, 429-35 Race, response to chemotherapy, and outcome within clinical breast cancer subtypes. <i>Breast Cancer Research and Treatment</i> , 2015 , 150, 667-74 Through a glass darkly: advances in understanding breast cancer biology, 2000-2010. <i>Clinical Breast Cancer</i> , 2010 , 10, 188-95 Response and cardiac toxicity of trastuzumab given in conjunction with weekly paclitaxel after | 11.5 4·4 3 | 33 33 32 32 |
| 116 115 114 113 | A desensitization protocol for the mAb cetuximab. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 260-2 Treatment of melanoma metastases in the brain. <i>Journal of Surgical Oncology</i> , 1996 , 12, 429-35 Race, response to chemotherapy, and outcome within clinical breast cancer subtypes. <i>Breast Cancer Research and Treatment</i> , 2015 , 150, 667-74 Through a glass darkly: advances in understanding breast cancer biology, 2000-2010. <i>Clinical Breast Cancer</i> , 2010 , 10, 188-95 Response and cardiac toxicity of trastuzumab given in conjunction with weekly paclitaxel after doxorubicin/cyclophosphamide. <i>Clinical Breast Cancer</i> , 2006 , 7, 237-43 Comparative Toxicity and Effectiveness of Trastuzumab-Based Chemotherapy Regimens in Older | 11.5 4·4 3 | 33 33 32 32 32 32 |

(2021-2005)

| 109 | Lymphatic mapping and sentinel lymphadenectomy prior to neoadjuvant chemotherapy in patients with large breast cancers. <i>American Journal of Surgery</i> , 2005 , 190, 371-5 | 2.7 | 30 | |
|-----|---|------|----|--|
| 108 | Dendritic cells can be rapidly expanded ex vivo and safely administered in patients with metastatic breast cancer. <i>Cancer Immunology, Immunotherapy</i> , 2004 , 53, 777-85 | 7.4 | 30 | |
| 107 | Gene-expression analysis and the basal-like breast cancer subtype. Future Oncology, 2007, 3, 55-63 | 3.6 | 29 | |
| 106 | Endocrine Therapy Nonadherence and Discontinuation in Black and White Women. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 498-508 | 9.7 | 29 | |
| 105 | Clonal evolution of lymphoblastoid cell lines. <i>Laboratory Investigation</i> , 2006 , 86, 1193-200 | 5.9 | 28 | |
| 104 | Survival, Pathologic Response, and Genomics in CALGB 40601 (Alliance), a Neoadjuvant Phase III Trial of Paclitaxel-Trastuzumab With or Without Lapatinib in HER2-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2020 , 38, 4184-4193 | 2.2 | 28 | |
| 103 | Tamoxifen Dose Escalation in Patients With Diminished CYP2D6 Activity Normalizes Endoxifen Concentrations Without Increasing Toxicity. <i>Oncologist</i> , 2016 , 21, 795-803 | 5.7 | 28 | |
| 102 | TBCRC026: Phase II Trial Correlating Standardized Uptake Value With Pathologic Complete Response to Pertuzumab and Trastuzumab in Breast Cancer. <i>Journal of Clinical Oncology</i> , 2019 , 37, 714 | -722 | 26 | |
| 101 | Patient-Reported Toxicities During Chemotherapy Regimens in Current Clinical Practice for Early Breast Cancer. <i>Oncologist</i> , 2019 , 24, 762-771 | 5.7 | 26 | |
| 100 | Impact of race, ethnicity, and BMI on achievement of pathologic complete response following neoadjuvant chemotherapy for breast cancer: a pooled analysis of four prospective Alliance clinical trials (A151426). <i>Breast Cancer Research and Treatment</i> , 2016 , 159, 109-18 | 4.4 | 26 | |
| 99 | Tuberculin skin test reactivity, anergy, and HIV infection in hospitalized patients. Longcope Firm of the Osler Medical Housestaff. <i>American Journal of Medicine</i> , 1996 , 100, 186-92 | 2.4 | 26 | |
| 98 | Randomized Trial of Standard Adjuvant Chemotherapy Regimens Versus Capecitabine in Older Women With Early Breast Cancer: 10-Year Update of the CALGB 49907 Trial. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2338-2348 | 2.2 | 25 | |
| 97 | Breast Cancer Screening in Low- and Middle-Income Countries: A Perspective From Malawi. <i>Journal of Global Oncology</i> , 2016 , 2, 4-8 | 2.6 | 24 | |
| 96 | Clinical trials in triple negative breast cancer. <i>Breast Disease</i> , 2010 , 32, 123-36 | 1.6 | 24 | |
| 95 | ACR Appropriateness Criteria conservative surgery and radiationstage I and II breast carcinoma: expert panel on radiation oncology: breast. <i>Breast Journal</i> , 2011 , 17, 448-55 | 1.2 | 24 | |
| 94 | Engaging in health behaviors to lower risk for breast cancer recurrence. <i>PLoS ONE</i> , 2013 , 8, e53607 | 3.7 | 24 | |
| 93 | Changing Natural History of HER2-Positive Breast Cancer Metastatic to the Brain in the Era of New Targeted Therapies. <i>Clinical Breast Cancer</i> , 2018 , 18, 29-37 | 3 | 24 | |
| 92 | Trastuzumab for early-stage, HER2-positive breast cancer: a meta-analysis of 13 864 women in seven randomised trials. <i>Lancet Oncology, The</i> , 2021 , 22, 1139-1150 | 21.7 | 24 | |

| 91 | Brain metastases. Current Treatment Options in Oncology, 2001, 2, 537-47 | 5.4 | 23 |
|----|--|-------------------|----|
| 90 | A Multidisciplinary Breast Cancer Brain Metastases Clinic: The University of North Carolina Experience. <i>Oncologist</i> , 2016 , 21, 16-20 | 5.7 | 22 |
| 89 | Phase II study of bortezomib and pegylated liposomal doxorubicin in the treatment of metastatic breast cancer. <i>Clinical Breast Cancer</i> , 2010 , 10, 465-70 | 3 | 22 |
| 88 | LCCC 1025: a phase II study of everolimus, trastuzumab, and vinorelbine to treat progressive HER2-positive breast cancer brain metastases. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 637-6 | 4 8 -4 | 22 |
| 87 | Phase 1 study of seviteronel, a selective CYP17 lyase and androgen receptor inhibitor, in women with estrogen receptor-positive or triple-negative breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018 , 171, 111-120 | 4.4 | 21 |
| 86 | Defining the expressed breast cancer kinome. <i>Cell Research</i> , 2012 , 22, 620-3 | 24.7 | 21 |
| 85 | Polymorphisms in drug metabolism genes, smoking, and p53 mutations in breast cancer. <i>Molecular Carcinogenesis</i> , 2008 , 47, 88-99 | 5 | 21 |
| 84 | Oxygen radical scavengers improve vascular patency and bone-muscle cell survival in an ischemic extremity replant model. <i>Plastic and Reconstructive Surgery</i> , 1989 , 84, 117-23 | 2.7 | 21 |
| 83 | Locally advanced breast cancers are more likely to present as Interval Cancers: results from the I-SPY 1 TRIAL (CALGB 150007/150012, ACRIN 6657, InterSPORE Trial). <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 871-9 | 4.4 | 20 |
| 82 | A multivariable prognostic score to guide systemic therapy in early-stage HER2-positive breast cancer: a retrospective study with an external evaluation. <i>Lancet Oncology, The</i> , 2020 , 21, 1455-1464 | 21.7 | 20 |
| 81 | Evolution of Targeted Therapy in Breast Cancer: Where Precision Medicine Began. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2018 , 38, 78-86 | 7.1 | 20 |
| 80 | When genomic and standard test results diverge: implications for breast cancer patientsO preference for chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2009 , 117, 25-9 | 4.4 | 19 |
| 79 | ACR appropriateness criteria([]) ductal carcinoma in situ. <i>Breast Journal</i> , 2012 , 18, 8-15 | 1.2 | 18 |
| 78 | A phase I and pharmacologic study of the combination of bortezomib and pegylated liposomal doxorubicin in patients with refractory solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 63, 99-107 | 3.5 | 18 |
| 77 | High-resolution axillary ultrasound is a poor prognostic test for determining pathologic lymph node status in patients undergoing neoadjuvant chemotherapy for locally advanced breast cancer. <i>American Journal of Surgery</i> , 2004 , 188, 386-9 | 2.7 | 17 |
| 76 | Neoadjuvant Systemic Therapy Use for Younger Patients with Breast Cancer Treated in Different Types of Cancer Centers Across the United States. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 717-728.e4 | 4.4 | 16 |
| 75 | Quantifying the effect of ischemia on epiphyseal growth in an extremity replant model. <i>Journal of Hand Surgery</i> , 1990 , 15, 625-30 | 2.6 | 16 |
| 74 | Racial variation in adjuvant chemotherapy initiation among breast cancer patients receiving oncotype DX testing. <i>Breast Cancer Research and Treatment</i> , 2015 , 153, 191-200 | 4.4 | 15 |

(2020-2018)

| 73 | A Phase I Trial of the PI3K Inhibitor Buparlisib Combined With Capecitabine in Patients With Metastatic Breast Cancer. <i>Clinical Breast Cancer</i> , 2018 , 18, 289-297 | 3 | 15 |
|----|---|------|----|
| 72 | FGFR4 regulates tumor subtype differentiation in luminal breast cancer and metastatic disease. <i>Journal of Clinical Investigation</i> , 2020 , 130, 4871-4887 | 15.9 | 15 |
| 71 | The effect of aprepitant and race on the pharmacokinetics of cyclophosphamide in breast cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 69, 1189-96 | 3.5 | 14 |
| 70 | Reporting of race and ethnicity in breast cancer research: room for improvement. <i>Breast Cancer Research and Treatment</i> , 2009 , 118, 511-7 | 4.4 | 14 |
| 69 | Radiation clastogenesis and cell cycle checkpoint function as functional markers of breast cancer risk. <i>Carcinogenesis</i> , 2006 , 27, 2519-27 | 4.6 | 14 |
| 68 | Understanding how breast cancer patients use risk information from genomic tests. <i>Journal of Behavioral Medicine</i> , 2013 , 36, 567-73 | 3.6 | 13 |
| 67 | ACR appropriateness criteria locally advanced breast cancer. <i>Breast Journal</i> , 2011 , 17, 579-85 | 1.2 | 13 |
| 66 | Weight changes in postmenopausal breast cancer survivors over 2Dyears of endocrine therapy: a retrospective chart review. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 375-388 | 4.4 | 12 |
| 65 | What Is the Real Impact of Estrogen Receptor Status on the Prognosis and Treatment of HER2-Positive Early Breast Cancer?. <i>Clinical Cancer Research</i> , 2020 , 26, 2783-2788 | 12.9 | 12 |
| 64 | Defining success in neoadjuvant breast cancer trials. <i>Lancet, The</i> , 2014 , 384, 115-6 | 40 | 12 |
| 63 | Race and delays in breast cancer treatment across the care continuum in the Carolina Breast Cancer Study. <i>Cancer</i> , 2019 , 125, 3985-3992 | 6.4 | 11 |
| 62 | ACR Appropriateness Criteria local-regional recurrence (LR) and salvage surgery: breast cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2012 , 35, 178-82 | 2.7 | 11 |
| 61 | Gene expression signatures in pre- and post-therapy (Rx) specimens from CALGB 40601 (Alliance), a neoadjuvant phase III trial of weekly paclitaxel and trastuzumab with or without lapatinib for HER2-positive breast cancer (BrCa) <i>Journal of Clinical Oncology</i> , 2014 , 32, 506-506 | 2.2 | 11 |
| 60 | Young women with locally advanced breast cancer who achieve breast conservation after neoadjuvant chemotherapy have a low local recurrence rate. <i>American Surgeon</i> , 2011 , 77, 850-5 | 0.8 | 11 |
| 59 | Chemotherapy and Targeted Therapy for Patients With Human Epidermal Growth Factor Receptor 2-Negative Metastatic Breast Cancer That is Either Endocrine-Pretreated or Hormone Receptor-Negative: ASCO Guideline Update. <i>Journal of Clinical Oncology</i> , 2021 , 39, 3938-3958 | 2.2 | 11 |
| 58 | Examination and prognostic implications of the unique microenvironment of breast cancer brain metastases. <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 321-328 | 4.4 | 10 |
| 57 | A phase II study of medroxyprogesterone acetate in patients with hormone receptor negative metastatic breast cancer: translational breast cancer research consortium trial 007. <i>Breast Cancer Research and Treatment</i> , 2014 , 148, 99-106 | 4.4 | 10 |
| 56 | Weight trajectories in women receiving systemic adjuvant therapy for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 709-720 | 4.4 | 10 |

| 55 | Local-regional recurrence in women with small node-negative, HER2-positive breast cancer: results from a prospective multi-institutional study (the APT trial). <i>Breast Cancer Research and Treatment</i> , 2019 , 176, 303-310 | 4.4 | 8 |
|----|--|------|---|
| 54 | Phase I study and biomarker analysis of lapatinib and concurrent radiation for locally advanced breast cancer. <i>Oncologist</i> , 2012 , 17, 1496-503 | 5.7 | 8 |
| 53 | Congruence of patient- and clinician-reported toxicity in women receiving chemotherapy for early breast cancer. <i>Cancer</i> , 2020 , 126, 3084-3093 | 6.4 | 8 |
| 52 | The Global Landscape of Treatment Standards for Breast Cancer. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1143-1155 | 9.7 | 8 |
| 51 | Implications of Neoadjuvant Therapy in Human Epidermal Growth Factor Receptor 2-Positive Breast Cancer. <i>Journal of Clinical Oncology</i> , 2019 , 37, 2189-2192 | 2.2 | 7 |
| 50 | The use of Bayesian hierarchical models for adaptive randomization in biomarker-driven phase II studies. <i>Journal of Biopharmaceutical Statistics</i> , 2015 , 25, 66-88 | 1.3 | 7 |
| 49 | PAM50 and Risk of Recurrence Scores for Interval Breast Cancers. <i>Cancer Prevention Research</i> , 2018 , 11, 327-336 | 3.2 | 7 |
| 48 | De-escalating and escalating systemic therapy in triple negative breast cancer. <i>Breast</i> , 2017 , 34 Suppl 1, S112-S115 | 3.6 | 7 |
| 47 | CALGB 40603 (Alliance): Long-Term Outcomes and Genomic Correlates of Response and Survival After Neoadjuvant Chemotherapy With or Without Carboplatin and Bevacizumab in Triple-Negative Breast Cancer <i>Journal of Clinical Oncology</i> , 2022 , JCO2101506 | 2.2 | 7 |
| 46 | Risk factors for Luminal A ductal carcinoma in situ (DCIS) and invasive breast cancer in the Carolina Breast Cancer Study. <i>PLoS ONE</i> , 2019 , 14, e0211488 | 3.7 | 6 |
| 45 | Old drugs, new tricks for triple-negative breast cancer. <i>Lancet Oncology, The</i> , 2015 , 16, 357-9 | 21.7 | 6 |
| 44 | Weight gain in hormone receptor-positive (HR+) early-stage breast cancer: is it menopausal status or something else?. <i>Breast Cancer Research and Treatment</i> , 2018 , 167, 235-248 | 4.4 | 6 |
| 43 | Toronto Workshop on Late Recurrence in Estrogen Receptor-Positive Breast Cancer: Part 1: Late Recurrence: Current Understanding, Clinical Considerations. <i>JNCI Cancer Spectrum</i> , 2019 , 3, pkz050 | 4.6 | 6 |
| 42 | Lymphedema, musculoskeletal events and arm function in older patients receiving adjuvant chemotherapy for breast cancer (Alliance A171302). <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 793-808 | 4.4 | 6 |
| 41 | Axillary Management of Stage II/III Breast Cancer in Patients Treated with Neoadjuvant Systemic Therapy: Results of CALGB 40601 (HER2-Positive) and CALGB 40603 (Triple-Negative). <i>Journal of the American College of Surgeons</i> , 2017 , 224, 688-694 | 4.4 | 5 |
| 40 | Borderline Estrogen Receptor-Positive Breast Cancers in Black and White Women. <i>Journal of the National Cancer Institute</i> , 2020 , 112, 728-736 | 9.7 | 5 |
| 39 | Factors Associated with Nodal Pathologic Complete Response Among Breast Cancer Patients Treated with Neoadjuvant Chemotherapy: Results of CALGB 40601 (HER2+) and 40603 (Triple-Negative) (Alliance). <i>Annals of Surgical Oncology</i> , 2021 , 28, 5960-5971 | 3.1 | 5 |
| 38 | RASAL2 Confers Collateral MEK/EGFR Dependency in Chemoresistant Triple-Negative Breast Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 4883-4897 | 12.9 | 5 |

(2011-2021)

| 37 | Obesity, comorbidities, and treatment selection in Black and White women with early breast cancer. <i>Cancer</i> , 2021 , 127, 922-930 | 6.4 | 5 |
|----|--|------|---|
| 36 | Clinical Significance of Circulating Tumor Cells in Hormone Receptor-positive Metastatic Breast Cancer Patients who Received Letrozole with or Without Bevacizumab. <i>Clinical Cancer Research</i> , 2020 , 26, 4911-4920 | 12.9 | 4 |
| 35 | Influence of provider factors and race on uptake of breast cancer gene expression profiling. <i>Cancer</i> , 2018 , 124, 1743-1751 | 6.4 | 4 |
| 34 | Toronto Workshop on Late Recurrence in Estrogen Receptor-Positive Breast Cancer: Part 2: Approaches to Predict and Identify Late Recurrence, Research Directions. <i>JNCI Cancer Spectrum</i> , 2019 , 3, pkz049 | 4.6 | 4 |
| 33 | Genomic-based predictive biomarkers to anti-HER2 therapies: A combined analysis of CALGB 40601 (Alliance) and PAMELA clinical trials <i>Journal of Clinical Oncology</i> , 2019 , 37, 571-571 | 2.2 | 4 |
| 32 | FOXA1 and adaptive response determinants to HER2 targeted therapy in TBCRC 036. <i>Npj Breast Cancer</i> , 2021 , 7, 51 | 7.8 | 4 |
| 31 | Bimodal age distribution at diagnosis in breast cancer persists across molecular and genomic classifications. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 185-195 | 4.4 | 4 |
| 30 | CCR 20th Anniversary Commentary: Simpson@ Paradox and Neoadjuvant Trials. <i>Clinical Cancer Research</i> , 2015 , 21, 4027-9 | 12.9 | 3 |
| 29 | Effects of Breast Cancer Adjuvant Chemotherapy Regimens on Expression of the Aging Biomarker,. <i>JNCI Cancer Spectrum</i> , 2020 , 4, pkaa082 | 4.6 | 3 |
| 28 | Outcomes of Hormone-Receptor Positive, HER2-Negative Breast Cancers by Race and Tumor Biological Features. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkaa072 | 4.6 | 3 |
| 27 | Independent Validation of the PAM50-Based Chemo-Endocrine Score (CES) in Hormone Receptor-Positive HER2-Positive Breast Cancer Treated with Neoadjuvant Anti-HER2-Based Therapy. <i>Clinical Cancer Research</i> , 2021 , 27, 3116-3125 | 12.9 | 3 |
| 26 | Oestrogen receptor activity in hormone-dependent breast cancer during chemotherapy. <i>EBioMedicine</i> , 2021 , 69, 103451 | 8.8 | 3 |
| 25 | Updated Results of TBCRC026: Phase II Trial Correlating Standardized Uptake Value With Pathological Complete Response to Pertuzumab and Trastuzumab in Breast Cancer. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2247-2256 | 2.2 | 3 |
| 24 | Evaluating the Effectiveness of Neoadjuvant Chemotherapy in Reducing Mastectomy for Women With Breast Cancer. <i>JNCI Cancer Spectrum</i> , 2017 , 1, pkx004 | 4.6 | 2 |
| 23 | Older-Patient-Specific Cancer Trials: A Pooled Analysis of 2,277 Patients (A151715). <i>Oncologist</i> , 2019 , 24, e284-e291 | 5.7 | 2 |
| 22 | Neoadjuvant clinical trial designs: Challenges of the genomic era. <i>Breast</i> , 2015 , 24 Suppl 2, S88-90 | 3.6 | 2 |
| 21 | A plain language summary of the ASCENTIstudy: Sacituzumab Govitecan for metastatic triple-negative breast cancer. <i>Future Oncology</i> , 2021 , 17, 3911-3924 | 3.6 | 2 |
| 20 | Novel targets for triple-negative breast cancer. <i>Clinical Advances in Hematology and Oncology</i> , 2011 , 9, 678-80 | 0.6 | 2 |

| 19 | Genotype-guided adjuvant endocrine therapy: new tricks from an old drug?. <i>Expert Review of Anticancer Therapy</i> , 2008 , 8, 191-4 | 3.5 | 1 |
|----|---|--------------------------|---|
| 18 | Clinical significance of micrometastatic disease in the era of sentinel node. <i>Breast Disease</i> , 2001 , 12, 57 | - 6 1 7 .6 | 1 |
| 17 | The phase II MutHER study of neratinib alone and in combination with fulvestrant in HER2 mutated, non-amplified metastatic breast cancer <i>Clinical Cancer Research</i> , 2022 , | 12.9 | 1 |
| 16 | Optimal Endocrine Therapy in Premenopausal Women: A Pragmatic Approach to Unanswered Questions. <i>JCO Oncology Practice</i> , 2021 , OP2100482 | 2.3 | 1 |
| 15 | Finding the positive in triple-negative breast cancer <i>Nature Cancer</i> , 2021 , 2, 476-478 | 15.4 | 1 |
| 14 | A chemotherapy privileging process for advanced practice providers at an academic medical center. Journal of Oncology Pharmacy Practice, 2020 , 26, 116-123 | 1.7 | 1 |
| 13 | Patient-reported symptom severity, interference with daily activities, and adverse events in older and younger women receiving chemotherapy for early breast cancer. <i>Cancer</i> , 2021 , 127, 957-967 | 6.4 | 1 |
| 12 | Integrating biology and access to care in addressing breast cancer disparities: 25 years research experience in the Carolina Breast Cancer Study. <i>Current Breast Cancer Reports</i> , 2020 , 12, 149-160 | 0.8 | O |
| 11 | Emerging therapies for triple-negative breast cancer. Breast Cancer Management, 2013, 2, 47-55 | 0.7 | 0 |
| 10 | Alliance A011801 (compassHER2 RD): postneoadjuvant T-DM1 tucatinib/placebo in patients with residual HER2-positive invasive breast cancer. <i>Future Oncology</i> , 2021 , 17, 4665-4676 | 3.6 | O |
| 9 | Physical Activity, Weight, and Outcomes in Patients Receiving Chemotherapy for Metastatic Breast Cancer (C40502/Alliance). <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkab025 | 4.6 | 0 |
| 8 | Research priorities in prediction of response in early breast cancer. <i>Breast</i> , 2019 , 48 Suppl 1, S31-S33 | 3.6 | O |
| 7 | Treating Triple Negative ABC. <i>Breast</i> , 2017 , 36, S30-S31 | 3.6 | |
| 6 | Molecular Subtypes in Breast Cancer Evaluation and Management: Divide and Conquer. <i>Translational Medicine Series</i> , 2007 , 103-120 | | |
| 5 | Race and smoking status associated with paclitaxel drug response in patient-derived lymphoblastoid cell lines. <i>Pharmacogenetics and Genomics</i> , 2021 , 31, 48-52 | 1.9 | |
| 4 | Basal-like breast cancers express a hypermethylation defect. <i>FASEB Journal</i> , 2008 , 22, 898.23 | 0.9 | |
| 3 | Benchmarks for Academic Oncology Faculty. <i>JCO Oncology Practice</i> , 2021 , 17, e440-e444 | 2.3 | |
| 2 | ASO Visual Abstract: Factors Associated with Nodal Pathologic Complete Response Among Breast Cancer Patients Treated with Neoadjuvant Chemotherapy: Results of CALGB 40601 (HER2+) and 40603 (Triple-Negative) (Alliance). <i>Annals of Surgical Oncology</i> , 2021 , 28, 436-437 | 3.1 | |

HITTING A MOVING TARGET: 2019 STANDARDS OF CARE AND TREATMENT OPTIMIZATION FOR HER2+ ABC. *Breast*, **2019**, 48, S29-S30

3.6