Sverre E Kjeldsen

List of Publications by Citations

Source: https://exaly.com/author-pdf/8324740/sverre-e-kjeldsen-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 206 42,932 239 h-index g-index citations papers 6.56 50,089 5.2 323 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
239	Cardiovascular morbidity and mortality in the Losartan Intervention For Endpoint reduction in hypertension study (LIFE): a randomised trial against atenolol. <i>Lancet, The</i> , 2002 , 359, 995-1003	40	4163
238	2007 Guidelines for the Management of Arterial Hypertension: The Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2007 , 25, 1105-87	1.9	3825
237	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
236	2013 ESH/ESC guidelines for the management of arterial hypertension: the Task Force for the Management of Arterial Hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2013 , 34, 2159-219	9.5	3400
235	2013 ESH/ESC Guidelines for the management of arterial hypertension: the Task Force for the management of arterial hypertension of the European Society of Hypertension (ESH) and of the European Society of Cardiology (ESC). <i>Journal of Hypertension</i> , 2013 , 31, 1281-357	1.9	3363
234	Prevention of coronary and stroke events with atorvastatin in hypertensive patients who have average or lower-than-average cholesterol concentrations, in the Anglo-Scandinavian Cardiac Outcomes TrialLipid Lowering Arm (ASCOT-LLA): a multicentre randomised controlled trial.	40	2873
233	Prevention of Cardiovascular events with an antihypertensive regimen of amlodipine adding perindopril as required versus atenolol adding bendroflumethiazide as required, in the Anglo-Scandinavian Cardiac Outcomes Trial-Blood Pressure Lowering Arm (ASCOT-BPLA): a	40	2253
232	Outcomes in hypertensive patients at high cardiovascular risk treated with regimens based on valsartan or amlodipine: the VALUE randomised trial. <i>Lancet, The,</i> 2004 , 363, 2022-31	40	2112
231	Cardiovascular morbidity and mortality in patients with diabetes in the Losartan Intervention For Endpoint reduction in hypertension study (LIFE): a randomised trial against atenolol. <i>Lancet, The</i> , 2002 , 359, 1004-10	40	1297
230	2018 ESC/ESH Guidelines for the management of arterial hypertension: The Task Force for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension: The Task Force for the management of arterial hypertension of the	1.9	1262
229	European Society of Cardiology and the European Society of Hypertension. <i>Journal of Hypertension</i> , Reappraisal of European guidelines on hypertension management: a European Society of Hypertension Task Force document. <i>Journal of Hypertension</i> , 2009 , 27, 2121-58	1.9	1004
228	2007 ESH-ESC Practice Guidelines for the Management of Arterial Hypertension: ESH-ESC Task Force on the Management of Arterial Hypertension. <i>Journal of Hypertension</i> , 2007 , 25, 1751-62	1.9	871
227	Angiotensin II receptor blockade reduces new-onset atrial fibrillation and subsequent stroke compared to atenolol: the Losartan Intervention For End Point Reduction in Hypertension (LIFE) study. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 712-9	15.1	659
226	2013 Practice guidelines for the management of arterial hypertension of the European Society of Hypertension (ESH) and the European Society of Cardiology (ESC): ESH/ESC Task Force for the Management of Arterial Hypertension. <i>Journal of Hypertension</i> , 2013 , 31, 1925-38	1.9	635
225	Regression of electrocardiographic left ventricular hypertrophy during antihypertensive treatment and the prediction of major cardiovascular events. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 2343-9	27.4	472
224	Blood pressure dependent and independent effects of antihypertensive treatment on clinical events in the VALUE Trial. <i>Lancet, The</i> , 2004 , 363, 2049-51	40	472
223	Reduction in albuminuria translates to reduction in cardiovascular events in hypertensive patients: losartan intervention for endpoint reduction in hypertension study. <i>Hypertension</i> , 2005 , 45, 198-202	8.5	436

222	Albuminuria and cardiovascular risk in hypertensive patients with left ventricular hypertrophy: the LIFE study. <i>Annals of Internal Medicine</i> , 2003 , 139, 901-6	8	376
221	2018 Practice Guidelines for the management of arterial hypertension of the European Society of Hypertension and the European Society of Cardiology: ESH/ESC Task Force for the Management of Arterial Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 2284-2309	1.9	372
220	The impact of serum uric acid on cardiovascular outcomes in the LIFE study. <i>Kidney International</i> , 2004 , 65, 1041-9	9.9	331
219	Prevention of atrial fibrillation by Renin-Angiotensin system inhibition a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 2299-307	15.1	306
218	Effects of losartan on cardiovascular morbidity and mortality in patients with isolated systolic hypertension and left ventricular hypertrophy: a Losartan Intervention for Endpoint Reduction (LIFE) substudy. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 1491-8	27.4	306
217	2013 ESH/ESC Guidelines for the Management of Arterial Hypertension. <i>Blood Pressure</i> , 2013 , 22, 193-2	718 ₇	286
216	Risk of new-onset diabetes in the Losartan Intervention For Endpoint reduction in hypertension study. <i>Journal of Hypertension</i> , 2002 , 20, 1879-86	1.9	271
215	Characteristics of 9194 patients with left ventricular hypertrophy: the LIFE study. Losartan Intervention For Endpoint Reduction in Hypertension. <i>Hypertension</i> , 1998 , 32, 989-97	8.5	253
214	Cardiovascular morbidity and mortality in hypertensive patients with a history of atrial fibrillation: The Losartan Intervention For End Point Reduction in Hypertension (LIFE) study. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 705-11	15.1	221
213	Regression of electrocardiographic left ventricular hypertrophy by losartan versus atenolol: The Losartan Intervention for Endpoint reduction in Hypertension (LIFE) Study. <i>Circulation</i> , 2003 , 108, 684-9	đ ^{6.7}	218
212	ESH position paper: renal denervation - an interventional therapy of resistant hypertension. <i>Journal of Hypertension</i> , 2012 , 30, 837-41	1.9	187
211	Regression of electrocardiographic left ventricular hypertrophy and decreased incidence of new-onset atrial fibrillation in patients with hypertension. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 1242-8	27.4	187
210	Hypertension and cardiovascular risk: General aspects. <i>Pharmacological Research</i> , 2018 , 129, 95-99	10.2	171
209	Regression of electrocardiographic left ventricular hypertrophy during antihypertensive therapy and reduction in sudden cardiac death: the LIFE Study. <i>Circulation</i> , 2007 , 116, 700-5	16.7	163
208	Adjusted drug treatment is superior to renal sympathetic denervation in patients with true treatment-resistant hypertension. <i>Hypertension</i> , 2014 , 63, 991-9	8.5	156
207	Reduced incidence of new-onset atrial fibrillation with angiotensin II receptor blockade: the VALUE trial. <i>Journal of Hypertension</i> , 2008 , 26, 403-11	1.9	151
206	Unattended Blood Pressure Measurements in the Systolic Blood Pressure Intervention Trial: Implications for Entry and Achieved Blood Pressure Values Compared With Other Trials. <i>Hypertension</i> , 2016 , 67, 808-12	8.5	148
205	Hypertension and atrial fibrillation: diagnostic approach, prevention and treatment. Position paper of the Working Group Organism Arrhythmias and Thrombosis Of the European Society of Hypertension. Journal of Hypertension, 2012, 30, 239-52	1.9	138

204	2018 Practice Guidelines for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension. <i>Blood Pressure</i> , 2018 , 27, 314-340	1.7	132
203	Usefulness of heart rate to predict cardiac events in treated patients with high-risk systemic hypertension. <i>American Journal of Cardiology</i> , 2012 , 109, 685-92	3	131
202	Effects of valsartan compared to amlodipine on preventing type 2 diabetes in high-risk hypertensive patients: the VALUE trial. <i>Journal of Hypertension</i> , 2006 , 24, 1405-12	1.9	119
201	The Valsartan Antihypertensive Long-Term Use Evaluation (VALUE) trial: outcomes in patients receiving monotherapy. <i>Hypertension</i> , 2006 , 48, 385-91	8.5	114
200	Exercise blood pressure predicts mortality from myocardial infarction. <i>Hypertension</i> , 1996 , 27, 324-9	8.5	114
199	Outcomes in subgroups of hypertensive patients treated with regimens based on valsartan and amlodipine: An analysis of findings from the VALUE trial. <i>Journal of Hypertension</i> , 2006 , 24, 2163-8	1.9	110
198	Blood pressure variability and risk of cardiovascular events and death in patients with hypertension and different baseline risks. <i>European Heart Journal</i> , 2018 , 39, 2243-2251	9.5	109
197	International expert consensus statement: Percutaneous transluminal renal denervation for the treatment of resistant hypertension. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 2031-45	15.1	104
196	Cardiovascular risk reduction in hypertensive black patients with left ventricular hypertrophy: the LIFE study. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1047-55	15.1	100
195	Evaluation of Adherence Should Become an Integral Part of Assessment of Patients With Apparently Treatment-Resistant Hypertension. <i>Hypertension</i> , 2016 , 68, 297-306	8.5	99
194	Does albuminuria predict cardiovascular outcome on treatment with losartan versus atenolol in hypertension with left ventricular hypertrophy? A LIFE substudy. <i>Journal of Hypertension</i> , 2004 , 22, 1805	5 ¹ 19	99
193	Effects of individual risk factors on the incidence of cardiovascular events in the treated hypertensive patients of the Hypertension Optimal Treatment Study. HOT Study Group. <i>Journal of Hypertension</i> , 2001 , 19, 1149-59	1.9	99
192	Upper normal blood pressures predict incident atrial fibrillation in healthy middle-aged men: a 35-year follow-up study. <i>Hypertension</i> , 2012 , 59, 198-204	8.5	97
191	Regression of electrocardiographic left ventricular hypertrophy is associated with less hospitalization for heart failure in hypertensive patients. <i>Annals of Internal Medicine</i> , 2007 , 147, 311-9	8	89
190	Carotid Intima-Media Thickness Progression as Surrogate Marker for Cardiovascular Risk: Meta-Analysis of 119 Clinical Trials Involving 100 667 Patients. <i>Circulation</i> , 2020 , 142, 621-642	16.7	88
189	Electrocardiographic strain pattern and prediction of new-onset congestive heart failure in hypertensive patients: the Losartan Intervention for Endpoint Reduction in Hypertension (LIFE) study. <i>Circulation</i> , 2006 , 113, 67-73	16.7	88
188	Impact of new-onset diabetes mellitus on cardiac outcomes in the Valsartan Antihypertensive Long-term Use Evaluation (VALUE) trial population. <i>Hypertension</i> , 2007 , 50, 467-73	8.5	88
187	Stroke is more common than myocardial infarction in hypertension: analysis based on 11 major randomized intervention trials. <i>Blood Pressure</i> , 2001 , 10, 190-2	1.7	85

(2013-2003)

186	VALUE trial: Long-term blood pressure trends in 13,449 patients with hypertension and high cardiovascular risk. <i>American Journal of Hypertension</i> , 2003 , 16, 544-8	2.3	84	
185	Baseline characteristics in relation to electrocardiographic left ventricular hypertrophy in hypertensive patients: the Losartan intervention for endpoint reduction (LIFE) in hypertension study. The Life Study Investigators. <i>Hypertension</i> , 2000 , 36, 766-73	8.5	84	
184	Renal sympathetic denervation in patients with treatment-resistant hypertension after witnessed intake of medication before qualifying ambulatory blood pressure. <i>Hypertension</i> , 2013 , 62, 526-32	8.5	82	
183	Stroke reduction in hypertensive adults with cardiac hypertrophy randomized to losartan versus atenolol: the Losartan Intervention For Endpoint reduction in hypertension study. <i>Hypertension</i> , 2005 , 45, 46-52	8.5	80	
182	Influence of gender and age on preventing cardiovascular disease by antihypertensive treatment and acetylsalicylic acid. The HOT study. Hypertension Optimal Treatment. <i>Journal of Hypertension</i> , 2000 , 18, 629-42	1.9	73	
181	Characteristics of 15,314 hypertensive patients at high coronary risk. The VALUE trial. The Valsartan Antihypertensive Long-term Use Evaluation. <i>Blood Pressure</i> , 2001 , 10, 83-91	1.7	73	
180	Updated national and international hypertension guidelines: a review of current recommendations. <i>Drugs</i> , 2014 , 74, 2033-51	12.1	72	
179	All-cause and cardiovascular mortality in relation to changing heart rate during treatment of hypertensive patients with electrocardiographic left ventricular hypertrophy. <i>European Heart Journal</i> , 2010 , 31, 2271-9	9.5	71	
178	The effect of angiotensin II receptor blockade on insulin sensitivity and sympathetic nervous system activity in primary hypertension. <i>Blood Pressure</i> , 1994 , 3, 185-8	1.7	71	
177	Cardiovascular outcomes at different on-treatment blood pressures in the hypertensive patients of the VALUE trial. <i>European Heart Journal</i> , 2016 , 37, 955-64	9.5	68	
176	Supine and exercise systolic blood pressure predict cardiovascular death in middle-aged men. <i>Journal of Hypertension</i> , 2001 , 19, 1343-8	1.9	66	
175	Increased prevalence of metabolic syndrome in uncontrolled hypertension across Europe: the Global Cardiometabolic Risk Profile in Patients with hypertension disease survey. <i>Journal of Hypertension</i> , 2008 , 26, 2064-70	1.9	62	
174	Reductions in albuminuria and in electrocardiographic left ventricular hypertrophy independently improve prognosis in hypertension: the LIFE study. <i>Journal of Hypertension</i> , 2006 , 24, 775-81	1.9	62	
173	Hypertension mega-trials with cardiovascular end points: effect of angiotensin-converting enzyme inhibitors and angiotensin receptor blockers. <i>American Heart Journal</i> , 2004 , 148, 747-54	4.9	57	
172	Eligibility for renal denervation: experience at 11 European expert centers. <i>Hypertension</i> , 2014 , 63, 131	9825	55	
171	Hypertension optimal treatment (HOT) study: home blood pressure in treated hypertensive subjects. <i>Hypertension</i> , 1998 , 31, 1014-20	8.5	55	
170	Relationship between insulin sensitivity and maximal forearm blood flow in young men. <i>Hypertension</i> , 1998 , 32, 838-43	8.5	54	
169	Updated ESH position paper on interventional therapy of resistant hypertension. <i>EuroIntervention</i> , 2013 , 9 Suppl R, R58-66	3.1	54	

168	Meta-analysis of randomized controlled trials of renal denervation in treatment-resistant hypertension. <i>Blood Pressure</i> , 2015 , 24, 263-74	1.7	51
167	Prognostic value of changes in the electrocardiographic strain pattern during antihypertensive treatment: the Losartan Intervention for End-Point Reduction in Hypertension Study (LIFE). <i>Circulation</i> , 2009 , 119, 1883-91	16.7	50
166	Association of pulse pressure with new-onset atrial fibrillation in patients with hypertension and left ventricular hypertrophy: the Losartan Intervention For Endpoint (LIFE) reduction in hypertension study. <i>Hypertension</i> , 2012 , 60, 347-53	8.5	50
165	Effect of lower on-treatment systolic blood pressure on the risk of atrial fibrillation in hypertensive patients. <i>Hypertension</i> , 2015 , 66, 368-73	8.5	49
164	Low heart rates predict incident atrial fibrillation in healthy middle-aged men. <i>Circulation:</i> Arrhythmia and Electrophysiology, 2013 , 6, 726-31	6.4	47
163	Incidence of atrial fibrillation in relation to changing heart rate over time in hypertensive patients: the LIFE study. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2008 , 1, 337-43	6.4	46
162	Long-term treatment with losartan versus atenolol improves insulin sensitivity in hypertension: ICARUS, a LIFE substudy. <i>Journal of Hypertension</i> , 2005 , 23, 891-8	1.9	46
161	Facts and fallacies of blood pressure control in recent trials: implications in the management of patients with hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 673-9	1.9	45
160	Fixed-dose combinations in the management of hypertension: defining the place of angiotensin receptor antagonists and hydrochlorothiazide. <i>American Journal of Cardiovascular Drugs</i> , 2005 , 5, 17-22	4	45
159	Relationship of sudden cardiac death to new-onset atrial fibrillation in hypertensive patients with left ventricular hypertrophy. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, 243-51	6.4	44
158	Whole blood viscosity, blood pressure and cardiovascular risk factors in healthy blood donors. <i>Blood Pressure</i> , 1997 , 6, 161-5	1.7	43
157	No evidence for a J-shaped curve in treated hypertensive patients with increased cardiovascular risk: The VALUE trial. <i>Blood Pressure</i> , 2016 , 25, 83-92	1.7	41
156	Home blood pressure monitoring. Current knowledge and directions for future research. <i>Blood Pressure</i> , 2001 , 10, 271-87	1.7	38
155	Prevention of new-onset atrial fibrillation and its predictors with angiotensin II-receptor blockers in the treatment of hypertension and heart failure. <i>Journal of Hypertension</i> , 2007 , 25, 15-23	1.9	36
154	Insulin sensitivity is related to physical fitness and exercise blood pressure to structural vascular properties in young men. <i>Hypertension</i> , 1999 , 33, 781-6	8.5	36
153	Impact of lower achieved blood pressure on outcomes in hypertensive patients. <i>Journal of Hypertension</i> , 2012 , 30, 802-10; discussion 810	1.9	35
152	Effect of dietary counselling on blood pressure and arterial plasma catecholamines in primary hypertension. <i>American Journal of Hypertension</i> , 1995 , 8, 704-11	2.3	35
151	Body build and risk of cardiovascular events in hypertension and left ventricular hypertrophy: the LIFE (Losartan Intervention For Endpoint reduction in hypertension) study. <i>Circulation</i> , 2005 , 111, 1924-	. ₃ 16.7	34

150	1999 WHO/ISH Hypertension Guidelineshighlights & ESH update. <i>Journal of Hypertension</i> , 2002 , 20, 153-5	1.9	34	
149	Predictors of 7-year changes in exercise blood pressure: effects of smoking, physical fitness and pulmonary function. <i>Journal of Hypertension</i> , 1997 , 15, 245-9	1.9	30	
148	Pulse pressure and effects of losartan or atenolol in patients with hypertension and left ventricular hypertrophy. <i>Hypertension</i> , 2005 , 45, 580-5	8.5	30	
147	Hyperresponders vs. nonresponder patients after renal denervation: do they differ?. <i>Journal of Hypertension</i> , 2014 , 32, 2422-7; discussion 2427	1.9	29	
146	Blood pressure control and components of the metabolic syndrome: the GOOD survey. <i>Cardiovascular Diabetology</i> , 2009 , 8, 51	8.7	29	
145	The effects of losartan compared to atenolol on stroke in patients with isolated systolic hypertension and left ventricular hypertrophy. The LIFE study. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 152-8	2.3	29	
144	Renal Denervation for Treatment of Hypertension: a Second Start and New Challenges. <i>Current Hypertension Reports</i> , 2016 , 18, 6	4.7	28	
143	Adherence to Single-Pill Versus Free-Equivalent Combination Therapy in Hypertension: A Systematic Review and Meta-Analysis. <i>Hypertension</i> , 2021 , 77, 692-705	8.5	28	
142	Clustering of coronary risk factors with increasing blood pressure at rest and during exercise. <i>Journal of Hypertension</i> , 1998 , 16, 19-22	1.9	26	
141	Medical Therapies for Heart Failure With Preserved Ejection Fraction. <i>Hypertension</i> , 2020 , 75, 23-32	8.5	25	
140	Physician (investigator) inertia in apparent treatment-resistant hypertension - insights from large randomized clinical trials. Lennart Hansson Memorial Lecture. <i>Blood Pressure</i> , 2015 , 24, 1-6	1.7	24	
139	Treatment of high blood pressure in elderly and octogenarians: European Society of Hypertension statement on blood pressure targets. <i>Blood Pressure</i> , 2016 , 25, 333-336	1.7	24	
138	Combining ECG Criteria for Left Ventricular Hypertrophy Improves Risk Prediction in Patients With Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	23	
137	Are fixed-dose combination antihypertensives suitable as first-line therapy?. <i>Current Medical Research and Opinion</i> , 2012 , 28, 1685-97	2.5	23	
136	Left bundle branch block and cardiovascular morbidity and mortality in hypertensive patients with left ventricular hypertrophy: the Losartan Intervention For Endpoint Reduction in Hypertension study. <i>Journal of Hypertension</i> , 2008 , 26, 1244-9	1.9	23	
135	Influence of age, sex and blood pressure on the principal endpoints of the Nordic Diltiazem (NORDIL) Study. <i>Journal of Hypertension</i> , 2002 , 20, 1231-7	1.9	23	
134	The role of beta-blockers in the treatment of chronic heart failure. <i>Trends in Pharmacological Sciences</i> , 2011 , 32, 206-12	13.2	22	
133	Sympathetic nervous system involvement in essential hypertension: increased platelet noradrenaline coincides with decreased beta-adrenoreceptor responsiveness. <i>Blood Pressure</i> , 1994 , 3, 164-71	1.7	22	

132	Sham or no sham control: that is the question in trials of renal denervation for resistant hypertension. A systematic meta-analysis. <i>Blood Pressure</i> , 2017 , 26, 195-203	1.7	21
131	Renal denervation after Symplicity HTN-3: an update. Current Hypertension Reports, 2014, 16, 460	4.7	21
130	Cardiovascular outcomes in hypertensive patients: comparing single-agent therapy with combination therapy. <i>Journal of Hypertension</i> , 2012 , 30, 2213-22	1.9	21
129	Blood pressure reduction and antihypertensive medication use in the losartan intervention for endpoint reduction in hypertension (LIFE) study in patients with hypertension and left ventricular hypertrophy. <i>Current Medical Research and Opinion</i> , 2007 , 23, 259-70	2.5	21
128	Physical fitness is a modifiable predictor of early cardiovascular death: A 35-year follow-up study of 2014 healthy middle-aged men. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1655-1663	3.9	20
127	Change in Cardiorespiratory Fitness and Risk of Stroke and Death. <i>Stroke</i> , 2018 , STROKEAHA118021798	36.7	20
126	Plasma catecholamines, blood pressure responses and perceived stress during mental arithmetic stress in young men. <i>Blood Pressure</i> , 2004 , 13, 287-94	1.7	19
125	High screening blood pressure is related to sympathetic nervous system activity and insulin resistance in healthy young men. <i>Blood Pressure</i> , 2004 , 13, 89-94	1.7	19
124	Patients with treatment-resistant hypertension report increased stress and anxiety: a worldwide study. <i>Journal of Hypertension</i> , 2013 , 31, 610-5; discussion 615	1.9	18
123	Effects of increased arterial epinephrine on insulin, glucose and phosphate. <i>Blood Pressure</i> , 1996 , 5, 27-	3 ₁ 1.7	18
122	Results of a randomized controlled pilot trial of intravascular renal denervation for management of treatment-resistant hypertension. <i>Blood Pressure</i> , 2017 , 26, 321-331	1.7	17
121	Mechanism of angiotensin II type 1 receptor blocker action in the regression of left ventricular hypertrophy. <i>Journal of Clinical Hypertension</i> , 2006 , 8, 487-92	2.3	17
120	Evaluation of self-measured home vs. clinic intra-arterial blood pressure. <i>Blood Pressure</i> , 1993 , 2, 28-34	1.7	17
119	Design considerations for clinical trials of autonomic modulation therapies targeting hypertension and heart failure. <i>Hypertension</i> , 2015 , 65, 5-15	8.5	16
118	Effect of changing heart rate during treatment of hypertension on incidence of heart failure. <i>American Journal of Cardiology</i> , 2012 , 109, 699-704	3	16
117	Interaction between inflammation and blood viscosity predicts cardiovascular mortality. <i>Scandinavian Cardiovascular Journal</i> , 2010 , 44, 107-112	2	16
116	The Un-Observed Automated Office Blood Pressure Measurement Technique Used in the SPRINT Study Points to a Standard Target Office Systolic Blood Pressure . <i>Current Hypertension Reports</i> , 2017 , 19, 3	4.7	15
115	Relationship between abnormal P-wave terminal force in lead V and left ventricular diastolic dysfunction in hypertensive patients: the LIFE study. <i>Blood Pressure</i> , 2017 , 26, 94-101	1.7	15

114	Serial assessment of the electrocardiographic strain pattern for prediction of new-onset heart failure during antihypertensive treatment: the LIFE study. <i>European Journal of Heart Failure</i> , 2011 , 13, 384-91	12.3	15	
113	Incidence of heart failure in relation to QRS duration during antihypertensive therapy: the LIFE study. <i>Journal of Hypertension</i> , 2009 , 27, 2271-7	1.9	15	
112	Losartan benefits over atenolol in non-smoking hypertensive patients with left ventricular hypertrophy: the LIFE study. <i>Blood Pressure</i> , 2004 , 13, 376-84	1.7	15	
111	Antihypertensive treatment and risk of cancer: an individual participant data meta-analysis. <i>Lancet Oncology, The</i> , 2021 , 22, 558-570	21.7	15	
110	Heart rate as a predictor of stroke in high-risk, hypertensive patients with previous stroke or transient ischemic attack. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2014 , 23, 2814-2818	2.8	14	
109	Seven-year increase in exercise systolic blood pressure at moderate workload predicts long-term risk of coronary heart disease and mortality in healthy middle-aged men. <i>Hypertension</i> , 2013 , 61, 1134-4	.8 ^{.5}	14	
108	Clinical implications of the 2013 ESH/ESC hypertension guidelines: targets, choice of therapy, and blood pressure monitoring. <i>Drugs in R and D</i> , 2014 , 14, 31-43	3.4	13	
107	Predictors of cardiovascular events in patients with hypertension and left ventricular hypertrophy: the Losartan Intervention for Endpoint reduction in hypertension study. <i>Blood Pressure</i> , 2009 , 18, 348-6	1 ^{1.7}	13	
106	Systolic Blood Pressure Control and Mortality After Stroke in Hypertensive Patients. <i>Stroke</i> , 2015 , 46, 2113-8	6.7	12	
105	Blood pressure response to renal denervation is correlated with baseline blood pressure variability: a patient-level meta-analysis. <i>Journal of Hypertension</i> , 2018 , 36, 221-229	1.9	12	
104	From @ssentialChypertension to intensive blood pressure lowering: the pros and cons of lower target values. <i>European Heart Journal</i> , 2017 , 38, 3258-3271	9.5	12	
103	Nifedipine plus candesartan combination increases blood pressure control regardless of race and improves the side effect profile: DISTINCT randomized trial results. <i>Journal of Hypertension</i> , 2014 , 32, 2488-98; discussion 2498	1.9	12	
102	Exercise Systolic Blood Pressure at Moderate Workload Is Linearly Associated With Coronary Disease Risk in Healthy Men. <i>Hypertension</i> , 2020 , 75, 44-50	8.5	12	
101	Renal denervation in treatment-resistant hypertension: a reappraisal. <i>Current Opinion in Pharmacology</i> , 2015 , 21, 48-52	5.1	11	
100	Heart rate reserve predicts cardiovascular death among physically unfit but otherwise healthy middle-aged men: a 35-year follow-up study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 59-66	3.9	10	
99	First-in-man randomized clinical trial of renal denervation for atrial arrhythmia raises concern. Journal of the American College of Cardiology, 2013, 62, e445-e446	15.1	10	
98	Persistence of left ventricular hypertrophy is associated with increased cardiovascular morbidity and mortality in hypertensive patients with lower achieved systolic pressure during antihypertensive treatment. <i>Blood Pressure</i> , 2014 , 23, 71-80	1.7	10	
97	Treatment of hypertension in diabetes: what is the best therapeutic option?. <i>Expert Review of Cardiovascular Therapy</i> , 2012 , 10, 727-34	2.5	10	

96	Progressive effects of valsartan compared with amlodipine in prevention of diabetes according to categories of diabetogenic risk in hypertensive patients: the VALUE trial. <i>Blood Pressure</i> , 2008 , 17, 170-1	7 ^{1.7}	10
95	Diuretics in the LIFE study. Lancet, The, 2004, 364, 413-414	40	10
94	Effects of beta 1- and beta 2-blockade on blood pressure and sympathetic responses to flight phobia stress. <i>Clinical Pharmacology and Therapeutics</i> , 1990 , 47, 599-607	6.1	10
93	Circadian variations in blood pressure and their implications for the administration of antihypertensive drugs: is dosing in the evening better than in the morning?. <i>Journal of Hypertension</i> , 2020 , 38, 1396-1406	1.9	9
92	A Case for Less Intensive Blood Pressure Control: It Matters to Achieve Target Blood Pressure Early and Sustained Below 140/90mmHg. <i>Progress in Cardiovascular Diseases</i> , 2016 , 59, 209-218	8.5	9
91	INSIGHT and NORDIL. International Nifedipine GITS study: Intervention as a Goal in Hypertension Treatment. Nordic Diltiazem Study. <i>Lancet, The</i> , 2000 , 356, 1929-30	40	9
90	Cardiac conduction with diltiazem and beta-blockade combined. A review and report on cases. <i>Blood Pressure</i> , 1996 , 5, 260-3	1.7	9
89	Hemodynamic effects of quinapril, a novel angiotensin-converting enzyme inhibitor. <i>Clinical Pharmacology and Therapeutics</i> , 1990 , 48, 41-9	6.1	9
88	Exercise systolic blood pressure at moderate workload predicts cardiovascular disease and mortality through 35 years of follow-up in healthy, middle-aged men. <i>Blood Pressure</i> , 2017 , 26, 229-236	1.7	8
87	High screening blood pressure at young age predicts future masked hypertension: A 17 year follow-up study. <i>Blood Pressure</i> , 2015 , 24, 131-8	1.7	8
86	Association Between Paradoxical HDL Cholesterol Decrease and Risk of Major Adverse Cardiovascular Events in Patients Initiated on Statin Treatment in a Primary Care Setting. <i>Clinical Drug Investigation</i> , 2016 , 36, 225-33	3.2	8
85	Predictors of abdominal adipose tissue compartments: 18-year follow-up of young men with and without family history of diabetes. <i>European Journal of Internal Medicine</i> , 2016 , 29, 26-31	3.9	8
84	Telomere length is associated with ACE I/D polymorphism in hypertensive patients with left ventricular hypertrophy. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2013 , 14, 227-34	3	8
83	Rapidly upsloping ST-segment on exercise ECG: a marker of reduced coronary heart disease mortality risk. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 541-8	3.9	8
82	Serum Uric Acid and Hemorheology in Borderline Hypertensives and in Subjects with Established Hypertension and Left Ventricular Hypertrophy. <i>Blood Pressure</i> , 2003 , 12, 104-110	1.7	8
81	Temporal Reduction in Chronotropic Index Predicts Risk of Cardiovascular Death Among Healthy Middle-Aged Men: a 28-Year Follow-Up Study. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	8
80	Renal sympathetic denervation after Symplicity HTN-3 and therapeutic drug monitoring in severe hypertension. <i>Frontiers in Physiology</i> , 2015 , 6, 9	4.6	7
79	Combining RAAS and calcium channel blockade: ACCOMPLISH in perspective. <i>Blood Pressure</i> , 2008 , 17, 260-9	1.7	7

78	Valsartan in the treatment of hypertension. Aging Health, 2005, 1, 27-36		7
77	Targeting the renin-angiotensin system for the reduction of cardiovascular outcomes in hypertension: angiotensin-converting enzyme inhibitors and angiotensin receptor blockers. <i>Expert Opinion on Emerging Drugs</i> , 2005 , 10, 729-45	3.7	7
76	Polymorphisms in candidate genes for blood pressure regulation in young men with normal or elevated screening blood pressure. <i>Blood Pressure</i> , 2001 , 10, 92-100	1.7	7
75	Hypertension and heart failure with preserved ejection fraction: position paper by the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1522-1545	1.9	7
74	Optimal Blood Pressure Target in Diabetic and Nondiabetic Hypertensive Patients. <i>Circulation Research</i> , 2018 , 123, 528-530	15.7	7
73	Letter by Messerli et al Regarding Article, "The Implications of Blood Pressure Measurement Methods on Treatment Targets for Blood Pressure". <i>Circulation</i> , 2017 , 135, e45-e46	16.7	6
72	Blood Pressure-Lowering Profiles and Clinical Effects of Angiotensin Receptor Blockers Versus Calcium Channel Blockers. <i>Hypertension</i> , 2020 , 75, 1584-1592	8.5	6
71	Long-term predictors of stroke in healthy middle-aged men. <i>International Journal of Stroke</i> , 2018 , 13, 292-300	6.3	6
70	Renal sympathetic denervation after Symplicity HTN-3 and therapeutic drug monitoring in patients with resistant hypertension to improve patients adherence. European Heart Journal - Cardiovascular Pharmacotherapy, 2015, 1, 48-56	6.4	6
69	Hypertension treatment and stroke prevention. <i>Blood Pressure</i> , 2003 , 12, 264-8	1.7	6
68	Change in Body Weight and Long-Term Risk of Stroke and Death in Healthy Men. <i>Stroke</i> , 2020 , 51, 1435	-6 4/ 41	6
67	Missing Verification of Source Data in Hypertension Research: The HYGIA PROJECT in Perspective. <i>Hypertension</i> , 2021 , 78, 555-558	8.5	6
66	Design of renal denervation studies not confounded by antihypertensive drugs. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 337-40		5
65	Racial differences in incident atrial fibrillation among hypertensive patients during antihypertensive therapy. <i>American Journal of Hypertension</i> , 2014 , 27, 966-72	2.3	5
64	Telmisartan/Hydrochlorothiazide combination therapy for the treatment of hypertension: a pooled analysis in older and younger patients. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 380-8	2.3	5
63	Never mind the quality, feel the widthALLHAT revisited. <i>Blood Pressure</i> , 2004 , 13, 330-4	1.7	5
62	Take a blood pressure pill or undergo renal denervation?. Lancet, The, 2018, 391, 2298-2300	40	5
61	Detection of Nonadherence to Antihypertensive Treatment by Measurements of Serum Drug Concentrations. <i>Hypertension</i> , 2021 , 78, 617-628	8.5	5

60	SBP above 180 mmHg at moderate exercise workload increases coronary heart disease risk in healthy men during 28-year follow-up. <i>Journal of Hypertension</i> , 2019 , 37, 949-955	1.9	4
59	No support for renal denervation in a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 2029-2030	15.1	4
58	Changes in subclinical organ damage vs. in Framingham risk score for assessing cardiovascular risk reduction during continued antihypertensive treatment: a LIFE substudy. <i>Journal of Hypertension</i> , 2011 , 29, 997-1004	1.9	4
57	Telmisartan and hydrochlorothiazide combination therapy for the treatment of hypertension. <i>Current Medical Research and Opinion</i> , 2010 , 26, 879-87	2.5	4
56	Are all the hypertensives made equal?. Herz, 2006, 31, 323-30	2.6	4
55	Prevention of cardiovascular events and diabetes with angiotensin-receptor blockers in hypertension: LIFE, SCOPE, and VALUE. <i>Current Hypertension Reports</i> , 2005 , 7, 155-7	4.7	4
54	Comparison of home and office blood pressure in treated hypertensives in the Nordic Diltiazem (NORDIL) Study. <i>Blood Pressure</i> , 2002 , 11, 371-6	1.7	4
53	Smoking and overweight associated with masked uncontrolled hypertension: a Hypertension Optimal Treatment (HOT) Sub-Study. <i>Blood Pressure</i> , 2021 , 30, 51-59	1.7	4
52	Blood pressure goals in type 2 diabetes-assessing the evidence. <i>Lancet Diabetes and Endocrinology,the</i> , 2017 , 5, 319-321	18.1	3
51	Amlodipine+benazepril is superior to hydrochlorothiazide+benazepril irrespective of baseline pulse pressure: subanalysis of the ACCOMPLISH trial. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 141-6	2.3	3
50	Antihypertensive therapy prevents new-onset atrial fibrillation in patients with isolated systolic hypertension: the LIFE study. <i>Blood Pressure</i> , 2019 , 28, 317-326	1.7	3
49	Directly Observed Therapy in Hypertension (DOT-HTN). <i>Updates in Hypertension and Cardiovascular Protection</i> , 2018 , 57-85	0.1	3
48	Relationship of diastolic function to new or persistent electrocardiographic left ventricular hypertrophy. <i>Blood Pressure</i> , 2016 , 25, 364-372	1.7	3
47	The relationship of all-cause mortality to average on-treatment systolic blood pressure is significantly related to baseline systolic blood pressure: implications for interpretation of the Systolic Blood Pressure Intervention Trial study. <i>Journal of Hypertension</i> , 2018 , 36, 916-923	1.9	3
46	Which Target Blood Pressure in Year 2018? Evidence from Recent Clinical Trials. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2018 , 25, 151-158	2.9	2
45	Predictors of cardiac morbidity in diabetic, new-onset diabetic and non-diabetic high-risk hypertensive patients: The Valsartan Antihypertensive Long-term Use Evaluation (VALUE) trial. <i>Blood Pressure</i> , 2016 , 25, 235-40	1.7	2
44	Hypertension and atrial fi brillation with emphasis on prevention. <i>Blood Pressure</i> , 2009 , 18, 94-8	1.7	2
43	OR-21: Relation of serum uric acid to cardiovascular endpoints in hypertension: the life study. <i>American Journal of Hypertension</i> , 2003 , 16, A9	2.3	2

42	Renal Denervation After Symplicity HTN-3 - Back to Basics. Review of the Evidence. <i>European Cardiology Review</i> , 2014 , 9, 110-114	3.9	2
41	Fixed combination of losartan and hydrochlorothiazide and reduction of risk of stroke. <i>Vascular Health and Risk Management</i> , 2007 , 3, 299-305	4.4	2
40	Nifedipine GITS/Candesartan Combination Therapy Lowers Blood Pressure Across Different Baseline Systolic and Diastolic Blood Pressure Categories: DISTINCT Study Subanalyses. <i>Journal of Clinical Pharmacology</i> , 2016 , 56, 1120-9	2.9	2
39	Cardiovascular outcomes at recommended blood pressure targets in middle-aged and elderly patients with type 2 diabetes mellitus compared to all middle-aged and elderly hypertensive study patients with high cardiovascular risk. <i>Blood Pressure</i> , 2021 , 30, 90-97	1.7	2
38	Take a Blood Pressure Pill or Benefit from Renal Denervation?. European Heart Journal, 2018, 39, 3010-	39.52	2
37	Angiotensin receptor neprilysin inhibition for the treatment of hypertension: the neglected child in cardiovascular pharmacotherapy, 2019 , 5, 122-123	6.4	1
36	Long-term survival in the randomized trial of drug treatment in mild to moderate hypertension of the Oslo study 1972-3. <i>European Journal of Internal Medicine</i> , 2015 , 26, 123-6	3.9	1
35	Eivind Berge, MD, PhD, 1964-2020: Cardiologist Who Was Fighting Stroke. Stroke, 2020, 51, 1353-1355	6.7	1
34	AuthorsOreply to the letter from Dr Wang: troponins after coronary artery bypass grafting: continuous or cut-point approach?. <i>American Heart Journal</i> , 2013 , 166, e3	4.9	1
33	An update on telmisartan/hydrochlorothiazide combinations for the management of hypertensive patients with additional cardiovascular risk factors. <i>Expert Review of Cardiovascular Therapy</i> , 2013 , 11, 673-82	2.5	1
32	Insulin resistance and sympathetic nervous system activity in hypertensive and normotensive premenopausal women. <i>Blood Pressure</i> , 1995 , 4, 287-92	1.7	1
31	Long-term pacing in VVI-modes elicit similar sympathetic drive. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1988 , 11, 1114-5	1.6	1
30	Attended vs. unattended blood pressure - learnings beyond SPRINT. <i>Blood Pressure</i> , 2021 , 30, 439-440	1.7	1
29	Novel insights into stroke risk beyond resting and maximal bicycle exercise systolic blood pressure. Journal of Hypertension, 2021 , 39, 2022-2029	1.9	1
28	Cardiovascular outcomes at recommended blood pressure targets in middle-aged and elderly patients with type 2 diabetes mellitus and hypertension. <i>Blood Pressure</i> , 2021 , 30, 82-89	1.7	1
27	Individualized Beta-Blocker Treatment for High Blood Pressure Dictated by Medical Comorbidities: Indications Beyond the 2018 European Society of Cardiology/European Society of Hypertension Guidelines <i>Hypertension</i> , 2022 , 101161HYPERTENSIONAHA12219020	8.5	1
26	On-treatment HDL cholesterol predicts incident atrial fibrillation in hypertensive patients with left ventricular hypertrophy. <i>Blood Pressure</i> , 2020 , 29, 319-326	1.7	O
25	Impact of achieved systolic blood pressure on renal function in hypertensive patients. <i>European Heart Journal Quality of Care & Dutcomes</i> , 2016, 2, 271-276	4.6	O

24	Wolfgang Kiowski. <i>Hypertension</i> , 2013 , 61, 268-269	8.5	0
23	Assessing hypertension therapies: randomization or confounding by indication?. <i>Nature Reviews Cardiology</i> , 2020 , 17, 73-74	14.8	0
22	Time-varying serum uric acid predicts new-onset atrial fibrillation in treated hypertensive patients. The LIFE Study. <i>Exploration of Medicine</i> ,128-138	1.1	0
21	Incident left bundle branch block predicts cardiovascular events and death in hypertensive patients with left ventricular hypertrophy. The LIFE Study. <i>Exploration of Medicine</i> ,149-159	1.1	O
20	Aortic Root Dilatation in Hypertensive Patients with Left Ventricular Hypertrophy-Application of A New Multivariate Predictive Model. The Life Study <i>Reviews in Cardiovascular Medicine</i> , 2022 , 23, 95	3.9	0
19	Incident atrial fibrillation and heart failure in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. <i>Exploration of Medicine</i> ,139-148	1.1	O
18	Development of systolic dysfunction unrelated to myocardial infarction in treated hypertensive patients with left ventricular hypertrophy. The LIFE Study. <i>Exploration of Medicine</i> ,160-172	1.1	0
17	Effect of antihypertensive therapy on development of incident conduction system disease in hypertensive patients. <i>Journal of Hypertension</i> , 2019 , 37, 629-635	1.9	
16	Association of left bundle branch block with new onset abnormal wall motion in treated hypertensive patients with left ventricle hypertrophy: the LIFE Echo Sub-study. <i>Blood Pressure</i> , 2019 , 28, 84-92	1.7	
15	Peter Meredith. Blood Pressure, 2016, 25, 129-30	1.7	
15	Peter Meredith. <i>Blood Pressure</i> , 2016 , 25, 129-30 Final Farewell to Alberto Zanchetti MD. <i>European Heart Journal</i> , 2018 , 39, 2616-2617	1.7 9.5	
14	Final Farewell to Alberto Zanchetti MD. <i>European Heart Journal</i> , 2018 , 39, 2616-2617 Telmisartan in combination with hydrochlorothiazide 12.5 mg for the management of patients with	9.5	
14	Final Farewell to Alberto Zanchetti MD. <i>European Heart Journal</i> , 2018 , 39, 2616-2617 Telmisartan in combination with hydrochlorothiazide 12.5 mg for the management of patients with hypertension. <i>Current Medical Research and Opinion</i> , 2014 , 30, 1715-24 Response to Letter by Morris et al regarding article, "Low heart rates predict incident atrial fibrillation in healthy middle-aged men" by Grundvold et al. <i>Circulation: Arrhythmia and</i>	9.5	
14 13	Final Farewell to Alberto Zanchetti MD. European Heart Journal, 2018, 39, 2616-2617 Telmisartan in combination with hydrochlorothiazide 12.5 mg for the management of patients with hypertension. Current Medical Research and Opinion, 2014, 30, 1715-24 Response to Letter by Morris et al regarding article, "Low heart rates predict incident atrial fibrillation in healthy middle-aged men" by Grundvold et al. Circulation: Arrhythmia and Electrophysiology, 2013, 6, e102 Revisiting the pre-hypertension debate: increasing evidence for treatmentor not?. Blood Pressure,	9.5 2.5 6.4	
14 13 12	Final Farewell to Alberto Zanchetti MD. European Heart Journal, 2018, 39, 2616-2617 Telmisartan in combination with hydrochlorothiazide 12.5 mg for the management of patients with hypertension. Current Medical Research and Opinion, 2014, 30, 1715-24 Response to Letter by Morris et al regarding article, "Low heart rates predict incident atrial fibrillation in healthy middle-aged men" by Grundvold et al. Circulation: Arrhythmia and Electrophysiology, 2013, 6, e102 Revisiting the pre-hypertension debate: increasing evidence for treatmentor not?. Blood Pressure, 2013, 22, 344 ESH statement on detection and punishment of abstract fraud and poster plagiarism. Journal of	9.5 2.5 6.4	
14 13 12 11	Final Farewell to Alberto Zanchetti MD. <i>European Heart Journal</i> , 2018 , 39, 2616-2617 Telmisartan in combination with hydrochlorothiazide 12.5 mg for the management of patients with hypertension. <i>Current Medical Research and Opinion</i> , 2014 , 30, 1715-24 Response to Letter by Morris et al regarding article, "Low heart rates predict incident atrial fibrillation in healthy middle-aged men" by Grundvold et al. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013 , 6, e102 Revisiting the pre-hypertension debate: increasing evidence for treatmentor not?. <i>Blood Pressure</i> , 2013 , 22, 344 ESH statement on detection and punishment of abstract fraud and poster plagiarism. <i>Journal of Hypertension</i> , 2006 , 24, 203-4	9.5 2.5 6.4 1.7	

LIST OF PUBLICATIONS

6	Losartan vs Atenolol in Prevention of Stroke and Cardiovascular Disease R eply. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 701	27.4
5	High blood pressure in US diabetic veterans with normal renal function: a plea for the design of a more powerful and conclusive outcome trial. <i>Journal of Hypertension</i> , 2016 , 34, 836-7	1.9
4	Hypertension: When should we treat hypertension in patients with diabetes?. <i>Nature Reviews Cardiology</i> , 2016 , 13, 252-3	14.8
3	Prevention and Treatment of Atrial Fibrillation in Patients with Hypertension 2016 , 121-136	
2	Response to letters from Torp-Pedersen and colleagues and de Courson and colleagues. <i>European Heart Journal</i> , 2018 , 39, 4221	9.5
1	Serum Uric Acid and Hemorheology in Borderline Hypertensives and in Subjects with Established Hypertension and Left Ventricular Hypertrophy. <i>Blood Pressure</i> , 2003 , 12, 104-110	1.7