

Steven Driese

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8325042/publications.pdf>

Version: 2024-02-01

86
papers

2,768
citations

136950

32
h-index

197818

49
g-index

86
all docs

86
docs citations

86
times ranked

2546
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A high-resolution climate history of geochemical and biological proxies from a tropical freshwater wetland located in the Kenyan Rift Valley. <i>Journal of African Earth Sciences</i> , 2020, 162, 103703. | 2.0 | 6 |
| 2 | Sedimentological and palaeoenvironmental study from Waregi Hill in the Hiwegi Formation (early) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 | 3.1 | 11 |
| 3 | Landscape evolution across the Cretaceous/Paleogene boundary in southwestern North Dakota, U.S.A.. <i>Cretaceous Research</i> , 2020, 112, 104470. | 1.4 | 1 |
| 4 | CO ₂ drawdown and cooling at the onset of the Great Oxidation Event recorded in 2.45 Ga paleoweathering crust. <i>Chemical Geology</i> , 2020, 548, 119678. | 3.3 | 5 |
| 5 | Reconstructing a high paleolatitude Mesozoic paleoenvironment from a truncated and deeply buried regolith, Norwegian North Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 528, 60-77. | 2.3 | 7 |
| 6 | High-CO ₂ , acidic and oxygen-starved weathering at the Fennoscandian Shield at the Archean-Proterozoic transition. <i>Precambrian Research</i> , 2019, 327, 68-80. | 2.7 | 7 |
| 7 | Experimental calibration of clumped isotopes in siderite between 8.5 and 62 °C and its application as paleo-thermometer in paleosols. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 254, 1-20. | 3.9 | 19 |
| 8 | Recursive partitioning improves paleosol proxies for rainfall. <i>Numerische Mathematik</i> , 2019, 319, 819-845. | 1.4 | 17 |
| 9 | Oxisolic processes and geochemical constraints on duration of weathering for Neoproterozoic Baltic paleosol. <i>Precambrian Research</i> , 2018, 310, 165-178. | 2.7 | 14 |
| 10 | Anatomy of a Sub-Cambrian Paleosol in Wisconsin: Mass Fluxes of Chemical Weathering and Climatic Conditions in North America during Formation of the Cambrian Great Unconformity. <i>Journal of Geology</i> , 2018, 126, 261-283. | 1.4 | 14 |
| 11 | Terrestrial evidence for the Lilliput effect across the Cretaceous-Paleogene (K-Pg) boundary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 491, 161-169. | 2.3 | 17 |
| 12 | Reconstructing pH of Paleosols Using Geochemical Proxies. <i>Journal of Geology</i> , 2018, 126, 427-449. | 1.4 | 23 |
| 13 | Deposition and pedogenesis of periglacial sediments and buried soils at the Serpentine Hot Springs archaeological site, Seward Peninsula, AK. <i>Catena</i> , 2018, 170, 204-223. | 5.0 | 5 |
| 14 | Micromorphology of late Pleistocene and Holocene sediments and a new interpretation of the Holocene chronology at Anderson Pond, Tennessee, USA. <i>Quaternary Research</i> , 2017, 87, 82-95. | 1.7 | 7 |
| 15 | Evaluating the potential for tactical hunting in the Middle Stone Age: Insights from a bonebed of the extinct bovid, <i>Rusingoryx atopocranium</i> . <i>Journal of Human Evolution</i> , 2017, 108, 72-91. | 2.6 | 19 |
| 16 | Variations in late Quaternary wind intensity from grain-size partitioning of loess deposits in the Nenana River Valley, Alaska. <i>Quaternary Research</i> , 2017, 87, 258-274. | 1.7 | 15 |
| 17 | Flood-induced transport of PAHs from streambed coal tar deposits. <i>Science of the Total Environment</i> , 2017, 575, 247-257. | 8.0 | 9 |
| 18 | REPLY: THE WACO MAMMOTH NATIONAL MONUMENT MAY REPRESENT A DIMINISHED WATERING-HOLE SCENARIO BASED ON PRELIMINARY EVIDENCE OF POST-MORTEM SCAVENGING. <i>Palaios</i> , 2017, 32, 558-558. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Sedimentology, stratigraphy, and paleoclimate at the late Miocene Coffee Ranch fossil site in the Texas Panhandle. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 361-376. | 2.3 | 12 |
| 20 | The Paleoproterozoic Baraboo paleosol revisited: Quantifying mass fluxes of weathering and metasomatism, chemical climofunctions, and atmospheric p CO ₂ in a chemically heterogeneous protolith. <i>Precambrian Research</i> , 2017, 301, 179-194. | 2.7 | 16 |
| 21 | The Pleistocene prehistory of the Lake Victoria basin. <i>Quaternary International</i> , 2016, 404, 100-114. | 1.5 | 65 |
| 22 | A data-driven spline model designed to predict paleoclimate using paleosol geochemistry. <i>Numerische Mathematik</i> , 2016, 316, 746-777. | 1.4 | 39 |
| 23 | THE WACO MAMMOTH NATIONAL MONUMENT MAY REPRESENT A DIMINISHED WATERING-HOLE SCENARIO BASED ON PRELIMINARY EVIDENCE OF POST-MORTEM SCAVENGING. <i>Palaios</i> , 2016, 31, 592-606. | 1.3 | 13 |
| 24 | Paleosols and paleoenvironments of the early Miocene deposits near Karungu, Lake Victoria, Kenya. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 443, 167-182. | 2.3 | 35 |
| 25 | Paleoenvironmental reconstruction of a paleosol catena, the Zinj archeological level, Olduvai Gorge, Tanzania. <i>Quaternary Research</i> , 2016, 85, 133-146. | 1.7 | 22 |
| 26 | Recurrent spring-affected rivers in a Middle to Late Pleistocene semi-arid grassland: Implications for environments of early humans in the Lake Victoria Basin, Kenya. <i>Sedimentology</i> , 2015, 62, 1611-1635. | 3.1 | 26 |
| 27 | Reconstruction of a semi-arid late Pleistocene paleocatena from the Lake Victoria region, Kenya. <i>Quaternary Research</i> , 2015, 84, 368-381. | 1.7 | 27 |
| 28 | Paleoenvironmental context of the Middle Stone Age record from Karungu, Lake Victoria Basin, Kenya, and its implications for human and faunal dispersals in East Africa. <i>Journal of Human Evolution</i> , 2015, 83, 28-45. | 2.6 | 76 |
| 29 | Comparison of modern and ancient barite-bearing acid-sulphate soils using micromorphology, geochemistry and field relationships. <i>Sedimentology</i> , 2015, 62, 1078-1099. | 3.1 | 10 |
| 30 | A multiple cave deposit assessment of suitability of speleothem isotopes for reconstructing palaeovegetation and palaeotemperature. <i>Sedimentology</i> , 2014, 61, 749-766. | 3.1 | 8 |
| 31 | Sites on the landscape: Paleoenvironmental context of late Pleistocene archaeological sites from the Lake Victoria basin, equatorial East Africa. <i>Quaternary International</i> , 2014, 331, 20-30. | 1.5 | 40 |
| 32 | Interpretation of Late Quaternary climate and landscape variability based upon buried soil macro- and micromorphology, geochemistry, and stable isotopes of soil organic matter, Owl Creek, central Texas, USA. <i>Catena</i> , 2014, 114, 157-168. | 5.0 | 16 |
| 33 | Understanding barite and gypsum precipitation in upland acid-sulfate soils: An example from a Lufkin Series toposequence, south-central Texas, USA. <i>Sedimentary Geology</i> , 2014, 299, 106-118. | 2.1 | 19 |
| 34 | Early Holocene soil cryoturbation in northeastern USA: Implications for archaeological site formation. <i>Quaternary International</i> , 2014, 342, 186-198. | 1.5 | 5 |
| 35 | Estimating fluxes in anthropogenic lead using alluvial soil mass-balance geochemistry, geochronology and archaeology in eastern USA. <i>Anthropocene</i> , 2014, 8, 25-38. | 3.3 | 6 |
| 36 | Late Quaternary alluvial history of the middle Owl Creek drainage basin in central Texas: A record of geomorphic response to environmental change. <i>Quaternary International</i> , 2013, 306, 24-41. | 1.5 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Using event stratigraphy to map the Anthropocene – An example from the historic coal mining region in eastern Pennsylvania, USA. <i>Anthropocene</i> , 2013, 2, 42-50. | 3.3 | 12 |
| 38 | Climatic and human controls on Holocene floodplain vegetation changes in eastern Pennsylvania based on the isotopic composition of soil organic matter. <i>Quaternary Research</i> , 2013, 79, 377-390. | 1.7 | 12 |
| 39 | Analysis of Site Formation History and Potential Disturbance of Stratigraphic Context in Vertisols at the Debra L. Friedkin Archaeological Site in Central Texas, USA. <i>Geoarchaeology - an International Journal</i> , 2013, 28, 221-248. | 1.5 | 31 |
| 40 | Serpentine Hot Springs, Alaska: results of excavations and implications for the age and significance of northern fluted points. <i>Journal of Archaeological Science</i> , 2013, 40, 4222-4233. | 2.4 | 67 |
| 41 | Stable-Isotope Geochemistry of Vertisols Formed On Marine Limestone and Implications for Deep-Time Paleoenvironmental Reconstructions. <i>Journal of Sedimentary Research</i> , 2013, 83, 300-308. | 1.6 | 15 |
| 42 | Groundwater-Fed Wetland Sediments and Paleosols: It's All About the Water Table. , 2013, , 47-61. | | 11 |
| 43 | Multianalytical Pedosystem Approach to Characterizing and Interpreting the Fossil Record of Soils. , 2013, , 89-108. | | 6 |
| 44 | CO2 Concentrations in Vertisols: Seasonal Variability and Shrink-Swell. , 2013, , 35-45. | | 0 |
| 45 | Biogeochemical characterization of a lithified paleosol: Implications for the interpretation of ancient Critical Zones. <i>Geochimica Et Cosmochimica Acta</i> , 2012, 87, 267-282. | 3.9 | 20 |
| 46 | Assessing lithologic discontinuities and parent material uniformity within the Texas sandy mantle and implications for archaeological burial and preservation potential in upland settings. <i>Quaternary Research</i> , 2012, 78, 60-71. | 1.7 | 16 |
| 47 | Influence of Changing Hydrology on Pedogenic Calcite Precipitation in Vertisols, Dance Bayou, Brazoria County, Texas, U.S.A.: Implications for Estimating Paleatmospheric PCO2. <i>Journal of Sedimentary Research</i> , 2011, 81, 394-400. | 1.6 | 34 |
| 48 | The Buttermilk Creek Complex and the Origins of Clovis at the Debra L. Friedkin Site, Texas. <i>Science</i> , 2011, 331, 1599-1603. | 12.6 | 204 |
| 49 | Micro-scale analysis of tree-ring $\delta^{18}O$ and $\delta^{13}C$ on β -cellulose spline reveals high-resolution intra-annual climate variability and tropical cyclone activity. <i>Chemical Geology</i> , 2011, 284, 138-147. | 3.3 | 52 |
| 50 | Neoproterozoic paleoweathering of tonalite and metabasalt: Implications for reconstructions of 2.69Ga early terrestrial ecosystems and paleoatmospheric chemistry. <i>Precambrian Research</i> , 2011, 189, 1-17. | 2.7 | 121 |
| 51 | Pre-colonial (A.D. 1100-1600) sedimentation related to prehistoric maize agriculture and climate change in eastern North America. <i>Geology</i> , 2011, 39, 363-366. | 4.4 | 55 |
| 52 | Differentiating paleowetland subenvironments using a multi-disciplinary approach: An example from the Morrison formation, South Central Wyoming, USA. <i>Sedimentary Geology</i> , 2011, 238, 23-47. | 2.1 | 13 |
| 53 | Micromorphology and Stable-Isotope Geochemistry of Historical Pedogenic Siderite Formed in PAH-Contaminated Alluvial Clay Soils, Tennessee, U.S.A.. <i>Journal of Sedimentary Research</i> , 2010, 80, 943-954. | 1.6 | 25 |
| 54 | A modern soil characterization approach to reconstructing physical and chemical properties of paleo-Vertisols. <i>Numerische Mathematik</i> , 2010, 310, 37-64. | 1.4 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | ENVIRONMENTAL AND ECOLOGICAL VARIABILITY OF MIDDLE DEVONIAN (GIVETIAN) FORESTS IN APPALACHIAN BASIN PALEOSOLS, NEW YORK, UNITED STATES. <i>Palaios</i> , 2010, 25, 85-96. | 1.3 | 45 |
| 56 | Late Tertiary paleoclimatic interpretation from lacustrine rhythmites in the Gray Fossil Site, northeastern Tennessee, USA. <i>Journal of Paleolimnology</i> , 2009, 42, 11-24. | 1.6 | 20 |
| 57 | Late Neogene paleoclimate and paleoenvironment reconstructions from the Pipe Creek Sinkhole, Indiana, USA. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 274, 173-184. | 2.3 | 14 |
| 58 | Hydropedological model of vertisol formation along the Gulf Coast Prairie land resource area of Texas. <i>Hydrology and Earth System Sciences</i> , 2009, 13, 2039-2053. | 4.9 | 22 |
| 59 | Evidence for multiple, episodic, mid-Holocene Hypsithermal recorded in two soil profiles along an alluvial floodplain catena, southeastern Tennessee, USA. <i>Quaternary Research</i> , 2008, 69, 276-291. | 1.7 | 28 |
| 60 | Paleopedology and geochemistry of Late Mississippian (Chesterian) Pennington Formation paleosols at Pound Gap, Kentucky, USA: Implications for high-frequency climate variations. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 259, 357-381. | 2.3 | 35 |
| 61 | Evidence for Biological and Hydrological Controls on the Development of a Paleoproterozoic Paleoweathering Profile in the Baraboo Range, Wisconsin, U.S.A.. <i>Journal of Sedimentary Research</i> , 2008, 78, 443-457. | 1.6 | 25 |
| 62 | Differentiating Pedogenesis from Diagenesis in Early Terrestrial Paleoweathering Surfaces Formed on Granitic Composition Parent Materials. <i>Journal of Geology</i> , 2007, 115, 387-406. | 1.4 | 48 |
| 63 | Paleosol evidence for Quaternary uplift and for climate and ecosystem changes in the Cordillera de Talamanca, Costa Rica. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 248, 1-23. | 2.3 | 30 |
| 64 | Isotopic variability in large carbonate nodules in Vertisols: Implications for climate and ecosystem assessments. <i>Geoderma</i> , 2007, 142, 104-111. | 5.1 | 36 |
| 65 | Latest Miocene to earliest Pliocene sedimentation and climate record derived from paleosinkhole fill deposits, Gray Fossil Site, northeastern Tennessee, U.S.A.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 231, 265-278. | 2.3 | 41 |
| 66 | Pure-Phase Transport and Dissolution of TCE in Sedimentary Rock Saprolite. <i>Ground Water</i> , 2006, 44, 406-414. | 1.3 | 8 |
| 67 | Vertisol Carbonate Properties in Relation to Mean Annual Precipitation: Implications for Paleoprecipitation Estimates. <i>Journal of Geology</i> , 2006, 114, 501-510. | 1.4 | 72 |
| 68 | Paleopedologic and Paleohydrologic Records of Precipitation Seasonality from Early Pennsylvanian "Underclay" Paleosols, U.S.A.. <i>Journal of Sedimentary Research</i> , 2005, 75, 997-1010. | 1.6 | 85 |
| 69 | Late Pleistocene and Holocene climate and geomorphic histories as interpreted from a 23,000 14C yr B.P. paleosol and floodplain soils, southeastern West Virginia, USA. <i>Quaternary Research</i> , 2005, 63, 136-149. | 1.7 | 26 |
| 70 | Distinguishing Climate in the Soil Record Using Chemical Trends in a Vertisol Climosequence from the Texas Coast Prairie, and Application to Interpreting Paleozoic Paleosols in the Appalachian Basin, U.S.A.. <i>Journal of Sedimentary Research</i> , 2005, 75, 339-349. | 1.6 | 65 |
| 71 | Hydrogeology and pedology of saprolite formed from sedimentary rock, eastern Tennessee, USA. <i>Geoderma</i> , 2005, 126, 27-45. | 5.1 | 34 |
| 72 | Pedogenic Translocation of Fe in Modern and Ancient Vertisols and Implications for Interpretations of the Hekpoort Paleosol (2.25 Ga). <i>Journal of Geology</i> , 2004, 112, 543-560. | 1.4 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Sedimentation and recent history of a freshwater wetland in a semi-arid environment: Loboï Swamp, Kenya, East Africa. <i>Sedimentology</i> , 2004, 51, 1301-1321. | 3.1 | 88 |
| 74 | Epi-fluorescence micromorphology of saprolite reveals evidence for colloid retention in microscale pore systems. <i>Geoderma</i> , 2004, 121, 143-152. | 5.1 | 11 |
| 75 | Possible Late Holocene equatorial palaeoclimate record based upon soils spanning the Medieval Warm Period and Little Ice Age, Loboï Plain, Kenya. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 213, 231-250. | 2.3 | 43 |
| 76 | Comparison of modern and ancient Vertisols developed on limestone in terms of their geochemistry and parent material. <i>Sedimentary Geology</i> , 2003, 157, 49-69. | 2.1 | 44 |
| 77 | Distinguishing climate and time in the soil record: Mass-balance trends in Vertisols from the Texas coastal prairie. <i>Geology</i> , 2003, 31, 331. | 4.4 | 22 |
| 78 | Pedogenic processes and domain boundaries in a Vertisol climosequence: evidence from titanium and zirconium distribution and morphology. <i>Geoderma</i> , 2003, 116, 279-299. | 5.1 | 69 |
| 79 | Echinoderm Stabilization Associated with a Paleokarst Surface at the Mississippian-Pennsylvanian Boundary in Tennessee, U.S.A.. <i>Journal of Sedimentary Research</i> , 2003, 73, 206-216. | 1.6 | 2 |
| 80 | Lithologic and Pedogenic Influences on Porosity Distribution and Groundwater Flow in Fractured Sedimentary Saprolite: A New Application of Environmental Sedimentology. <i>Journal of Sedimentary Research</i> , 2001, 71, 843-857. | 1.6 | 48 |
| 81 | Pedogenic iron-manganese nodules in Vertisols: A new proxy for paleoprecipitation?. <i>Geology</i> , 2001, 29, 943. | 4.4 | 82 |
| 82 | Paleopedology and Paleohydrology of a Volcaniclastic Paleosol Interval: Implications for Early Pleistocene Stratigraphy and Paleoclimate Record, Olduvai Gorge, Tanzania. <i>Journal of Sedimentary Research</i> , 2000, 70, 1065-1080. | 1.6 | 88 |
| 83 | Mass-balance reconstruction of a modern Vertisol: implications for interpreting the geochemistry and burial alteration of paleo-Vertisols. <i>Geoderma</i> , 2000, 95, 179-204. | 5.1 | 96 |
| 84 | Control of terrestrial stabilization on Late Devonian palustrine carbonate deposition; Catskill Magnafacies, New York, U.S.A.. <i>Journal of Sedimentary Research</i> , 1999, 69, 772-783. | 1.6 | 38 |
| 85 | An oxygen isotope study of illite and calcite in three Appalachian Paleozoic vertic Paleosols. <i>Journal of Sedimentary Research</i> , 1998, 68, 456-464. | 1.6 | 39 |
| 86 | Incised-valley fills and other evidence of sea-level fluctuations affecting deposition of the Catskill Formation (Upper Devonian), Appalachian foreland basin, Pennsylvania. <i>Journal of Sedimentary Research</i> , 1998, 68, 347-361. | 1.6 | 32 |