Nicholas E Jones

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8325887/publications.pdf

Version: 2024-02-01

516710 552781 31 748 16 26 citations g-index h-index papers 32 32 32 740 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Spatial patterns of stable isotopes and trophic ecology in a hydropeaking river. River Research and Applications, 2022, 38, 873-883.	1.7	1
2	Thermal regime metrics and quantifying their uncertainty for North American streams. River Research and Applications, 2018, 34, 382-393.	1.7	19
3	Evidence of lake trout (Salvelinus namaycush) spawning and spawning habitat use in the Dog River, Lake Superior. Journal of Great Lakes Research, 2018, 44, 1117-1122.	1.9	10
4	Lessons Learned from an Industry, Government and University Collaboration to Restore Stream Habitats and Mitigate Effects. Environmental Management, 2017, 59, 1-9.	2.7	7
5	Tributary effects in rivers: interactions of spatial scale, network structure, and landscape characteristics. Canadian Journal of Fisheries and Aquatic Sciences, 2017, 74, 503-510.	1.4	21
6	Resource subsidies from adfluvial fishes increase stream productivity. Freshwater Biology, 2016, 61, 991-1005.	2.4	12
7	An experimental test of sub-hourly changes in macroinvertebrate drift density associated with hydropeaking in a regulated river. Journal of Freshwater Ecology, 2016, 31, 555-570.	1.2	9
8	A Test of the Serial Discontinuity Concept: Longitudinal Trends of Benthic Invertebrates in Regulated and Natural Rivers of Northern Canada. River Research and Applications, 2016, 32, 462-472.	1.7	21
9	Growth and Life History Patterns of a Small-bodied Stream Fish, <i>Cottus cognatus </i> , in Hydropeaking and Natural Rivers of Northern Ontario. River Research and Applications, 2016, 32, 721-733.	1.7	20
10	Environmental Influences on Fish Migration in a Hydropeaking River. River Research and Applications, 2015, 31, 1109-1118.	1.7	37
11	Spatial Distribution of Fishes in Hydropeaking Tributaries of Lake Superior. River Research and Applications, 2015, 31, 120-133.	1.7	21
12	Quantifying effective restoration: reassessing the productive capacity of a constructed stream 14 years after construction. Canadian Journal of Fisheries and Aquatic Sciences, 2014, 71, 589-601.	1.4	13
13	Observer bias and subsampling efficiencies for estimating the number of migrating fish in rivers using Dual-frequency IDentification SONar (DIDSON). Fisheries Research, 2014, 155, 160-167.	1.7	33
14	THE DUAL NATURE OF HYDROPEAKING RIVERS: IS ECOPEAKING POSSIBLE?. River Research and Applications, 2014, 30, 521-526.	1.7	44
15	Characteristics and distribution of natural flow regimes in Canada: a habitat template approach. Canadian Journal of Fisheries and Aquatic Sciences, 2014, 71, 1616-1624.	1.4	16
16	Relating extremes of flow and air temperature to stream fish communities. Ecohydrology, 2013, 6, 826-835.	2.4	6
17	SPATIAL PATTERNS OF BENTHIC INVERTEBRATES IN REGULATED AND NATURAL RIVERS. River Research and Applications, 2013, 29, 343-351.	1.7	37
18	PATTERNS OF BENTHIC INVERTEBRATE RICHNESS AND DIVERSITY IN THE REGULATED MAGPIE RIVER AND NEIGHBOURING NATURAL RIVERS. River Research and Applications, 2013, 29, 1090-1099.	1.7	12

#	Article	IF	CITATIONS
19	Development of a Riverine Index Netting Protocol: Comparisons of Net Orientation, Height, Panel Order, and Line Diameter. North American Journal of Fisheries Management, 2011, 31, 23-31.	1.0	4
20	Linking the thermal regimes of streams in the Great Lakes Basin, Ontario, to landscape and climate variables. River Research and Applications, 2010, 26, 221-241.	1.7	27
21	Incorporating lakes within the river discontinuum: longitudinal changes in ecological characteristics in stream–lake networks. Canadian Journal of Fisheries and Aquatic Sciences, 2010, 67, 1350-1362.	1.4	108
22	Evaluation of singleâ€pass backpack electric fishing for stream fish community monitoring. Fisheries Management and Ecology, 2009, 16, 1-9.	2.0	46
23	Evaluation of a Simple Method to Classify the Thermal Characteristics of Streams Using a Nomogram of Daily Maximum Air and Water Temperatures. North American Journal of Fisheries Management, 2009, 29, 1605-1619.	1.0	14
24	Assessing the Effectiveness of a Constructed Arctic Stream Using Multiple Biological Attributes. Environmental Management, 2008, 42, 1064-1076.	2.7	14
25	The influence of air temperature, groundwater discharge, and climate change on the thermal diversity of stream fishes in southern Ontario watersheds. Canadian Journal of Fisheries and Aquatic Sciences, 2008, 65, 297-308.	1.4	51
26	An Attempt to Rehabilitate a Collapsed Brook Trout Population by Introducing F1Splake to Control Yellow Perch. North American Journal of Fisheries Management, 2007, 27, 1139-1147.	1.0	6
27	Enhancing Productive Capacity in the Canadian Arctic: Assessing the Effectiveness of Instream Habitat Structures in Habitat Compensation. Transactions of the American Fisheries Society, 2004, 133, 1356-1365.	1.4	18
28	Resource selection functions for age-O Arctic grayling (Thymallus arcticus) and their application to stream habitat compensation. Canadian Journal of Fisheries and Aquatic Sciences, 2004, 61, 1736-1746.	1.4	18
29	Selective Feeding of age-0 Arctic Grayling in Lake-Outlet Streams of the Northwest Territories, Canada. Environmental Biology of Fishes, 2003, 67, 169-178.	1.0	13
30	Productive capacity of an artificial stream in the Canadian Arctic: assessing the effectiveness of fish habitat compensation. Canadian Journal of Fisheries and Aquatic Sciences, 2003, 60, 849-863.	1.4	39
31	Ecological Characteristicsof Streams in the Barrenlands near Lac de Gras, N.W.T., Canada. Arctic, 2003, 56, .	0.4	27