

Angelo Picardi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8326325/publications.pdf>

Version: 2024-02-01

177
papers

7,307
citations

47006

47
h-index

74163

75
g-index

192
all docs

192
docs citations

192
times ranked

7658
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychiatric morbidity in dermatological outpatients: an issue to be recognized. British Journal of Dermatology, 2000, 143, 983-991.	1.5	359
2	Psychological Stress and Neuroendocrine Function in Humans: The Last Two Decades of Research. Psychotherapy and Psychosomatics, 1999, 68, 114-150.	8.8	300
3	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.	7.4	242
4	Stressful Life Events and Skin Diseases: Disentangling Evidence from Myth. Psychotherapy and Psychosomatics, 2001, 70, 118-136.	8.8	228
5	Association of Dissatisfaction With Care and Psychiatric Morbidity With Poor Treatment Compliance. Archives of Dermatology, 2002, 138, 337-42.	1.4	201
6	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	4.5	175
7	Factors associated with patient satisfaction with care among dermatological outpatients. British Journal of Dermatology, 2001, 145, 617-623.	1.5	171
8	Living with Psoriasis: Prevalence of Shame, Anger, Worry, and Problems in Daily Activities and Social Life. Acta Dermato-Venereologica, 2012, 92, 299-303.	1.3	132
9	Prevalence and correlates of suicidal ideation among patients with skin disease. Journal of the American Academy of Dermatology, 2006, 54, 420-426.	1.2	130
10	Assessing psychological distress in patients with skin diseases: reliability, validity and factor structure of the GHQ-12. Journal of the European Academy of Dermatology and Venereology, 2001, 15, 410-417.	2.4	119
11	Stability of Alexithymia and Its Relationships with the "Big Five" Factors, Temperament, Character, and Attachment Style. Psychotherapy and Psychosomatics, 2005, 74, 371-378.	8.8	118
12	Stress, Social Support, Emotional Regulation, and Exacerbation of Diffuse Plaque Psoriasis. Psychosomatics, 2005, 46, 556-564.	2.5	115
13	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	5.0	113
14	Association Between Poorer Quality of Life and Psychiatric Morbidity in Patients With Different Dermatological Conditions. Psychosomatic Medicine, 2004, 66, 620-624.	2.0	106
15	Further Evidence of the Validity and Reliability of the Skindex-29: An Italian Study on 2,242 Dermatological Outpatients. Dermatology, 2002, 204, 43-49.	2.1	105
16	Residential care in Italy. British Journal of Psychiatry, 2002, 181, 220-225.	2.8	105
17	Impairment of Sexual Life in Patients with Psoriasis. Dermatology, 2007, 214, 144-150.	2.1	104
18	Parental Burden and its Correlates in Families of Children with Autism Spectrum Disorder: A Multicentre Study with Two Comparison Groups. Clinical Practice and Epidemiology in Mental Health, 2018, 14, 143-176.	1.2	104

#	ARTICLE	IF	CITATIONS
19	Psychosomatic Factors in First-Onset Alopecia Areata. <i>Psychosomatics</i> , 2003, 44, 374-381.	2.5	101
20	Suicide risk in skin disorders. <i>Clinics in Dermatology</i> , 2013, 31, 47-56.	1.6	101
21	Stressful Life Events, Social Support, Attachment Security and Alexithymia in Vitiligo. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 150-158.	8.8	98
22	The current state of mental health care in Italy: problems, perspectives, and lessons to learn. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 83-91.	3.2	88
23	Psychopathological dimensions of depression: a factor study of the 17-item Hamilton depression rating scale in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2002, 68, 41-47.	4.1	82
24	Clinical and Biological Aspects of Bereavement and Loss-Induced Depression: A Reappraisal. <i>Psychotherapy and Psychosomatics</i> , 1996, 65, 229-245.	8.8	78
25	Sensitivity of the Dermatology Life Quality Index to clinical change in patients with psoriasis. <i>British Journal of Dermatology</i> , 2003, 149, 318-322.	1.5	76
26	Relevance of Anger and Irritability in Outpatients with Major Depressive Disorder. <i>Psychopathology</i> , 2004, 37, 155-160.	1.5	73
27	The Relationship Between Satisfaction With Life and Depression Symptoms by Gender. <i>Frontiers in Psychiatry</i> , 2019, 10, 419.	2.6	70
28	Dimensional psychopathology of depression: detection of an "activation" dimension in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2005, 84, 133-139.	4.1	69
29	Screening for psychiatric disorders in patients with skin diseases. <i>Journal of Psychosomatic Research</i> , 2004, 57, 219-223.	2.6	68
30	Psychosomatic Assessment of Skin Diseases in Clinical Practice. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 315-322.	8.8	68
31	Characteristics and activities of acute psychiatric in-patient facilities: national survey in Italy. <i>British Journal of Psychiatry</i> , 2007, 191, 170-177.	2.8	68
32	Patients' and relatives' satisfaction with psychiatric services in a large catchment area in Rome. <i>European Psychiatry</i> , 2002, 17, 139-147.	0.2	67
33	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	8.8	67
34	Recognition of Depressive and Anxiety Disorders in Dermatological Outpatients. <i>Acta Dermato-Venereologica</i> , 2004, 84, 213-217.	1.3	66
35	Heterogeneity and symptom structure of schizophrenia. <i>Psychiatry Research</i> , 2012, 198, 386-394.	3.3	64
36	Psychometric Properties of the Dermatology Life Quality Index (DLQI) in 900 Italian Patients with Psoriasis. <i>Acta Dermato-Venereologica</i> , 2005, 85, 409-413.	1.3	62

#	ARTICLE	IF	CITATIONS
37	Genetic influences on alexithymia and their relationship with depressive symptoms. Journal of Psychosomatic Research, 2011, 71, 256-263.	2.6	59
38	Performance of the Self-administered Psoriasis Area and Severity Index in Evaluating Clinical and Sociodemographic Subgroups of Patients With Psoriasis. Archives of Dermatology, 2003, 139, 353.	1.4	57
39	Stability of attachment-related anxiety and avoidance and their relationships with the five-factor model and the psychobiological model of personality. Psychology and Psychotherapy: Theory, Research and Practice, 2005, 78, 327-345.	2.5	56
40	Screening for Depressive Disorders in Patients with Skin Diseases: A Comparison of Three Screeners. Acta Dermato-Venereologica, 2005, 85, 414-419.	1.3	56
41	Hippocampal, amygdala, and neocortical synchronization of theta rhythms is related to an immediate recall during rey auditory verbal learning test. Human Brain Mapping, 2009, 30, 2077-2089.	3.6	56
42	Changes in depression, anxiety, anger, and personality after resective surgery for drug-resistant temporal lobe epilepsy: A 2-year follow-up study. Epilepsy Research, 2007, 77, 22-30.	1.6	54
43	Seizure clusters and adverse events during pre-surgical video-EEG monitoring with a slow anti-epileptic drug (AED) taper. Clinical Neurophysiology, 2012, 123, 486-488.	1.5	54
44	Only limited support for a role of psychosomatic factors in psoriasis. Journal of Psychosomatic Research, 2003, 55, 189-196.	2.6	53
45	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	2.8	53
46	The impact of skin diseases on patients: comparing dermatologists' opinions with research data collected on their patients. British Journal of Dermatology, 2003, 148, 989-995.	1.5	52
47	The severely mentally ill in residential facilities: a national survey in Italy. Psychological Medicine, 2005, 35, 421-431.	4.5	50
48	Detection and treatment of depressive and anxiety disorders among cancer patients: feasibility and preliminary findings from a liaison service in an oncology division. Depression and Anxiety, 2006, 23, 441-448.	4.1	49
49	Patterns of admission to acute psychiatric in-patient facilities: a national survey in Italy. Psychological Medicine, 2009, 39, 485-496.	4.5	49
50	Symptom structure of acute mania: A factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. Journal of Affective Disorders, 2008, 108, 183-189.	4.1	46
51	Factors associated with generic and disease-specific quality of life in temporal lobe epilepsy. Epilepsy Research, 2006, 69, 135-146.	1.6	45
52	Increased Psychiatric Morbidity in Female Outpatients with Skin Lesions on Visible Parts of the Body. Acta Dermato-Venereologica, 2001, 81, 410-414.	1.3	44
53	Job satisfaction among mental health professionals in Rome, Italy. Community Mental Health Journal, 2003, 39, 349-355.	2.0	42
54	Subtyping depression in the medically ill by cluster analysis. Journal of Affective Disorders, 2011, 132, 383-388.	4.1	42

#	ARTICLE	IF	CITATIONS
55	Temporal lobe epilepsy surgery: different surgical strategies after a non-invasive diagnostic protocol. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 815-824.	1.9	40
56	Effect of Psychological Stress on Salivary Interleukin-1 β in Psoriasis. Archives of Medical Research, 2007, 38, 206-211.	3.3	40
57	Multiple sclerosis and bipolar disorders: The burden of comorbidity and its consequences on quality of life. Journal of Affective Disorders, 2014, 167, 192-197.	4.1	40
58	Integration of Multiple Criteria for Psychosomatic Assessment of Dermatological Patients. Psychosomatics, 2006, 47, 122-128.	2.5	39
59	Type A behaviour: a reappraisal of its characteristics in cardiovascular disease. International Journal of Clinical Practice, 2012, 66, 854-861.	1.7	38
60	Awareness of cancer, satisfaction with care, emotional distress, and adjustment to illness: an Italian multicenter study. Psycho-Oncology, 2015, 24, 1088-1096.	2.3	38
61	Use of psychiatric inpatient services by heavy users: Findings from a national survey in Italy. European Psychiatry, 2011, 26, 252-259.	0.2	37
62	Alexithymia in the medically ill. Analysis of 1190 patients in gastroenterology, cardiology, oncology and dermatology. General Hospital Psychiatry, 2013, 35, 521-527.	2.4	37
63	Treatment outcome and incidence of psychiatric disorders in dermatological outpatients. Journal of the European Academy of Dermatology and Venereology, 2003, 17, 155-159.	2.4	36
64	A cluster analysis-derived classification of psychological distress and illness behavior in the medically ill. Psychological Medicine, 2012, 42, 401-407.	4.5	36
65	Effects of patient satisfaction with care on health-related quality of life: a prospective study. Journal of the European Academy of Dermatology and Venereology, 2005, 19, 712-718.	2.4	35
66	Mental health in patients with systemic sclerosis: a controlled investigation. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 336-340.	2.4	35
67	A randomised controlled trial of the effectiveness of a program for early detection and treatment of depression in primary care. Journal of Affective Disorders, 2016, 198, 96-101.	4.1	35
68	Temporomandibular Joint Pain-Dysfunction Syndrome and Bruxism: Etiopathogenesis and Treatment from a Psychosomatic Integrative Viewpoint. Psychotherapy and Psychosomatics, 1993, 59, 84-98.	8.8	34
69	Attachment Security and Immunity in Healthy Women. Psychosomatic Medicine, 2007, 69, 40-46.	2.0	34
70	Patient characteristics and process factors associated with antipsychotic polypharmacy in a nationwide sample of psychiatric inpatients in Italy. Pharmacoepidemiology and Drug Safety, 2011, 20, 441-449.	1.9	34
71	A rapid and reliable procedure to localize subdural electrodes in presurgical evaluation of patients with drug-resistant focal epilepsy. Clinical Neurophysiology, 2006, 117, 341-347.	1.5	32
72	The quality of life of the mentally ill living in residential facilities. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 372-381.	3.2	32

#	ARTICLE	IF	CITATIONS
73	Measurement properties and confirmatory factor analysis of the Jefferson Scale of Empathy in Italian medical students. <i>Perspectives on Medical Education</i> , 2022, 3, 419-430.	3.5	32
74	Development and validation of the Italian version of the 15-item dispositional resilience scale. <i>Rivista Di Psichiatria</i> , 2012, 47, 231-7.	0.6	32
75	The COVID-19 pandemic in Italy: Depressive symptoms immediately before and after the first lockdown. <i>Journal of Affective Disorders</i> , 2022, 298, 202-208.	4.1	32
76	Risk factors in the early family life of patients suffering from dissociative disorders. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 110-116.	4.5	31
77	A Twin Study of Attachment Style in Young Adults. <i>Journal of Personality</i> , 2011, 79, 965-992.	3.2	31
78	Personality and Psychopathology in Patients with Temporomandibular Joint Pain-Dysfunction Syndrome. <i>Psychotherapy and Psychosomatics</i> , 2000, 69, 322-328.	8.8	30
79	Association between Clinician's Subjective Experience during Patient Evaluation and Psychiatric Diagnosis. <i>Psychopathology</i> , 2016, 49, 83-94.	1.5	30
80	Assessing Clinician's Subjective Experience during Interaction with Patients. <i>Psychopathology</i> , 2014, 47, 111-118.	1.5	29
81	First Steps in the Assessment of Cognitive-Emotional Organisation within the Framework of Guidano's Model of the Self. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 363-365.	8.8	28
82	The process of care in residential facilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 540-550.	3.1	27
83	Increased Probability of Remaining in Remission from Panic Disorder with Agoraphobia after Drug Treatment in Patients Who Received Concurrent Cognitive-Behavioural Therapy: A Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 34-42.	8.8	26
84	The prescription of psychotropic drugs in psychiatric residential facilities: a national survey in Italy. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 212-223.	4.5	26
85	Severe amnesia following bilateral medial temporal lobe damage occurring on two distinct occasions. <i>Neurological Sciences</i> , 2006, 27, 129-133.	1.9	26
86	Rating scales in bipolar disorder. <i>Current Opinion in Psychiatry</i> , 2009, 22, 42-49.	6.3	26
87	Attachment and Parenting in Adult Patients with Anxiety Disorders. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 157-163.	1.2	26
88	Patterns of care in patients discharged from acute psychiatric inpatient facilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 767-776.	3.1	25
89	First-ever admitted psychiatric inpatients in Italy: Clinical characteristics and reasons contributing to admission. <i>Psychiatry Research</i> , 2010, 176, 62-68.	3.3	25
90	Alexithymia and global psychosocial functioning: A study on patients with skin disease. <i>Journal of Psychosomatic Research</i> , 2007, 62, 223-229.	2.6	24

#	ARTICLE	IF	CITATIONS
91	Memory outcome 2 years after anterior temporal lobectomy in patients with drug-resistant epilepsy. Seizure: the Journal of the British Epilepsy Association, 2009, 18, 139-144.	2.0	24
92	Psychotherapy of Mood Disorders. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 140-158.	1.2	24
93	Drug-resistant temporal lobe epilepsy due to cavernous malformations. Neurosurgical Focus, 2006, 21, 1-5.	2.3	23
94	Process of Care in General Hospital Psychiatric Units: National Survey In Italy. Australian and New Zealand Journal of Psychiatry, 2007, 41, 509-518.	2.3	23
95	A Qualitative Study Regarding COVID-19 Inpatient Family Caregiversâ€™ Need for Supportive Care. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 161-169.	1.2	23
96	Attribution of Improvement to Medication and Increased Risk of Relapse of Panic Disorder with Agoraphobia. Psychotherapy and Psychosomatics, 2003, 72, 110-111.	8.8	22
97	Lateralizing value of memory tests in drug-resistant temporal lobe epilepsy. European Journal of Neurology, 2006, 13, 371-376.	3.3	22
98	Delusional Themes Across Affective and Non-Affective Psychoses. Frontiers in Psychiatry, 2018, 9, 132.	2.6	22
99	Attachment style and immunity: A 1-year longitudinal study. Biological Psychology, 2013, 92, 353-358.	2.2	21
100	Long-stay in short-stay inpatient facilities: risk factors and barriers to discharge. BMC Public Health, 2009, 9, 306.	2.9	20
101	Monitoring and Evaluating the Italian Mental Health System. Journal of Nervous and Mental Disease, 2014, 202, 451-459.	1.0	20
102	Genetic and environmental influences underlying the relationship between autistic traits and temperament and character dimensions in adulthood. Comprehensive Psychiatry, 2015, 58, 178-188.	3.1	20
103	Psychopathological dimensions and the clinician's subjective experience. Psychiatry Research, 2017, 258, 407-414.	3.3	20
104	Higher Levels of Anger and Aggressiveness in Major Depressive Disorder Than in Anxiety and Somatoform Disorders. Journal of Clinical Psychiatry, 2004, 65, 442-443.	2.2	20
105	Combining an SSRI with an anticonvulsant in depressed patients with dysphoric mood: an open study. Clinical Practice and Epidemiology in Mental Health, 2007, 3, 3.	1.2	19
106	Treatment with Î²-Blockers and Incidence of Post-Traumatic Stress Disorder After Cardiac Surgery: A Prospective Observational Study. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 265-269.	1.3	19
107	Is long-term cancer survivorsâ€™ quality of life comparable to that of the general population? An italian study. Supportive Care in Cancer, 2015, 23, 2663-2668.	2.2	19
108	Predictors of inpatient psychiatric admission in patients presenting to the emergency department: the role of dimensional assessment. General Hospital Psychiatry, 2015, 37, 587-594.	2.4	19

#	ARTICLE	IF	CITATIONS
109	Association between the Engagement of Relatives in a Behavioural Group Intervention for Smoking Cessation and Higher Quit Rates at 6-, 12- and 24-Month Follow-Ups. <i>European Addiction Research</i> , 2002, 8, 109-117.	2.4	18
110	The Environment and Staff of Residential Facilities: Findings from the Italian "Progres" National Survey. <i>Community Mental Health Journal</i> , 2006, 42, 263-279.	2.0	18
111	Toward a Biopsychosocial Approach to Skin Diseases. , 2007, 28, 109-126.		17
112	Anniversary Reactions in Medical Patients. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 603-606.	1.0	17
113	The affective value of faces in patients achieving long-term seizure freedom after temporal lobectomy. <i>Epilepsy and Behavior</i> , 2014, 36, 97-101.	1.7	16
114	Genes and environment in attachment. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 112, 254-269.	6.1	16
115	Cardiovascular Reactivity to Experimental Stress in Psoriasis: a Controlled Investigation. <i>Acta Dermato-Venereologica</i> , 2006, 86, 340-344.	1.3	15
116	Factor structure of the Brief Psychiatric Rating Scale in unipolar depression. <i>Journal of Affective Disorders</i> , 2010, 124, 329-334.	4.1	15
117	Alexithymia and Severe Psychopathology: A Study on Psychiatric Inpatients. <i>Psychopathology</i> , 2012, 45, 159-166.	1.5	14
118	Surgery after intracranial investigation with subdural electrodes in patients with drug-resistant focal epilepsy: outcome and complications. <i>Neurosurgical Review</i> , 2012, 35, 519-526.	2.4	14
119	Genetic and environmental bases of the interplay between magical ideation and personality. <i>Psychiatry Research</i> , 2014, 215, 453-459.	3.3	14
120	Temporal pole abnormalities in temporal lobe epilepsy with hippocampal sclerosis: Clinical significance and seizure outcome after surgery. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 32, 84-91.	2.0	14
121	Patients With First-Episode Psychosis are Not a Homogeneous Population: Implications for Treatment. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 1-8.	1.2	14
122	Psychiatric disorders among hospitalized patients deceased with COVID-19 in Italy. <i>EClinicalMedicine</i> , 2021, 35, 100854.	7.1	13
123	Normative data and effects of age and gender on temperament and character dimensions across the lifespan in an Italian population: A cross-sectional validation study. <i>Journal of Affective Disorders</i> , 2016, 204, 83-91.	4.1	12
124	A Content Validity Study of AIMIT (Assessing Interpersonal Motivation in Transcripts). <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 319-328.	2.7	12
125	Facial emotion decoding in patients with Parkinson's disease. <i>International Journal of Neuroscience</i> , 2018, 128, 71-78.	1.6	12
126	Increased Maintenance of Obsessive-Compulsive Disorder Remission after Integrated Serotonergic Treatment and Cognitive Psychotherapy Compared with Medication Alone. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 123-128.	8.8	11

#	ARTICLE	IF	CITATIONS
127	The Role of Anger in Adherence to Highly Active Antiretroviral Treatment in Patients Infected with HIV. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 254-257.	8.8	11
128	Prognostic significance of acute postoperative seizures in extra-temporal lobe epilepsy surgery. <i>Clinical Neurophysiology</i> , 2013, 124, 1536-1540.	1.5	11
129	Partial Seizures due to Sclerosis of the Right Amygdala Presenting as Panic Disorder. <i>Psychopathology</i> , 2007, 40, 178-183.	1.5	10
130	Reliability of Self-Reported Attachment Style in Patients With Severe Psychopathology. <i>Journal of Personality Assessment</i> , 2011, 93, 491-499.	2.1	10
131	How Does the Residential Care System Change? A Longitudinal Survey in a Large Region of Italy. <i>Community Mental Health Journal</i> , 2011, 47, 201-208.	2.0	10
132	Acute postoperative seizures and long-term seizure outcome after surgery for hippocampal sclerosis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 24, 59-62.	2.0	10
133	Noradrenergic and dopaminergic interrelation in schizophrenia. <i>Psychiatry Research</i> , 1994, 53, 231-242.	3.3	9
134	Discriminant Ability and Criterion Validity of the HoNOS in Italian Psychiatric Residential Facilities. <i>Psychopathology</i> , 2007, 40, 111-115.	1.5	9
135	Which factors affect the costs of psychiatric residential care? Findings from the Italian PROGRES study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 132-141.	4.5	9
136	Compulsory Admissions in Italy: Results of a National Survey. <i>International Journal of Mental Health</i> , 2008, 37, 46-60.	1.3	9
137	Serial postoperative awake and sleep EEG and long-term seizure outcome after anterior temporal lobectomy for hippocampal sclerosis. <i>Epilepsy Research</i> , 2014, 108, 945-952.	1.6	9
138	Development and validation of a Stress-related Vulnerability Scale. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 178-182.	0.9	8
139	Normative data for measuring performance change on parallel forms of a 15-word list recall test. <i>Neurological Sciences</i> , 2014, 35, 663-8.	1.9	8
140	Normative data of the Magical Ideation Scale from childhood to adulthood in an Italian cohort. <i>Comprehensive Psychiatry</i> , 2016, 69, 78-87.	3.1	8
141	The Two Faces of First-Rank Symptoms. <i>Psychopathology</i> , 2019, 52, 221-231.	1.5	8
142	The Italian SEME Surveillance System of Severe Mental Disorders Presenting to Community Mental Health Services. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012, 8, 7-11.	1.2	8
143	Temporal pole abnormalities detected by 3 T MRI in temporal lobe epilepsy due to hippocampal sclerosis: No influence on seizure outcome after surgery. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 48, 74-78.	2.0	7
144	Hospitalization for anorexia nervosa in Italy. <i>Rivista Di Psichiatria</i> , 2010, 45, 154-62.	0.6	7

#	ARTICLE	IF	CITATIONS
145	Prognostic significance of serial postoperative EEG in extratemporal lobe epilepsy surgery. Clinical Neurophysiology, 2012, 123, 2346-2351.	1.5	6
146	Development and preliminary validation of the PCâ€SAD5, a screenerâ€derived short depression severity measure. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 165-171.	2.4	6
147	Reliability and normative data of the Perceptual Aberration Scale in an Italian juvenile general population sample. Psychiatry Research, 2015, 228, 495-500.	3.3	6
148	Relational variables in short-term psychodynamic psychotherapy: an effectiveness study. Research in Psychotherapy: Psychopathology, Process and Outcome, 2018, 21, 327.	0.8	6
149	Attachment in Patients with Bipolar and Unipolar Depression: A Comparison with Clinical and Non-clinical Controls. Clinical Practice and Epidemiology in Mental Health, 2019, 15, 143-152.	1.2	6
150	A comparison between former forensic and non-forensic patients living in psychiatric residential facilities: Anational survey in Italy. Journal of Forensic Psychiatry and Psychology, 2008, 19, 108-126.	1.0	5
151	Measurement Invariance of the Experiences in Close Relationships Questionnaire across Different Populations. Spanish Journal of Psychology, 2014, 17, E22.	2.1	5
152	Psychopathological Dimensions and the Clinicianâ€™s Subjective Experience. , 2018, , 267-286.		5
153	Exploring how the psychiatrist experiences the patient during the diagnostic evaluation: the Assessment of Clinicianâ€™s Subjective Experience (ACSE). Phenomenology and the Cognitive Sciences, 0, , 1.	1.8	5
154	Diagnostic Accuracy of the Primary Care Screener for Affective Disorder (PC-SAD) in Primary Care. Clinical Practice and Epidemiology in Mental Health, 2013, 9, 164-170.	1.2	5
155	Measuring depression with questions about well-being: a study on psychiatric outpatients. Rivista Di Psichiatria, 2012, 47, 304-8.	0.6	5
156	Discussion about switch strategy in the adjuvant hormonal therapy of breast cancer: psychological aspects of physicianâ€™patient communication. Annals of Oncology, 2009, 20, 1647-1652.	1.2	4
157	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. Methods, 2022, 204, 300-311.	3.8	3
158	Educating Mental Health Professionals in Clinical Epidemiology and Continuous Quality Improvement. Administration and Policy in Mental Health and Mental Health Services Research, 2003, 31, 421-424.	2.1	2
159	Association between low self-directedness and poor adherence to antiretroviral treatment in patients with recent diagnosis of HIV infection. Journal of Psychosomatic Research, 2005, 59, 113-114.	2.6	2
160	The Clinicianâ€™s Subjective Experience during the Interaction with Adolescent Psychiatric Patients: Validity and Reliability of the Assessment of Clinicianâ€™s Subjective Experience. Psychopathology, 2021, 54, 119-126.	1.5	2
161	Bilateral epileptogenesis in temporal lobe epilepsy due to unilateral hippocampal sclerosis: A case series. Clinical Neurology and Neurosurgery, 2021, 208, 106868.	1.4	2
162	Satisfaction with health care among dermatological inpatients. European Journal of Dermatology, 2003, 13, 177-82.	0.6	2

#	ARTICLE	IF	CITATIONS
163	Links between immunity and conditions leading to psychotherapy. Rivista Di Psichiatria, 2009, 44, 149-63.	0.6	2
164	Dimensional psychopathology of schizophrenia: SVARAD dimensional profiles in an acute inpatient sample. Rivista Di Psichiatria, 2018, 53, 40-48.	0.6	2
165	New mode of care. Value and limit of the person-centered care planning for people with mental disability. Annali Dell'Istituto Superiore Di Sanita, 2020, 56, 193-205.	0.4	2
166	Emotional distress and health-related quality of life among cutaneous melanoma follow-up outpatients: the role of self-perception of body image and surgical scarring. European Journal of Dermatology, 2017, 27, 435-438.	0.6	1
167	The SVARAD Scale for Rapid Dimensional Assessment: Development and Applications in Research. , 2018, , 1-28.		1
168	Clinicianâ€™s Subjective Experience in the Cross-Cultural Psychiatric Encounter. Psychopathology, 2020, 53, 282-290.	1.5	1
169	Psychopathological Dimensions in Emergency Psychiatry: Determinants of Admission, Compulsory Treatment, and Therapeutic Intervention. , 2018, , 159-174.		1
170	Relationship Between Gender and Clinicianâ€™s Subjective Experience during the Interaction with Psychiatric Patients. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 190-197.	1.2	1
171	Attitude of potential biobank donors screened for depression towards disclosure of individual health results. Annali Dell'Istituto Superiore Di Sanita, 2021, 57, 138-143.	0.4	1
172	Genetic and environmental contributions to psychopathological symptoms stability and change across the COVID-19 pandemic. Psychiatry Research, 2022, 314, 114678.	3.3	1
173	Sadness/Demoralisation and Apathy. , 2018, , 175-209.		0
174	Stress e malattie dermatologiche. , 2012, , 109-127.		0
175	Dimensional Assessment with SVARAD in Clinical Practice. , 2018, , 29-81.		0
176	A Cognitive Therapy Perspective on Therapistsâ€™ Feelings and Interpersonal Processes. , 2022, , 165-194.		0
177	I nuovi "casi difficili" in psichiatria. Rivista Di Psichiatria, 2018, 53, 223-232.	0.6	0