## Angelo Picardi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8326325/publications.pdf

Version: 2024-02-01

| 177<br>papers | 7,307<br>citations | 47006<br>47<br>h-index | 75<br>g-index  |
|---------------|--------------------|------------------------|----------------|
| 192           | 192                | 192                    | 7658           |
| all docs      | docs citations     | times ranked           | citing authors |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Measurement properties and confirmatory factor analysis of the Jefferson Scale of Empathy in Italian medical students. Perspectives on Medical Education, 2022, 3, 419-430.   | 3.5 | 32        |
| 2  | The COVID-19 pandemic in Italy: Depressive symptoms immediately before and after the first lockdown. Journal of Affective Disorders, 2022, 298, 202-208.  | 4.1 | 32        |
| 3  | External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. Methods, 2022, 204, 300-311.                                       | 3.8 | 3         |
| 4  | A Cognitive Therapy Perspective on Therapists' Feelings and Interpersonal Processes. , 2022, , 165-194.   |     | 0         |
| 5  | Genetic and environmental contributions to psychopathological symptoms stability and change across the COVID-19 pandemic. Psychiatry Research, 2022, 314, 114678.   | 3.3 | 1         |
| 6  | The Clinician's Subjective Experience during the Interaction with Adolescent Psychiatric Patients:<br>Validity and Reliability of the Assessment of Clinician's Subjective Experience. Psychopathology, 2021,<br>54, 119-126. | 1.5 | 2         |
| 7  | Psychiatric disorders among hospitalized patients deceased with COVID-19 in Italy. EClinicalMedicine, 2021, 35, 100854.   | 7.1 | 13        |
| 8  | Bilateral epileptogenesis in temporal lobe epilepsy due to unilateral hippocampal sclerosis: A case series. Clinical Neurology and Neurosurgery, 2021, 208, 106868.   | 1.4 | 2         |
| 9  | A Qualitative Study Regarding COVID-19 Inpatient Family Caregivers' Need for Supportive Care. Clinical<br>Practice and Epidemiology in Mental Health, 2021, 17, 161-169.  | 1.2 | 23        |
| 10 | Relationship Between Gender and Clinician's Subjective Experience during the Interaction with Psychiatric Patients. Clinical Practice and Epidemiology in Mental Health, 2021, 17, 190-197.                                   | 1.2 | 1         |
| 11 | Attitude of potential biobank donors screened for depression towards disclosure of individual health results. Annali Dell'Istituto Superiore Di Sanita, 2021, 57, 138-143.  | 0.4 | 1         |
| 12 | The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.                       | 8.8 | 67        |
| 13 | Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.  | 4.5 | 175       |
| 14 | Clinician's Subjective Experience in the Cross-Cultural Psychiatric Encounter. Psychopathology, 2020, 53, 282-290.  | 1.5 | 1         |
| 15 | Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.  | 7.4 | 242       |
| 16 | Genes and environment in attachment. Neuroscience and Biobehavioral Reviews, 2020, 112, 254-269.  | 6.1 | 16        |
| 17 | Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.                                   | 5.0 | 113       |
| 18 | New mode of care. Value and limit of the person-centered care planning for people with mental disability. Annali Dell'Istituto Superiore Di Sanita, 2020, 56, 193-205.  | 0.4 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Relationship Between Satisfaction With Life and Depression Symptoms by Gender. Frontiers in Psychiatry, 2019, 10, 419.  | 2.6 | 70        |
| 20 | The Two Faces of First-Rank Symptoms. Psychopathology, 2019, 52, 221-231.   | 1.5 | 8         |
| 21 | Attachment in Patients with Bipolar and Unipolar Depression: A Comparison with Clinical and Non-clinical Controls. Clinical Practice and Epidemiology in Mental Health, 2019, 15, 143-152.  | 1.2 | 6         |
| 22 | Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.   | 2.8 | 53        |
| 23 | Facial emotion decoding in patients with Parkinson's disease. International Journal of Neuroscience, 2018, 128, 71-78.  | 1.6 | 12        |
| 24 | Parental Burden and its Correlates in Families of Children with Autism Spectrum Disorder: A Multicentre Study with Two Comparison Groups. Clinical Practice and Epidemiology in Mental Health, 2018, 14, 143-176.                 | 1.2 | 104       |
| 25 | Relational variables in short-term psychodynamic psychotherapy: an effectiveness study. Research in Psychotherapy: Psychopathology, Process and Outcome, 2018, 21, 327.   | 0.8 | 6         |
| 26 | Delusional Themes Across Affective and Non-Affective Psychoses. Frontiers in Psychiatry, 2018, 9, 132.  | 2.6 | 22        |
| 27 | Psychopathological Dimensions and the Clinician's Subjective Experience. , 2018, , 267-286.   |     | 5         |
| 28 | Sadness/Demoralisation and Apathy. , 2018, , 175-209.   |     | 0         |
| 29 | The SVARAD Scale for Rapid Dimensional Assessment: Development and Applications in Research. , 2018, , 1-28.  |     | 1         |
| 30 | Psychopathological Dimensions in Emergency Psychiatry: Determinants of Admission, Compulsory Treatment, and Therapeutic Intervention., 2018, , 159-174.   |     | 1         |
| 31 | Dimensional Assessment with SVARAD in Clinical Practice. , 2018, , 29-81.   |     | O         |
| 32 | Dimensional psychopathology of schizophrenia: SVARAD dimensional profiles in an acute inpatient sample. Rivista Di Psichiatria, 2018, 53, 40-48.  | 0.6 | 2         |
| 33 | I nuovi "casi difficili" in psichiatria. Rivista Di Psichiatria, 2018, 53, 223-232.   | 0.6 | O         |
| 34 | Temporal pole abnormalities detected by 3 T MRI in temporal lobe epilepsy due to hippocampal sclerosis: No influence on seizure outcome after surgery. Seizure: the Journal of the British Epilepsy Association, 2017, 48, 74-78. | 2.0 | 7         |
| 35 | Psychopathological dimensions and the clinician's subjective experience. Psychiatry Research, 2017, 258, 407-414.   | 3.3 | 20        |
| 36 | Emotional distress and health-related quality of life among cutaneous melanoma follow-up outpatients: the role of self-perception of body image and surgical scarring. European Journal of Dermatology, 2017, 27, 435-438.        | 0.6 | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Normative data of the Magical Ideation Scale from childhood to adulthood in an Italian cohort. Comprehensive Psychiatry, 2016, 69, 78-87.  | 3.1 | 8         |
| 38 | A randomised controlled trial of the effectiveness of a program for early detection and treatment of depression in primary care. Journal of Affective Disorders, 2016, 198, 96-101.                                      | 4.1 | 35        |
| 39 | Association between Clinician's Subjective Experience during Patient Evaluation and Psychiatric Diagnosis. Psychopathology, 2016, 49, 83-94.   | 1.5 | 30        |
| 40 | Normative data and effects of age and gender on temperament and character dimensions across the lifespan in an Italian population: A cross-sectional validation study. Journal of Affective Disorders, 2016, 204, 83-91. | 4.1 | 12        |
| 41 | A Content Validity Study of AlMIT (Assessing Interpersonal Motivation in Transcripts). Clinical Psychology and Psychotherapy, 2016, 23, 319-328.   | 2.7 | 12        |
| 42 | Is long-term cancer survivors' quality of life comparable to that of the general population? An italian study. Supportive Care in Cancer, 2015, 23, 2663-2668.   | 2.2 | 19        |
| 43 | Predictors of inpatient psychiatric admission in patients presenting to the emergency department: the role of dimensional assessment. General Hospital Psychiatry, 2015, 37, 587-594.                                    | 2.4 | 19        |
| 44 | Genetic and environmental influences underlying the relationship between autistic traits and temperament and character dimensions in adulthood. Comprehensive Psychiatry, 2015, 58, 178-188.                             | 3.1 | 20        |
| 45 | Awareness of cancer, satisfaction with care, emotional distress, and adjustment to illness: an Italian multicenter study. Psycho-Oncology, 2015, 24, 1088-1096.  | 2.3 | 38        |
| 46 | Acute postoperative seizures and long-term seizure outcome after surgery for hippocampal sclerosis. Seizure: the Journal of the British Epilepsy Association, 2015, 24, 59-62.   | 2.0 | 10        |
| 47 | Temporal pole abnormalities in temporal lobe epilepsy with hippocampal sclerosis: Clinical significance and seizure outcome after surgery. Seizure: the Journal of the British Epilepsy Association, 2015, 32, 84-91.    | 2.0 | 14        |
| 48 | Reliability and normative data of the Perceptual Aberration Scale in an Italian juvenile general population sample. Psychiatry Research, 2015, 228, 495-500.   | 3.3 | 6         |
| 49 | Normative data for measuring performance change on parallel forms of a 15-word list recall test.<br>Neurological Sciences, 2014, 35, 663-8.  | 1.9 | 8         |
| 50 | Psychotherapy of Mood Disorders. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 140-158.   | 1.2 | 24        |
| 51 | Assessing Clinician's Subjective Experience during Interaction with Patients. Psychopathology, 2014, 47, 111-118.  | 1.5 | 29        |
| 52 | Monitoring and Evaluating the Italian Mental Health System. Journal of Nervous and Mental Disease, 2014, 202, 451-459.   | 1.0 | 20        |
| 53 | Measurement Invariance of the Experiences in Close Relationships Questionnaire across Different<br>Populations. Spanish Journal of Psychology, 2014, 17, E22.  | 2.1 | 5         |
| 54 | Genetic and environmental bases of the interplay between magical ideation and personality. Psychiatry Research, 2014, 215, 453-459.  | 3.3 | 14        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Serial postoperative awake and sleep EEG and long-term seizure outcome after anterior temporal lobectomy for hippocampal sclerosis. Epilepsy Research, 2014, 108, 945-952.  | 1.6 | 9         |
| 56 | Multiple sclerosis and bipolar disorders: The burden of comorbidity and its consequences on quality of life. Journal of Affective Disorders, 2014, 167, 192-197.  | 4.1 | 40        |
| 57 | The affective value of faces in patients achieving long-term seizure freedom after temporal lobectomy.<br>Epilepsy and Behavior, 2014, 36, 97-101.  | 1.7 | 16        |
| 58 | Patients With First-Episode Psychosis are Not a Homogeneous Population: Implications for Treatment. Clinical Practice and Epidemiology in Mental Health, 2014, 10, 1-8.   | 1.2 | 14        |
| 59 | Suicide risk in skin disorders. Clinics in Dermatology, 2013, 31, 47-56.  | 1.6 | 101       |
| 60 | Attachment style and immunity: A 1-year longitudinal study. Biological Psychology, 2013, 92, 353-358.   | 2.2 | 21        |
| 61 | Alexithymia in the medically ill. Analysis of 1190 patients in gastroenterology, cardiology, oncology and dermatology. General Hospital Psychiatry, 2013, 35, 521-527.  | 2.4 | 37        |
| 62 | Prognostic significance of acute postoperative seizures in extra-temporal lobe epilepsy surgery. Clinical Neurophysiology, 2013, 124, 1536-1540.  | 1.5 | 11        |
| 63 | Attachment and Parenting in Adult Patients with Anxiety Disorders. Clinical Practice and Epidemiology in Mental Health, 2013, 9, 157-163.   | 1.2 | 26        |
| 64 | Diagnostic Accuracy of the Primary Care Screener for Affective Disorder (PC-SAD) in Primary Care. Clinical Practice and Epidemiology in Mental Health, 2013, 9, 164-170.  | 1.2 | 5         |
| 65 | Living with Psoriasis: Prevalence of Shame, Anger, Worry, and Problems in Daily Activities and Social Life. Acta Dermato-Venereologica, 2012, 92, 299-303.  | 1.3 | 132       |
| 66 | Alexithymia and Severe Psychopathology: A Study on Psychiatric Inpatients. Psychopathology, 2012, 45, 159-166.  | 1.5 | 14        |
| 67 | A cluster analysis-derived classification of psychological distress and illness behavior in the medically ill. Psychological Medicine, 2012, 42, 401-407.   | 4.5 | 36        |
| 68 | Anniversary Reactions in Medical Patients. Journal of Nervous and Mental Disease, 2012, 200, 603-606.   | 1.0 | 17        |
| 69 | Treatment with Î <sup>2</sup> -Blockers and Incidence of Post-Traumatic Stress Disorder After Cardiac Surgery: A Prospective Observational Study. Journal of Cardiothoracic and Vascular Anesthesia, 2012, 26, 265-269. | 1.3 | 19        |
| 70 | Type A behaviour: a reappraisal of its characteristics in cardiovascular disease. International Journal of Clinical Practice, 2012, 66, 854-861.  | 1.7 | 38        |
| 71 | Surgery after intracranial investigation with subdural electrodes in patients with drug-resistant focal epilepsy: outcome and complications. Neurosurgical Review, 2012, 35, 519-526.                                   | 2.4 | 14        |
| 72 | Heterogeneity and symptom structure of schizophrenia. Psychiatry Research, 2012, 198, 386-394.  | 3.3 | 64        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Seizure clusters and adverse events during pre-surgical video-EEG monitoring with a slow anti-epileptic drug (AED) taper. Clinical Neurophysiology, 2012, 123, 486-488.                                    | 1.5 | 54        |
| 74 | Prognostic significance of serial postoperative EEG in extratemporal lobe epilepsy surgery. Clinical Neurophysiology, 2012, 123, 2346-2351.  | 1.5 | 6         |
| 75 | Development and preliminary validation of the PCâ€SAD5, a screenerâ€derived short depression severity measure. Journal of the European Academy of Dermatology and Venereology, 2012, 26, 165-171.          | 2.4 | 6         |
| 76 | Development and validation of the Italian version of the 15-item dispositional resilience scale. Rivista Di Psichiatria, 2012, 47, 231-7.  | 0.6 | 32        |
| 77 | The Italian SEME Surveillance System of Severe Mental Disorders Presenting to Community Mental Health Services. Clinical Practice and Epidemiology in Mental Health, 2012, 8, 7-11.                        | 1.2 | 8         |
| 78 | Stress e malattie dermatologiche. , 2012, , 109-127.   |     | 0         |
| 79 | Measuring depression with questions about well-being: a study on psychiatric outpatients. Rivista Di<br>Psichiatria, 2012, 47, 304-8.  | 0.6 | 5         |
| 80 | Reliability of Self-Reported Attachment Style in Patients With Severe Psychopathology. Journal of Personality Assessment, 2011, 93, 491-499.   | 2.1 | 10        |
| 81 | Genetic influences on alexithymia and their relationship with depressive symptoms. Journal of Psychosomatic Research, 2011, 71, 256-263.   | 2.6 | 59        |
| 82 | Use of psychiatric inpatient services by heavy users: Findings from a national survey in Italy. European Psychiatry, 2011, 26, 252-259.  | 0.2 | 37        |
| 83 | A Twin Study of Attachment Style in Young Adults. Journal of Personality, 2011, 79, 965-992.   | 3.2 | 31        |
| 84 | Subtyping depression in the medically ill by cluster analysis. Journal of Affective Disorders, 2011, 132, 383-388.   | 4.1 | 42        |
| 85 | How Does the Residential Care System Change? A Longitudinal Survey in a Large Region of Italy.<br>Community Mental Health Journal, 2011, 47, 201-208.  | 2.0 | 10        |
| 86 | Patient characteristics and process factors associated with antipsychotic polypharmacy in a nationwide sample of psychiatric inpatients in Italy. Pharmacoepidemiology and Drug Safety, 2011, 20, 441-449. | 1.9 | 34        |
| 87 | Factor structure of the Brief Psychiatric Rating Scale in unipolar depression. Journal of Affective Disorders, 2010, 124, 329-334.   | 4.1 | 15        |
| 88 | Development and validation of a Stress-related Vulnerability Scale. Epidemiologia E Psichiatria Sociale, 2010, 19, 178-182.  | 0.9 | 8         |
| 89 | First-ever admitted psychiatric inpatients in Italy: Clinical characteristics and reasons contributing to admission. Psychiatry Research, 2010, 176, 62-68.  | 3.3 | 25        |
| 90 | Hospitalization for anorexia nervosa in Italy. Rivista Di Psichiatria, 2010, 45, 154-62.   | 0.6 | 7         |

| #   | Article   | IF          | Citations |
|-----|---|-------------|-----------|
| 91  | Patterns of admission to acute psychiatric in-patient facilities: a national survey in Italy. Psychological Medicine, 2009, 39, 485-496.  | <b>4.</b> 5 | 49        |
| 92  | The Role of Anger in Adherence to Highly Active Antiretroviral Treatment in Patients Infected with HIV. Psychotherapy and Psychosomatics, 2009, 78, 254-257.  | 8.8         | 11        |
| 93  | Discussion about switch strategy in the adjuvant hormonal therapy of breast cancer: psychological aspects of physician–patient communication. Annals of Oncology, 2009, 20, 1647-1652.                                | 1.2         | 4         |
| 94  | Long-stay in short-stay inpatient facilities: risk factors and barriers to discharge. BMC Public Health, 2009, 9, 306.  | 2.9         | 20        |
| 95  | Hippocampal, amygdala, and neocortical synchronization of theta rhythms is related to an immediate recall during rey auditory verbal learning test. Human Brain Mapping, 2009, 30, 2077-2089.                         | 3.6         | 56        |
| 96  | Patterns of care in patients discharged from acute psychiatric inpatient facilities. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 767-776.   | 3.1         | 25        |
| 97  | Memory outcome 2 years after anterior temporal lobectomy in patients with drug-resistant epilepsy. Seizure: the Journal of the British Epilepsy Association, 2009, 18, 139-144.                                       | 2.0         | 24        |
| 98  | Rating scales in bipolar disorder. Current Opinion in Psychiatry, 2009, 22, 42-49.  | 6.3         | 26        |
| 99  | Links between immunity and conditions leading to psychotherapy. Rivista Di Psichiatria, 2009, 44, 149-63.   | 0.6         | 2         |
| 100 | Mental health in patients with systemic sclerosis: a controlled investigation. Journal of the European Academy of Dermatology and Venereology, 2008, 22, 336-340.   | 2.4         | 35        |
| 101 | Symptom structure of acute mania: A factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. Journal of Affective Disorders, 2008, 108, 183-189. | 4.1         | 46        |
| 102 | A comparison between former forensic and non-forensic patientsliving in psychiatric residential facilities: Anationalsurvey in Italy. Journal of Forensic Psychiatry and Psychology, 2008, 19, 108-126.               | 1.0         | 5         |
| 103 | Compulsory Admissions in Italy: Results of a National Survey. International Journal of Mental Health, 2008, 37, 46-60.  | 1.3         | 9         |
| 104 | Combining an SSRI with an anticonvulsant in depressed patients with dysphoric mood: an open study. Clinical Practice and Epidemiology in Mental Health, 2007, 3, 3.   | 1.2         | 19        |
| 105 | Discriminant Ability and Criterion Validity of the HoNOS in Italian Psychiatric Residential Facilities.<br>Psychopathology, 2007, 40, 111-115.  | 1.5         | 9         |
| 106 | Partial Seizures due to Sclerosis of the Right Amygdala Presenting as Panic Disorder.<br>Psychopathology, 2007, 40, 178-183.  | 1.5         | 10        |
| 107 | Impairment of Sexual Life in Patients with Psoriasis. Dermatology, 2007, 214, 144-150.  | 2.1         | 104       |
| 108 | Process of Care in General Hospital Psychiatric Units: National Survey In Italy. Australian and New Zealand Journal of Psychiatry, 2007, 41, 509-518.   | 2.3         | 23        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 109 | Characteristics and activities of acute psychiatric in-patient facilities: national survey in Italy. British Journal of Psychiatry, 2007, 191, 170-177.                                 | 2.8 | 68        |
| 110 | Toward a Biopsychosocial Approach to Skin Diseases. , 2007, 28, 109-126.  |     | 17        |
| 111 | Attachment Security and Immunity in Healthy Women. Psychosomatic Medicine, 2007, 69, 40-46.   | 2.0 | 34        |
| 112 | Alexithymia and global psychosocial functioning: A study on patients with skin disease. Journal of Psychosomatic Research, 2007, 62, 223-229.   | 2.6 | 24        |
| 113 | Changes in depression, anxiety, anger, and personality after resective surgery for drug-resistant temporal lobe epilepsy: A 2-year follow-up study. Epilepsy Research, 2007, 77, 22-30. | 1.6 | 54        |
| 114 | Which factors affect the costs of psychiatric residential care? Findings from the Italian PROGRES study. Acta Psychiatrica Scandinavica, 2007, 115, 132-141.                            | 4.5 | 9         |
| 115 | Effect of Psychological Stress on Salivary Interleukin- $1\hat{l}^2$ in Psoriasis. Archives of Medical Research, 2007, 38, 206-211.   | 3.3 | 40        |
| 116 | The current state of mental health care in Italy: problems, perspectives, and lessons to learn. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 83-91.            | 3.2 | 88        |
| 117 | Integration of Multiple Criteria for Psychosomatic Assessment of Dermatological Patients. Psychosomatics, 2006, 47, 122-128.  | 2.5 | 39        |
| 118 | A rapid and reliable procedure to localize subdural electrodes in presurgical evaluation of patients with drug-resistant focal epilepsy. Clinical Neurophysiology, 2006, 117, 341-347.  | 1.5 | 32        |
| 119 | Prevalence and correlates of suicidal ideation among patients with skin disease. Journal of the American Academy of Dermatology, 2006, 54, 420-426.                                     | 1.2 | 130       |
| 120 | Drug-resistant temporal lobe epilepsy due to cavernous malformations. Neurosurgical Focus, 2006, 21, 1-5.   | 2.3 | 23        |
| 121 | Lateralizing value of memory tests in drug-resistant temporal lobe epilepsy. European Journal of Neurology, 2006, 13, 371-376.  | 3.3 | 22        |
| 122 | The prescription of psychotropic drugs in psychiatric residential facilities: a national survey in Italy. Acta Psychiatrica Scandinavica, 2006, 113, 212-223.                           | 4.5 | 26        |
| 123 | Factors associated with generic and disease-specific quality of life in temporal lobe epilepsy. Epilepsy Research, 2006, 69, 135-146.   | 1.6 | 45        |
| 124 | The Environment and Staff of Residential Facilities: Findings from the Italian †Progres†National Survey. Community Mental Health Journal, 2006, 42, 263-279.                            | 2.0 | 18        |
| 125 | The quality of life of the mentally ill living in residential facilities. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 372-381.                                | 3.2 | 32        |
| 126 | Severe amnesia following bilateral medial temporal lobe damage occurring on two distinct occasions. Neurological Sciences, 2006, 27, 129-133.   | 1.9 | 26        |

| #   | Article   | IF  | Citations |
|-----|---|-----|-----------|
| 127 | Detection and treatment of depressive and anxiety disorders among cancer patients: feasibility and preliminary findings from a liaison service in an oncology division. Depression and Anxiety, 2006, 23, 441-448.                      | 4.1 | 49        |
| 128 | Cardiovascular Reactivity to Experimental Stress in Psoriasis: a Controlled Investigation. Acta Dermato-Venereologica, 2006, 86, 340-344.   | 1.3 | 15        |
| 129 | The severely mentally ill in residential facilities: a national survey in Italy. Psychological Medicine, 2005, 35, 421-431.   | 4.5 | 50        |
| 130 | Stability of attachment-related anxiety and avoidance and their relationships with the five-factor model and the psychobiological model of personality. Psychology and Psychotherapy: Theory, Research and Practice, 2005, 78, 327-345. | 2.5 | 56        |
| 131 | Effects of patient satisfaction with care on health-related quality of life: a prospective study. Journal of the European Academy of Dermatology and Venereology, 2005, 19, 712-718.  | 2.4 | 35        |
| 132 | Dimensional psychopathology of depression: detection of an â€~activation' dimension in unipolar depressed outpatients. Journal of Affective Disorders, 2005, 84, 133-139.   | 4.1 | 69        |
| 133 | The process of care in residential facilities. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 540-550.   | 3.1 | 27        |
| 134 | Screening for Depressive Disorders in Patients with Skin Diseases: A Comparison of Three Screeners. Acta Dermato-Venereologica, 2005, 85, 414-419.  | 1.3 | 56        |
| 135 | Psychosomatic Assessment of Skin Diseases in Clinical Practice. Psychotherapy and Psychosomatics, 2005, 74, 315-322.  | 8.8 | 68        |
| 136 | Psychometric Properties of the Dermatology Life Quality Index (DLQI) in 900 Italian Patients with Psoriasis. Acta Dermato-Venereologica, 2005, 85, 409-413.   | 1.3 | 62        |
| 137 | Temporal lobe epilepsy surgery: different surgical strategies after a non-invasive diagnostic protocol.<br>Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 815-824.  | 1.9 | 40        |
| 138 | Increased Maintenance of Obsessive-Compulsive Disorder Remission after Integrated Serotonergic Treatment and Cognitive Psychotherapy Compared with Medication Alone. Psychotherapy and Psychosomatics, 2005, 74, 123-128.               | 8.8 | 11        |
| 139 | Stress, Social Support, Emotional Regulation, and Exacerbation of Diffuse Plaque Psoriasis. Psychosomatics, 2005, 46, 556-564.  | 2.5 | 115       |
| 140 | Association between low self-directedness and poor adherence to antiretroviral treatment in patients with recent diagnosis of HIV infection. Journal of Psychosomatic Research, 2005, 59, 113-114.                                      | 2.6 | 2         |
| 141 | Stability of Alexithymia and Its Relationships with the â€~Big Five' Factors, Temperament, Character, and Attachment Style. Psychotherapy and Psychosomatics, 2005, 74, 371-378.  | 8.8 | 118       |
| 142 | Relevance of Anger and Irritability in Outpatients with Major Depressive Disorder. Psychopathology, 2004, 37, 155-160.  | 1.5 | 73        |
| 143 | Recognition of Depressive and Anxiety Disorders in Dermatological Outpatients. Acta Dermato-Venereologica, 2004, 84, 213-217.   | 1.3 | 66        |
| 144 | Screening for psychiatric disorders in patients with skin diseases. Journal of Psychosomatic Research, 2004, 57, 219-223.   | 2.6 | 68        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 145 | Association Between Poorer Quality of Life and Psychiatric Morbidity in Patients With Different Dermatological Conditions. Psychosomatic Medicine, 2004, 66, 620-624.  | 2.0 | 106       |
| 146 | Higher Levels of Anger and Aggressiveness in Major Depressive Disorder Than in Anxiety and Somatoform Disorders. Journal of Clinical Psychiatry, 2004, 65, 442-443.  | 2.2 | 20        |
| 147 | Job satisfaction among mental health professionals in Rome, Italy. Community Mental Health Journal, 2003, 39, 349-355.   | 2.0 | 42        |
| 148 | Educating Mental Health Professionals in Clinical Epidemiology and Continuous Quality Improvement. Administration and Policy in Mental Health and Mental Health Services Research, 2003, 31, 421-424.  | 2.1 | 2         |
| 149 | Treatment outcome and incidence of psychiatric disorders in dermatological outâ€patients. Journal of the European Academy of Dermatology and Venereology, 2003, 17, 155-159.   | 2.4 | 36        |
| 150 | The impact of skin diseases on patients: comparing dermatologists' opinions with research data collected on their patients. British Journal of Dermatology, 2003, 148, 989-995.  | 1.5 | 52        |
| 151 | Sensitivity of the Dermatology Life Quality Index to clinical change in patients with psoriasis. British Journal of Dermatology, 2003, 149, 318-322.   | 1.5 | 76        |
| 152 | Only limited support for a role of psychosomatic factors in psoriasis. Journal of Psychosomatic Research, 2003, 55, 189-196.   | 2.6 | 53        |
| 153 | Psychosomatic Factors in First-Onset Alopecia Areata. Psychosomatics, 2003, 44, 374-381.   | 2.5 | 101       |
| 154 | Stressful Life Events, Social Support, Attachment Security and Alexithymia in Vitiligo. Psychotherapy and Psychosomatics, 2003, 72, 150-158.   | 8.8 | 98        |
| 155 | Increased Probability of Remaining in Remission from Panic Disorder with Agoraphobia after Drug<br>Treatment in Patients Who Received Concurrent Cognitive-Behavioural Therapy: A Follow-Up Study.<br>Psychotherapy and Psychosomatics, 2003, 72, 34-42. | 8.8 | 26        |
| 156 | Performance of the Self-administered Psoriasis Area and Severity Index in Evaluating Clinical and Sociodemographic Subgroups of Patients With Psoriasis. Archives of Dermatology, 2003, 139, 353.  | 1.4 | 57        |
| 157 | First Steps in the Assessment of Cognitive-Emotional Organisation within the Framework of Guidano's<br>Model of the Self. Psychotherapy and Psychosomatics, 2003, 72, 363-365.   | 8.8 | 28        |
| 158 | Attribution of Improvement to Medication and Increased Risk of Relapse of Panic Disorder with Agoraphobia. Psychotherapy and Psychosomatics, 2003, 72, 110-111.  | 8.8 | 22        |
| 159 | Satisfaction with health care among dermatological inpatients. European Journal of Dermatology, 2003, 13, 177-82.  | 0.6 | 2         |
| 160 | Association between the Engagement of Relatives in a Behavioural Group Intervention for Smoking Cessation and Higher Quit Rates at 6-, 12- and 24-Month Follow-Ups. European Addiction Research, 2002, 8, 109-117.                                       | 2.4 | 18        |
| 161 | Association of Dissatisfaction With Care and Psychiatric Morbidity With Poor Treatment Compliance. Archives of Dermatology, 2002, 138, 337-42.   | 1.4 | 201       |
| 162 | Further Evidence of the Validity and Reliability of the Skindex-29: An Italian Study on 2,242 Dermatological Outpatients. Dermatology, 2002, 204, 43-49.   | 2.1 | 105       |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 163 | Residential care in Italy. British Journal of Psychiatry, 2002, 181, 220-225.  | 2.8 | 105       |
| 164 | Patients' and relatives' satisfaction with psychiatric services in a large catchment area in Rome. European Psychiatry, 2002, 17, 139-147.   | 0.2 | 67        |
| 165 | Psychopathological dimensions of depression: a factor study of the 17-item Hamilton depression rating scale in unipolar depressed outpatients. Journal of Affective Disorders, 2002, 68, 41-47.                            | 4.1 | 82        |
| 166 | Risk factors in the early family life of patients suffering from dissociative disorders. Acta Psychiatrica Scandinavica, 2002, 105, 110-116.   | 4.5 | 31        |
| 167 | Increased Psychiatric Morbidity in Female Outpatients with Skin Lesions on Visible Parts of the Body. Acta Dermato-Venereologica, 2001, 81, 410-414.   | 1.3 | 44        |
| 168 | Factors associated with patient satisfaction with care among dermatological outpatients. British Journal of Dermatology, 2001, 145, 617-623.   | 1.5 | 171       |
| 169 | Assessing psychological distress in patients with skin diseases: reliability, validity and factor structure of the GHQâ€12. Journal of the European Academy of Dermatology and Venereology, 2001, 15, 410-417.             | 2.4 | 119       |
| 170 | Stressful Life Events and Skin Diseases: Disentangling Evidence from Myth. Psychotherapy and Psychosomatics, 2001, 70, 118-136.  | 8.8 | 228       |
| 171 | Psychiatric morbidity in dermatological outpatients: an issue to be recognized. British Journal of Dermatology, 2000, 143, 983-991.  | 1.5 | 359       |
| 172 | Personality and Psychopathology in Patients with Temporomandibular Joint Pain-Dysfunction Syndrome. Psychotherapy and Psychosomatics, 2000, 69, 322-328.   | 8.8 | 30        |
| 173 | Psychological Stress and Neuroendocrine Function in Humans: The Last Two Decades of Research. Psychotherapy and Psychosomatics, 1999, 68, 114-150.   | 8.8 | 300       |
| 174 | Clinical and Biological Aspects of Bereavement and Loss-Induced Depression: A Reappraisal. Psychotherapy and Psychosomatics, 1996, 65, 229-245.  | 8.8 | 78        |
| 175 | Noradrenergic and dopaminergic interrelation in schizophrenia. Psychiatry Research, 1994, 53, 231-242.   | 3.3 | 9         |
| 176 | Temporomandibular Joint Pain-Dysfunction Syndrome and Bruxism: Etiopathogenesis and Treatment from a Psychosomatic Integrative Viewpoint. Psychotherapy and Psychosomatics, 1993, 59, 84-98.                               | 8.8 | 34        |
| 177 | Exploring how the psychiatrist experiences the patient during the diagnostic evaluation: the Assessment of Clinicianâ $\in$ <sup>M</sup> s Subjective Experience (ACSE). Phenomenology and the Cognitive Sciences, 0, , 1. | 1.8 | 5         |