

# Angelo Picardi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8326325/publications.pdf>

Version: 2024-02-01

177  
papers

7,307  
citations

46918

47  
h-index

74018

75  
g-index

192  
all docs

192  
docs citations

192  
times ranked

7658  
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement properties and confirmatory factor analysis of the Jefferson Scale of Empathy in Italian medical students. <i>Perspectives on Medical Education</i> , 2022, 3, 419-430.	1.8	32
2	The COVID-19 pandemic in Italy: Depressive symptoms immediately before and after the first lockdown. <i>Journal of Affective Disorders</i> , 2022, 298, 202-208.	2.0	32
3	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. <i>Methods</i> , 2022, 204, 300-311.	1.9	3
4	A Cognitive Therapy Perspective on Therapists's Feelings and Interpersonal Processes. , 2022, , 165-194.		0
5	Genetic and environmental contributions to psychopathological symptoms stability and change across the COVID-19 pandemic. <i>Psychiatry Research</i> , 2022, 314, 114678.	1.7	1
6	The Clinician's Subjective Experience during the Interaction with Adolescent Psychiatric Patients: Validity and Reliability of the Assessment of Clinician's Subjective Experience. <i>Psychopathology</i> , 2021, 54, 119-126.	1.1	2
7	Psychiatric disorders among hospitalized patients deceased with COVID-19 in Italy. <i>EClinicalMedicine</i> , 2021, 35, 100854.	3.2	13
8	Bilateral epileptogenesis in temporal lobe epilepsy due to unilateral hippocampal sclerosis: A case series. <i>Clinical Neurology and Neurosurgery</i> , 2021, 208, 106868.	0.6	2
9	A Qualitative Study Regarding COVID-19 Inpatient Family Caregivers's Need for Supportive Care. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021, 17, 161-169.	0.6	23
10	Relationship Between Gender and Clinician's Subjective Experience during the Interaction with Psychiatric Patients. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021, 17, 190-197.	0.6	1
11	Attitude of potential biobank donors screened for depression towards disclosure of individual health results. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2021, 57, 138-143.	0.2	1
12	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 25-37.	4.0	67
13	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020, 50, 1368-1380.	2.7	175
14	Clinician's Subjective Experience in the Cross-Cultural Psychiatric Encounter. <i>Psychopathology</i> , 2020, 53, 282-290.	1.1	1
15	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2290.	3.8	242
16	Genes and environment in attachment. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 112, 254-269.	2.9	16
17	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 115-128.e1.	2.4	113
18	New mode of care. Value and limit of the person-centered care planning for people with mental disability. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2020, 56, 193-205.	0.2	2

#	ARTICLE	IF	CITATIONS
19	The Relationship Between Satisfaction With Life and Depression Symptoms by Gender. <i>Frontiers in Psychiatry</i> , 2019, 10, 419.	1.3	70
20	The Two Faces of First-Rank Symptoms. <i>Psychopathology</i> , 2019, 52, 221-231.	1.1	8
21	Attachment in Patients with Bipolar and Unipolar Depression: A Comparison with Clinical and Non-clinical Controls. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019, 15, 143-152.	0.6	6
22	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018, 212, 377-385.	1.7	53
23	Facial emotion decoding in patients with Parkinson's disease. <i>International Journal of Neuroscience</i> , 2018, 128, 71-78.	0.8	12
24	Parental Burden and its Correlates in Families of Children with Autism Spectrum Disorder: A Multicentre Study with Two Comparison Groups. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2018, 14, 143-176.	0.6	104
25	Relational variables in short-term psychodynamic psychotherapy: an effectiveness study. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2018, 21, 327.	0.4	6
26	Delusional Themes Across Affective and Non-Affective Psychoses. <i>Frontiers in Psychiatry</i> , 2018, 9, 132.	1.3	22
27	Psychopathological Dimensions and the Clinician's Subjective Experience. , 2018, , 267-286.		5
28	Sadness/Demoralisation and Apathy. , 2018, , 175-209.		0
29	The SVARAD Scale for Rapid Dimensional Assessment: Development and Applications in Research. , 2018, , 1-28.		1
30	Psychopathological Dimensions in Emergency Psychiatry: Determinants of Admission, Compulsory Treatment, and Therapeutic Intervention. , 2018, , 159-174.		1
31	Dimensional Assessment with SVARAD in Clinical Practice. , 2018, , 29-81.		0
32	Dimensional psychopathology of schizophrenia: SVARAD dimensional profiles in an acute inpatient sample. <i>Rivista Di Psichiatria</i> , 2018, 53, 40-48.	0.6	2
33	I nuovi "casi difficili" in psichiatria. <i>Rivista Di Psichiatria</i> , 2018, 53, 223-232.	0.6	0
34	Temporal pole abnormalities detected by 3 T MRI in temporal lobe epilepsy due to hippocampal sclerosis: No influence on seizure outcome after surgery. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 48, 74-78.	0.9	7
35	Psychopathological dimensions and the clinician's subjective experience. <i>Psychiatry Research</i> , 2017, 258, 407-414.	1.7	20
36	Emotional distress and health-related quality of life among cutaneous melanoma follow-up outpatients: the role of self-perception of body image and surgical scarring. <i>European Journal of Dermatology</i> , 2017, 27, 435-438.	0.3	1

#	ARTICLE	IF	CITATIONS
37	Normative data of the Magical Ideation Scale from childhood to adulthood in an Italian cohort. <i>Comprehensive Psychiatry</i> , 2016, 69, 78-87.	1.5	8
38	A randomised controlled trial of the effectiveness of a program for early detection and treatment of depression in primary care. <i>Journal of Affective Disorders</i> , 2016, 198, 96-101.	2.0	35
39	Association between Clinician's Subjective Experience during Patient Evaluation and Psychiatric Diagnosis. <i>Psychopathology</i> , 2016, 49, 83-94.	1.1	30
40	Normative data and effects of age and gender on temperament and character dimensions across the lifespan in an Italian population: A cross-sectional validation study. <i>Journal of Affective Disorders</i> , 2016, 204, 83-91.	2.0	12
41	A Content Validity Study of AIMIT (Assessing Interpersonal Motivation in Transcripts). <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 319-328.	1.4	12
42	Is long-term cancer survivors' quality of life comparable to that of the general population? An Italian study. <i>Supportive Care in Cancer</i> , 2015, 23, 2663-2668.	1.0	19
43	Predictors of inpatient psychiatric admission in patients presenting to the emergency department: the role of dimensional assessment. <i>General Hospital Psychiatry</i> , 2015, 37, 587-594.	1.2	19
44	Genetic and environmental influences underlying the relationship between autistic traits and temperament and character dimensions in adulthood. <i>Comprehensive Psychiatry</i> , 2015, 58, 178-188.	1.5	20
45	Awareness of cancer, satisfaction with care, emotional distress, and adjustment to illness: an Italian multicenter study. <i>Psycho-Oncology</i> , 2015, 24, 1088-1096.	1.0	38
46	Acute postoperative seizures and long-term seizure outcome after surgery for hippocampal sclerosis. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 24, 59-62.	0.9	10
47	Temporal pole abnormalities in temporal lobe epilepsy with hippocampal sclerosis: Clinical significance and seizure outcome after surgery. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 32, 84-91.	0.9	14
48	Reliability and normative data of the Perceptual Aberration Scale in an Italian juvenile general population sample. <i>Psychiatry Research</i> , 2015, 228, 495-500.	1.7	6
49	Normative data for measuring performance change on parallel forms of a 15-word list recall test. <i>Neurological Sciences</i> , 2014, 35, 663-8.	0.9	8
50	Psychotherapy of Mood Disorders. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 140-158.	0.6	24
51	Assessing Clinician's Subjective Experience during Interaction with Patients. <i>Psychopathology</i> , 2014, 47, 111-118.	1.1	29
52	Monitoring and Evaluating the Italian Mental Health System. <i>Journal of Nervous and Mental Disease</i> , 2014, 202, 451-459.	0.5	20
53	Measurement Invariance of the Experiences in Close Relationships Questionnaire across Different Populations. <i>Spanish Journal of Psychology</i> , 2014, 17, E22.	1.1	5
54	Genetic and environmental bases of the interplay between magical ideation and personality. <i>Psychiatry Research</i> , 2014, 215, 453-459.	1.7	14

#	ARTICLE	IF	CITATIONS
55	Serial postoperative awake and sleep EEG and long-term seizure outcome after anterior temporal lobectomy for hippocampal sclerosis. <i>Epilepsy Research</i> , 2014, 108, 945-952.	0.8	9
56	Multiple sclerosis and bipolar disorders: The burden of comorbidity and its consequences on quality of life. <i>Journal of Affective Disorders</i> , 2014, 167, 192-197.	2.0	40
57	The affective value of faces in patients achieving long-term seizure freedom after temporal lobectomy. <i>Epilepsy and Behavior</i> , 2014, 36, 97-101.	0.9	16
58	Patients With First-Episode Psychosis are Not a Homogeneous Population: Implications for Treatment. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2014, 10, 1-8.	0.6	14
59	Suicide risk in skin disorders. <i>Clinics in Dermatology</i> , 2013, 31, 47-56.	0.8	101
60	Attachment style and immunity: A 1-year longitudinal study. <i>Biological Psychology</i> , 2013, 92, 353-358.	1.1	21
61	Alexithymia in the medically ill. Analysis of 1190 patients in gastroenterology, cardiology, oncology and dermatology. <i>General Hospital Psychiatry</i> , 2013, 35, 521-527.	1.2	37
62	Prognostic significance of acute postoperative seizures in extra-temporal lobe epilepsy surgery. <i>Clinical Neurophysiology</i> , 2013, 124, 1536-1540.	0.7	11
63	Attachment and Parenting in Adult Patients with Anxiety Disorders. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 157-163.	0.6	26
64	Diagnostic Accuracy of the Primary Care Screener for Affective Disorder (PC-SAD) in Primary Care. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2013, 9, 164-170.	0.6	5
65	Living with Psoriasis: Prevalence of Shame, Anger, Worry, and Problems in Daily Activities and Social Life. <i>Acta Dermato-Venereologica</i> , 2012, 92, 299-303.	0.6	132
66	Alexithymia and Severe Psychopathology: A Study on Psychiatric Inpatients. <i>Psychopathology</i> , 2012, 45, 159-166.	1.1	14
67	A cluster analysis-derived classification of psychological distress and illness behavior in the medically ill. <i>Psychological Medicine</i> , 2012, 42, 401-407.	2.7	36
68	Anniversary Reactions in Medical Patients. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 603-606.	0.5	17
69	Treatment with $\beta$ -Blockers and Incidence of Post-Traumatic Stress Disorder After Cardiac Surgery: A Prospective Observational Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012, 26, 265-269.	0.6	19
70	Type A behaviour: a reappraisal of its characteristics in cardiovascular disease. <i>International Journal of Clinical Practice</i> , 2012, 66, 854-861.	0.8	38
71	Surgery after intracranial investigation with subdural electrodes in patients with drug-resistant focal epilepsy: outcome and complications. <i>Neurosurgical Review</i> , 2012, 35, 519-526.	1.2	14
72	Heterogeneity and symptom structure of schizophrenia. <i>Psychiatry Research</i> , 2012, 198, 386-394.	1.7	64

#	ARTICLE	IF	CITATIONS
73	Seizure clusters and adverse events during pre-surgical video-EEG monitoring with a slow anti-epileptic drug (AED) taper. <i>Clinical Neurophysiology</i> , 2012, 123, 486-488.	0.7	54
74	Prognostic significance of serial postoperative EEG in extratemporal lobe epilepsy surgery. <i>Clinical Neurophysiology</i> , 2012, 123, 2346-2351.	0.7	6
75	Development and preliminary validation of the PCa€SAD5, a screenera€derived short depression severity measure. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 165-171.	1.3	6
76	Development and validation of the Italian version of the 15-item dispositional resilience scale. <i>Rivista Di Psichiatria</i> , 2012, 47, 231-7.	0.6	32
77	The Italian SEME Surveillance System of Severe Mental Disorders Presenting to Community Mental Health Services. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012, 8, 7-11.	0.6	8
78	Stress e malattie dermatologiche. , 2012, , 109-127.		0
79	Measuring depression with questions about well-being: a study on psychiatric outpatients. <i>Rivista Di Psichiatria</i> , 2012, 47, 304-8.	0.6	5
80	Reliability of Self-Reported Attachment Style in Patients With Severe Psychopathology. <i>Journal of Personality Assessment</i> , 2011, 93, 491-499.	1.3	10
81	Genetic influences on alexithymia and their relationship with depressive symptoms. <i>Journal of Psychosomatic Research</i> , 2011, 71, 256-263.	1.2	59
82	Use of psychiatric inpatient services by heavy users: Findings from a national survey in Italy. <i>European Psychiatry</i> , 2011, 26, 252-259.	0.1	37
83	A Twin Study of Attachment Style in Young Adults. <i>Journal of Personality</i> , 2011, 79, 965-992.	1.8	31
84	Subtyping depression in the medically ill by cluster analysis. <i>Journal of Affective Disorders</i> , 2011, 132, 383-388.	2.0	42
85	How Does the Residential Care System Change? A Longitudinal Survey in a Large Region of Italy. <i>Community Mental Health Journal</i> , 2011, 47, 201-208.	1.1	10
86	Patient characteristics and process factors associated with antipsychotic polypharmacy in a nationwide sample of psychiatric inpatients in Italy. <i>Pharmacoepidemiology and Drug Safety</i> , 2011, 20, 441-449.	0.9	34
87	Factor structure of the Brief Psychiatric Rating Scale in unipolar depression. <i>Journal of Affective Disorders</i> , 2010, 124, 329-334.	2.0	15
88	Development and validation of a Stress-related Vulnerability Scale. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 178-182.	1.0	8
89	First-ever admitted psychiatric inpatients in Italy: Clinical characteristics and reasons contributing to admission. <i>Psychiatry Research</i> , 2010, 176, 62-68.	1.7	25
90	Hospitalization for anorexia nervosa in Italy. <i>Rivista Di Psichiatria</i> , 2010, 45, 154-62.	0.6	7

#	ARTICLE	IF	CITATIONS
91	Patterns of admission to acute psychiatric in-patient facilities: a national survey in Italy. <i>Psychological Medicine</i> , 2009, 39, 485-496.	2.7	49
92	The Role of Anger in Adherence to Highly Active Antiretroviral Treatment in Patients Infected with HIV. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 254-257.	4.0	11
93	Discussion about switch strategy in the adjuvant hormonal therapy of breast cancer: psychological aspects of physicianâ€™patient communication. <i>Annals of Oncology</i> , 2009, 20, 1647-1652.	0.6	4
94	Long-stay in short-stay inpatient facilities: risk factors and barriers to discharge. <i>BMC Public Health</i> , 2009, 9, 306.	1.2	20
95	Hippocampal, amygdala, and neocortical synchronization of theta rhythms is related to an immediate recall during rey auditory verbal learning test. <i>Human Brain Mapping</i> , 2009, 30, 2077-2089.	1.9	56
96	Patterns of care in patients discharged from acute psychiatric inpatient facilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 767-776.	1.6	25
97	Memory outcome 2 years after anterior temporal lobectomy in patients with drug-resistant epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2009, 18, 139-144.	0.9	24
98	Rating scales in bipolar disorder. <i>Current Opinion in Psychiatry</i> , 2009, 22, 42-49.	3.1	26
99	Links between immunity and conditions leading to psychotherapy. <i>Rivista Di Psichiatria</i> , 2009, 44, 149-63.	0.6	2
100	Mental health in patients with systemic sclerosis: a controlled investigation. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2008, 22, 336-340.	1.3	35
101	Symptom structure of acute mania: A factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. <i>Journal of Affective Disorders</i> , 2008, 108, 183-189.	2.0	46
102	A comparison between former forensic and non-forensic patients living in psychiatric residential facilities: A national survey in Italy. <i>Journal of Forensic Psychiatry and Psychology</i> , 2008, 19, 108-126.	0.6	5
103	Compulsory Admissions in Italy: Results of a National Survey. <i>International Journal of Mental Health</i> , 2008, 37, 46-60.	0.5	9
104	Combining an SSRI with an anticonvulsant in depressed patients with dysphoric mood: an open study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007, 3, 3.	0.6	19
105	Discriminant Ability and Criterion Validity of the HoNOS in Italian Psychiatric Residential Facilities. <i>Psychopathology</i> , 2007, 40, 111-115.	1.1	9
106	Partial Seizures due to Sclerosis of the Right Amygdala Presenting as Panic Disorder. <i>Psychopathology</i> , 2007, 40, 178-183.	1.1	10
107	Impairment of Sexual Life in Patients with Psoriasis. <i>Dermatology</i> , 2007, 214, 144-150.	0.9	104
108	Process of Care in General Hospital Psychiatric Units: National Survey In Italy. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 509-518.	1.3	23

#	ARTICLE	IF	CITATIONS
109	Characteristics and activities of acute psychiatric in-patient facilities: national survey in Italy. <i>British Journal of Psychiatry</i> , 2007, 191, 170-177.	1.7	68
110	Toward a Biopsychosocial Approach to Skin Diseases. , 2007, 28, 109-126.		17
111	Attachment Security and Immunity in Healthy Women. <i>Psychosomatic Medicine</i> , 2007, 69, 40-46.	1.3	34
112	Alexithymia and global psychosocial functioning: A study on patients with skin disease. <i>Journal of Psychosomatic Research</i> , 2007, 62, 223-229.	1.2	24
113	Changes in depression, anxiety, anger, and personality after resective surgery for drug-resistant temporal lobe epilepsy: A 2-year follow-up study. <i>Epilepsy Research</i> , 2007, 77, 22-30.	0.8	54
114	Which factors affect the costs of psychiatric residential care? Findings from the Italian PROGRES study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 132-141.	2.2	9
115	Effect of Psychological Stress on Salivary Interleukin-1 $\beta$ in Psoriasis. <i>Archives of Medical Research</i> , 2007, 38, 206-211.	1.5	40
116	The current state of mental health care in Italy: problems, perspectives, and lessons to learn. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 83-91.	1.8	88
117	Integration of Multiple Criteria for Psychosomatic Assessment of Dermatological Patients. <i>Psychosomatics</i> , 2006, 47, 122-128.	2.5	39
118	A rapid and reliable procedure to localize subdural electrodes in presurgical evaluation of patients with drug-resistant focal epilepsy. <i>Clinical Neurophysiology</i> , 2006, 117, 341-347.	0.7	32
119	Prevalence and correlates of suicidal ideation among patients with skin disease. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, 420-426.	0.6	130
120	Drug-resistant temporal lobe epilepsy due to cavernous malformations. <i>Neurosurgical Focus</i> , 2006, 21, 1-5.	1.0	23
121	Lateralizing value of memory tests in drug-resistant temporal lobe epilepsy. <i>European Journal of Neurology</i> , 2006, 13, 371-376.	1.7	22
122	The prescription of psychotropic drugs in psychiatric residential facilities: a national survey in Italy. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 212-223.	2.2	26
123	Factors associated with generic and disease-specific quality of life in temporal lobe epilepsy. <i>Epilepsy Research</i> , 2006, 69, 135-146.	0.8	45
124	The Environment and Staff of Residential Facilities: Findings from the Italian "Progres" National Survey. <i>Community Mental Health Journal</i> , 2006, 42, 263-279.	1.1	18
125	The quality of life of the mentally ill living in residential facilities. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 372-381.	1.8	32
126	Severe amnesia following bilateral medial temporal lobe damage occurring on two distinct occasions. <i>Neurological Sciences</i> , 2006, 27, 129-133.	0.9	26



#	ARTICLE	IF	CITATIONS
127	Detection and treatment of depressive and anxiety disorders among cancer patients: feasibility and preliminary findings from a liaison service in an oncology division. <i>Depression and Anxiety</i> , 2006, 23, 441-448.	2.0	49
128	Cardiovascular Reactivity to Experimental Stress in Psoriasis: a Controlled Investigation. <i>Acta Dermato-Venereologica</i> , 2006, 86, 340-344.	0.6	15
129	The severely mentally ill in residential facilities: a national survey in Italy. <i>Psychological Medicine</i> , 2005, 35, 421-431.	2.7	50
130	Stability of attachment-related anxiety and avoidance and their relationships with the five-factor model and the psychobiological model of personality. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2005, 78, 327-345.	1.3	56
131	Effects of patient satisfaction with care on health-related quality of life: a prospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2005, 19, 712-718.	1.3	35
132	Dimensional psychopathology of depression: detection of an "activation"™ dimension in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2005, 84, 133-139.	2.0	69
133	The process of care in residential facilities. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 540-550.	1.6	27
134	Screening for Depressive Disorders in Patients with Skin Diseases: A Comparison of Three Screeners. <i>Acta Dermato-Venereologica</i> , 2005, 85, 414-419.	0.6	56
135	Psychosomatic Assessment of Skin Diseases in Clinical Practice. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 315-322.	4.0	68
136	Psychometric Properties of the Dermatology Life Quality Index (DLQI) in 900 Italian Patients with Psoriasis. <i>Acta Dermato-Venereologica</i> , 2005, 85, 409-413.	0.6	62
137	Temporal lobe epilepsy surgery: different surgical strategies after a non-invasive diagnostic protocol. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 815-824.	0.9	40
138	Increased Maintenance of Obsessive-Compulsive Disorder Remission after Integrated Serotonergic Treatment and Cognitive Psychotherapy Compared with Medication Alone. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 123-128.	4.0	11
139	Stress, Social Support, Emotional Regulation, and Exacerbation of Diffuse Plaque Psoriasis. <i>Psychosomatics</i> , 2005, 46, 556-564.	2.5	115
140	Association between low self-directedness and poor adherence to antiretroviral treatment in patients with recent diagnosis of HIV infection. <i>Journal of Psychosomatic Research</i> , 2005, 59, 113-114.	1.2	2
141	Stability of Alexithymia and Its Relationships with the "Big Five"™ Factors, Temperament, Character, and Attachment Style. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 371-378.	4.0	118
142	Relevance of Anger and Irritability in Outpatients with Major Depressive Disorder. <i>Psychopathology</i> , 2004, 37, 155-160.	1.1	73
143	Recognition of Depressive and Anxiety Disorders in Dermatological Outpatients. <i>Acta Dermato-Venereologica</i> , 2004, 84, 213-217.	0.6	66
144	Screening for psychiatric disorders in patients with skin diseases. <i>Journal of Psychosomatic Research</i> , 2004, 57, 219-223.	1.2	68

#	ARTICLE	IF	CITATIONS
145	Association Between Poorer Quality of Life and Psychiatric Morbidity in Patients With Different Dermatological Conditions. <i>Psychosomatic Medicine</i> , 2004, 66, 620-624.	1.3	106
146	Higher Levels of Anger and Aggressiveness in Major Depressive Disorder Than in Anxiety and Somatoform Disorders. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 442-443.	1.1	20
147	Job satisfaction among mental health professionals in Rome, Italy. <i>Community Mental Health Journal</i> , 2003, 39, 349-355.	1.1	42
148	Educating Mental Health Professionals in Clinical Epidemiology and Continuous Quality Improvement. Administration and Policy in Mental Health and Mental Health Services Research, 2003, 31, 421-424.	1.2	2
149	Treatment outcome and incidence of psychiatric disorders in dermatological out-patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003, 17, 155-159.	1.3	36
150	The impact of skin diseases on patients: comparing dermatologists' opinions with research data collected on their patients. <i>British Journal of Dermatology</i> , 2003, 148, 989-995.	1.4	52
151	Sensitivity of the Dermatology Life Quality Index to clinical change in patients with psoriasis. <i>British Journal of Dermatology</i> , 2003, 149, 318-322.	1.4	76
152	Only limited support for a role of psychosomatic factors in psoriasis. <i>Journal of Psychosomatic Research</i> , 2003, 55, 189-196.	1.2	53
153	Psychosomatic Factors in First-Onset Alopecia Areata. <i>Psychosomatics</i> , 2003, 44, 374-381.	2.5	101
154	Stressful Life Events, Social Support, Attachment Security and Alexithymia in Vitiligo. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 150-158.	4.0	98
155	Increased Probability of Remaining in Remission from Panic Disorder with Agoraphobia after Drug Treatment in Patients Who Received Concurrent Cognitive-Behavioural Therapy: A Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 34-42.	4.0	26
156	Performance of the Self-administered Psoriasis Area and Severity Index in Evaluating Clinical and Sociodemographic Subgroups of Patients With Psoriasis. <i>Archives of Dermatology</i> , 2003, 139, 353.	1.7	57
157	First Steps in the Assessment of Cognitive-Emotional Organisation within the Framework of Guidano's Model of the Self. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 363-365.	4.0	28
158	Attribution of Improvement to Medication and Increased Risk of Relapse of Panic Disorder with Agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2003, 72, 110-111.	4.0	22
159	Satisfaction with health care among dermatological inpatients. <i>European Journal of Dermatology</i> , 2003, 13, 177-82.	0.3	2
160	Association between the Engagement of Relatives in a Behavioural Group Intervention for Smoking Cessation and Higher Quit Rates at 6-, 12- and 24-Month Follow-Ups. <i>European Addiction Research</i> , 2002, 8, 109-117.	1.3	18
161	Association of Dissatisfaction With Care and Psychiatric Morbidity With Poor Treatment Compliance. <i>Archives of Dermatology</i> , 2002, 138, 337-42.	1.7	201
162	Further Evidence of the Validity and Reliability of the Skindex-29: An Italian Study on 2,242 Dermatological Outpatients. <i>Dermatology</i> , 2002, 204, 43-49.	0.9	105

#	ARTICLE	IF	CITATIONS
163	Residential care in Italy. <i>British Journal of Psychiatry</i> , 2002, 181, 220-225.	1.7	105
164	Patients' and relatives' satisfaction with psychiatric services in a large catchment area in Rome. <i>European Psychiatry</i> , 2002, 17, 139-147.	0.1	67
165	Psychopathological dimensions of depression: a factor study of the 17-item Hamilton depression rating scale in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2002, 68, 41-47.	2.0	82
166	Risk factors in the early family life of patients suffering from dissociative disorders. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 110-116.	2.2	31
167	Increased Psychiatric Morbidity in Female Outpatients with Skin Lesions on Visible Parts of the Body. <i>Acta Dermato-Venereologica</i> , 2001, 81, 410-414.	0.6	44
168	Factors associated with patient satisfaction with care among dermatological outpatients. <i>British Journal of Dermatology</i> , 2001, 145, 617-623.	1.4	171
169	Assessing psychological distress in patients with skin diseases: reliability, validity and factor structure of the GHQ-12. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001, 15, 410-417.	1.3	119
170	Stressful Life Events and Skin Diseases: Disentangling Evidence from Myth. <i>Psychotherapy and Psychosomatics</i> , 2001, 70, 118-136.	4.0	228
171	Psychiatric morbidity in dermatological outpatients: an issue to be recognized. <i>British Journal of Dermatology</i> , 2000, 143, 983-991.	1.4	359
172	Personality and Psychopathology in Patients with Temporomandibular Joint Pain-Dysfunction Syndrome. <i>Psychotherapy and Psychosomatics</i> , 2000, 69, 322-328.	4.0	30
173	Psychological Stress and Neuroendocrine Function in Humans: The Last Two Decades of Research. <i>Psychotherapy and Psychosomatics</i> , 1999, 68, 114-150.	4.0	300
174	Clinical and Biological Aspects of Bereavement and Loss-Induced Depression: A Reappraisal. <i>Psychotherapy and Psychosomatics</i> , 1996, 65, 229-245.	4.0	78
175	Noradrenergic and dopaminergic interrelation in schizophrenia. <i>Psychiatry Research</i> , 1994, 53, 231-242.	1.7	9
176	Temporomandibular Joint Pain-Dysfunction Syndrome and Bruxism: Etiopathogenesis and Treatment from a Psychosomatic Integrative Viewpoint. <i>Psychotherapy and Psychosomatics</i> , 1993, 59, 84-98.	4.0	34
177	Exploring how the psychiatrist experiences the patient during the diagnostic evaluation: the Assessment of Clinician's Subjective Experience (ACSE). <i>Phenomenology and the Cognitive Sciences</i> , 0, , 1.	1.1	5