

# Giusi Barra

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8327910/publications.pdf>

Version: 2024-02-01

28  
papers

855  
citations

516561

16  
h-index

501076

28  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1912  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of colchicine on tissue factor in oxLDL-activated T-lymphocytes. <i>Journal of Thrombosis and Thrombolysis</i> , 2022, 53, 739-749.	1.0	5
2	Identification of the Marine Alkaloid Lepadine A as Potential Inducer of Immunogenic Cell Death. <i>Biomolecules</i> , 2022, 12, 246.	1.8	8
3	Sulfavant A as the first synthetic TREM2 ligand discloses a homeostatic response of dendritic cells after receptor engagement. <i>Cellular and Molecular Life Sciences</i> , 2022, 79, .	2.4	7
4	Dual inhibition of TGF $\beta$ 2 and AXL as a novel therapy for human colorectal adenocarcinoma with mesenchymal phenotype. <i>Medical Oncology</i> , 2021, 38, 24.	1.2	7
5	Probing the Therapeutic Potential of Marine Phyla by SPE Extraction. <i>Marine Drugs</i> , 2021, 19, 640.	2.2	3
6	Oxidized low-density lipoproteins induce tissue factor expression in T-lymphocytes via activation of lectin-like oxidized low-density lipoprotein receptor-1. <i>Cardiovascular Research</i> , 2020, 116, 1125-1135.	1.8	15
7	Baseline IFN- $\gamma$ 3 and IL-10 expression in PBMCs could predict response to PD-1 checkpoint inhibitors in advanced melanoma patients. <i>Scientific Reports</i> , 2020, 10, 17626.	1.6	20
8	A New Bioassay Platform Design for the Discovery of Small Molecules with Anticancer Immunotherapeutic Activity. <i>Marine Drugs</i> , 2020, 18, 604.	2.2	10
9	T-Cell Proapoptotic and Antifibrotic Activity Against Autologous Skin Fibroblasts in vitro Is Associated With IL-17A Axis Upregulation in Systemic Sclerosis. <i>Frontiers in Immunology</i> , 2020, 11, 220.	2.2	10
10	Prognostic Factors and Biomarkers of Responses to Immune Checkpoint Inhibitors in Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 4931.	1.8	44
11	Receptor tyrosine kinase-dependent PI3K activation is an escape mechanism to vertical suppression of the EGFR/RAS/MAPK pathway in KRAS-mutated human colorectal cancer cell lines. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 41.	3.5	57
12	Antitumor activity of dual blockade of PD-L1 and MEK in NSCLC patients derived three-dimensional spheroid cultures. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 253.	3.5	58
13	Activity and molecular targets of pioglitazone via blockade of proliferation, invasiveness and bioenergetics in human NSCLC. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 178.	3.5	28
14	Diastereoselective Colloidal Self-Assembly Affects the Immunological Response of the Molecular Adjuvant Sulfavant. <i>ACS Omega</i> , 2019, 4, 7807-7814.	1.6	13
15	Ex vivo lung cancer spheroids resemble treatment response of a patient with NSCLC to chemotherapy and immunotherapy: case report and translational study. <i>ESMO Open</i> , 2019, 4, e000536.	2.0	26
16	Sphingosine Kinases promote IL-17 expression in human T lymphocytes. <i>Scientific Reports</i> , 2018, 8, 13233.	1.6	18
17	Musculin inhibits human T $\alpha$ Helper 17 cell response to interleukin 2 by controlling STAT5B activity. <i>European Journal of Immunology</i> , 2017, 47, 1427-1442.	1.6	18
18	Nobiletin inhibits oxidized-LDL mediated expression of Tissue Factor in human endothelial cells through inhibition of NF- $\kappa$ B. <i>Biochemical Pharmacology</i> , 2017, 128, 26-33.	2.0	23

#	ARTICLE	IF	CITATIONS
19	A new marine-derived sulfoglycolipid triggers dendritic cell activation and immune adjuvant response. <i>Scientific Reports</i> , 2017, 7, 6286.	1.6	46
20	Phosphatidylinositol 3-kinase (PI3K $\pm$ )/AKT axis blockade with taselisib or ipatasertib enhances the efficacy of anti-microtubule drugs in human breast cancer cells. <i>Oncotarget</i> , 2017, 8, 76479-76491.	0.8	24
21	AIRE polymorphism, melanoma antigen-specific T cell immunity, and susceptibility to melanoma. <i>Oncotarget</i> , 2016, 7, 60872-60884.	0.8	8
22	Chitinase 3-like-1 is produced by human Th17 cells and correlates with the level of inflammation in juvenile idiopathic arthritis patients. <i>Clinical and Molecular Allergy</i> , 2016, 14, 16.	0.8	10
23	Pregnancy-associated plasma protein-A promotes TF procoagulant activity in human endothelial cells by Akt $\pm$ NF- $\kappa$ B axis. <i>Journal of Thrombosis and Thrombolysis</i> , 2016, 42, 225-232.	1.0	13
24	Expression of functional tissue factor in activated T-lymphocytes in vitro and in vivo : A possible contribution of immunity to thrombosis?. <i>International Journal of Cardiology</i> , 2016, 218, 188-195.	0.8	24
25	Perianal Crohn $\pm$ s disease and hidradenitis suppurativa: a possible common immunological scenario. <i>Clinical and Molecular Allergy</i> , 2015, 13, 12.	0.8	21
26	Early Systemic Sclerosis: Serum Profiling of Factors Involved in Endothelial, T-cell, and Fibroblast Interplay is Marked by Elevated Interleukin-33 Levels. <i>Journal of Clinical Immunology</i> , 2014, 34, 663-668.	2.0	61
27	Evidence of the transient nature of the Th17 phenotype of CD4+CD161+ T cells in the synovial fluid of patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2504-2515.	6.7	213
28	Fat: A matter of disturbance for the immune system. <i>World Journal of Gastroenterology</i> , 2010, 16, 4762.	1.4	65