

Palash Chandra Banik BScPT, MPhil

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8328030/publications.pdf>

Version: 2024-02-01

77
papers

15,900
citations

304368

22
h-index

205818

48
g-index

82
all docs

82
docs citations

82
times ranked

14493
citing authors

#	ARTICLE	IF	CITATIONS
1	Global burden of 369 diseases and injuries in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1204-1222.	6.3	7,664
2	Global Burden of Cardiovascular Diseases and Risk Factors, 1990â€“2019. <i>Journal of the American College of Cardiology</i> , 2020, 76, 2982-3021.	1.2	4,468
3	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950â€“2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1160-1203.	6.3	890
4	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990â€“2019: a systematic analysis from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 2337-2360.	6.3	609
5	Hearing loss prevalence and years lived with disability, 1990â€“2019: findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 397, 996-1009.	6.3	358
6	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	6.3	335
7	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1250-1284.	6.3	330
8	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 870-905.	6.3	229
9	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. <i>Injury Prevention</i> , 2020, 26, i83-i95.	1.2	109
10	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020, 26, i96-i114.	1.2	103
11	Global, regional, and national mortality among young people aged 10â€“24 years, 1950â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 1593-1618.	6.3	92
12	Mapping routine measles vaccination in low- and middle-income countries. <i>Nature</i> , 2021, 589, 415-419.	13.7	71
13	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 177-192.	5.5	66
14	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. <i>Nature Medicine</i> , 2021, 27, 1761-1782.	15.2	60
15	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	15.2	47
16	Prevalence and risk factors of COVID-19 suicidal behavior in Bangladeshi population: are healthcare professionals at greater risk?. <i>Heliyon</i> , 2020, 6, e05259.	1.4	44
17	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i125-i153.	1.2	44
18	Prevalence of cardiovascular disease risk factors: A community-based cross-sectional study in a peri-urban community of Kathmandu, Nepal. <i>Indian Heart Journal</i> , 2018, 70, S20-S27.	0.2	36

#	ARTICLE	IF	CITATIONS
19	Risk of diabetic foot ulcer and its associated factors among Bangladeshi subjects: a multicentric cross-sectional study. <i>BMJ Open</i> , 2020, 10, e034058.	0.8	34
20	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. <i>Lancet Public Health</i> , The, 2022, 7, e657-e669.	4.7	34
21	Diabetes knowledge and utilization of healthcare services among patients with type 2 diabetes mellitus in Dhaka, Bangladesh. <i>BMC Health Services Research</i> , 2017, 17, 586.	0.9	28
22	Prevalence and clustering of cardiovascular disease risk factors in rural Nepalese population aged 40-80 years. <i>BMC Public Health</i> , 2018, 18, 677.	1.2	28
23	Knowledge, Attitude, Practice, and Fear of COVID-19: an Online-Based Cross-cultural Study. <i>International Journal of Mental Health and Addiction</i> , 2023, 21, 1025-1040.	4.4	28
24	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000-2018. <i>Nature Human Behaviour</i> , 2021, 5, 1027-1045.	6.2	24
25	Total cardiovascular risk for next 10 years among rural population of Nepal using WHO/ISH risk prediction chart. <i>BMC Research Notes</i> , 2017, 10, 120.	0.6	21
26	Physical activity levels and associated cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. <i>Indian Heart Journal</i> , 2018, 70, S161-S166.	0.2	16
27	Health-related quality of life and its predictors among the type 2 diabetes population of Bangladesh: A nationwide cross-sectional study. <i>Journal of Diabetes Investigation</i> , 2021, 12, 277-285.	1.1	14
28	Prevalence of non-communicable disease risk factors among nurses and para-health professionals working at primary healthcare level of Bangladesh: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e043298.	0.8	11
29	Atherogenic index of plasma and its association with cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. <i>Indian Heart Journal</i> , 2019, 71, 155-160.	0.2	10
30	Cardiovascular risk assessment among type-2 diabetic subjects in selected areas of Bangladesh: concordance among without cholesterol-based WHO/ISH, Globorisk, and Framingham risk prediction tools. <i>Heliyon</i> , 2021, 7, e07728.	1.4	7
31	Prevalence of low back pain and its associated factors among physiotherapists in Dhaka city of Bangladesh in 2016. <i>Journal of Occupational Health and Epidemiology</i> , 2018, 7, 70-74.	0.1	7
32	Baseline prevalence of high blood pressure and its predictors in a rural adult population of Bangladesh: Outcome from the application of WHO PEN interventions. <i>Journal of Clinical Hypertension</i> , 2021, 23, 2042-2052.	1.0	7
33	Concordance between two versions of world health organization/international society of hypertension risk prediction chart and framingham risk score among postmenopausal women in a rural area of Bangladesh. <i>Indian Journal of Public Health</i> , 2019, 63, 101.	0.3	6
34	Effectiveness of health education-based conventional intervention method to reduce noncommunicable diseases risk factors among rural population. <i>Cardiovascular Diagnosis and Therapy</i> , 2019, 9, 30-34.	0.7	5
35	Physical activity levels, its barriers, and associated factors among the patients with type 2 diabetes residing in the capital city of Bangladesh. <i>Lifestyle Medicine</i> , 2020, 1, e14.	0.3	5
36	Physicians' knowledge about palliative care in Bangladesh: A cross-sectional study using digital social media platforms. <i>PLoS ONE</i> , 2021, 16, e0256927.	1.1	5

#	ARTICLE	IF	CITATIONS
37	Agreement between 2017 ACC/AHA Hypertension Clinical Practice Guidelines and Seventh Report of the Joint National Committee Guidelines to Estimate Prevalence of Postmenopausal Hypertension in a Rural Area of Bangladesh: A Cross Sectional Study. <i>Medicina (Lithuania)</i> , 2019, 55, 315.	0.8	4
38	Application of country-specific Globorisk score to estimate next 10 years risk of cardiovascular diseases and its associated predictors among postmenopausal rural women of Bangladesh: A cross-sectional study in a primary care setting. <i>Lifestyle Medicine</i> , 2021, 2, e32.	0.3	4
39	Cardiovascular Risk Assessment Among Urban Population of Bangladesh Using WHO/ISH Risk Prediction Chart.. <i>International Journal of Epidemiology</i> , 2015, 44, i202-i202.	0.9	3
40	Musculoskeletal Disorders in Dentists: A Systematic Review. <i>Update Dental College Journal</i> , 2018, 7, 38-42.	0.1	3
41	Knowledge attitude and behaviour towards dietary salt intake among Bangladeshi medical and nonmedical undergraduate students. <i>International Journal of Perceptions in Public Health</i> , 2017, 2, 31-37.	0.0	3
42	Malnutrition in all its forms and associated factors affecting the nutritional status of adult rural population in Bangladesh: results from a cross-sectional survey. <i>BMJ Open</i> , 2021, 11, e051701.	0.8	3
43	Salt Intake Behavior Among the Faculties And Doctors of Bangladesh University of Health Sciences. <i>Cardiovascular Journal</i> , 2016, 8, 94-98.	0.0	2
44	Prevalence of Risk Factors of non-communicable Diseases in an Adult Population of Rural Bangladesh. <i>Cardiovascular Journal</i> , 2018, 10, 126-134.	0.0	2
45	Knowledge, Attitude and Practice towards Dietary Salt Intake among Nurses Working in a Cardiac Hospital in Bangladesh Sciences. <i>Cardiovascular Journal</i> , 2019, 12, 53-58.	0.0	2
46	Salt intake behavior among the undergraduate students of Bangladesh University of Health Sciences. <i>Journal of Xiangya Medicine</i> , 0, 5, 24-24.	0.2	2
47	Macronutrient intake and association with the risk factors of diabetic complications among people with type 2 diabetes. <i>Clinical Epidemiology and Global Health</i> , 2021, 10, 100667.	0.9	1
48	Associations of obesity with balance and gait among young adults in Bangladesh. <i>Journal of Xiangya Medicine</i> , 0, 6, 16-16.	0.2	1
49	Behavioral Risk Factors of Noncommunicable Diseases Among Medical and Nonmedical Undergraduate Students of Dhaka City, Bangladesh. <i>International Journal of Epidemiologic Research</i> , 2018, 5, 119-122.	0.4	1
50	Association between behavioural, metabolic risk factors of non-communicable diseases and socio-demographic factors among Bihari population in Bangladesh. <i>International Journal of Community Medicine and Public Health</i> , 2019, 6, 4132.	0.0	1
51	Noncommunicable disease risk factors among postgraduate students in Dhaka city, Bangladesh: a multi-centric cross-sectional study. <i>Journal of Xiangya Medicine</i> , 0, 6, 30-30.	0.2	1
52	Factors Associated with Chronic Kidney Disease in Patients with Type 2 Diabetes in Bangladesh. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12277.	1.2	1
53	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. <i>BMJ Open</i> , 2020, 10, e038077.	0.8	1
54	Salt Intake Behaviors among Type 2 Diabetic Patients of a Tertiary Level Hospital in Dhaka City. <i>Mymensingh Medical Journal: MMJ</i> , 2020, 29, 162-168.	0.0	1

#	ARTICLE	IF	CITATIONS
55	Facing the challenges of smokeless tobacco epidemic in Bangladesh. <i>Lifestyle Medicine</i> , 0, , .	0.3	1
56	Foot Pain among the Elderly Subjects of Dhaka City.. <i>International Journal of Epidemiology</i> , 2015, 44, i238-i239.	0.9	0
57	Prevalence of Undiagnosed Metabolic Syndrome (MS) in Bangladesh: A Comparative Study of Different Recommendations.. <i>International Journal of Epidemiology</i> , 2015, 44, i269-i270.	0.9	0
58	LBPS 03-18 PREVALENCE OF HYPERTENSION AMONG URBAN AND RURAL TYPE 2 DIABETIC SUBJECTS IN BANGLADESH. <i>Journal of Hypertension</i> , 2016, 34, e529.	0.3	0
59	A11543 One dollar model intervention for detection and treatment of hypertension among the rural population of Eklaipur village in Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e317.	0.3	0
60	A11551 Postmenopausal hypertension and its association with cardiovascular disease risk in a rural area of Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e200.	0.3	0
61	A2693 Variation of blood pressure with nature of job among Bangladeshi subjects. <i>Journal of Hypertension</i> , 2018, 36, e283.	0.3	0
62	A11589 Knowledge, Attitudes and Practices on Tobacco among adults attending Outpatient Departments of Public Hospitals in Bangladesh. <i>Journal of Hypertension</i> , 2018, 36, e318.	0.3	0
63	Peripheral neuropathy among Bangladeshi Type 2 diabetic subjects. <i>Journal of the Neurological Sciences</i> , 2019, 405, 261.	0.3	0
64	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. <i>F1000Research</i> , 0, 9, 1256.	0.8	0
65	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. <i>F1000Research</i> , 0, 9, 1256.	0.8	0
66	â€™HYPERTENSION PREVALENCE, AWARENESS, TREATMENT AND CONTROL STATUS AMONG THE HEALTHCARE PROVIDERS OF BANGLADESH WORKING AT PRIMARY HEALTH CARE LEVEL. <i>Journal of Hypertension</i> , 2021, 39, e126-e127.	0.3	0
67	Knowledge attitude and practices towards chronic kidney disease among type-2 diabetic patients in Bangladesh. <i>International Journal of Health Education</i> , 2021, 5, .	0.1	0
68	Noncommunicable disease risk factors among the trainee doctors of a tertiary level diabetes hospital in Bangladesh. <i>Lifestyle Medicine</i> , 2021, 2, e45.	0.3	0
69	Peer Review of â€™Risk Factors of SARS-CoV-2 Infection: Global Epidemiological Studyâ€™. <i>Jmirx Med</i> , 2021, 2, e31927.	0.2	0
70	Functional outcomes of Ponseti method among children with congenital clubfoot: a healthcare facility-based longitudinal study. <i>Journal of Xiangya Medicine</i> , 0, .	0.2	0
71	Prevalence of Behavioral Risk Factors of Noncommunicable Diseases in a Rural Population of Bangladesh. <i>Austin Journal of Public Health and Epidemiology</i> , 2017, 4, .	0.0	0
72	Growing Pain Among Bangladeshi Children: Urban and Rural Settings. <i>Acta Scientific Paediatrics</i> , 2020, 3, 01-05.	0.1	0

#	ARTICLE	IF	CITATIONS
73	Overweight and obesity among the urban and rural type 2 diabetic subjects in Bangladesh. Journal of Xiangya Medicine, 0, 5, 37-37.	0.2	0
74	Iron Deficiency, Ferritin and Total Iron Binding Capacity Among Bangladeshi Children: Urban and Rural Settings. Acta Scientifci Nutritional Health, 2020, 4, 01-05.	0.1	0
75	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	0.8	0
76	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	0.8	0
77	Awareness and social attitude towards COVID-19 in Bangladeshi population. Journal of Xiangya Medicine, 0, 6, 29-29.	0.2	0