
## Palash Chandra Banik BScPT, MPhil

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8328030/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Knowledge, Attitude, Practice, and Fear of COVID-19: an Online-Based Cross-cultural Study. International Journal of Mental Health and Addiction, 2023, 21, 1025-1040.	4.4	28
2	Diabetes mortality and trends before 25 years of age: an analysis of the Global Burden of Disease Study 2019. Lancet Diabetes and Endocrinology,the, 2022, 10, 177-192.	5.5	66
3	Adolescent transport and unintentional injuries: a systematic analysis using the Global Burden of Disease Study 2019. Lancet Public Health, The, 2022, 7, e657-e669.	4.7	34
4	Healthâ€related quality of life and its predictors among the typeÂ2 diabetes population of Bangladesh: A nationâ€wide crossâ€sectional study. Journal of Diabetes Investigation, 2021, 12, 277-285.	1.1	14
5	Macronutrient intake and association with the risk factors of diabetic complications among people with type 2 diabetes. Clinical Epidemiology and Global Health, 2021, 10, 100667.	0.9	1
6	Mapping routine measles vaccination in low- and middle-income countries. Nature, 2021, 589, 415-419.	13.7	71
7	Application of countryâ€specific Globorisk score to estimate next 10 years risk of cardiovascular diseases and its associated predictors among postmenopausal rural women of Bangladesh: A crossâ€sectional study in a primary care setting. Lifestyle Medicine, 2021, 2, e32.	0.3	4
8	Prevalence of non-communicable disease risk factors among nurses and para-health professionals working at primary healthcare level of Bangladesh: a cross-sectional study. BMJ Open, 2021, 11, e043298.	0.8	11
9	Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009.	6.3	358
10	'HYPERTENSION PREVALENCE, AWARENESS, TREATMENT AND CONTROL STATUS AMONG THE HEALTHCARE PROVIDERS OF BANGLADESH WORKING AT PRIMARY HEALTH CARE LEVEL. Journal of Hypertension, 2021, 39, e126-e127.	0.3	0
11	Knowledge attitude and practices towards chronic kidney disease among type-2 diabetic patients in Bangladesh. International Journal of Health Education, 2021, 5, .	0.1	0
12	Mapping inequalities in exclusive breastfeeding in low- and middle-income countries, 2000–2018. Nature Human Behaviour, 2021, 5, 1027-1045.	6.2	24
13	Spatial, temporal, and demographic patterns in prevalence of smoking tobacco use and attributable disease burden in 204 countries and territories, 1990–2019: a systematic analysis from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 2337-2360.	6.3	609
14	Noncommunicable disease risk factors among the trainee doctors of a tertiary level diabetes hospital in Bangladesh. Lifestyle Medicine, 2021, 2, e45.	0.3	0
15	Cardiovascular risk assessment among type-2 diabetic subjects in selected areas of Bangladesh: concordance among without cholesterol-based WHO/ISH, Globorisk, and Framingham risk prediction tools. Heliyon, 2021, 7, e07728.	1.4	7
16	Peer Review of "Risk Factors of SARS-CoV-2 Infection: Global Epidemiological Study― Jmirx Med, 2021, 2, e31927.	0.2	0
17	Physicians' knowledge about palliative care in Bangladesh: A cross-sectional study using digital social media platforms. PLoS ONE, 2021, 16, e0256927.	1.1	5
18	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	6.3	229

#	Article	IF	CITATIONS
19	Anemia prevalence in women of reproductive age in low- and middle-income countries between 2000 and 2018. Nature Medicine, 2021, 27, 1761-1782.	15.2	60
20	Global, regional, and national mortality among young people aged 10–24 years, 1950–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 1593-1618.	6.3	92
21	Malnutrition in all its forms and associated factors affecting the nutritional status of adult rural population in Bangladesh: results from a cross-sectional survey. BMJ Open, 2021, 11, e051701.	0.8	3
22	Factors Associated with Chronic Kidney Disease in Patients with Type 2 Diabetes in Bangladesh. International Journal of Environmental Research and Public Health, 2021, 18, 12277.	1.2	1
23	Baseline prevalence of high blood pressure and its predictors in a rural adult population of Bangladesh: Outcome from the application of WHO PEN interventions. Journal of Clinical Hypertension, 2021, 23, 2042-2052.	1.0	7
24	Prevalence and risk factors of COVID-19 suicidal behavior in Bangladeshi population: are healthcare professionals at greater risk?. Heliyon, 2020, 6, e05259.	1.4	44
25	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	6.3	7,664
26	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
27	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
28	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i125-i153.	1.2	44
29	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1250-1284.	6.3	330
30	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	1.2	103
31	Physical activity levels, its barriers, and associated factors among the patients with type 2 diabetes residing in the capital city of Bangladesh. Lifestyle Medicine, 2020, 1, e14.	0.3	5
32	Global Burden of Cardiovascular Diseases and Risk Factors, 1990–2019. Journal of the American College of Cardiology, 2020, 76, 2982-3021.	1.2	4,468
33	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. Injury Prevention, 2020, 26, i83-i95.	1.2	109
34	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. Nature Medicine, 2020, 26, 750-759.	15.2	47
35	Risk of diabetic foot ulcer and its associated factors among Bangladeshi subjects: a multicentric cross-sectional study. BMJ Open, 2020, 10, e034058.	0.8	34
36	Growing Pain Among Bangladeshi Children: Urban and Rural Settings. Acta Scientific Paediatrics, 2020, 3, 01-05.	0.1	0

PALASH CHANDRA BANIK BSCPT,

#	Article	IF	CITATIONS
37	Iron Deficiency, Ferritin and Total Iron Binding Capacity Among Bangladeshi Children: Urban and Rural Settings. Acta Scientifci Nutritional Health, 2020, 4, 01-05.	0.1	0
38	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	0.8	0
39	Cardiovascular disease risk factors among school children of Bangladesh: a cross-sectional study. BMJ Open, 2020, 10, e038077.	0.8	1
40	Salt Intake Behaviors among Type 2 Diabetic Patients of a Tertiary Level Hospital in Dhaka City. Mymensingh Medical Journal: MMJ, 2020, 29, 162-168.	0.0	1
41	Atherogenic index of plasma and its association with cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. Indian Heart Journal, 2019, 71, 155-160.	0.2	10
42	Agreement between 2017 ACC/AHA Hypertension Clinical Practice Guidelines and Seventh Report of the Joint National Committee Guidelines to Estimate Prevalence of Postmenopausal Hypertension in a Rural Area of Bangladesh: A Cross Sectional Study. Medicina (Lithuania), 2019, 55, 315.	0.8	4
43	Knowledge, Attitude and Practice towards Dietary Salt Intake among Nurses Working in a Cardiac Hospital in Bangladesh Sciences. Cardiovascular Journal, 2019, 12, 53-58.	0.0	2
44	Effectiveness of health education-based conventional intervention method to reduce noncommunicable diseases risk factors among rural population. Cardiovascular Diagnosis and Therapy, 2019, 9, 30-34.	0.7	5
45	Peripheral neuropathy among Bangladeshi Type 2 diabetic subjects. Journal of the Neurological Sciences, 2019, 405, 261.	0.3	0
46	Concordance between two versions of world health organization/international society of hypertension risk prediction chart and framingham risk score among postmenopausal women in a rural area of Bangladesh. Indian Journal of Public Health, 2019, 63, 101.	0.3	6
47	Association between behavioural, metabolic risk factors of non-communicable diseases and socio-demographic factors among Bihari population in Bangladesh. International Journal of Community Medicine and Public Health, 2019, 6, 4132.	0.0	1
48	Musculoskeletal Disorders in Dentists: A Systematic Review. Update Dental College Journal, 2018, 7, 38-42.	0.1	3
49	Prevalence of Risk Factors of non-communicable Diseases in an Adult Population of Rural Bangladesh. Cardiovascular Journal, 2018, 10, 126-134.	0.0	2
50	A11543 One dollar model intervention for detection and treatment of hypertension among the rural population of Eklaspur village in Bangladesh. Journal of Hypertension, 2018, 36, e317.	0.3	0
51	A11551 Postmenopausal hypertension and its association with cardiovascular disease risk in a rural area of Bangladesh. Journal of Hypertension, 2018, 36, e200.	0.3	0
52	A2693 Variation of blood pressure with nature of job among Bangladeshi subjects. Journal of Hypertension, 2018, 36, e283.	0.3	0
53	Physical activity levels and associated cardiovascular disease risk factors among postmenopausal rural women of Bangladesh. Indian Heart Journal, 2018, 70, S161-S166.	0.2	16
54	Prevalence and clustering of cardiovascular disease risk factors in rural Nepalese population aged 40–80Âyears. BMC Public Health, 2018, 18, 677.	1.2	28

#	Article	IF	CITATIONS
55	Prevalence of cardiovascular disease risk factors: A community-based cross-sectional study in a peri-urban community of Kathmandu, Nepal. Indian Heart Journal, 2018, 70, S20-S27.	0.2	36
56	A11589 Knowledge, Attitudes and Practices on Tobacco among adults attending Outpatient Departments of Public Hospitals in Bangladesh. Journal of Hypertension, 2018, 36, e318.	0.3	0
57	Behavioral Risk Factors of Noncommunicable Diseases Among Medical and Nonmedical Undergraduate Students of Dhaka City, Bangladesh. International Journal of Epidemiologic Research, 2018, 5, 119-122.	0.4	1
58	Prevalence of low back pain and its associated factors among physiotherapists in Dhaka city of Bangladesh in 2016. Journal of Occupational Health and Epidemiology, 2018, 7, 70-74.	0.1	7
59	Total cardiovascular risk for next 10Âyears among rural population of Nepal using WHO/ISH risk prediction chart. BMC Research Notes, 2017, 10, 120.	0.6	21
60	Diabetes knowledge and utilization of healthcare services among patients with type 2 diabetes mellitus in Dhaka, Bangladesh. BMC Health Services Research, 2017, 17, 586.	0.9	28
61	Prevalence of Behavioral Risk Factors of Noncommunicable Diseases in a Rural Population of Bangladesh. Austin Journal of Public Health and Epidemiology, 2017, 4, .	0.0	0
62	Knowledge attitude and behaviour towards dietary salt intake among Bangladeshi medical and nonmedical undergraduate students. International Journal of Perceptions in Public Health, 2017, 2, 31-37.	0.0	3
63	Salt Intake Behavior Among the Faculties And Doctors of Bangladesh University of Health Sciences. Cardiovascular Journal, 2016, 8, 94-98.	0.0	2
64	LBPS 03-18 PREVALENCE OF HYPERTENSION AMONG URBAN AND RURAL TYPE 2 DIABETIC SUBJECTS IN BANGLADESH. Journal of Hypertension, 2016, 34, e529.	0.3	0
65	Cardiovascular Risk Assessment Among Urban Population of Bangladesh Using WHO/ISH Risk Prediction Chart International Journal of Epidemiology, 2015, 44, i202-i202.	0.9	3
66	Foot Pain among the Elderly Subjects of Dhaka City International Journal of Epidemiology, 2015, 44, i238-i239.	0.9	0
67	Prevalence of Undiagnosed Metabolic Syndrome (MS) in Bangladesh: A Comparative Study of Different Recommendations International Journal of Epidemiology, 2015, 44, i269-i270.	0.9	0
68	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	0.8	0
69	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	0.8	0
70	Associations of obesity with balance and gait among young adults in Bangladesh. Journal of Xiangya Medicine, 0, 6, 16-16.	0.2	1
71	Functional outcomes of Ponseti method among children with congenital clubfoot: a healthcare facility-based longitudinal study. Journal of Xiangya Medicine, 0, .	0.2	0
72	Overweight and obesity among the urban and rural type 2 diabetic subjects in Bangladesh. Journal of Xiangya Medicine, 0, 5, 37-37.	0.2	0

#	Article	IF	CITATIONS
73	A protocol to assess the risk of dementia among patients with coronary artery diseases using CAIDE score. F1000Research, 0, 9, 1256.	0.8	0
74	Noncommunicable disease risk factors among postgraduate students in Dhaka city, Bangladesh: a multi-centric cross-sectional study. Journal of Xiangya Medicine, 0, 6, 30-30.	0.2	1
75	Salt intake behavior among the undergraduate students of Bangladesh University of Health Sciences. Journal of Xiangya Medicine, 0, 5, 24-24.	0.2	2
76	Facing the challenges of smokeless tobacco epidemic in Bangladesh. Lifestyle Medicine, 0, , .	0.3	1
77	Awareness and social attitude towards COVID-19 in Bangladeshi population. Journal of Xiangya Medicine, 0, 6, 29-29.	0.2	0