

Aral I Okay

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8329285/aran-i-okay-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

8,287
citations

48
h-index

89
g-index

131
ext. papers

9,024
ext. citations

3
avg. IF

6.15
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 123 | Diamond from the Dabie Shan metamorphic rocks and its implication for tectonic setting. <i>Science</i> , 1992 , 256, 80-2 | 33.3 | 679 |
| 122 | Tethyan sutures of northern Turkey. <i>Geological Society Special Publication</i> , 1999 , 156, 475-515 | 1.7 | 437 |
| 121 | Coesite from the Dabie Shan eclogites, central China. <i>European Journal of Mineralogy</i> , 1989 , 1, 595-598 | 2.2 | 407 |
| 120 | Aegean tectonics: Strain localisation, slab tearing and trench retreat. <i>Tectonophysics</i> , 2013 , 597-598, 1-33 | 3.1 | 334 |
| 119 | Kinematic history of the opening of the Black Sea and its effect on the surrounding regions. <i>Geology</i> , 1994 , 22, 267 | 5 | 287 |
| 118 | Petrology of a diamond and coesite-bearing metamorphic terrain: Dabie Shan, China. <i>European Journal of Mineralogy</i> , 1993 , 5, 659-676 | 2.2 | 275 |
| 117 | Tectonics of an ultrahigh-pressure metamorphic terrane: The Dabie Shan/Tongbai Shan Orogen, China. <i>Tectonics</i> , 1993 , 12, 1320-1334 | 4.3 | 272 |
| 116 | Evidence for intracontinental thrust-related exhumation of the ultra-high-pressure rocks in China. <i>Geology</i> , 1992 , 20, 411 | 5 | 249 |
| 115 | Apatite fission-track data for the Miocene Arabia-Eurasia collision. <i>Geology</i> , 2010 , 38, 35-38 | 5 | 240 |
| 114 | Obduction, subduction and collision as reflected in the Upper Cretaceous-lower Eocene sedimentary record of western Turkey. <i>Geological Magazine</i> , 2001 , 138, 117-142 | 2 | 207 |
| 113 | Active faults and evolving strike-slip basins in the Marmara Sea, northwest Turkey: a multichannel seismic reflection study. <i>Tectonophysics</i> , 2000 , 321, 189-218 | 3.1 | 201 |
| 112 | Coeval plutonism and metamorphism in a latest Oligocene metamorphic core complex in northwest Turkey. <i>Geological Magazine</i> , 2000 , 137, 495-516 | 2 | 188 |
| 111 | Post-collision magmatism and tectonics in northwest Anatolia. <i>Contributions To Mineralogy and Petrology</i> , 1994 , 117, 241-252 | 3.5 | 176 |
| 110 | The tectonics of the Strandja Massif: late-Variscan and mid-Mesozoic deformation and metamorphism in the northern Aegean. <i>International Journal of Earth Sciences</i> , 2001 , 90, 217-233 | 2.2 | 155 |
| 109 | Exhumation of blueschists along a Tethyan suture in northwest Turkey. <i>Tectonophysics</i> , 1998 , 285, 275-299 | 2.9 | 149 |
| 108 | An active, deep marine strike-slip basin along the North Anatolian fault in Turkey. <i>Tectonics</i> , 1999 , 18, 129-147 | 4.3 | 148 |
| 107 | Cretaceous and Triassic subduction-accretion, high-pressure-low-temperature metamorphism, and continental growth in the Central Pontides, Turkey. <i>Bulletin of the Geological Society of America</i> , 2006 , 118, 1247-1269 | 3.9 | 146 |

| | | | |
|-----|---|-----|-----|
| 106 | Early Cretaceous sedimentation and orogeny on the active margin of Eurasia: Southern Central Pontides, Turkey. <i>Tectonics</i> , 2013 , 32, 1247-1271 | 4.3 | 123 |
| 105 | Triassic blueschists and eclogites from northwest Turkey: vestiges of the Paleo-Tethyan subduction. <i>Lithos</i> , 2002 , 64, 155-178 | 2.9 | 123 |
| 104 | The Black Sea basins structure and history: New model based on new deep penetration regional seismic data. Part 2: Tectonic history and paleogeography. <i>Marine and Petroleum Geology</i> , 2015 , 59, 656-670 | 4.7 | 111 |
| 103 | Defining the southern margin of Avalonia in the Pontides: Geochronological data from the Late Proterozoic and Ordovician granitoids from NW Turkey. <i>Tectonophysics</i> , 2008 , 461, 252-264 | 3.1 | 111 |
| 102 | Post-collisional adakite-like magmatism in the Al̇anıs Massif and implications for the evolution of the Eocene magmatism in the Eastern Pontides (NE Turkey). <i>Lithos</i> , 2011 , 125, 131-150 | 2.9 | 108 |
| 101 | A coesite inclusion in dolomite in Dabie Shan, China: Petrological and rheological significance. <i>European Journal of Mineralogy</i> , 1994 , 6, 995-1000 | 2.2 | 107 |
| 100 | Tectonic evolution of the southern margin of Laurasia in the Black Sea region. <i>International Geology Review</i> , 2015 , 57, 1051-1076 | 2.3 | 105 |
| 99 | Stratigraphic and metamorphic inversions in the central Menderes Massif: a new structural model. <i>International Journal of Earth Sciences</i> , 2001 , 89, 709-727 | 2.2 | 98 |
| 98 | Tectonic setting, petrology and geochronology of jadeite + glaucophane and chloritoid + glaucophane schists from north-west Turkey. <i>Journal of Metamorphic Geology</i> , 1994 , 12, 455-466 | 4.4 | 97 |
| 97 | Jadeite-chloritoid-glaucophane-lawsonite blueschists in north-west Turkey: unusually high P/T ratios in continental crust. <i>Journal of Metamorphic Geology</i> , 2002 , 20, 757-768 | 4.4 | 96 |
| 96 | The Black Sea basins structure and history: New model based on new deep penetration regional seismic data. Part 1: Basins structure and fill. <i>Marine and Petroleum Geology</i> , 2015 , 59, 638-655 | 4.7 | 93 |
| 95 | A fore-arc origin for the Thrace Basin, NW Turkey. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1996 , 85, 662-668 | | 84 |
| 94 | Pre-Alpide Palaeozoic and Mesozoic orogenic events in the Eastern Mediterranean region. <i>Geological Society Memoir</i> , 2006 , 32, 389-405 | 0.4 | 82 |
| 93 | Low-pressure-high-temperature metamorphism during extension in a Jurassic magmatic arc, Central Pontides, Turkey. <i>Journal of Metamorphic Geology</i> , 2014 , 32, 49-69 | 4.4 | 80 |
| 92 | High-pressure/low-temperature metamorphic rocks of Turkey. <i>Memoir of the Geological Society of America</i> , 1986 , 333-347 | | 77 |
| 91 | Early Mesozoic subduction in the Eastern Mediterranean: Evidence from Triassic eclogite in northwest Turkey. <i>Geology</i> , 1997 , 25, 595 | 5 | 75 |
| 90 | Mineralogy, petrology, and phase relations of glaucophane-lawsonite zone blueschists from the Tav̇anlı Region, Northwest Turkey. <i>Contributions To Mineralogy and Petrology</i> , 1980 , 72, 243-255 | 3.5 | 69 |
| 89 | Variscan orogeny in the Black Sea region. <i>International Journal of Earth Sciences</i> , 2017 , 106, 569-592 | 2.2 | 67 |

| | | | |
|----|--|------|----|
| 88 | Geochronology of Eocene plutonism and metamorphism in northwest. <i>Geodinamica Acta</i> , 2006 , 19, 251-266 | | 66 |
| 87 | From transpression to transtension: changes in morphology and structure around a bend on the North Anatolian Fault in the Marmara region. <i>Tectonophysics</i> , 2004 , 391, 259-282 | 3.1 | 64 |
| 86 | Accretion, underplating and exhumation along a subduction interface: From subduction initiation to continental subduction (Tavnli zone, W. Turkey). <i>Lithos</i> , 2015 , 226, 233-254 | 2.9 | 62 |
| 85 | Rapid early-middle Miocene exhumation of the Kazdaı Massif (western Anatolia). <i>International Journal of Earth Sciences</i> , 2009 , 98, 1935-1947 | 2.2 | 62 |
| 84 | Was the Late Triassic orogeny in Turkey caused by the collision of an oceanic plateau?. <i>Geological Society Special Publication</i> , 2000 , 173, 25-41 | 1.7 | 60 |
| 83 | Tectonic Units and Sutures in the Pontides, Northern Turkey 1989 , 109-116 | | 57 |
| 82 | Distribution and characteristics of the north-west Turkish blueschists. <i>Geological Society Special Publication</i> , 1984 , 17, 455-466 | 1.7 | 56 |
| 81 | Sapphirine and Ti-clinohumite in ultra-high-pressure garnet-pyroxenite and eclogite from Dabie Shan, China. <i>Contributions To Mineralogy and Petrology</i> , 1994 , 116, 145-155 | 3.5 | 53 |
| 80 | Early Cretaceous closure of the Intra-Pontide Ocean in western Pontides (northwestern Turkey). <i>Journal of Geodynamics</i> , 2013 , 65, 38-55 | 2.2 | 52 |
| 79 | Geodynamics of the Tavnli zone, western Turkey: Insights into subduction/obduction processes. <i>Tectonophysics</i> , 2013 , 608, 884-903 | 3.1 | 51 |
| 78 | Sinistral transport along the Trans-European Suture Zone: detrital zirconutile geochronology and sandstone petrography from the Carboniferous flysch of the Pontides. <i>Geological Magazine</i> , 2011 , 148, 380-403 | 2 | 51 |
| 77 | Paragonite eclogites from Dabie Shan, China: re-equilibration during exhumation?. <i>Journal of Metamorphic Geology</i> , 1995 , 13, 449-460 | 4.4 | 51 |
| 76 | Alpine-Himalayan Blueschists. <i>Annual Review of Earth and Planetary Sciences</i> , 1989 , 17, 55-87 | 15.3 | 49 |
| 75 | An Oligocene ductile strike-slip shear zone: The Uludag Massif, northwest Turkey--Implications for the westward translation of Anatolia. <i>Bulletin of the Geological Society of America</i> , 2008 , 120, 893-911 | 3.9 | 44 |
| 74 | Stratigraphy and Paleontology of the Upper Paleozoic Sequences in the Pular (Bayburt) Region, Eastern Pontides. <i>Turkish Journal of Earth Sciences</i> , 1996 , 5, 145-155 | 1.5 | 44 |
| 73 | Incipient blueschist metamorphism and metasomatism in the Tavnli region, Northwest Turkey. <i>Contributions To Mineralogy and Petrology</i> , 1982 , 79, 361-367 | 3.5 | 42 |
| 72 | Triassic limestone, turbidites and serpentinitethe Cimmeride orogeny in the Central Pontides. <i>Geological Magazine</i> , 2015 , 152, 460-479 | 2 | 41 |
| 71 | Carboniferous granites on the northern margin of Gondwana, Anatolide-Tauride Block, Turkey  Evidence for southward subduction of Paleotethys. <i>Tectonophysics</i> , 2016 , 683, 349-366 | 3.1 | 39 |

| | | | |
|----|---|-----|----|
| 70 | Ordovician metagranitoid from the Anatolide-Tauride Block, northwest Turkey: geodynamic implications. <i>Terra Nova</i> , 2008 , 20, 280-288 | 3 | 38 |
| 69 | An olistostrome in the Çange belt formed along a suture: Bornova Flysch zone, western Turkey. <i>Tectonophysics</i> , 2012 , 568-569, 282-295 | 3-1 | 37 |
| 68 | Fission-track evidence for late Oligocene and mid-Miocene activity along the North Anatolian Fault in south-western Thrace. <i>Terra Nova</i> , 2005 , 17, 95-101 | 3 | 37 |
| 67 | Halogen (F, Cl, Br, I) behaviour in subducting slabs: A study of lawsonite blueschists in western Turkey. <i>Earth and Planetary Science Letters</i> , 2016 , 442, 133-142 | 5-3 | 33 |
| 66 | Alpine high pressure evolution of the eastern Bitlis complex, SE Turkey. <i>Geological Society Special Publication</i> , 2010 , 340, 461-483 | 1-7 | 31 |
| 65 | Petrology and phase relations of the kyanite-eclogites from eastern Turkey. <i>Contributions To Mineralogy and Petrology</i> , 1985 , 91, 196-204 | 3-5 | 31 |
| 64 | Sodic Amphiboles as Oxygen Fugacity Indicators in Metamorphism. <i>Journal of Geology</i> , 1980 , 88, 225-232 | | 31 |
| 63 | PT evolution of eclogite/blueschist facies metamorphism in Alanya Massif: time and space relations with HP event in Bitlis Massif, Turkey. <i>International Journal of Earth Sciences</i> , 2016 , 105, 247-281 ² | | 30 |
| 62 | Metamorphic sole formation, emplacement and blueschist facies overprint: early subduction dynamics witnessed by western Turkey ophiolites. <i>Terra Nova</i> , 2016 , 28, 329-339 | 3 | 30 |
| 61 | An Exotic Eclogite/Blueschist Slice in a Barrovian Style Metamorphic Terrain, Alanya Nappes, Southern Turkey. <i>Journal of Petrology</i> , 1989 , 30, 107-132 | 3-9 | 30 |
| 60 | Apatite fission-track thermochronology of the Western Pontides (NW Turkey). <i>Geological Magazine</i> , 2012 , 149, 133-140 | 2 | 29 |
| 59 | HP/LT metamorphism and the structure of the Alanya Massif, Southern Turkey: an allochthonous composite tectonic sheet. <i>Geological Society Special Publication</i> , 1984 , 17, 429-439 | 1-7 | 27 |
| 58 | Devonian radiolarian ribbon cherts from the Karakaya Complex, Northwest Turkey: Implications for the Paleo-Tethyan evolution. <i>Comptes Rendus - Palevol</i> , 2011 , 10, 1-10 | 1-6 | 26 |
| 57 | Late Cretaceous blueschist facies metamorphism in southern Thrace (Turkey) and its geodynamic implications. <i>Journal of Metamorphic Geology</i> , 2008 , 26, 895-913 | 4-4 | 26 |
| 56 | Tectonically induced Quaternary drainage diversion in the northeastern Aegean. <i>Journal of the Geological Society</i> , 2002 , 159, 393-399 | 2-7 | 26 |
| 55 | Lawsonite zone blueschists and a sodic amphibole producing reaction in the Tavşanlı Region, Northwest Turkey. <i>Contributions To Mineralogy and Petrology</i> , 1981 , 75, 179-186 | 3-5 | 25 |
| 54 | Thermochronology of the Miocene Arabia-Eurasia collision zone of southeastern Turkey 2018 , 14, 2277-2293 | | 25 |
| 53 | Jadeite- β -feldspar rocks and jadeitites from northwest Turkey. <i>Mineralogical Magazine</i> , 1997 , 61, 835-843 ⁷ | | 24 |

| | | | |
|----|---|-----|----|
| 52 | Far-field tectonic effects of the Arabia-Eurasia collision and the inception of the North Anatolian Fault system. <i>Geological Magazine</i> , 2014 , 151, 372-379 | 2 | 22 |
| 51 | Pre-collisional accretionary growth of the southern Laurasian active margin, Central Pontides, Turkey. <i>Tectonophysics</i> , 2016 , 671, 218-234 | 3.1 | 21 |
| 50 | Triassic warm subduction in northeast Turkey: Evidence from the Amani metamorphic rocks. <i>Island Arc</i> , 2014 , 23, 181-205 | 2 | 21 |
| 49 | Provenance of a large Lower Cretaceous turbidite submarine fan complex on the active Laurasian margin: Central Pontides, northern Turkey. <i>Journal of Asian Earth Sciences</i> , 2017 , 134, 309-329 | 2.8 | 21 |
| 48 | Tectonic evolution of the Ganos segment of the North Anatolian Fault (NW Turkey). <i>Journal of Structural Geology</i> , 2009 , 31, 11-28 | 3 | 21 |
| 47 | Geological evolution of the Central Pontides. <i>Geological Society Special Publication</i> , 2018 , 464, 33-67 | 1.7 | 20 |
| 46 | Evidence for a minimum 52 ± 1 km of total offset along the northern branch of the North Anatolian Fault in northwest Turkey. <i>Tectonophysics</i> , 2016 , 668-669, 35-41 | 3.1 | 20 |
| 45 | Partial high-pressure aragonitization of micritic limestones in an accretionary complex, Tavşanlı Zone, NW Turkey. <i>Journal of Metamorphic Geology</i> , 2006 , 24, 603-613 | 4.4 | 18 |
| 44 | Detrital supply from subduction/accretion complexes to the Eocene-Oligocene post-collisional southern Thrace Basin (NW Turkey and NE Greece). <i>Sedimentary Geology</i> , 2012 , 243-244, 117-129 | 2.8 | 17 |
| 43 | Evidence of Eocene high-temperature/high-pressure metamorphism of ophiolitic rocks and granitoid intrusion related to Neotethyan subduction processes (Doğubayır area, SE Anatolia). <i>Geological Society Special Publication</i> , 2013 , 372, 249-272 | 1.7 | 17 |
| 42 | A middle Permian ophiolite fragment in Late Triassic greenschist- to blueschist-facies rocks in NW Turkey: An earlier pulse of suprasubduction-zone ophiolite formation in the Tethyan belt. <i>Lithos</i> , 2018 , 300-301, 121-135 | 2.9 | 17 |
| 41 | Thermal structure of low-grade accreted Lower Cretaceous distal turbidites, the Central Pontides, Turkey: insights for tectonic thickening of an accretionary wedge. <i>Turkish Journal of Earth Sciences</i> , 2015 , 24, 461-474 | 1.5 | 16 |
| 40 | A precursor of the North Anatolian Fault in the Marmara Sea region. <i>Journal of Asian Earth Sciences</i> , 2010 , 39, 97-108 | 2.8 | 15 |
| 39 | Late Cretaceous infant intra-oceanic arc volcanism, the Central Pontides, Turkey: Petrogenetic and tectonic implications. <i>Journal of Asian Earth Sciences</i> , 2015 , 111, 312-327 | 2.8 | 14 |
| 38 | Sodic pyroxenes from metabasites in the eastern mediterranean. <i>Contributions To Mineralogy and Petrology</i> , 1978 , 68, 7-11 | 3.5 | 14 |
| 37 | Triassic-Jurassic arc magmatism in the Pontides as revealed by the U-Pb detrital zircon ages in the Jurassic sandstones of northeastern Turkey. <i>Turkish Journal of Earth Sciences</i> , 2018 , 27, 89-109 | 1.5 | 14 |
| 36 | Uplift of Anatolia. <i>Turkish Journal of Earth Sciences</i> , 2020 , 29, 696-713 | 1.5 | 14 |
| 35 | A Section Across a Tethyan Suture in Northwestern Turkey. <i>International Geology Review</i> , 1996 , 38, 405-418 | | 12 |

| | | | |
|----|--|-----|----|
| 34 | Petroleum geology of the Black Sea: introduction. <i>Geological Society Special Publication</i> , 2018 , 464, 1-18 | 1.7 | 11 |
| 33 | Stratigraphic and metamorphic inversions in the central Menderes massif. A new structural model. <i>International Journal of Earth Sciences</i> , 2002 , 91, 173-178 | 2.2 | 11 |
| 32 | Oscillatory zoned chrome lawsonite in the Tavşanlı Zone, northwest Turkey. <i>Mineralogical Magazine</i> , 1999 , 63, 687-692 | 1.7 | 11 |
| 31 | Silurian anorogenic basic and acidic magmatism in Northwest Turkey: Implications for the opening of the Paleo-Tethys. <i>Lithos</i> , 2020 , 356-357, 105302 | 2.9 | 11 |
| 30 | The Thrace Basin and the Black Sea: the Eocene-Oligocene marine connection. <i>Geological Magazine</i> , 2019 , 156, 39-61 | 2 | 11 |
| 29 | Emir-Ankara Suture as a Triassic to Cretaceous Plate Boundary: Data From Central Anatolia. <i>Tectonics</i> , 2020 , 39, e2019TC005849 | 4.3 | 11 |
| 28 | Comment on Relict Basin Closure and Crustal Shortening Budgets During Continental Collision: An Example From Caucasus Sediment Provenance by Cowgill et al. (2016). <i>Tectonics</i> , 2018 , 37, 1006-1016 | 4.3 | 10 |
| 27 | Late Eocene-Early Oligocene two-mica granites in NW Turkey (the Uludağ Massif): Water-fluxed melting products of a mafic metagreywacke. <i>Lithos</i> , 2017 , 268-271, 334-350 | 2.9 | 10 |
| 26 | Major Late Cretaceous Mass Flows in Central Turkey Recording the Disruption of the Mesozoic Continental Margin. <i>Tectonics</i> , 2019 , 38, 960-989 | 4.3 | 9 |
| 25 | Lawsonite composition and zoning as tracers of subduction processes: A global review. <i>Lithos</i> , 2020 , 370-371, 105636 | 2.9 | 9 |
| 24 | Mantle Lithosphere Rheology, Vertical Tectonics, and the Exhumation of (U)HP Rocks. <i>Journal of Geophysical Research: Solid Earth</i> , 2018 , 123, 1824-1839 | 3.6 | 9 |
| 23 | No significant Alpine tectonic overprint on the Cimmerian Strandja Massif (SE Bulgaria and NW Turkey). <i>International Geology Review</i> , 2018 , 60, 513-529 | 2.3 | 9 |
| 22 | Carbonate sedimentation in an extensional active margin: Cretaceous history of the Haymana region, Pontides. <i>International Journal of Earth Sciences</i> , 2016 , 105, 2013-2030 | 2.2 | 9 |
| 21 | International earth science literature from Turkey (1970-2005): Trends and possible causes. <i>Scientometrics</i> , 2008 , 74, 409-423 | 3 | 8 |
| 20 | Basement Types, Lower Eocene Series, Upper Eocene Olistostromes and the Initiation of the Southern Thrace Basin, NW Turkey | | 7 |
| 19 | Reconstruction of a Late Jurassic-Early Cretaceous carbonate platform margin with composite biostratigraphy and microfacies analysis (western Sakarya Zone, Turkey): Paleogeographic and tectonic implications. <i>Cretaceous Research</i> , 2018 , 92, 66-93 | 1.8 | 6 |
| 18 | Dating Subduction Events in East Anatolia, Turkey | | 6 |
| 17 | Striking Variation in the Provenance of the Lower and Upper Cretaceous Turbidites in the Central Pontides (Northern Turkey) Related to the Opening of the Black Sea. <i>Tectonics</i> , 2019 , 38, 1050-1069 | 4.3 | 5 |

| | | | |
|----|---|-----|---|
| 16 | The oxygen fugacity stability of deerite: an alternative view. <i>Journal of Metamorphic Geology</i> , 1987 , 5, 553-555 | 4.4 | 4 |
| 15 | The Ypresian to Lutetian marine record in NW Turkey: a revised biostratigraphy and chronostratigraphy and implications for Eocene paleogeography. <i>Turkish Journal of Earth Sciences</i> , 2020 , 29, 1-27 | 1.5 | 4 |
| 14 | Eocene-Oligocene succession at K y k  (Midye) on the Black Sea coast in Thrace. <i>Turkish Journal of Earth Sciences</i> , 2020 , 29, 139-153 | 1.5 | 4 |
| 13 | A fore-arc origin for the Thrace Basin, NW Turkey 1996 , 85, 662 | | 3 |
| 12 | Reassessment of the age and depositional environments of the Eocene  yraz Formation, a reference unit for Tethyan larger benthic foraminifera (Haymana Basin, central Turkey). <i>Journal of Asian Earth Sciences</i> , 2020 , 193, 104304 | 2.8 | 2 |
| 11 | Prograde calcite to aragonite transformation in the G nenik micritic limestones (Tav n , NW Turkey). <i>International Journal of Earth Sciences</i> , 2014 , 103, 2271-2272 | 2.2 | 2 |
| 10 | New Records of Caudriella Haman and Huddleston from the Middle and Late Eocene of Neo-Tethys: Taxonomic and Palaeobiogeographic Implications. <i>Journal of Foraminiferal Research</i> , 2022 , 52, 21-39 | 1.1 | 2 |
| 9 | Deep Structure of Central Menderes Massif: data from deep geothermal wells. <i>Turkish Journal of Earth Sciences</i> , 2019 , 28, 531-543 | 1.5 | 2 |
| 8 | Biostratigraphy and paleoenvironments of the Oligocene succession ( saniye Formation) at Karaburun (NW Turkey). <i>Turkish Journal of Earth Sciences</i> , 2020 , 29, 28-63 | 1.5 | 2 |
| 7 | Late Oligocene-Early Miocene shortening in the Thrace Basin, northern Aegean. <i>International Journal of Earth Sciences</i> , 2021 , 110, 1921-1936 | 2.2 | 2 |
| 6 | The Early Eocene Ekmek granodiorite porphyry in the Karacabey region (Sakarya Zone, NW Turkey). <i>Turkish Journal of Earth Sciences</i> , 2019 , 28, 589-602 | 1.5 | 1 |
| 5 | Provenance of the Paleozoic to Mesozoic Siliciclastic Rocks of the Istanbul Zone Constrains the Timing of the Rheic Ocean Closure in the Eastern Mediterranean Region. <i>Tectonics</i> , 2021 , 40, e2021TC006824 | 4.3 | 1 |
| 4 | Records of latest Triassic, mid-Cretaceous and Cenozoic uplift/exhumation phases in the Istanbul zone revealed by apatite fission-track and (U-Th)/He thermochronology. <i>International Geology Review</i> , 1-14 | 2.3 | 1 |
| 3 | Twin Induced Reduction of Seismic Anisotropy in Lawsonite Blueschist. <i>Minerals (Basel, Switzerland)</i> , 2021 , 11, 399 | 2.4 | 0 |
| 2 | REE behavior in warm and cold subducting oceanic crust. <i>International Journal of Earth Sciences</i> , 2022 , 111, 905 | 2.2 | |
| 1 | Scientific Comment on McPhee et al Preparing the ground for plateau growth: Late Neogene Central Anatolian uplift in the context of orogenic and geodynamic evolution since the Cretaceous. <i>Tectonophysics</i> 822 (2022), 229131. <i>Tectonophysics</i> , 2022 , 836, 229406 | 3.1 | |