Leticia Ferreira Pettenuzzo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/832946/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of intranasal guanosine administration on brain function in a rat model of ischemic stroke. Purinergic Signalling, 2021, 17, 255-271.	2.2	6
2	Antidepressant-Like Effects of Chronic Guanosine in the Olfactory Bulbectomy Mouse Model. Frontiers in Psychiatry, 2021, 12, 701408.	2.6	7
3	Maternal Hypermethioninemia Affects Neurons Number, Neurotrophins Levels, Energy Metabolism, and Na+,K+-ATPase Expression/Content in Brain of Rat Offspring. Molecular Neurobiology, 2018, 55, 980-988.	4.0	12
4	Effect of a trans fatty acid-enriched diet on mitochondrial, inflammatory, and oxidative stress parameters in the cortex and hippocampus of Wistar rats. European Journal of Nutrition, 2018, 57, 1913-1924.	3.9	12
5	Methylphenidate Causes Behavioral Impairments and Neuron and Astrocyte Loss in the Hippocampus of Juvenile Rats. Molecular Neurobiology, 2017, 54, 4201-4216.	4.0	21
6	1,25-Dihydroxyvitamin D3 prevents deleterious effects of homocysteine on mitochondrial function and redox status in heart slices. Nutrition Research, 2017, 38, 52-63.	2.9	19
7	Olfactory bulbectomy in mice triggers transient and long-lasting behavioral impairments and biochemical hippocampal disturbances. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2017, 76, 1-11.	4.8	26
8	Neuroprotector effect of stem cells from human exfoliated deciduous teeth transplanted after traumatic spinal cord injury involves inhibition of early neuronal apoptosis. Brain Research, 2017, 1663, 95-105.	2.2	61
9	Chronic Stress Causes Sex-Specific and Structure-Specific Alterations in Mitochondrial Respiratory Chain Activity in Rat Brain. Neurochemical Research, 2017, 42, 3331-3340.	3.3	8
10	Glial-associated changes in the cerebral cortex after collagenase-induced intracerebral hemorrhage in the rat striatum. Brain Research Bulletin, 2017, 134, 55-62.	3.0	11
11	Administration of Huperzia quadrifariata Extract, a Cholinesterase Inhibitory Alkaloid Mixture, has Neuroprotective Effects in a Rat Model of Cerebral Hypoxia–Ischemia. Neurochemical Research, 2017, 42, 552-562.	3.3	14
12	Severe Hyperhomocysteinemia Decreases Respiratory Enzyme and Na+-K+ ATPase Activities, and Leads to Mitochondrial Alterations in Rat Amygdala. Neurotoxicity Research, 2016, 29, 408-418.	2.7	18
13	Methotrexate up-regulates ecto-5′-nucleotidase/CD73 and reduces the frequency of T lymphocytes in the glioblastoma microenvironment. Purinergic Signalling, 2016, 12, 303-312.	2.2	33
14	1,25â€Ðihydroxyvitamin D3 exerts neuroprotective effects in an <i>ex vivo</i> model of mild hyperhomocysteinemia. International Journal of Developmental Neuroscience, 2016, 48, 71-79.	1.6	23
15	Intranasal guanosine administration presents a wide therapeutic time window to reduce brain damage induced by permanent ischemia in rats. Purinergic Signalling, 2016, 12, 149-159.	2.2	17
16	Resveratrol Regulates the Quiescence‣ike Induction of Activated Stellate Cells by Modulating the PPARγ/SIRT1 Ratio. Journal of Cellular Biochemistry, 2015, 116, 2304-2312.	2.6	18
17	Antiherpes Activity and Skin/Mucosa Distribution of Flavonoids from <i>Achyrocline satureioides</i> Extract Incorporated into Topical Nanoemulsions. BioMed Research International, 2015, 2015, 1-7.	1.9	28
18	Metabolic and feeding behavior alterations provoked by prenatal exposure to aspartame. Appetite, 2015, 87, 168-174.	3.7	37

#	Article	IF	CITATIONS
19	Mitochondrial and Oxidative Stress Aspects in Hippocampus of Rats Submitted to Dietary n-3 Polyunsaturated Fatty Acid Deficiency After Exposure to Early Stress. Neurochemical Research, 2015, 40, 1870-1881.	3.3	10
20	Guanosine Protects Against Cortical Focal Ischemia. Involvement of Inflammatory Response. Molecular Neurobiology, 2015, 52, 1791-1803.	4.0	49
21	A New Device for Step-Down Inhibitory Avoidance Task—Effects of Low and High Frequency in a Novel Device for Passive Inhibitory Avoidance Task That Avoids Bioimpedance Variations. PLoS ONE, 2015, 10, e0116000.	2.5	13
22	Resveratrol Induces Pro-oxidant Effects and Time-Dependent Resistance to Cytotoxicity in Activated Hepatic Stellate Cells. Cell Biochemistry and Biophysics, 2014, 68, 247-257.	1.8	65
23	Isolation Stress Exposure and Consumption of Palatable Diet During the Prepubertal Period Leads to Cellular Changes in the Hippocampus. Neurochemical Research, 2013, 38, 262-272.	3.3	6
24	Disrupted cytoskeletal homeostasis, astrogliosis and apoptotic cell death in the cerebellum of preweaning rats injected with diphenyl ditelluride. NeuroToxicology, 2013, 34, 175-188.	3.0	32
25	Neurodevelopmental and cognitive behavior of glutaryl-CoA dehydrogenase deficient knockout mice. Life Sciences, 2013, 92, 137-142.	4.3	10
26	Acute renal failure potentiates methylmalonate-induced oxidative stress in brain and kidney of rats. Free Radical Research, 2013, 47, 233-240.	3.3	17
27	Effect of chronic administration of tamoxifen and/or estradiol on feeding behavior, palatable food and metabolic parameters in ovariectomized rats. Physiology and Behavior, 2013, 119, 17-24.	2.1	34
28	Acute renal failure potentiates brain energy dysfunction elicited by methylmalonic acid. International Journal of Developmental Neuroscience, 2013, 31, 245-249.	1.6	6
29	The effect of unpredictable chronic mild stress on depressive-like behavior and on hippocampal A1 and striatal A2A adenosine receptors. Physiology and Behavior, 2013, 109, 1-7.	2.1	41
30	Stress During the Pre-pubertal Period Leads to Long-Term Diet-Dependent Changes in Anxiety-Like Behavior and in Oxidative Stress Parameters in Male Adult Rats. Neurochemical Research, 2013, 38, 1791-1800.	3.3	7
31	Evidences that maternal swimming exercise improves antioxidant defenses and induces mitochondrial biogenesis in the brain of young Wistar rats. Neuroscience, 2013, 246, 28-39.	2.3	68
32	Chronic postnatal ornithine administration to rats provokes learning deficit in the open field task. Metabolic Brain Disease, 2012, 27, 479-486.	2.9	4
33	Neonatal hypoxia–ischemia induces sex-related changes in rat brain mitochondria. Mitochondrion, 2012, 12, 271-279.	3.4	48
34	In vivo treatment with diphenyl ditelluride induces neurodegeneration in striatum of young rats: Implications of MAPK and Akt pathways. Toxicology and Applied Pharmacology, 2012, 264, 143-152.	2.8	20
35	Isolation Stress During the Prepubertal Period in Rats Induces Long-Lasting Neurochemical Changes in the Prefrontal Cortex. Neurochemical Research, 2012, 37, 1063-1073.	3.3	20
36	GD1a modulates GM-CSF-induced cell proliferation. Cytokine, 2011, 56, 600-607.	3.2	5

#	Article	IF	CITATIONS
37	Amyloid-Î ² induced toxicity involves ganglioside expression and is sensitive to GM1 neuroprotective action. Neurochemistry International, 2011, 59, 648-655.	3.8	43
38	Early biochemical effects after unilateral hypoxia–ischemia in the immature rat brain. International Journal of Developmental Neuroscience, 2011, 29, 115-120.	1.6	37
39	Enriched environment effects on behavior, memory and BDNF in low and high exploratory mice. Physiology and Behavior, 2011, 102, 475-480.	2.1	67
40	The effects of hypercaloric diets on glucose homeostasis in the rat: influence of saturated and monounsaturated dietary lipids. Cell Biochemistry and Function, 2011, 29, 569-576.	2.9	21
41	Effects of Chronic Restraint Stress and 17-β-Estradiol Replacement on Oxidative Stress in the Spinal Cord of Ovariectomized Female Rats. Neurochemical Research, 2010, 35, 1700-1707.	3.3	3
42	Na+, K+ ATPase Activity Is Reduced in Amygdala of Rats with Chronic Stress-Induced Anxiety-Like Behavior. Neurochemical Research, 2010, 35, 1787-1795.	3.3	36
43	Sex-specific differences on caffeine consumption and chronic stress-induced anxiety-like behavior and DNA breaks in the hippocampus. Pharmacology Biochemistry and Behavior, 2009, 94, 63-69.	2.9	33
44	Interactions Between Chronic Stress and Chronic Consumption of Caffeine on the Enzymatic Antioxidant System. Neurochemical Research, 2009, 34, 1568-1574.	3.3	34
45	Chronic early postnatal administration of ethylmalonic acid to rats causes behavioral deficit. Behavioural Brain Research, 2009, 197, 364-370.	2.2	11
46	Stress effects on rats chronically receiving a highly palatable diet are sex-specific. Appetite, 2008, 51, 592-598.	3.7	23
47	Effects of chronic administration of caffeine and stress on feeding behavior of rats. Physiology and Behavior, 2008, 95, 295-301.	2.1	37
48	Chronic early postnatal glutaric acid administration causes cognitive deficits in the water maze. Behavioural Brain Research, 2008, 187, 411-416.	2.2	10
49	Differential inhibitory effects of methylmalonic acid on respiratory chain complex activities in rat tissues. International Journal of Developmental Neuroscience, 2006, 24, 45-52.	1.6	47
50	Inhibition of mitochondrial creatine kinase activity from rat cerebral cortex by methylmalonic acid. Neurochemistry International, 2004, 45, 661-667.	3.8	40
51	Ascorbic acid prevents water maze behavioral deficits caused by early postnatal methylmalonic acid administration in the rat. Brain Research, 2003, 976, 234-242.	2.2	28
52	Evaluation of the effect of chronic administration of drugs on rat behavior in the water maze task. Brain Research Protocols, 2003, 12, 109-115.	1.6	9
53	Ascorbic acid prevents cognitive deficits caused by chronic administration of propionic acid to rats in the water maze. Pharmacology Biochemistry and Behavior, 2002, 73, 623-629.	2.9	60
54	Ganglioside alterations in the central nervous system of rats chronically injected with methylmalonic and propionic acids. Metabolic Brain Disease, 2002, 17, 93-102.	2.9	17