

Aung Ko Ko Kyaw

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8329960/aung-ko-ko-kyaw-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

5,458
citations

33
h-index

73
g-index

102
ext. papers

6,157
ext. citations

7.9
avg, IF

5.67
L-index

#	Paper	IF	Citations
96	Near-infrared non-fused ring acceptors with light absorption up to 1000 nm for efficient and low-energy loss organic solar cells. <i>Materials Today Energy</i> , 2022 , 24, 100938	7	6
95	1D/2D > 2: Dual strategies of quinolinic acid passivation and DMF solvent annealing for high-performance inverted perovskite solar cell. <i>Chemical Engineering Journal</i> , 2022 , 435, 135107	14.7	2
94	Screen printing strategy for fabricating flexible crystallized perovskite nanocomposite patterns with high photoluminescence. <i>Flexible and Printed Electronics</i> , 2022 , 7, 015010	3.1	
93	Dual-functional ambipolar non-fused ring electron acceptor as third component and designing similar molecular structure between two acceptors for high-performance ternary organic solar cells. <i>Nano Energy</i> , 2022 , 98, 107186	17.1	3
92	Dopant-Free Hole Transporting Material Based on Nonconjugated Adamantane for High-Performance Perovskite Solar Cells. <i>Frontiers in Chemistry</i> , 2021 , 9, 746365	5	0
91	Efficient and stable mesoscopic perovskite solar cell in high humidity by localized Dion-Jacobson 2D-3D heterostructures. <i>Nano Energy</i> , 2021 , 106666	17.1	11
90	Improved room-temperature thermoelectric characteristics in F4TCNQ-doped CNT yarn/P3HT composite by controlled doping. <i>Organic Electronics</i> , 2021 , 90, 106056	3.5	2
89	Defect Passivation of CsPbBr ₃ with AgBr for High-Performance All-Inorganic Perovskite Solar Cells. <i>Advanced Energy and Sustainability Research</i> , 2021 , 2, 2000099	1.6	5
88	High-performance quasi-2D perovskite solar cells with power conversion efficiency over 20% fabricated in humidity-controlled ambient air. <i>Chemical Engineering Journal</i> , 2021 , 427, 130949	14.7	5
87	Energy-Level Manipulation in Novel Indacenodithiophene-Based Donor-Acceptor Polymers for Near-Infrared Organic Photodetectors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 29866-29875	9.5	5
86	Universal Strategy for Improving Perovskite Photodiode Performance: Interfacial Built-In Electric Field Manipulated by Unintentional Doping. <i>Advanced Science</i> , 2021 , 8, e2101729	13.6	6
85	Electron-deficient diketone unit engineering for non-fused ring acceptors enabling over 13% efficiency in organic solar cells. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 14948-14957	13	11
84	Single crystal of two-dimensional mixed-halide copper-based perovskites with reversible thermochromism. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3264-3270	7.1	7
83	Efficient Semi-Transparent Organic Solar Cells with High Color Rendering Index Enabled by Self-Assembled and Knitted AgNPs/MWCNTs Transparent Top Electrode via Solution Process. <i>Advanced Optical Materials</i> , 2021 , 9, 2002108	8.1	10
82	Structural Geometry Variation of 1,4-Naphthalene-Based Co-Polymers to Tune the Device Performance of PVK-Host-Based OLEDs. <i>Polymers</i> , 2021 , 13,	4.5	1
81	High-performance and low-energy loss organic solar cells with non-fused ring acceptor by alkyl chain engineering. <i>Chemical Engineering Journal</i> , 2021 , 420, 129768	14.7	17
80	Simultaneous enhancements in the Seebeck coefficient and conductivity of PEDOT:PSS by blending ferroelectric BaTiO ₃ nanoparticles. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 16952-16960	13	3

79	Controlling Electronic States of Few-walled Carbon Nanotube Yarn via Joule-annealing and p-type Doping Towards Large Thermoelectric Power Factor. <i>Scientific Reports</i> , 2020 , 10, 7307	4.9	6
78	Effect of substituents in sulfoxides on the enhancement of thermoelectric properties of PEDOT:PSS: experimental and modelling evidence. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 976-984	4.6	7
77	Biodegradable Materials and Green Processing for Green Electronics. <i>Advanced Materials</i> , 2020 , 32, e2001591	4.9	71
76	Sodium formaldehyde sulfoxylate, an ionic-type, water-soluble reducing reagent to effectively improve seebeck coefficient of PEDOT:PSS film. <i>Organic Electronics</i> , 2020 , 81, 105682	3.5	11
75	Modulation of the doping level of PEDOT:PSS film by treatment with hydrazine to improve the Seebeck coefficient.. <i>RSC Advances</i> , 2020 , 10, 1786-1792	3.7	32
74	Efficient defect-passivation and charge-transfer with interfacial organophosphorus ligand modification for enhanced performance of perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 211, 110527	6.4	34
73	Selective Soxhlets extraction to enhance solubility of newly-synthesized poly(indoloindole-selenophene vinylene selenophene) donor for photovoltaic applications. <i>Nano Convergence</i> , 2020 , 7, 9	9.2	5
72	Enhanced thermoelectric performance of poly(3,4-ethylenedioxythiophene):poly(4-styrenesulfonate) (PEDOT:PSS) with long-term humidity stability via sequential treatment with trifluoroacetic acid. <i>Polymer International</i> , 2020 , 69, 84-92	3.3	18
71	Efficient as-cast thick film small-molecule organic solar cell with less fluorination on the donor. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 206-212	7.8	7
70	Dopant-Free and Green-Solvent-Processable Hole-Transporting Materials for Highly Efficient Inverted Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2020 , 4, 2070105	7.1	1
69	Triple non-covalent dynamic interactions enabled a tough and rapid room temperature self-healing elastomer for next-generation soft antennas. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 25073-25084	13	9
68	Water-dispersible conducting polyazulene and its application in thermoelectrics. <i>Chemical Communications</i> , 2020 , 56, 9388-9391	5.8	7
67	Binary treatment of PEDOT:PSS films with nitric acid and imidazolium-based ionic liquids to improve the thermoelectric properties. <i>Materials Advances</i> , 2020 , 1, 3233-3242	3.3	9
66	Dopant-Free and Green-Solvent-Processable Hole-Transporting Materials for Highly Efficient Inverted Planar Perovskite Solar Cells. <i>Solar Rrl</i> , 2020 , 4, 2000327	7.1	6
65	Green Electronics: Biodegradable Materials and Green Processing for Green Electronics (Adv. Mater. 33/2020). <i>Advanced Materials</i> , 2020 , 32, 2070245	24	2
64	Organic interfacial materials for perovskite-based optoelectronic devices. <i>Energy and Environmental Science</i> , 2019 , 12, 1177-1209	35.4	125
63	A Bifunctional Saddle-Shaped Small Molecule as a Dopant-Free Hole Transporting Material and Interfacial Layer for Efficient and Stable Perovskite Solar Cells (Solar RRL 52019). <i>Solar Rrl</i> , 2019 , 3, 1970054	7.1	14
62	A Bifunctional Saddle-Shaped Small Molecule as a Dopant-Free Hole Transporting Material and Interfacial Layer for Efficient and Stable Perovskite Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1900011	7.1	27

61	Defects Passivation With Dithienobenzodithiophene-based π -conjugated Polymer for Enhanced Performance of Perovskite Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1900029	7.1	50
60	Improved Thermoelectric Properties and Environmental Stability of Conducting PEDOT:PSS Films Post-treated With Imidazolium Ionic Liquids. <i>Frontiers in Chemistry</i> , 2019 , 7, 870	5	24
59	Influence of pressure of nitrogen gas on structure and thermoelectric properties of acid-treated PEDOT:PSS films. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 13534-13542	2.1	3
58	High-Performance Inverted Planar Perovskite Solar Cells Enhanced by Thickness Tuning of New Dopant-Free Hole Transporting Layer. <i>Small</i> , 2019 , 15, e1904715	11	30
57	Effective ionic Seebeck component suppression in mixed ion-electron conductor via chemical treatment. <i>Organic Electronics</i> , 2019 , 69, 7-12	3.5	12
56	Simultaneous improvement in electrical conductivity and Seebeck coefficient of PEDOT:PSS by N pressure-induced nitric acid treatment.. <i>RSC Advances</i> , 2018 , 8, 36563-36570	3.7	12
55	Enhancement of thermoelectric performance of PEDOT:PSS films by post-treatment with a superacid.. <i>RSC Advances</i> , 2018 , 8, 18334-18340	3.7	74
54	Enhanced Thermoelectric Performance of PEDOT:PSS Films by Sequential Post-Treatment with Formamide. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1700429	3.9	52
53	Light Trapping in Inverted Organic Photovoltaics With Nanoimprinted ZnO Photonic Crystals. <i>IEEE Journal of Photovoltaics</i> , 2017 , 7, 545-549	3.7	15
52	A polymer transistor array with a pressure-sensitive elastomer for electronic skin. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 12039-12043	7.1	11
51	A nanogroove-guided slot-die coating technique for highly ordered polymer films and high-mobility transistors. <i>Chemical Communications</i> , 2016 , 52, 358-61	5.8	22
50	Demonstration of the portability of porous microstructure architecture to indium-doped ZnO electron selective layer for enhanced light scattering in inverted organic photovoltaics. <i>Journal of Sol-Gel Science and Technology</i> , 2016 , 78, 613-620	2.3	5
49	Thermally Stable and Sterilizable Polymer Transistors for Reusable Medical Devices. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 9533-9	9.5	9
48	Biodegradable electronics: cornerstone for sustainable electronics and transient applications. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 5531-5558	7.1	124
47	Influence of gold-silica nanoparticles on the performance of small-molecule bulk heterojunction solar cells. <i>Organic Electronics</i> , 2015 , 22, 20-28	3.5	18
46	Quantifying interface states and bulk defects in high-efficiency solution-processed small-molecule solar cells by impedance and capacitance characteristics. <i>Progress in Photovoltaics: Research and Applications</i> , 2015 , 23, 1526-1535	6.8	34
45	High open-circuit voltage small-molecule p-DTS(FBTTh ₂) ₂ :ICBA bulk heterojunction solar cells □ morphology, excited-state dynamics, and photovoltaic performance. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1530-1539	13	33
44	Enhanced fill factor of tandem organic solar cells incorporating a diketopyrrolopyrrole-based low-bandgap polymer and optimized interlayer. <i>ChemSusChem</i> , 2015 , 8, 331-6	8.3	8

43	Effects of Solvent Additives on Morphology, Charge Generation, Transport, and Recombination in Solution-Processed Small-Molecule Solar Cells. <i>Advanced Energy Materials</i> , 2014 , 4, 1301469	21.8	180
42	Enhanced Power Conversion Efficiency of Low Band-Gap Polymer Solar Cells by Insertion of Optimized Binary Processing Additives. <i>Advanced Energy Materials</i> , 2014 , 4, 1300835	21.8	40
41	Effect of processing additive on morphology and charge extraction in bulk-heterojunction solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 15052-15057	13	38
40	Temperature and light dependent diode current in high-efficiency solution-processed small-molecule solar cells. <i>Organic Electronics</i> , 2014 , 15, 2141-2147	3.5	7
39	Enhanced efficiency of solution-processed small-molecule solar cells upon incorporation of gold nanospheres and nanorods into organic layers. <i>Chemical Communications</i> , 2014 , 50, 4451-4	5.8	23
38	Tailoring of the plasmonic and waveguide effect in bulk-heterojunction photovoltaic devices with ordered, nanopatterned structures. <i>Organic Electronics</i> , 2014 , 15, 3120-3126	3.5	3
37	General strategy for self-assembly of highly oriented nanocrystalline semiconducting polymers with high mobility. <i>Nano Letters</i> , 2014 , 14, 2764-71	11.5	372
36	Microstructured porous ZnO thin film for increased light scattering and improved efficiency in inverted organic photovoltaics. <i>Optics Express</i> , 2014 , 22 Suppl 6, A1412-21	3.3	12
35	Heterojunction Solar Cells. <i>International Journal of Photoenergy</i> , 2014 , 2014, 1-2	2.1	1
34	Effect of shell thickness on small-molecule solar cells enhanced by dual plasmonic gold-silica nanorods. <i>Applied Physics Letters</i> , 2014 , 105, 113306	3.4	14
33	Roles of solvent additive in organic photovoltaic cells through intensity dependence of current-voltage characteristics and charge recombination. <i>Applied Physics Letters</i> , 2014 , 105, 103301	3.4	6
32	A plasmonically enhanced polymer solar cell with gold-silica core-shell nanorods. <i>Organic Electronics</i> , 2013 , 14, 2360-2368	3.5	54
31	Efficient solution-processed small-molecule solar cells with inverted structure. <i>Advanced Materials</i> , 2013 , 25, 2397-402	24	453
30	Enhanced Efficiency Parameters of Solution-Processable Small-Molecule Solar Cells Depending on ITO Sheet Resistance. <i>Advanced Energy Materials</i> , 2013 , 3, 1161-1165	21.8	88
29	Barium: an efficient cathode layer for bulk-heterojunction solar cells. <i>Scientific Reports</i> , 2013 , 3, 1965	4.9	322
28	Intensity dependence of current-voltage characteristics and recombination in high-efficiency solution-processed small-molecule solar cells. <i>ACS Nano</i> , 2013 , 7, 4569-77	16.7	675
27	Improved light harvesting and improved efficiency by insertion of an optical spacer (ZnO) in solution-processed small-molecule solar cells. <i>Nano Letters</i> , 2013 , 13, 3796-801	11.5	504
26	Electron and hole mobility in solution-processed small molecule-fullerene blend: Dependence on the fullerene content. <i>Applied Physics Letters</i> , 2013 , 102, 163308	3.4	14

25	Solar Cell as an Energy Harvesting Device 2012 , 463-539		1
24	Dye-sensitized solar cell with a pair of carbon-based electrodes. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 165103	3	40
23	Nitrogen-doped carbon nanotube-based bilayer thin film as transparent counter electrode for dye-sensitized solar cells (DSSCs). <i>Chemistry - an Asian Journal</i> , 2012 , 7, 541-5	4.5	40
22	Tunable photovoltaic effect and solar cell performance of self-doped perovskite SrTiO ₃ . <i>AIP Advances</i> , 2012 , 2, 042131	1.5	28
21	Organic Solar Cells with Inverted and Tandem Structures. <i>Green Energy and Technology</i> , 2011 , 115-170	0.6	2
20	Dye-sensitized solar cell with a titanium-oxide-modified carbon nanotube transparent electrode. <i>Applied Physics Letters</i> , 2011 , 99, 021107	3.4	64
19	The properties of sol-gel processed indium-doped zinc oxide semiconductor film and its application in organic solar cells. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2011 , 208, 2635-2642	1.6	22
18	A novel parallel configuration of dye-sensitized solar cells with double-sided anodic nanotube arrays. <i>Energy and Environmental Science</i> , 2011 , 4, 2240	35.4	39
17	Efficient extraction of singlet-triplet excitons for high-efficient white organic light-emitting diode with a multilayer emission region. <i>Organic Electronics</i> , 2011 , 12, 1-7	3.5	27
16	Optimization of inverted tandem organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2011 , 95, 921-926	0.26	49
15	Top-illuminated dye-sensitized solar cells with a room-temperature-processed ZnO photoanode on metal substrates and a Pt-coated Ga-doped ZnO counter electrode. <i>Journal Physics D: Applied Physics</i> , 2011 , 44, 045102	3	26
14	Color tunable light-emitting diodes based on p ⁺ -Si/p-CuAlO ₂ /n-ZnO nanorod array heterojunctions. <i>Applied Physics Letters</i> , 2010 , 97, 013101	3.4	40
13	Inverted tandem organic solar cells with a MoO ₃ /Ag/Al/Ca intermediate layer. <i>Applied Physics Letters</i> , 2010 , 97, 053303	3.4	66
12	Optimization of an inverted organic solar cell. <i>Solar Energy Materials and Solar Cells</i> , 2010 , 94, 985-991	6.4	97
11	Improved Inverted Organic Solar Cells With a Sol-Gel Derived Indium-Doped Zinc Oxide Buffer Layer. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2010 , 16, 1700-1706	3.8	32
10	Low work function metal modified ITO as cathode for inverted polymer solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2010 , 94, 1618-1621	6.4	88
9	Efficient charge collection with sol-gel derived colloidal ZnO thin film in photovoltaic devices. <i>Journal of Sol-Gel Science and Technology</i> , 2009 , 52, 348-355	2.3	18
8	An inverted organic solar cell with an ultrathin Ca electron-transporting layer and MoO ₃ hole-transporting layer. <i>Applied Physics Letters</i> , 2009 , 95, 153304	3.4	153

7	An Efficient Triple-Tandem Polymer Solar Cell. <i>IEEE Electron Device Letters</i> , 2009 , 30, 490-492	4.4	38
6	An inverted organic solar cell employing a sol-gel derived ZnO electron selective layer and thermal evaporated MoO ₃ hole selective layer. <i>Applied Physics Letters</i> , 2008 , 93, 221107	3.4	475
5	High-bendability flexible dye-sensitized solar cell with a nanoparticle-modified ZnO-nanowire electrode. <i>Applied Physics Letters</i> , 2008 , 92, 143101	3.4	138
4	Efficient tandem organic solar cells with an Al/MoO ₃ intermediate layer. <i>Applied Physics Letters</i> , 2008 , 93, 083305	3.4	125
3	Recent progress in organic solar cells based on non-fullerene acceptors: materials to devices. <i>Journal of Materials Chemistry A</i> ,	13	24
2	High-Performance Semitransparent Organic Solar Cells Enabled by Improved Charge Transport and Optical Engineering of Ternary Blend Active Layer. <i>Solar Rrl</i> ,2100785	7.1	3
1	An ultrafast-response and high-detectivity self-powered perovskite photodetector based on a triazine-derived star-shaped small molecule as a dopant-free hole transporting layer. <i>Journal of Materials Chemistry C</i> ,	7.1	3