

Ching-Hung Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8331616/publications.pdf>

Version: 2024-02-01

95
papers

2,409
citations

172207

29
h-index

233125

45
g-index

100
all docs

100
docs citations

100
times ranked

4175
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of the expression and prognostic significance of differentiation markers between diffuse large B-cell lymphoma of central nervous system origin and peripheral nodal origin.. <i>Clinical Cancer Research</i> , 2006, 12, 1152-1156.	3.2	118
2	Epigenetic influences of low-dose bisphenol A in primary human breast epithelial cells. <i>Toxicology and Applied Pharmacology</i> , 2010, 248, 111-121.	1.3	109
3	Molecular Subtypes of Breast Cancer Emerging in Young Women in Taiwan: Evidence for More Than Just Westernization as a Reason for the Disease in Asia. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1807-1814.	1.1	103
4	Lack of efficacy to systemic chemotherapy for treatment of metaplastic carcinoma of the breast in the modern era. <i>Breast Cancer Research and Treatment</i> , 2011, 130, 345-351.	1.1	98
5	Insights Into Breast Cancer in the East vs the West. <i>JAMA Oncology</i> , 2019, 5, 1489.	3.4	90
6	Multiple gene sequencing for risk assessment in patients with early-onset or familial breast cancer. <i>Oncotarget</i> , 2016, 7, 8310-8320.	0.8	83
7	Contrasting Epidemiology and Clinicopathology of Female Breast Cancer in Asians vs the US Population. <i>Journal of the National Cancer Institute</i> , 2019, 111, 1298-1306.	3.0	83
8	The biomarkers of human papillomavirus infection in tonsillar squamous cell carcinoma—molecular basis and predicting favorable outcome. <i>Modern Pathology</i> , 2008, 21, 376-386.	2.9	80
9	Bevacizumab Preconditioning Followed by Etoposide and Cisplatin Is Highly Effective in Treating Brain Metastases of Breast Cancer Progressing from Whole-Brain Radiotherapy. <i>Clinical Cancer Research</i> , 2015, 21, 1851-1858.	3.2	72
10	DNA methyltransferase inhibition restores erythropoietin production in fibrotic murine kidneys. <i>Journal of Clinical Investigation</i> , 2016, 126, 721-731.	3.9	68
11	Separation and detection of rare cells in a microfluidic disk via negative selection. <i>Lab on A Chip</i> , 2011, 11, 474-483.	3.1	67
12	Breast Cancer—Associated Fibroblasts Confer AKT1-Mediated Epigenetic Silencing of <i>Cystatin M</i> in Epithelial Cells. <i>Cancer Research</i> , 2008, 68, 10257-10266.	0.4	65
13	HER2 expression, copy number variation and survival outcomes in HER2-low non-metastatic breast cancer: an international multicentre cohort study and TCGA-METABRIC analysis. <i>BMC Medicine</i> , 2022, 20, 105.	2.3	60
14	A pilot study of bevacizumab combined with etoposide and cisplatin in breast cancer patients with leptomeningeal carcinomatosis. <i>BMC Cancer</i> , 2015, 15, 299.	1.1	56
15	Development of a general method for quantifying IgG-based therapeutic monoclonal antibodies in human plasma using protein G purification coupled with a two internal standard calibration strategy using LC-MS/MS. <i>Analytica Chimica Acta</i> , 2018, 1019, 93-102.	2.6	50
16	Dielectrophoresis-based cellular microarray chip for anticancer drug screening in perfusion microenvironments. <i>Lab on A Chip</i> , 2011, 11, 2333.	3.1	48
17	A case-control study of perfluoroalkyl substances and the risk of breast cancer in Taiwanese women. <i>Environment International</i> , 2020, 142, 105850.	4.8	48
18	The emerging epidemic of estrogen-related cancers in young women in a developing Asian country. <i>International Journal of Cancer</i> , 2012, 130, 2629-2637.	2.3	47

#	ARTICLE	IF	CITATIONS
19	Distinct Clinicopathological Features and Prognosis of Emerging Young-Female Breast Cancer in an East Asian Country: A Nationwide Cancer Registry-Based Study. <i>Oncologist</i> , 2014, 19, 583-591.	1.9	44
20	Estrogen-mediated epigenetic repression of the imprinted gene cyclin-dependent kinase inhibitor 1C in breast cancer cells. <i>Carcinogenesis</i> , 2011, 32, 812-821.	1.3	43
21	Unique features of breast cancer in Asian women—Breast cancer in Taiwan as an example. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2010, 118, 300-303.	1.2	42
22	Disparity in Tumor Immune Microenvironment of Breast Cancer and Prognostic Impact: Asian Versus Western Populations. <i>Oncologist</i> , 2020, 25, e16-e23.	1.9	40
23	Polymorphisms of <i>ESR1</i> , <i>UGT1A1</i> , <i>HCN1</i> , <i>MAP3K1</i> and <i>CYP2B6</i> are associated with the prognosis of hormone receptor-positive early breast cancer. <i>Oncotarget</i> , 2017, 8, 20925-20938.	0.8	39
24	Unexpected rapid progression of metastatic adenoid cystic carcinoma during treatment with imatinib mesylate. <i>Head and Neck</i> , 2005, 27, 1022-1027.	0.9	38
25	Differential expression of hyaluronan synthase 2 in breast carcinoma and its biological significance. <i>Histopathology</i> , 2014, 65, 328-339.	1.6	35
26	Associations between Medical Conditions and Breast Cancer Risk in Asians: A Nationwide Population-Based Study in Taiwan. <i>PLoS ONE</i> , 2015, 10, e0143410.	1.1	34
27	Adiposity, Inflammation, and Breast Cancer Pathogenesis in Asian Women. <i>Cancer Prevention Research</i> , 2018, 11, 227-236.	0.7	31
28	O6-Methylguanine-DNA methyltransferase expression and prognostic value in brain metastases of lung cancers. <i>Lung Cancer</i> , 2010, 68, 484-490.	0.9	29
29	Clinicopathological features of salivary and non-salivary adenoid cystic carcinomas. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2012, 41, 354-360.	0.7	29
30	Treating HR+/HER2 ⁻ breast cancer in premenopausal Asian women: Asian Breast Cancer Cooperative Group 2019 Consensus and position on ovarian suppression. <i>Breast Cancer Research and Treatment</i> , 2019, 177, 549-559.	1.1	29
31	Predictive and Prognostic Values of Tau and ERCC1 in Advanced Breast Cancer Patients Treated with Paclitaxel and Cisplatin. <i>Japanese Journal of Clinical Oncology</i> , 2010, 40, 286-293.	0.6	27
32	A Novel 96well-formatted Micro-gap Plate Enabling Drug Response Profiling on Primary Tumour Samples. <i>Scientific Reports</i> , 2015, 5, 9656.	1.6	25
33	Primary central nervous system diffuse large B-cell lymphoma has poorer immune cell infiltration and prognosis than its peripheral counterpart. <i>Histopathology</i> , 2015, 67, 625-635.	1.6	25
34	Phosphatidylinositol-3 Kinase Inhibitors, Buparlisib and Alpelisib, Sensitize Estrogen Receptor-positive Breast Cancer Cells to Tamoxifen. <i>Scientific Reports</i> , 2017, 7, 9842.	1.6	25
35	A pilot study to determine the timing and effect of bevacizumab on vascular normalization of metastatic brain tumors in breast cancer. <i>BMC Cancer</i> , 2016, 16, 466.	1.1	23
36	Chromosome 20q13.2 ZNF217 locus amplification correlates with decreased E-cadherin expression in ovarian clear cell carcinoma with PI3K-Akt pathway alterations. <i>Human Pathology</i> , 2014, 45, 2318-2325.	1.1	22

#	ARTICLE	IF	CITATIONS
37	Multimodel assessment of BRCA1 mutations in Taiwanese (ethnic Chinese) women with early-onset, bilateral or familial breast cancer. <i>Journal of Human Genetics</i> , 2012, 57, 130-138.	1.1	21
38	The CYP19 TTTA Repeat Polymorphism Is Related to the Prognosis of Premenopausal Stage II and Operable Stage III Breast Cancers. <i>Oncologist</i> , 2008, 13, 751-760.	1.9	19
39	Development of an LC-MS/MS method with protein G purification strategy for quantifying bevacizumab in human plasma. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 6583-6593.	1.9	19
40	Bevacizumab, etoposide, and cisplatin (BEEP) in brain metastases of breast cancer progressing from radiotherapy: Results of the first stage of a multicenter phase II study. <i>Journal of Clinical Oncology</i> , 2012, 30, 1079-1079.	0.8	19
41	Downregulation of BRG-1 repressed expression of CD44s in cervical neuroendocrine carcinoma and adenocarcinoma. <i>Modern Pathology</i> , 2006, 19, 1570-1577.	2.9	17
42	A spatiotemporally defined in vitro microenvironment for controllable signal delivery and drug screening. <i>Analyst</i> , 2014, 139, 4846-4854.	1.7	17
43	Clinical Relevance of Liver Kinase B1 (LKB1) Protein and Gene Expression in Breast Cancer. <i>Scientific Reports</i> , 2016, 6, 21374.	1.6	17
44	Bevacizumab might potentiate the chemotherapeutic effect in breast cancer patients with leptomeningeal carcinomatosis. <i>Journal of the Formosan Medical Association</i> , 2016, 115, 243-248.	0.8	17
45	Systemic treatment of breast cancer with leptomeningeal metastases using bevacizumab, etoposide and cisplatin (BEEP regimen) significantly improves overall survival. <i>Journal of Neuro-Oncology</i> , 2020, 148, 165-172.	1.4	17
46	Dynamics of circulating endothelial cells and endothelial progenitor cells in breast cancer patients receiving cytotoxic chemotherapy. <i>BMC Cancer</i> , 2012, 12, 620.	1.1	16
47	Tumor-infiltrating lymphocyte abundance and programmed death-ligand 1 expression in metaplastic breast carcinoma: implications for distinct immune microenvironments in different metaplastic components. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 478, 669-678.	1.4	16
48	Clinical significance of ESR1 gene copy number changes in breast cancer as measured by fluorescence in situ hybridisation. <i>Journal of Clinical Pathology</i> , 2013, 66, 140-145.	1.0	15
49	Dose variation and regimen modification of adjuvant chemotherapy in daily practice affect survival of stage II and operable stage III Taiwanese breast cancer patients. <i>Breast</i> , 2008, 17, 646-653.	0.9	14
50	Association of pregnancy and mortality in women diagnosed with breast cancer: A Nationwide Population Based Study in Taiwan. <i>International Journal of Cancer</i> , 2018, 143, 2416-2424.	2.3	14
51	Fractionated evaluation of immunohistochemical hormone receptor expression enhances prognostic prediction in breast cancer patients treated with tamoxifen as adjuvant therapy. <i>Journal of Zhejiang University: Science B</i> , 2010, 11, 1-9.	1.3	12
52	Differential expression of ubiquitin carboxy-terminal hydrolase L1 in breast carcinoma and its biological significance. <i>Human Pathology</i> , 2013, 44, 1838-1848.	1.1	12
53	Quantification of target analytes in various biofluids using a postcolumn infused-internal standard method combined with matrix normalization factors in liquid chromatography-electrospray ionization mass spectrometry. <i>Journal of Chromatography A</i> , 2014, 1358, 85-92.	1.8	12
54	Development of a Postcolumn Infused-Internal Standard Liquid Chromatography Mass Spectrometry Method for Quantitative Metabolomics Studies. <i>Journal of Proteome Research</i> , 2017, 16, 1097-1104.	1.8	12

#	ARTICLE	IF	CITATIONS
55	No increased venous thromboembolism risk in Asian breast cancer patients receiving adjuvant tamoxifen. <i>Breast Cancer Research and Treatment</i> , 2014, 148, 135-142.	1.1	11
56	TP53 Mutational Analysis Enhances the Prognostic Accuracy of IHC4 and PAM50 Assays. <i>Scientific Reports</i> , 2015, 5, 17879.	1.6	11
57	Prognostic molecular markers in women aged 35 years or younger with breast cancer: is there a difference from the older patients?. <i>Journal of Clinical Pathology</i> , 2011, 64, 781-787.	1.0	10
58	Enumeration and viability of rare cells in a microfluidic disk via positive selection approach. <i>Analytical Biochemistry</i> , 2012, 429, 116-123.	1.1	10
59	<i>CYP19</i> Genetic Polymorphism Haplotype <i>AASA</i> Is Associated with a Poor Prognosis in Premenopausal Women with Lymph Node-Negative, Hormone Receptor-Positive Breast Cancer. <i>BioMed Research International</i> , 2013, 2013, 1-9.	0.9	10
60	The Impact of COVID-19 on Cancer Care in the Post Pandemic World: Five Major Lessons Learnt from Challenges and Countermeasures of Major Asian Cancer Centres. <i>Asian Pacific Journal of Cancer Prevention</i> , 2021, 22, 681-690.	0.5	10
61	A phase-I study evaluating the combination of pegylated liposomal doxorubicin and paclitaxel as salvage chemotherapy in metastatic breast cancer previously treated with anthracycline. <i>Cancer Chemotherapy and Pharmacology</i> , 2008, 61, 847-853.	1.1	9
62	Phosphorylated insulin-like growth factor-1 receptor (pIGF1R) is a poor prognostic factor in brain metastases from lung adenocarcinomas. <i>Journal of Neuro-Oncology</i> , 2013, 115, 61-70.	1.4	9
63	High Prevalence of the BIM Deletion Polymorphism in Young Female Breast Cancer in an East Asian Country. <i>PLoS ONE</i> , 2015, 10, e0124908.	1.1	9
64	Imaging biomarkers from multiparametric magnetic resonance imaging are associated with survival outcomes in patients with brain metastases from breast cancer. <i>European Radiology</i> , 2018, 28, 4860-4870.	2.3	9
65	Effect of glucocorticoid use on survival in patients with stage III breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 225-234.	1.1	8
66	High prevalence of APOA1/C3/A4/A5 alterations in luminal breast cancers among young women in East Asia. <i>Npj Breast Cancer</i> , 2021, 7, 88.	2.3	8
67	Risk Factors for Female Breast Cancer: A Population Cohort Study. <i>Cancers</i> , 2022, 14, 788.	1.7	8
68	The Association of Infrared Imaging Findings of the Breast with Hormone Receptor and Human Epidermal Growth Factor Receptor 2 Status of Breast Cancer. <i>Academic Radiology</i> , 2011, 18, 212-219.	1.3	7
69	Axillary vs Sentinel Lymph Node Dissection for Invasive Breast Cancer. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 2288.	3.8	6
70	Using post-column infused internal standard assisted quantitative metabolomics for establishing prediction models for breast cancer detection. <i>Rapid Communications in Mass Spectrometry</i> , 2020, 34, e8581.	0.7	6
71	ER α -related chromothripsis enhances concordant gene transcription on chromosome 17q11.1-q24.1 in luminal breast cancer. <i>BMC Medical Genomics</i> , 2020, 13, 69.	0.7	6
72	Development of an LC-MS/MS method to simultaneously quantify therapeutic mAbs and estimate hematocrit values in dried blood spot samples. <i>Analytica Chimica Acta</i> , 2021, 1189, 339231.	2.6	6

#	ARTICLE	IF	CITATIONS
73	The first reported case of trastuzumab induced interstitial lung disease associated with anti-neutrophil cytoplasmic antibody vasculitis " A case report and a prospective cohort study on the usefulness of neutrophil derived biomarkers in monitoring vasculitis disease activity during follow-up. <i>Breast</i> , 2021, 61, 35-42.	0.9	6
74	Impact of BRCA mutation on the survival and risk of contralateral breast cancer in Asian breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2022, 192, 629-637.	1.1	6
75	Immunofluorescence can assess the efficacy of mTOR pathway therapeutic agent Everolimus in breast cancer models. <i>Scientific Reports</i> , 2019, 9, 10898.	1.6	5
76	Development of an efficient mAb quantification assay by LC-MS/MS using rapid on-bead digestion. <i>Analytica Chimica Acta</i> , 2022, 1193, 339319.	2.6	5
77	A Phase I/II study of the combination of lapatinib and oral vinorelbine in HER2-positive metastatic breast cancer. <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 242-247.	0.6	4
78	Mortality of Pregnancy Following Breast Cancer Diagnoses in Taiwanese Women. <i>Oncologist</i> , 2020, 25, e252-e258.	1.9	4
79	Investigating the Association of the Biogenic Amine Profile in Urine with Therapeutic Response to Neoadjuvant Chemotherapy in Breast Cancer Patients. <i>Journal of Proteome Research</i> , 2020, 19, 4061-4070.	1.8	4
80	The first two lines of chemotherapy for anthracycline-naïve metastatic breast cancer: A comparative study of the efficacy of anthracyclines and non-anthracyclines. <i>Breast</i> , 2013, 22, 1148-1154.	0.9	3
81	Abstract 2984: Normalization of tumor vasculature by anti-angiogenesis therapy in metastatic tumor: A clinical study to determine the timing and effect. <i>Cancer Research</i> , 2014, 74, 2984-2984.	0.4	3
82	Anti-HER2 antibody prolongs overall survival disproportionately more than progression-free survival in HER2-Positive metastatic breast cancer patients. <i>Breast</i> , 2021, 59, 211-220.	0.9	2
83	Does chemotherapy schedule matter when combining with bevacizumab? A stratified meta-analysis of randomized controlled trials.. <i>Journal of Clinical Oncology</i> , 2014, 32, 1076-1076.	0.8	2
84	Locoregional Therapy Improves Survival for Metastatic Breast Cancer Patients? Benefit Remains Questionable!. <i>Journal of Clinical Oncology</i> , 2009, 27, e179-e179.	0.8	1
85	Hashimoto's Encephalopathy As the Cause of Deteriorating Consciousness During Treatment of Leptomeningeal Carcinomatosis From Breast Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, e358-e359.	0.8	0
86	Rebuttal comments on "Glucocorticoids in breast cancer treatment: Real benefit or selection bias?". <i>Breast Cancer Research and Treatment</i> , 2018, 172, 245-245.	1.1	0
87	Response to Sung, Rosenberg, and Yang. <i>Journal of the National Cancer Institute</i> , 2020, 112, 547-548.	3.0	0
88	The first two lines of chemotherapy for anthracycline-naïve metastatic breast cancer: A comparative study of efficacy between anthracyclines and nonanthracyclines.. <i>Journal of Clinical Oncology</i> , 2012, 30, 1061-1061.	0.8	0
89	Clinical significance of LKB1 protein and gene expression in breast cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, e11538-e11538.	0.8	0
90	Randomized study of tailored neoadjuvant chemotherapy according to the expression of tau, topo II ±, and ERCC1 versus standard chemotherapy in HER2-negative breast cancer.. <i>Journal of Clinical Oncology</i> , 2015, 33, 1025-1025.	0.8	0

#	ARTICLE	IF	CITATIONS
91	Tailor the adjuvant hormonal manipulation for premenopausal breast cancer patients. Translational Cancer Research, 2016, 5, S380-S384.	0.4	0
92	Should pertuzumab be used as part of neoadjuvant treatment prior to the release of the APHINITY trial results?. Translational Cancer Research, 2016, 5, S907-S912.	0.4	0
93	The interplay of adiposity, metabolic factors, and tumor infiltrating lymphocytes in an East Asian breast cancer cohort.. Journal of Clinical Oncology, 2019, 37, e14207-e14207.	0.8	0
94	Phthalate Exposure, Metabolism Capability, and Breast Cancer Risk: Case-Control Analysis Nested in a Large-Scale Long-Term Follow-Up Cohort. SSRN Electronic Journal, 0, , .	0.4	0
95	Abstract P2-10-09: Oxysterol profiling in breast adipose tissue identifies brassicasterol and 24-hydroxycholesterol as breast cancer risk predictors. Cancer Research, 2022, 82, P2-10-09-P2-10-09.	0.4	0