
## Jacek Kapala

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8332209/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effective Doses of Ionizing Radiation during Therapeutic Peat Mud Treatment from a Deposit in the Knyszyn Forest (Northeastern Poland). International Journal of Environmental Research and Public Health, 2020, 17, 6819.	2.6	1
2	Assessment of Effective Dose from Radioactive Isotopes Contained in Mineral Waters Received by Patients During Hydrotherapy Treatments. Water (Switzerland), 2020, 12, 97.	2.7	0
3	7Be concentration in the near-surface layer of the air in Bialystok (north-eastern Poland) in the years 1992–2010. Journal of Environmental Radioactivity, 2018, 187, 40-44.	1.7	5
4	Radioactivity of natural medicinal preparations contained extracts from peat mud available in retail trade used externally. Natural Product Research, 2017, 31, 1935-1939.	1.8	4
5	Plutonium isotopes in the atmosphere of Central Europe: Isotopic composition and time evolution vs. circulation factors. Science of the Total Environment, 2016, 569-570, 937-947.	8.0	22
6	Radioactivity of peat mud used in therapy. Journal of Environmental Radioactivity, 2016, 152, 97-100.	1.7	4
7	Time-dependence of 137Cs activity concentration in wild game meat inÂKnyszyn Primeval Forest (Poland). Journal of Environmental Radioactivity, 2015, 141, 76-81.	1.7	13
8	Radioactivity of Honeys from Poland After the Fukushima Accident. Bulletin of Environmental Contamination and Toxicology, 2013, 91, 489-492.	2.7	13
9	Mean annual 222Rn concentration in homes located in different geological regions of Poland – first approach to whole country area. Journal of Environmental Radioactivity, 2011, 102, 735-741.	1.7	22
10	Correction factors for determination of annual average radon concentration in dwellings of Poland resulting from seasonal variability of indoor radon. Applied Radiation and Isotopes, 2011, 69, 1459-1465.	1.5	47
11	Plutonium traces in atmospheric precipitation and in aerosols from Krakow and Bialystok. Radiochimica Acta, 2009, 97, 253-255.	1.2	6
12	The changes in the contents of 137Cs in bottom sediments of some Masurian lakes during 10-15 y observation (Poland). Radiation Protection Dosimetry, 2007, 130, 178-185.	0.8	4
13	Time changeability in radon concentration in one-family dwelling houses in the northeastern region of Poland. Radiation Protection Dosimetry, 2005, 113, 300-307.	0.8	10
14	Radon concentration in hospital buildings erected during the last 40 years in BiaÅ,ystok, Poland. Journal of Environmental Radioactivity, 2004, 75, 225-232.	1.7	17
15	Seasonal changes in radon concentrations in buildings in the region of northeastern Poland. Journal of Environmental Radioactivity, 2004, 77, 101-109.	1.7	50
16	The Influence of Caesium-137 Distribution in Poland's North-eastern Ecosystem on Effective Dose 10 Years after the Chernobyl Disaster. Radiation Protection Dosimetry, 2002, 98, 339-342.	0.8	2
17	Comparative studies of health hazard from radon (Rn-222) in two selected lithologic formations in the SuwaÅ,ki region (in Poland). Journal of Environmental Radioactivity, 2002, 61, 149-158.	1.7	10
18	Indoor Radon Concentrations in Poland as Determined in Short-term (Two-day) Measurements. Radiation Protection Dosimetry, 2001, 95, 157-163.	0.8	4

#	Article	IF	CITATIONS
19	Study of 222Rn concentrations in drinking water in the north-eastern hydroregions of Poland. Journal of Environmental Radioactivity, 2001, 53, 167-173.	1.7	21
20	Radioactivity of Honeybee Honey. Bulletin of Environmental Contamination and Toxicology, 2000, 64, 617-621.	2.7	8
21	Radon Concentrations in Buildings in the North-eastern Region of Poland. Journal of Environmental Radioactivity, 1998, 40, 147-154.	1.7	7