

Takashi Fujihara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8332211/publications.pdf>

Version: 2024-02-01

110
papers

997
citations

516215

16
h-index

580395

25
g-index

111
all docs

111
docs citations

111
times ranked

1307
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclometalated Platinum(II) Complexes in a <i>Cis</i> - <i>N</i> , <i>N</i> Configuration: Photophysical Properties and Isomerization to <i>Trans</i> Isomers. <i>Inorganic Chemistry</i> , 2022, 61, 3420-3433.	1.9	11
2	<i>Syn</i> and <i>Anti</i> Metal Complexes of 24- <i>Anti</i> aromatic Bis(Dicarbonylrhodium(I))Dithiaamethyryn. <i>Chemistry - an Asian Journal</i> , 2022, 17, .	1.7	1
3	Cover Feature: <i>Syn</i> and <i>Anti</i> Metal Complexes of 24- <i>Anti</i> aromatic Bis(Dicarbonylrhodium(I))Dithiaamethyryn (<i>Chem. Asian J.</i> 14/2022). <i>Chemistry - an Asian Journal</i> , 2022, 17, .	1.7	0
4	Substituent effect on emission of flavonolate-boron difluoride complexes: The role of π -system for dual-state (solution and solid) emission. <i>Dyes and Pigments</i> , 2021, 187, 109081.	2.0	17
5	Discovery of the New Crystallographic Phase of an Exotic Magnetic Oxide: 18H-type Hexaferrite. <i>Journal of the Physical Society of Japan</i> , 2020, 89, 014704.	0.7	7
6	<i>o</i> -Azophenylboronic Acid-Based Colorimetric Sensors for <i>D</i> -Fructose: <i>o</i> -Azophenylboronic Acids with Inserted Protic Solvent Are the Key Species for a Large Color Change. <i>Journal of Organic Chemistry</i> , 2020, 85, 9680-9693.	1.7	11
7	Luminescence of mononuclear Pt(II) complexes with glycolate: external stimuli-induced excimer emission changes to oligomer emissions. <i>Dalton Transactions</i> , 2020, 49, 1873-1882.	1.6	14
8	Spin-inversion mechanisms in O ₂ binding to a model heme complex revisited by density function theory calculations. <i>Journal of Computational Chemistry</i> , 2020, 41, 1130-1138.	1.5	12
9	The First Bis(1/4 μ -acetato)(1/4 μ -oxido)diruthenium(III) Complexes Containing Sulfur Donor Ligands. <i>ChemistrySelect</i> , 2019, 4, 9696-9702.	0.7	1
10	Computational Analysis of Two-State Reactivity in β -Hydride Elimination Mechanisms of Fe(II) and Co(II) Alkyl Complexes Supported by β -Diketiminato Ligand. <i>Organometallics</i> , 2019, 38, 3582-3589.	1.1	9
11	A water-soluble cyclometalated iridium(III) complex for pH sensing based on aggregation-induced enhanced phosphorescence. <i>Dalton Transactions</i> , 2019, 48, 8068-8075.	1.6	12
12	Aroma profile of <i>sake</i> . <i>Journal of Japan Association on Odor Environment</i> , 2019, 50, 335-342.	0.1	0
13	One-dimensional ferromagnetic array compound [Co ₃ (SBA) ₂ (OH) ₂ (H ₂ O) ₂] _n , (SBA = Tj ETQq1 1 0.784314 μ gBT / Overlock 10 1.5		
14	Characteristic Aromas of <i>Quercus crispula</i> (Japanese Oak). <i>Natural Product Communications</i> , 2018, 13, 1934578X1801300.	0.2	3
15	Observation of the First Spin Crossover in an Iron(II) Complex with an S ₆ Coordination Environment: Tris[bis(<i>N</i> , <i>N</i> -diethylamino)carbeniumdithiocarboxylato]iron(II) Hexafluorophosphate. <i>Chemistry - A European Journal</i> , 2018, 24, 17955-17963.	1.7	6
16	Single-step preparation of topological gels using vinyl-modified β -cyclodextrin as a figure-of-six cross-linker. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2018, 92, 311-317.	0.9	1
17	Chromism of Tartrate-Bridged Clamshell-like Platinum(II) Complex: Intramolecular Pt-Pt Interaction-Induced Luminescence Vapochromism and Intermolecular Interactions-Triggered Thermochromism. <i>Inorganic Chemistry</i> , 2018, 57, 14159-14169.	1.9	31
18	Safe and rapid development of capillary electrophoresis for ultratrace uranyl ions in radioactive samples by way of fluorescent probe selection for actinide ions from a chemical library. <i>Analytica Chimica Acta</i> , 2018, 1032, 188-196.	2.6	13

#	ARTICLE	IF	CITATIONS
19	Syn and anti conformers of diammonium aquabis(malonato)oxidovanadate(IV) in an anhydrate crystal. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2018, 74, 664-667.	0.2	0
20	Change in Luminescence Induced by Solution-Mediated Phase-Transition of Cyclometalated Platinum(II) Complex with Isoquinoline Carboxylate. <i>Inorganic Chemistry</i> , 2017, 56, 12158-12168.	1.9	15
21	A polyrotaxane gel using boronic acid-appended β -cyclodextrin as a hybrid cross-linker. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2017, 89, 281-288.	0.9	6
22	Characteristic Changes in the Aroma Profile of Patchouli Depending on Manufacturing Process. <i>Journal of Oleo Science</i> , 2017, 66, 863-869.	0.6	5
23	The Aroma Profiles of Thai Green Teas Derived from Two Varieties, Chinese and Assam. <i>Natural Product Communications</i> , 2017, 12, 1934578X1701200.	0.2	1
24	Luminescence of tartrate bridged dinuclear 2,2'-bipyridine platinum(II) complexes: emission color controlled by intra- and inter-molecular interactions in the solid state. <i>Dalton Transactions</i> , 2017, 46, 7612-7618.	1.6	14
25	Aroma Profile of Galangal Composed of Cinnamic Acid Derivatives and Their Structure-Odor Relationships. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.2	6
26	Characteristic Aroma Features of Tencha and Sencha Green Tea Leaves Manufactured by Different Processes. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601100.	0.2	6
27	A red fluorophore comprising a borinate-containing xanthene analogue as a polyol sensor. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 10031-10036.	1.5	28
28	Mechanochromism in the luminescence of novel cyclometalated platinum(II) complexes with β -aminocarboxylates. <i>Dalton Transactions</i> , 2016, 45, 5492-5503.	1.6	44
29	The odor of matcha (Japanese powdered green tea) as the base note of green tea leaves. <i>International Journal of Tea Science</i> , 2016, , .	0.1	1
30	β-Nitrophenyl[36]trithianonaphyrin(1.0.0.1.0.0.1.0.0) with a Weak Antiaromatic Character. <i>X-ray Structure Analysis Online</i> , 2015, 31, 21-22.	0.1	0
31	Aroma of Turmeric: Dependence on the Combination of Groups of Several Odor Constituents. <i>Natural Product Communications</i> , 2015, 10, 1934578X1501000.	0.2	8
32	Crystal Structure of the Spin 1/2 Honeycomb-Lattice Antiferromagnet $\text{Cu}_2(\text{pymca})_3(\text{ClO}_4)$. <i>Journal of the Physical Society of Japan</i> , 2015, 84, 034601.	0.7	8
33	Crystal structure of fac-trichlorido[tris(pyridin-2-yl-N)amine]chromium(III). <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 73-75.	0.2	1
34	Dinuclear nickel(II) complexes with 2,5-diamino-1,4-benzoquinonediimine ligands as precatalysts for the polymerization of styrene: electronic and steric substituent effects. <i>Dalton Transactions</i> , 2015, 44, 368-376.	1.6	24
35	Synthesis and Antiaromatic Properties of Highly Planar Dithiaamethyrin. <i>Chemistry - an Asian Journal</i> , 2015, 10, 329-333.	1.7	19
36	Crystal structure of 2-(4-tert-butylphenyl)-3-hydroxy-4H-chromen-4-one. <i>Acta Crystallographica Section E: Crystallographic Communications</i> , 2015, 71, 824-826.	0.2	4

#	ARTICLE	IF	CITATIONS
37	Crystal structure of 4,4-dimethoxy-2,2-bipyridine. Acta Crystallographica Section E: Crystallographic Communications, 2015, 71, o623-o624.	0.2	0
38	Aroma Profile of Star Anise and the Structure-odor Relationship of Anethole. Natural Product Communications, 2014, 9, 1934578X1400900.	0.2	9
39	$\langle i \rangle \langle i \rangle \langle \sup \rangle 1 \langle / \sup \rangle, \langle i \rangle \langle i \rangle \langle \sup \rangle 4 \langle / \sup \rangle$ -Diphenyl-3,6-bis(phenylimino)cyclohexa-1,4-diene-1,4-diamine. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o303-o304.	0.2	8
40	An orthorhombic polymorph of $\langle i \rangle \langle i \rangle \langle \sup \rangle 1 \langle / \sup \rangle, \langle i \rangle \langle i \rangle \langle \sup \rangle 4 \langle / \sup \rangle$ -diphenyl-3,6-bis(phenylimino)cyclohexa-1,4-diene-1,4-diamine. Acta Crystallographica Section E: Structure Reports Online, 2014, 70, o495-o496.	0.2	7
41	Formation of boron, nickel(II) and iridium(III) complexes with an azophenine derivative: Isomerization, delocalization and extension of the π -conjugated system on coordination. Polyhedron, 2014, 81, 715-722.	1.0	16
42	Lattice Water-Induced Helical Stacking of Tartrate-Bridged Dinuclear Palladium(II) Complexes: The Role of Hydrogen Bonding. Crystal Growth and Design, 2014, 14, 3675-3679.	1.4	9
43	Synthesis and Crystal Structure of bis[24]dithaexaphyrin(1.0.0.1.0.0). X-ray Structure Analysis Online, 2014, 30, 29-30.	0.1	0
44	Crystal Structure of Bis[pentafluorophenyl][24]dithaexaphyrin(1.0.0.1.0.0)]. X-ray Structure Analysis Online, 2014, 30, 33-34.	0.1	0
45	Preparation of Polypseudorotaxanes Composed of Cyclodextrin and Polymers in Microspheres. Chemical and Pharmaceutical Bulletin, 2014, 62, 962-966.	0.6	4
46	Dinuclear niobium(III) and tantalum(III) complexes with thioether and selenoether ligands [$\{MIII(X)2(\frac{1}{4}-X)2(\frac{1}{4}-L)\}$ ($M = Nb, Ta$; $X = Cl, Br$; $L = R2S, R2Se$): Syntheses, structures, and the optimal conditions and the mechanism of the catalysis for regioselective cyclotrimerization of alkynes. Journal of Organometallic Chemistry, 2013, 745-746, 288-298.	0.8	21
47	A Kinetic Study on the Substitution for Acetonitrile at the $\text{trans-} \frac{1}{4}$ -Oxido Sites in a Bis($\frac{1}{4}$ -acetato)($\frac{1}{4}$ -oxido)diruthenium(III) Dipositive Complex: Dissociative-Associative Transition of the Activation Mode for the Substitution of Pyridine Derivatives. European Journal of Inorganic Chemistry, 2013, 2013, 3641-3650.	1.0	2
48	Syntheses and Properties of Dinuclear Group 6 Metal Complexes with the Zwitterionic Sulfur Donor Ligand Bis($\langle i \rangle \langle i \rangle, \langle i \rangle \langle i \rangle$ -diethylamino)carbeniumdithiocarboxylate. Organometallics, 2013, 32, 3441-3450.	1.1	7
49	Preferential Behavior on Donating Atoms of an Ambidentate Ligand 2-Methylisothiazol-3($\langle i \rangle \langle i \rangle$)-one in Its Metal Complexes. Inorganic Chemistry, 2013, 52, 13375-13383.	1.9	3
50	Preparation of Nickel(II) 5,10,15,20-Tetraphenyl[1,2-c]pyrrolo-21-ethylcarboxyl-22-dipyrrylmethylporphyrin. X-ray Structure Analysis Online, 2013, 29, 37-38.	0.1	0
51	Crystal Structure of Nickel(II) 5,10,15,20-Tetraphenyl[1,2-c](4′,5′-dimethyl)imidazolylpyrrolo-21-ethylcarboxylporphyrin. X-ray Structure Analysis Online, 2013, 29, 39-40.	0.1	1
52	$\text{Di-} \frac{1}{4}$ -acetato- $\langle \sup \rangle 4 \langle / \sup \rangle \langle i \rangle \langle i \rangle \langle i \rangle \langle i \rangle \langle \sup \rangle 2 \langle / \sup \rangle \langle i \rangle \langle i \rangle \langle i \rangle \langle i \rangle \langle \sup \rangle 2 \langle / \sup \rangle \langle i \rangle \langle i \rangle \langle i \rangle \langle i \rangle \langle \sup \rangle 2 \langle / \sup \rangle$ -bis($\langle i \rangle \langle i \rangle \langle i \rangle \langle i \rangle$)-(2,2-bipyridine- $\langle \sup \rangle 2 \langle / \sup \rangle$)-bis(hexafluoridophosphate). Acta Crystallographica Section E: Structure Reports Online, 2013, 69, m145-m146.	0.2	6
53	$\langle i \rangle \langle i \rangle \langle i \rangle \langle i \rangle$ -Dichloridobis(ethyl methyl sulfide- $\langle \sup \rangle 2 \langle / \sup \rangle$)oxidovanadium(IV). Acta Crystallographica Section E: Structure Reports Online, 2013, 69, m209-m209.	0.2	1
54	2- $\{[2,2$ -Bis(diethylamino)ethan-2-ylthioyl]sulfanyl $\}$ -1,1-bis(diethylamino)ethylum bis(perchlorate). Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2753-o2754.	0.2	1

#	ARTICLE	IF	CITATIONS
55	Di- μ -chlorido- μ -(dimethyl sulfide)-bis{dichlorido[(dimethyl selenide- μ -Se)(dimethyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 747 2012, 68, m1166-m1166.	0.2	2
56	Ferromagnetic Spin Ladder System: Stack of Chlorido- μ -Bridged Dinuclear Copper(II) Complexes with 2- μ -Methylisothiazol-3(2H)-one. European Journal of Inorganic Chemistry, 2011, 2011, 495-502.	1.0	12
57	Electronic structure calculation study of metal complexes with a phytosiderophore mugineic acid. Inorganica Chimica Acta, 2011, 370, 304-310.	1.2	12
58	Atropisomerism of the 1,3-cyclohexadiene Derivatives Induced by Steric Congestion. Phosphorus, Sulfur and Silicon and the Related Elements, 2010, 185, 1131-1141.	0.8	2
59	Resorcin[4]arene cavitand with 1,3,2-benzodiazaborolyl walls as a fluorescence receptor for ammonium cations. Chemical Communications, 2010, 46, 3604.	2.2	24
60	Linkage isomerism of pentaammine(dimethylsulfoxide)ruthenium(II/III) complexes: A theoretical study. Inorganica Chimica Acta, 2009, 362, 1199-1203.	1.2	12
61	Group 12 metal complexes with inner-salt, bis(N,N-disubstituted amino)carbeniumdithiocarboxylate. Asymmetric stretching vibration of thiocarboxylate and reduction potential as probes for the coordination mode. Inorganica Chimica Acta, 2009, 362, 4813-4822.	1.2	14
62	Kinetics of Photochromic Induced Energy Transfer between Manganese-Doped Zinc-Selenide Quantum Dots and Spiropyran. Journal of Physical Chemistry C, 2009, 113, 3998-4007.	1.5	42
63	Preparation of some new bicyclic compounds of sulfur. Journal of Sulfur Chemistry, 2009, 30, 270-277.	1.0	0
64	Synthesis and Phase Structures of Novel π - π -Acceptor Discotic Liquid Crystalline Compounds Having a Pyrenedione Core. European Journal of Organic Chemistry, 2008, 2008, 4120-4125.	1.2	11
65	Anion influence on the coordination polymer structures of silver(I) complexes with 2-methylisothiazol-3(2H)-one. CrystEngComm, 2008, 10, 1460.	1.3	22
66	Photolysis and photo-oxidation of 3,4-di-tert-butylthiophene 1-oxide. Journal of Sulfur Chemistry, 2008, 29, 243-250.	1.0	9
67	Rearrangement of the tert-butyl group of 5,6-di-tert-butyl-2,3,7-trithiabicyclo-5-ene 7-endoxide. Journal of Sulfur Chemistry, 2008, 29, 1-7.	1.0	3
68	(μ - μ) ₅₄₅ - μ -Tris(μ -prolinato)cobalt(III) trihydrate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, m684-m684.	0.2	3
69	Mutual Influences of Ligands as Revealed by ² H NMR Shifts and the Angular Overlap Model Parameters: trans- and cis-[CrX ₂ (N) ₄]-Type Complexes with Aliphatic Amine Ligands. European Journal of Inorganic Chemistry, 2007, 2007, 3394-3399.	1.0	5
70	Mutual Influences of Ligands as Revealed by the ² H NMR Chemical Shifts and the Angular Overlap Model Parameters: cis-[CrX ₂ (N) ₄] and fac-[CrX ₃ (N) ₃]-Type Complexes with Aromatic Amines. European Journal of Inorganic Chemistry, 2007, 2007, 3400-3404.	1.0	3
71	On the accuracy of density-functional methods for determining structures of dicationic binuclear ruthenocene derivatives bridged by an unsaturated molecule. Computational and Theoretical Chemistry, 2007, 806, 85-92.	1.5	1
72	cis-Bis(2,2'-bipyridine)difluorochromium(III) perchlorate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m593-m595.	0.2	6

#	ARTICLE	IF	CITATIONS
73	3-Hydroxy-2-methylisothiazolium chloride monohydrate: an intermolecular three-dimensional network via H...O and H...Cl hydrogen bonds. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o1839-o1841.	0.2	1
74	5-Chloro-2-methylisothiazolin-3-one: intermolecular two-dimensional networks via unusual C...Cl...O=C interactions. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3097-o3097.	0.2	0
75	1,1,1-Tris(phenylsulfonyloxymethyl)ethane. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3628-o3628.	0.2	1
76	Dinuclear Niobium(III) Complexes $[\{NbCl_2(L)\}_2(\mu_4-Cl)_2(\mu_4-L)]$ (L = tetrahydrothiophene, dimethyl sulfide): Preparation, Molecular Structures, and the Catalytic Activity for the Regioselective Cyclotrimerization of Alkynes. <i>Organometallics</i> , 2006, 25, 4131-4137.	1.1	54
77	Di- μ_4 -chloro- μ_4 -(dimethyl sulfide)-bis[dichloro(dimethyl sulfide)niobium(III)]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, m553-m554.	0.2	4
78	(E)-1-Mercapto-1-(p-tolylsulfanyl)-N-(p-tosylmethyl) methanimine: a two-dimensional supramolecular network of S...H...O and C...H...N interactions. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o1384-o1386.	0.2	0
79	Synthesis and Some Properties of Binuclear Ruthenocenes Bridged by Oligoynes: Formation of Bis(cyclopentadienylidene)cumulene Diruthenium Complexes in the Two-Electron Oxidation. <i>Chemistry - A European Journal</i> , 2006, 12, 2282-2292.	1.7	25
80	Synthesis and Some Properties of Bis(ruthenocenyl)thiophene Derivatives – Possible Spin-Coupling in the Two-Electron Oxidized Species of Dinuclear Ruthenocenes Bridged by Thiophene Derivatives. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4577-4588.	1.0	9
81	Tetra-n-propylammonium perchlorate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o1439-o1440.	0.2	2
82	4,4'-Dinonyl-2,2'-bipyridine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o1867-o1868.	0.2	1
83	N,N,N',N'-Tetrakis(2-pyridylmethyl)-1,2-diaminoethane: a multidentate ligand. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o262-o263.	0.2	4
84	Tetrakis(1,3-dimethylimidazolidinium-2-dithiocarboxylate- μ_2)zinc(II) diperchlorate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m282-m284.	0.2	7
85	Bis(tetraethylammonium) 2,2'-bipyridine-4,4'-dicarboxylate tetrahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o353-o355.	0.2	2
86	fac-Triaqua[tris(2-pyridyl)amine- μ_3 N]chromium(III) tris(trifluoromethanesulfonate). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m854-m856.	0.2	4
87	N,N,N',N'-Tetrakis(2-pyridylmethyl)-1,3-diaminopropane tetra-perchlorate monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, o1126-o1128.	0.2	7
88	Di- μ_4 -chloro-bis[diacetonitriledichloroniobium(III)] acetonitrile disolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m893-m894.	0.2	1
89	cis-Bis(2,2'-bipyridine-4,4'-dicarboxylic acid- μ_2 N,N')dichlororuthenium(II) monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2004, 60, m1172-m1174.	0.2	8
90	Synthesis and Redox Behavior of Ruthenocene-Terminated Oligoynes: Characteristic and Stable Two-Electron Redox System and Lower Potential Shift of the Two-Electron Oxidation Wave with Elongating Conjugation. <i>Chemistry - A European Journal</i> , 2004, 10, 2166-2178.	1.7	19

#	ARTICLE	IF	CITATIONS
91	The stable inner salt 2,2-dimorpholino-2-ethylium-1-dithioate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o558-o559.	0.4	7
92	Synthesis and redox property of the binuclear Pt(II) complexes bridged by thieno[3,2-b]thiophenes. <i>Journal of Organometallic Chemistry</i> , 2002, 654, 56-65.	0.8	21
93	Solvatochromism in ligand-field absorption bands and solvent-dependent deuteron nuclear magnetic resonance spectra of [CrF ₃ (tri(2-pyridyl)amine)]: implication of trigonal splitting for the first spin-allowed d-d band and evaluation of π bonding peculiarities. <i>Inorganica Chimica Acta</i> , 1999, 295, 84-90.	1.2	11
94	A series of [Cr ₂ ($\frac{1}{4}$ -OH) _n ($\frac{1}{4}$ -RCO ₂) ₃ ·n(bispma) ₂] type chromium(III) dinuclear complexes (n = 1, 2) with tridentate bis(2-pyridylmethyl)amine (bispma): synthesis, crystal structure, and magnetic properties. <i>Inorganica Chimica Acta</i> , 1998, 278, 15-23.	1.2	12
95	Kinetic Study on the Substitution of Dimethylacetamide for the Terminal Aqua Ligands in the Trinuclear Chromium(III) Complexes [Cr ₃ ($\frac{1}{4}$ -O)($\frac{1}{4}$ -RCO ₂) ₆ (H ₂ O) ₃]+(R = H, CH ₃ , CH ₃ CH ₂ , CH ₂ Cl, CHCl ₂). <i>J. Chem. Soc. Dalton Trans.</i> 1998, 3779-3784.	1.9	56
96	Volumes and the Substituent Effects of Bridging Carboxylate Ligands. <i>Inorganic Chemistry</i> , 1998, 37, 3779-3784.		
96	Preparative Study and Characterization of the Cis-Diamminetetranitrocobaltate(III) Ion. A Missing Link in the Ammine-Nitro Cobalt(III) Series.. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 1997, 73, 161-164.	1.6	0
97	Synthesis and stereochemistry of cobalt(III) complexes containing purine-6-thione and related ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 305.	1.1	10
98	Spectroscopic properties and ligand field parameters of bis(hydrotris(1-pyrazolyl)borato) trivalent metal complexes: anomalous π covalency in the metal-pyrazolyl nitrogen bond and energy level splittings due to anisotropic π bonding. <i>Inorganica Chimica Acta</i> , 1996, 249, 135-141.	1.2	24
99	Hetero-Ligand Assembly onto Cobalt(III) Complexes. <i>Chemistry Letters</i> , 1995, 24, 673-674.	0.7	1
100	New hetero- and homo-metallic dihydroxo-bridged dinuclear complexes of cobalt(III) and chromium(III): synthesis, spectroscopy and crystal structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 1813.	1.1	13
101	An unusual dimerization of 6-amino-2-thiouracilate in a cobalt(III) complex. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 2627.	1.1	4
102	Base hydrolysis in homometallic dinuclear chromium(III) complexes bridged by hydroxide and carboxylate. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 1823.	1.1	7
103	Synthesis and Stereochemistry of Homoleptic Cobalt(III) Complexes Containing Pyrimidine-2-thionate and Its Derivatives. <i>Bulletin of the Chemical Society of Japan</i> , 1994, 67, 3004-3008.	2.0	9
104	Synthesis and stereochemistry of cobalt(III) complexes containing 2-thiocytocine and derivatives. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 1651.	1.1	9
105	Diamagnetic behaviour of high-resolution nitrogen-14 nuclear magnetic resonance spectra for co-ordinated nitrogens in paramagnetic chromium(III) diamine complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 2521.	1.1	2
106	Correlation of ¹³ C, ¹⁵ N and ⁵⁹ Co nuclear magnetic resonance chemical shifts with ligand-field parameters for pentacyanocobaltate(III) complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 1275.	1.1	10
107	An Unusual Self-Assembly of 2-Thiouracil Derivative. Synthesis and Crystal Structure of Bis(ethane-1,2-diamine)[5-(1-oxo-6-aminopyrimidin-2-yl)thio]-6-amino-2-thiouracilatocobalt(III) Perchlorate. <i>Chemistry Letters</i> , 1993, 22, 1865-1868.	0.7	4
108	Synthesis and characterization of L-tartrato chromate(III) complexes with acetylacetonate ions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 3423.	1.1	10

#	ARTICLE	IF	CITATIONS
109	Syntheses and x-ray structures of novel phenoxo-bridged binuclear complexes: bis(μ -phenoxo)bis[bis(acetylacetonato)chromium(III)] complex and its para-substituted phenoxo analogs. <i>Inorganic Chemistry</i> , 1992, 31, 1315-1316.	1.9	20
110	Synthesis and Crystal Structure of Potassiumcis-Diamminetranitrocobaltate(III). Completion of the Nitroammine Series. <i>Chemistry Letters</i> , 1990, 19, 1679-1682.	0.7	1