
## **Phong Tran**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8332483/publications.pdf Version: 2024-02-01



PHONG TRAN

#	Article	IF	CITATIONS
1	The effect of a postoperative local anaesthetic pain pump in anterior total hip arthroplasty: a randomised control trial. HIP International, 2022, , 112070002110698.	0.9	0
2	Plating vs Closed Reduction for Fractures in the Distal Radius in Older Patients. JAMA Surgery, 2022, 157, 563.	2.2	9
3	Trunk, pelvis and lower limb walking biomechanics are similarly altered in those with femoroacetabular impingement syndrome regardless of cam morphology size. Gait and Posture, 2021, 83, 26-34.	0.6	23
4	Surgical Plating vs Closed Reduction for Fractures in the Distal Radius in Older Patients. JAMA Surgery, 2021, 156, 229.	2.2	47
5	Which hip morphology measures and patient factors are associated with age of onset and symptom severity in femoroacetabular impingement syndrome?. HIP International, 2021, , 112070002110385.	0.9	3
6	Multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapist-led care for femoroacetabular impingement (FAI) syndrome on hip cartilage metabolism: the Australian FASHIoN trial. BMC Musculoskeletal Disorders, 2021, 22, 697.	0.8	30
7	Effect of Wound Closure Technique in Proximal Femoral Fractures: A Prospective Cohort Study. Journal of Orthopaedic Trauma, 2020, 34, 553-558.	0.7	4
8	A Combined Randomised and Observational Study of Surgery for Fractures In the distal Radius in the Elderly (CROSSFIRE): a statistical analysis plan. Trials, 2020, 21, 651.	0.7	5
9	OBTAIN E: outcome benefits of tranexamic acid in hip arthroplasty with enoxaparin: a randomised double-blinded controlled trial. HIP International, 2019, 29, 239-244.	0.9	10
10	<p>Improving the response rate of patient-reported outcome measures in an Australian tertiary metropolitan hospital</p> . Patient Related Outcome Measures, 2019, Volume 10, 217-226.	0.7	28
11	Postoperative Opioid Consumption After Total Hip Arthroplasty: AÂComparison of Three Surgical Approaches. Journal of Arthroplasty, 2019, 34, 2676-2680.	1.5	15
12	PROMsBase: Web-based repository portal for patient-reported outcome measures in orthopaedics. Health Informatics Journal, 2019, 25, 867-877.	1.1	7
13	Identification of a Patient Acceptable Symptomatic State Score for the International Hip Outcome Tool in People Undergoing Hip Arthroscopy. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 3024-3029.	1.3	21
14	Comparison of outcome measures and complication rates following three different approaches for primary total hip arthroplasty: a pragmatic randomised controlled trial. Trials, 2018, 19, 13.	0.7	25
15	Comparison of 3 Different Perioperative Care Models for Patients With Hip Fractures Within 1 Health Service. Geriatric Orthopaedic Surgery and Rehabilitation, 2017, 8, 87-93.	0.6	10
16	OBTAIN A: Outcome Benefits of Tranexamic Acid in Hip Arthroplasty. AÂRandomized Double-Blinded Controlled Trial. Journal of Arthroplasty, 2017, 32, 1516-1519.	1.5	34
17	The Local and Systemic Effects of Cobalt-Chromium Nanoparticles on the Human Body: The Implications for Metal-on-Metal Hip Arthroplasty. , 2017, , 437-449.		0
18	A combined randomised and observational study of surgery for fractures in the distal radius in the elderly (CROSSFIRE)—a study protocol. BMJ Open, 2017, 7, e016100.	0.8	11

**PHONG TRAN** 

#	Article	IF	CITATIONS
19	Arthroscopic findings of a diagnostic dilemma- hip pathology with normal imaging. BMC Musculoskeletal Disorders, 2017, 18, 120.	0.8	3
20	Protocol for a multi-centre randomised controlled trial comparing arthroscopic hip surgery to physiotherapy-led care for femoroacetabular impingement (FAI): the Australian FASHIoN trial. BMC Musculoskeletal Disorders, 2017, 18, 406.	0.8	23
21	Using a Structured Checklist to Improve the Orthopedic Ward Round: A Prospective Cohort Study. Orthopedics, 2017, 40, e663-e667.	0.5	6
22	Reliability of radiographic measurements for acute distal radius fractures. BMC Medical Imaging, 2016, 16, 44.	1.4	33
23	Periprosthetic Bone Remodeling After Novel Short-Stem Neck-Sparing Total Hip Arthroplasty. Journal of Arthroplasty, 2016, 31, 2530-2535.	1.5	14
24	Incidence of Complex Regional Pain Syndrome I Following Foot and Ankle Fractures Using the Budapest Criteria. Pain Medicine, 2016, 17, 2353-2359.	0.9	8
25	Bilateral patellar tendon reconstruction using LARS ligaments: case report and review of the literature. BMC Musculoskeletal Disorders, 2016, 17, 302.	0.8	19
26	The outcome of endoscopy for recalcitrant greater trochanteric pain syndrome. Archives of Orthopaedic and Trauma Surgery, 2016, 136, 1547-1554.	1.3	26
27	Impact of adherence to local antibiotic prophylaxis guidelines on infection outcome after total hip or knee arthroplasty. Journal of Hospital Infection, 2016, 93, 423-427.	1.4	25
28	Metal-on-Metal Hip Arthroplasty: A Review of Adverse Reactions and Patient Management. Journal of Functional Biomaterials, 2015, 6, 486-499.	1.8	137
29	Internet based patient education improves informed consent for elective orthopaedic surgery: a randomized controlled trial. BMC Musculoskeletal Disorders, 2015, 16, 14.	0.8	51
30	Surgical predictors of acute postoperative pain after hip arthroscopy. BMC Anesthesiology, 2015, 15, 96.	0.7	15
31	Outcome of arthroscopic treatment for cam type femoroacetabular impingement in adolescents. ANZ Journal of Surgery, 2013, 83, 382-386.	0.3	61
32	Assessment of the Quality of Web-based Information on Bunions. Foot and Ankle International, 2013, 34, 1134-1139.	1.1	12
33	Internet use by orthopaedic outpatients – current trends and practices. Australasian Medical Journal, 2012, 5, 633-638.	0.1	79
34	Paper 20: The Outcome of Arthroscopic Treatment for Cam Type Femoroacetabular Impingement in Adolescents. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, e54-e55.	1.3	0
35	An integrated approach to surgical audit. ANZ Journal of Surgery, 2011, 81, 313-314.	0.3	2

36 Multimedia patient education to assist the informed consent process for knee arthroscopy (Re: ANZ J.) Tj ETQq0 0 0 orgBT /Overlock 10 T

#	Article	IF	CITATIONS
37	The ALOHA trial: (intra-articular local anaesthetic in hip arthroscopy)—a three-arm randomized trial comparing pre-emptive, high- and low-dose intra-articular local anaesthetic in hip arthroscopy. Journal of Hip Preservation Surgery, 0, , .	0.6	Ο