
Gill Livingston

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/833391/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. Lancet, The, 2020, 396, 413-446.	13.7	4,658
2	Dementia prevention, intervention, and care. Lancet, The, 2017, 390, 2673-2734.	13.7	4,228
3	Genome-wide association study identifies variants at CLU and PICALM associated with Alzheimer's disease. Nature Genetics, 2009, 41, 1088-1093.	21.4	2,697
4	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates Aβ, tau, immunity and lipid processing. Nature Genetics, 2019, 51, 414-430.	21.4	1,962
5	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. Nature Genetics, 2011, 43, 429-435.	21.4	1,708
6	The prevalence of elder abuse and neglect: a systematic review. Age and Ageing, 2008, 37, 151-160.	1.6	519
7	Systematic Review of Psychological Approaches to the Management of Neuropsychiatric Symptoms of Dementia. American Journal of Psychiatry, 2005, 162, 1996-2021.	7.2	513
8	Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. Lancet, The, 2011, 378, 403-411.	13.7	444
9	Modifiable Predictors of Dementia in Mild Cognitive Impairment: A Systematic Review and Meta-Analysis. American Journal of Psychiatry, 2015, 172, 323-334.	7.2	382
10	Genetic Evidence Implicates the Immune System and Cholesterol Metabolism in the Aetiology of Alzheimer's Disease. PLoS ONE, 2010, 5, e13950.	2.5	347
11	Anxiety and Depression in Family Caregivers of People With Alzheimer Disease: The LASER-AD Study. American Journal of Geriatric Psychiatry, 2005, 13, 795-801.	1.2	329
12	Non-pharmacological interventions for agitation in dementia: systematic review of randomised controlled trials. British Journal of Psychiatry, 2014, 205, 436-442.	2.8	325
13	A systematic review of the prevalence and covariates of anxiety in caregivers of people with dementia. International Psychogeriatrics, 2007, 19, 175.	1.0	300
14	The Gospel Oak Study: prevalence rates of dementia, depression and activity limitation among elderly residents in Inner London. Psychological Medicine, 1990, 20, 137-146.	4.5	279
15	Dementia with Lewy bodies: a comparison of clinical diagnosis, FP-CIT single photon emission computed tomography imaging and autopsy. Journal of Neurology, Neurosurgery and Psychiatry, 2007, 78, 1176-1181.	1.9	250
16	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. Health Technology Assessment, 2014, 18, 1-148.	2.8	244
17	A Systematic Review and Meta-Analysis of Ethnic Differences in Use of Dementia Treatment, Care, and Research. American Journal of Geriatric Psychiatry, 2010, 18, 193-203.	1.2	242
18	A systematic review of ethnicity and pathways to care in dementia. International Journal of Geriatric Psychiatry, 2011, 26, 12-20.	2.7	240

#	Article	IF	CITATIONS
19	Factors associated with the quality of life of family carers of people with dementia: A systematic review. Alzheimer's and Dementia, 2017, 13, 572-581.	0.8	228
20	Population attributable fractions for risk factors for dementia in low-income and middle-income countries: an analysis using cross-sectional survey data. The Lancet Global Health, 2019, 7, e596-e603.	6.3	226
21	Coping strategies, anxiety and depression in caregivers of people with Alzheimer's disease. International Journal of Geriatric Psychiatry, 2008, 23, 929-936.	2.7	223
22	Validity and Reliability of the Brief COPE in Carers of People With Dementia. Journal of Nervous and Mental Disease, 2008, 196, 838-843.	1.0	219
23	Improving the effectiveness of multidisciplinary team meetings for patients with chronic diseases: a prospective observational study. Health Services and Delivery Research, 2014, 2, 1-172.	1.4	212
24	Clinical practice with anti-dementia drugs: A revised (third) consensus statement from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2017, 31, 147-168.	4.0	198
25	Use of the QOL-AD for measuring quality of life in people with severe dementia—the LASER-AD study. Age and Ageing, 2005, 34, 130-135.	1.6	187
26	Islington study of dementia subtypes in the community. British Journal of Psychiatry, 2002, 180, 270-276.	2.8	185
27	Treatment for mild cognitive impairment: systematic review. British Journal of Psychiatry, 2013, 203, 255-264.	2.8	185
28	Making decisions for people with dementia who lack capacity: qualitative study of family carers in UK. BMJ: British Medical Journal, 2010, 341, c4184-c4184.	2.3	173
29	The effectiveness of problem-based learning compared to traditional teaching in undergraduate psychiatry. Medical Education, 2004, 38, 859-867.	2.1	172
30	Review of brief cognitive tests for patients with suspected dementia. International Psychogeriatrics, 2014, 26, 1247-1262.	1.0	166
31	Grief reactions in dementia carers: a systematic review. International Journal of Geriatric Psychiatry, 2013, 28, 1-17.	2.7	162
32	Systematic review of the effectiveness of non-pharmacological interventions to improve quality of life of people with dementia. International Psychogeriatrics, 2012, 24, 856-870.	1.0	161
33	Coping strategies and anxiety in caregivers of people with Alzheimer's disease: The LASER-AD study. Journal of Affective Disorders, 2006, 90, 15-20.	4.1	158
34	START (STrAtegies for RelaTives) study: a pragmatic randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of a manual-based coping strategy programme in promoting the mental health of carers of people with dementia. Health Technology Assessment, 2014, 18, 1-242.	2.8	156
35	Clinical effectiveness of a manual based coping strategy programme (START, STrAtegies for RelaTives) in promoting the mental health of carers of family members with dementia: pragmatic randomised controlled trial. BMJ, The, 2013, 347, f6276-f6276.	6.0	154
36	A Systematic Review of Treatments for Refractory Depression in Older People. American Journal of Psychiatry, 2011, 168, 681-688.	7.2	148

#	Article	IF	CITATIONS
37	Marriage and risk of dementia: systematic review and meta-analysis of observational studies. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 231-238.	1.9	148
38	Efficacy of Memantine for Agitation in Alzheimer's Dementia: A Randomised Double-Blind Placebo Controlled Trial. PLoS ONE, 2012, 7, e35185.	2.5	144
39	Depression and other psychiatric morbidity in carers of elderly people living at home. BMJ: British Medical Journal, 1996, 312, 153-156.	2.3	128
40	Coping strategies and psychological morbidity in family carers of people with dementia: A systematic review and meta-analysis. Journal of Affective Disorders, 2012, 139, 1-11.	4.1	120
41	Quality of life in dementia: care recipient and caregiver perceptions of quality of life in dementia: the LASERâ€AD study. International Journal of Geriatric Psychiatry, 2007, 22, 1031-1036.	2.7	119
42	Abuse of people with dementia by family carers: representative cross sectional survey. BMJ: British Medical Journal, 2009, 338, b155-b155.	2.3	119
43	The effect of a psychiatric attachment on students' attitudes to and intention to pursue psychiatry as a career. Medical Education, 2003, 37, 447-454.	2.1	117
44	A systematic review of the clinical effectiveness and cost-effectiveness of sensory, psychological and behavioural interventions for managing agitation in older adults with dementia. Health Technology Assessment, 2014, 18, 1-226, v-vi.	2.8	116
45	Minocycline at 2 Different Dosages vs Placebo for Patients With Mild Alzheimer Disease. JAMA Neurology, 2020, 77, 164.	9.0	113
46	The effect of education on knowledge and management of elder abuse: a randomized controlled trial. Age and Ageing, 2002, 31, 335-341.	1.6	112
47	Anxiety and Depression in Family Caregivers of People With Alzheimer Disease: The LASER-AD Study. American Journal of Geriatric Psychiatry, 2005, 13, 795-801.	1.2	112
48	Changes in the Quality of Life of People With Dementia Living in Care Homes. Alzheimer Disease and Associated Disorders, 2009, 23, 285-290.	1.3	108
49	Why do ethnic elders present later to UK dementia services? A qualitative study. International Psychogeriatrics, 2011, 23, 1070-1077.	1.0	106
50	Incidence of dementia in older adults with intellectual disabilities. Research in Developmental Disabilities, 2013, 34, 1881-1885.	2.2	105
51	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. PLoS Medicine, 2019, 16, e1002862.	8.4	105
52	Hospitalisation rates and predictors in people with dementia: a systematic review and meta-analysis. BMC Medicine, 2019, 17, 130.	5.5	105
53	The Relationship of Bilingualism Compared to Monolingualism to the Risk of Cognitive Decline or Dementia: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2017, 58, 45-54.	2.6	103
54	Trends in diagnosis and treatment for people with dementia in the UK from 2005 to 2015: a longitudinal retrospective cohort study. Lancet Public Health, The, 2017, 2, e149-e156.	10.0	101

#	Article	IF	CITATIONS
55	A systematic review of intervention studies about anxiety in caregivers of people with dementia. International Journal of Geriatric Psychiatry, 2007, 22, 181-188.	2.7	98
56	A systematic review of barriers and facilitators to and interventions for proxy decision-making by family carers of people with dementia. International Psychogeriatrics, 2015, 27, 1301-1312.	1.0	98
57	Prevalence of and associations with agitation in residents with dementia living in care homes: MARQUE cross-sectional study. BJPsych Open, 2017, 3, 171-178.	0.7	98
58	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008–2016. Alzheimer's and Dementia, 2018, 14, 933-943.	0.8	97
59	HOW COMMON ARE THE ANXIETY DISORDERS IN OLD AGE?. International Journal of Geriatric Psychiatry, 1996, 11, 65-70.	2.7	96
60	?Just keep taking the tablets?: adherence to antidepressant treatment in older people in primary care. International Journal of Geriatric Psychiatry, 2002, 17, 752-757.	2.7	96
61	Mental health of migrant elders – the Islington study. British Journal of Psychiatry, 2001, 179, 361-366.	2.8	88
62	Stigma, racism or choice. Why do depressed ethnic elders avoid psychiatrists?. Journal of Affective Disorders, 2002, 72, 257-265.	4.1	87
63	A systematic review and meta-analysis of the prevalence and associations of stress and burnout among staff in long-term care facilities for people with dementia. International Psychogeriatrics, 2019, 31, 1203-1216.	1.0	87
64	Behavioural complications of dementia?can they be treated?. International Journal of Geriatric Psychiatry, 1995, 10, 839-847.	2.7	86
65	Indicators of Elder Abuse: A Crossnational Comparison of Psychiatric Morbidity and Other Determinants in the Ad-HOC Study. American Journal of Geriatric Psychiatry, 2006, 14, 489-497.	1.2	86
66	Reducing the stigma associated with dementia: approaches and goals. Aging Health, 2012, 8, 377-386.	0.3	86
67	Social relationships and depression during the COVID-19 lockdown: longitudinal analysis of the COVID-19 Social Study. Psychological Medicine, 2022, 52, 3381-3390.	4.5	86
68	Persistence of and Changes in Neuropsychiatric Symptoms in Alzheimer Disease Over 6 Months: The LASER-AD Study. American Journal of Geriatric Psychiatry, 2005, 13, 976-983.	1.2	84
69	Screening for elder abuse in dementia in the LASERâ€AD study: prevalence, correlates and validation of instruments. International Journal of Geriatric Psychiatry, 2008, 23, 283-288.	2.7	83
70	A roadmap to advance dementia research in prevention, diagnosis, intervention, and care by 2025. International Journal of Geriatric Psychiatry, 2018, 33, 900-906.	2.7	83
71	The impact of anticholinergic burden in Alzheimer's Dementia-the Laser-AD study. Age and Ageing, 2011, 40, 730-735.	1.6	80
72	Knowledge, Detection, and Reporting of Abuse by Health and Social Care Professionals: A Systematic Review. American Journal of Geriatric Psychiatry, 2009, 17, 826-838.	1.2	78

#	Article	IF	CITATIONS
73	What to tell dementia caregivers—the rule of threes. International Journal of Geriatric Psychiatry, 2003, 18, 313-317.	2.7	77
74	Systematic review of the effect of education on survival in Alzheimer's disease. International Psychogeriatrics, 2009, 21, 25.	1.0	77
75	A systematic review of stress in staff caring for people with dementia living in 24-hour care settings. International Psychogeriatrics, 2011, 23, 4-9.	1.0	76
76	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. Journal of Alzheimer's Disease, 2021, 79, 1213-1226.	2.6	74
77	The AdHOC Study of Older Adults' Adherence to Medication in 11 Countries. American Journal of Geriatric Psychiatry, 2005, 13, 1067-1076.	1.2	73
78	Do care homes deliver person-centred care? A cross-sectional survey of staff-reported abusive and positive behaviours towards residents from the MARQUE (Managing Agitation and Raising Quality of) Tj ETQqO	0 02.gBT /	Ovenslock 10 T
79	Ethnic inequalities in the use of health services for common mental disorders in England. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 685-692.	3.1	70
80	How people with dementia and their families decide about moving to a care home and support their needs: development of a decision aid, a qualitative study. BMC Geriatrics, 2016, 16, 68.	2.7	69
81	The effect of COVID-19 isolation measures on the cognition and mental health of people living with dementia: A rapid systematic review of one year of quantitative evidence. EClinicalMedicine, 2021, 39, 101047.	7.1	69
82	What causes problems in Alzheimer's disease: attributions by caregivers. A qualitative study. International Journal of Geriatric Psychiatry, 2004, 19, 527-532.	2.7	68
83	Long-term clinical and cost-effectiveness of psychological intervention for family carers of people with dementia: a single-blind, randomised, controlled trial. Lancet Psychiatry,the, 2014, 1, 539-548.	7.4	68
84	Cost effectiveness of a manual based coping strategy programme in promoting the mental health of family carers of people with dementia (the START (STrAtegies for RelaTives) study): a pragmatic randomised controlled trial. BMJ, The, 2013, 347, f6342-f6342.	6.0	67
85	Behavioural activation for depression in older people: systematic review and meta-analysis. British Journal of Psychiatry, 2017, 211, 274-279.	2.8	67
86	Cost of community care for older people. British Journal of Psychiatry, 1997, 171, 56-59.	2.8	65
87	Family carers' distress and abusive behaviour: longitudinal study. British Journal of Psychiatry, 2010, 196, 480-485.	2.8	65
88	A qualitative study of the experiences of long-term care for residents with dementia, their relatives and staff. Aging and Mental Health, 2005, 9, 119-128.	2.8	63
89	How useful are cholinesterase inhibitors in the treatment of Alzheimer's disease? A number needed to treat analysis. , 2000, 15, 203-207.		60
90	Prevalence of dementia in African–Caribbean compared with UK-born White older people: two-stage cross-sectional study. British Journal of Psychiatry, 2011, 199, 119-125.	2.8	60

#	Article	IF	CITATIONS
91	International Psychogeriatric Association consensus statement on defining and measuring treatment benefits in dementia. International Psychogeriatrics, 2007, 19, 345-354.	1.0	58
92	The natural history of depression and the anxiety disorders in older people:. Journal of Affective Disorders, 1997, 46, 255-262.	4.1	57
93	How well do antidepressants work in older people? A systematic review of Number Needed to Treat. Journal of Affective Disorders, 2002, 69, 47-52.	4.1	57
94	Improving the end-of-life for people with dementia living in a care home: an intervention study. International Psychogeriatrics, 2013, 25, 1849-1858.	1.0	56
95	Accessibility of health and social services to immigrant elders: the Islington Study. British Journal of Psychiatry, 2002, 180, 369-373.	2.8	55
96	The place of memantine in the treatment of Alzheimer's disease: a number needed to treat analysis. International Journal of Geriatric Psychiatry, 2004, 19, 919-925.	2.7	55
97	Care at the end of life for people with dementia living in a care home: a qualitative study of staff experience and attitudes. International Journal of Geriatric Psychiatry, 2012, 27, 643-650.	2.7	54
98	Improving access to dementia services for people from minority ethnic groups. Current Opinion in Psychiatry, 2013, 26, 409-414.	6.3	54
99	User and carer involvement in mental health training. Advances in Psychiatric Treatment, 2004, 10, 85-92.	0.5	53
100	Relationship of exercise and other risk factors to depression of Alzheimer's disease: the LASER-AD study. International Journal of Geriatric Psychiatry, 2005, 20, 261-268.	2.7	53
101	The meaning of reporting forgetfulness: a cross-sectional study of adults in the English 2007 Adult Psychiatric Morbidity Survey. Age and Ageing, 2011, 40, 711-717.	1.6	53
102	The Role of Variation at AβPP, PSEN1, PSEN2, and MAPT in Late Onset Alzheimer's Disease. Journal of Alzheimer's Disease, 2012, 28, 377-387.	2.6	53
103	Antipsychotic treatment of very late-onset schizophrenia-like psychosis (ATLAS): a randomised, controlled, double-blind trial. Lancet Psychiatry,the, 2018, 5, 553-563.	7.4	53
104	Systematic review of the effective components of psychosocial interventions delivered by care home staff to people with dementia. BMJ Open, 2017, 7, e014177.	1.9	52
105	Dementia wellbeing and COVIDâ€19: Review and expert consensus on current research and knowledge gaps. International Journal of Geriatric Psychiatry, 2021, 36, 1597-1639.	2.7	52
106	Determinants of treatment plan implementation in multidisciplinary team meetings for patients with chronic diseases: a mixed-methods study. BMJ Quality and Safety, 2014, 23, 867-876.	3.7	51
107	Systematic review and metaâ€analysis to estimate potential recruitment to dementia intervention studies. International Journal of Geriatric Psychiatry, 2014, 29, 515-525.	2.7	50
108	Mental health care for the elderly in low-income countries: a health systems approach. World Psychiatry, 2007, 6, 5-13.	10.4	50

#	Article	IF	CITATIONS
109	The Gospel Oak Study stage II: the diagnosis of dementia in the community. Psychological Medicine, 1990, 20, 881-891.	4.5	49
110	A systematic review of the prevalence and covariates of dementia or relative cognitive impairment in the older Africanâ€Caribbean population in Britain. International Journal of Geriatric Psychiatry, 2009, 24, 657-665.	2.7	48
111	Service use and cost of mental disorder in older adults with intellectual disability. British Journal of Psychiatry, 2010, 196, 133-138.	2.8	48
112	The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey. Journal of Affective Disorders, 2010, 127, 96-101.	4.1	48
113	Proxy rated quality of life of care home residents with dementia: a systematic review. International Psychogeriatrics, 2017, 29, 569-581.	1.0	48
114	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. PLoS ONE, 2017, 12, e0179521.	2.5	48
115	Prevalence, management, and outcomes of SARS-CoV-2 infections in older people and those with dementia in mental health wards in London, UK: a retrospective observational study. Lancet Psychiatry,the, 2020, 7, 1054-1063.	7.4	48
116	The AdHOC Study of Older Adults' Adherence to Medication in 11 Countries. American Journal of Geriatric Psychiatry, 2005, 13, 1067-1076.	1.2	48
117	Black African and Caribbean British Communities' Perceptions of Memory Problems: "We Don't Do Dementia.― PLoS ONE, 2016, 11, e0151878.	2.5	47
118	One third of dementia cases can be prevented within the next 25 years by tackling risk factors. The case "for―and "against― Alzheimer's Research and Therapy, 2020, 12, 81.	6.2	47
119	A cluster randomised controlled trial to reduce the unmet needs of people with dementia living in residential care. International Journal of Geriatric Psychiatry, 2007, 22, 1127-1134.	2.7	44
120	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. European Journal of Epidemiology, 2019, 34, 567-577.	5.7	44
121	Adherence to treatment in mood disorders. Current Opinion in Psychiatry, 2006, 19, 44-49.	6.3	43
122	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. British Journal of Psychiatry, 2013, 202, 121-128.	2.8	43
123	Monetary costs of agitation in older adults with Alzheimer's disease in the UK: prospective cohort study. BMJ Open, 2015, 5, e007382-e007382.	1.9	43
124	Change in attitudes to psychiatry and intention to pursue psychiatry as a career in newly qualified doctors: a follow-up of two cohorts of medical students. Medical Teacher, 2004, 26, 565-569.	1.8	42
125	Impact of screening old people with physical illness for depression?. Lancet, The, 2000, 356, 91-92.	13.7	41
126	Systematic Review of the Effectiveness of Pharmacologic Interventions to Improve Quality of Life and Well-being in People With Dementia. American Journal of Geriatric Psychiatry, 2013, 21, 173-183.	1.2	41

#	Article	IF	CITATIONS
127	Clinical and cost-effectiveness of the Managing Agitation and Raising Quality of Life (MARQUE) intervention for agitation in people with dementia in care homes: a single-blind, cluster-randomised controlled trial. Lancet Psychiatry,the, 2019, 6, 293-304.	7.4	41
128	Mental Health and Social Care Needs of Older People with Intellectual Disabilities. Journal of Applied Research in Intellectual Disabilities, 2005, 18, 229-235.	2.0	40
129	What is elder abuse—who decides?. International Journal of Geriatric Psychiatry, 2007, 22, 1009-1012.	2.7	40
130	Persistence of neuropsychiatric symptoms over six months in mild cognitive impairment in community-dwelling Korean elderly. International Psychogeriatrics, 2011, 23, 214-220.	1.0	40
131	Involving patients with dementia in decisions to initiate treatment: effect on patient acceptance, satisfaction and medication prescription. British Journal of Psychiatry, 2019, 214, 213-217.	2.8	40
132	Care workers' abusive behavior to residents in care homes: a qualitative study of types of abuse, barriers, and facilitators to good care and development of an instrument for reporting of abuse anonymously. International Psychogeriatrics, 2013, 25, 733-741.	1.0	37
133	Do changes in coping style explain the effectiveness of interventions for psychological morbidity in family carers of people with dementia? A systematic review and meta-analysis. International Psychogeriatrics, 2013, 25, 204-214.	1.0	37
134	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. Health Technology Assessment, 2017, 21, 1-192.	2.8	37
135	Shortage specialties: changes in career intentions from medical student to newly qualified doctor. Medical Teacher, 2004, 26, 650-654.	1.8	36
136	The sensitivity and specificity of the Modified Conflict Tactics Scale for detecting clinically significant elder abuse. International Psychogeriatrics, 2009, 21, 774-778.	1.0	36
137	The effect of China's Clean Air Act on cognitive function in older adults: a population-based, quasi-experimental study. The Lancet Healthy Longevity, 2022, 3, e98-e108.	4.6	35
138	â€~I know they are not trained in dementia': Addressing the need for specialist dementia training for home care workers. Health and Social Care in the Community, 2020, 28, 475-484.	1.6	34
139	Measuring the prevalence of sleep disturbances in people with dementia living in care homes: a systematic review and meta-analysis. Sleep, 2020, 43, .	1.1	34
140	Leisure activity participation and risk of dementia. Neurology, 2020, 95, e2803-e2815.	1.1	34
141	The TE4D-Cog: a new test for detecting early dementia in English-speaking populations. International Journal of Geriatric Psychiatry, 2005, 20, 1172-1179.	2.7	33
142	Effectiveness of START psychological intervention in reducing abuse by dementia family carers: randomized controlled trial. International Psychogeriatrics, 2016, 28, 881-887.	1.0	33
143	The management of sleep disorders in dementia. Current Opinion in Psychiatry, 2017, 30, 491-497.	6.3	33
144	Care workers, the unacknowledged persons in person-centred care: A secondary qualitative analysis of UK care home staff interviews. PLoS ONE, 2018, 13, e0200031.	2.5	33

#	Article	IF	CITATIONS
145	Persecutory symptoms and perceptual disturbance in a community sample of older people: the Islington study. International Journal of Geriatric Psychiatry, 2001, 16, 462-468.	2.7	32
146	Ethnic differences in cognition and age in people diagnosed with dementia: A study of electronic health records in two large mental healthcare providers. International Journal of Geriatric Psychiatry, 2019, 34, 504-510.	2.7	32
147	DREAMS-START (Dementia RElAted Manual for Sleep; STrAtegies for RelaTives) for people with dementia and sleep disturbances: a single-blind feasibility and acceptability randomized controlled trial. International Psychogeriatrics, 2019, 31, 251-265.	1.0	32
148	Understanding the quality of life of family carers of people with dementia: Development of a new conceptual framework. International Journal of Geriatric Psychiatry, 2019, 34, 79-86.	2.7	31
149	Study of mirtazapine for agitated behaviours in dementia (SYMBAD): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2021, 398, 1487-1497.	13.7	31
150	What would encourage help-seeking for memory problems among UK-based South Asians? A qualitative study. BMJ Open, 2015, 5, e007990.	1.9	30
151	How do care home staff understand, manage and respond to agitation in people with dementia? A qualitative study. BMJ Open, 2018, 8, e022260.	1.9	30
152	Effective interventions for potentially modifiable risk factors for late-onset dementia: a costs and cost-effectiveness modelling study. The Lancet Healthy Longevity, 2020, 1, e13-e20.	4.6	30
153	Diagnostic rates and treatment of dementia before and after launch of a national dementia policy: an observational study using English national databases. BMJ Open, 2014, 4, e004119.	1.9	29
154	Coping strategies as mediators of the effect of the START (strategies for RelaTives) intervention on psychological morbidity for family carers of people with dementia in a randomised controlled trial. Journal of Affective Disorders, 2014, 168, 298-305.	4.1	29
155	A systematic review of interventions to detect dementia or cognitive impairment. International Journal of Geriatric Psychiatry, 2015, 30, 32-45.	2.7	29
156	Instruments measuring the disease-specific quality of life of family carers of people with neurodegenerative diseases: a systematic review. BMJ Open, 2017, 7, e013611.	1.9	28
157	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. BMJ, The, 2021, 374, n1804.	6.0	28
158	Mental Health/Psychiatric Issues in Elder Abuse and Neglect. Clinics in Geriatric Medicine, 2014, 30, 839-850.	2.6	27
159	Clinical effectiveness of the START (STrAtegies for RelaTives) psychological intervention for family carers and the effects on the cost of care for people with dementia: 6-year follow-up of a randomised controlled trial. British Journal of Psychiatry, 2020, 216, 35-42.	2.8	27
160	Nutrition state of science and dementia prevention: recommendations of the Nutrition for Dementia Prevention Working Group. The Lancet Healthy Longevity, 2022, 3, e501-e512.	4.6	26
161	A qualitative study of the views of residents with dementia, their relatives and staff about work practice in long-term care settings. International Psychogeriatrics, 2005, 17, 237-251.	1.0	25
162	Attachment style and anxiety in carers of people with Alzheimer's disease: results from the LASER-AD study. International Psychogeriatrics, 2008, 20, 494-507.	1.0	25

#	Article	IF	CITATIONS
163	Burnout in UK care home staff and its effect on staff turnover: MARQUE English national care home longitudinal survey. Age and Ageing, 2020, 49, 74-81.	1.6	25
164	Socially assistive robots for people with dementia: Systematic review and meta-analysis of feasibility, acceptability and the effect on cognition, neuropsychiatric symptoms and quality of life. Ageing Research Reviews, 2022, 78, 101633.	10.9	25
165	Slicing the health service cake: the Islington study. Age and Ageing, 2002, 31, 445-450.	1.6	24
166	Measuring the quality of life of family carers of people with dementia: development and validation of C-DEMQOL. Quality of Life Research, 2019, 28, 2299-2310.	3.1	24
167	Time to invest in prevention and better care of behaviors and psychological symptoms associated with dementia. International Psychogeriatrics, 2020, 32, 567-572.	1.0	24
168	Impact of the COVIDâ€19 pandemic on older adults mental health services: A mixed methods study. International Journal of Geriatric Psychiatry, 2021, 36, 1748-1758.	2.7	24
169	Differences in the potential for dementia prevention between major ethnic groups within one country: A cross sectional analysis of population attributable fraction of potentially modifiable risk factors in New Zealand. The Lancet Regional Health - Western Pacific, 2021, 13, 100191.	2.9	24
170	Plasma proteins, cognitive decline, and 20â€year risk of dementia in the Whitehall II and Atherosclerosis Risk in Communities studies. Alzheimer's and Dementia, 2022, 18, 612-624.	0.8	24
171	The impact on carers of behavioural difficulties in dementia: A pilot study on management. International Journal of Geriatric Psychiatry, 1992, 7, 579-583.	2.7	23
172	The epidemiology of psychiatric disorders in the elderly. International Review of Psychiatry, 1993, 5, 317-326.	2.8	23
173	Quality of life in older people. Aging and Mental Health, 1998, 2, 20-23.	2.8	23
174	Secrets and lies: the dilemma of disclosing the diagnosis to an adult with dementia. Age and Ageing, 2003, 32, 439-441.	1.6	23
175	A qualitative study of adjustment to caring for an older spouse with psychiatric illness. Ageing and Society, 1998, 18, 659-671.	1.7	22
176	Psychosocial correlates of late-onset psychosis: life experiences, cognitive schemas, and attitudes to ageing. International Journal of Geriatric Psychiatry, 2004, 19, 611-623.	2.7	22
177	Cognitive impairment and happiness in old people in low and middle income countries: results from the 10/66 study. Journal of Affective Disorders, 2011, 130, 198-204.	4.1	22
178	The effect of an educational intervention on junior doctors' knowledge and practice in detecting and managing elder abuse. International Psychogeriatrics, 2012, 24, 1447-1453.	1.0	22
179	A global perspective on dementia care: a Lancet Commission. Lancet, The, 2015, 386, 933-934.	13.7	22
180	Mental capacity to consent to treatment and admission decisions in older adult psychiatric inpatients. International Journal of Geriatric Psychiatry, 2009, 24, 1367-1375.	2.7	21

#	Article	IF	CITATIONS
181	What would help me stop abusing? The family carer's perspective. International Psychogeriatrics, 2009, 21, 309.	1.0	21
182	Mental health of the ageing immigrant population. Advances in Psychiatric Treatment, 2003, 9, 31-37.	0.5	20
183	Antidementia drugs: Prescription by level of cognitive impairment or by socio-economic group?. Aging and Mental Health, 2010, 14, 85-89.	2.8	20
184	Reasons why family members become carers and the outcome for the person with dementia: results from the CARD study. International Psychogeriatrics, 2011, 23, 1442-1450.	1.0	20
185	Acetyl-L-Carnitine in dementia. International Journal of Geriatric Psychiatry, 1991, 6, 853-860.	2.7	19
186	Comorbidity with depression in older people: The Islington Study. Aging and Mental Health, 1997, 1, 57-62.	2.8	19
187	Recognition of elder abuse by home care workers and older people in Romania. International Psychogeriatrics, 2010, 22, 403-408.	1.0	19
188	Validity of Criteria for Dementia in Older People With Intellectual Disability. American Journal of Geriatric Psychiatry, 2013, 21, 279-288.	1.2	19
189	START (STrAtegies for RelaTives) coping strategy for family carers of adults with dementia: qualitative study of participants' views about the intervention. BMJ Open, 2014, 4, e005273-e005273.	1.9	19
190	Introducing case management for people with dementia in primary care: a mixed-methods study. British Journal of General Practice, 2014, 64, e735-e741.	1.4	19
191	How people with dementia and carers understand and react to social functioning changes in mild dementia: a UK-based qualitative study. BMJ Open, 2017, 7, e016740.	1.9	19
192	â€~Why did I become a psychiatrist?': survey of consultant psychiatrists. Psychiatric Bulletin, 2007, 31, 227-230.	0.3	18
193	Prediction of survival in Alzheimer's disease—The LASERâ€AD longitudinal study. International Journal of Geriatric Psychiatry, 2009, 24, 739-747.	2.7	18
194	Medical students' recognition of elder abuse. International Journal of Geriatric Psychiatry, 2009, 24, 770-777.	2.7	18
195	Predictors of entering 24â€h care for people with Alzheimer's disease: results from the LASERâ€AD study. International Journal of Geriatric Psychiatry, 2009, 24, 1291-1298.	2.7	18
196	Development of an instrument to assess social functioning in dementia: The Social Functioning in Dementia scale (SFâ€ĐEM). Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 88-98.	2.4	18
197	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. JAMA Network Open, 2020, 3, e2016084.	5.9	18
198	COVID-19 and UK family carers: policy implications. Lancet Psychiatry,the, 2021, 8, 929-936.	7.4	18

#	Article	IF	CITATIONS
199	The needs and mental health of older people in 24-hour care residential placements. Aging and Mental Health, 2001, 5, 253-257.	2.8	17
200	Persistence of and Changes in Neuropsychiatric Symptoms in Alzheimer Disease Over 6 Months. American Journal of Geriatric Psychiatry, 2005, 13, 976-983.	1.2	17
201	Acute mental health care for older people by crisis resolution teams in England. International Journal of Geriatric Psychiatry, 2007, 22, 263-265.	2.7	17
202	Healthcare resource utilisation and costs of agitation in people with dementia living in care homes in England - The Managing Agitation and Raising QUality of LifE in Dementia (MARQUE) study. PLoS ONE, 2019, 14, e0211953.	2.5	17
203	Acceptance and commitment therapy for late-life treatment-resistant generalised anxiety disorder: a feasibility study. Age and Ageing, 2021, 50, 1751-1761.	1.6	17
204	The Association Between Impaired Awareness and Depression, Anxiety, and Apathy in Mild to Moderate Alzheimer's Disease: A Systematic Review. Frontiers in Psychiatry, 2021, 12, 633081.	2.6	16
205	The impact of sleep disturbances on care home residents with dementia: the SIESTA qualitative study. International Psychogeriatrics, 2020, 32, 839-847.	1.0	16
206	Alcohol abuse in an inner city elderly population: The gospel oak survey. International Journal of Geriatric Psychiatry, 1993, 8, 511-514.	2.7	15
207	Relationship of coping style to mood and anxiety disorders in dementia carers. Current Opinion in Psychiatry, 2014, 27, 52-56.	6.3	15
208	Use of a formal consensus development technique to produce recommendations for improving the effectiveness of adult mental health multidisciplinary team meetings. BMC Psychiatry, 2015, 15, 143.	2.6	15
209	The development of Attitudes of People from Ethnic Minorities to Helpâ€Seeking for Dementia (APEND): a questionnaire to measure attitudes to helpâ€seeking for dementia in people from South Asian backgrounds in the UK. International Journal of Geriatric Psychiatry, 2017, 32, 288-296.	2.7	15
210	Effectiveness of an intervention to facilitate prompt referral to memory clinics in the United Kingdom: Cluster randomised controlled trial. PLoS Medicine, 2017, 14, e1002252.	8.4	15
211	The relationship of bilingualism to cognitive decline: The Australian Longitudinal Study of Ageing. International Journal of Geriatric Psychiatry, 2018, 33, e249-e256.	2.7	15
212	Experiences of hearing aid use among patients with mild cognitive impairment and Alzheimer's disease dementia: A qualitative study. SAGE Open Medicine, 2020, 8, 205031212090457.	1.8	15
213	Empathy and its associations with age and sociodemographic characteristics in a large UK population sample. PLoS ONE, 2021, 16, e0257557.	2.5	15
214	A feasibility randomised controlled trial of the DECIDE intervention: Dementia carers making informed decisions. BJPsych Open, 2017, 3, 12-14.	0.7	14
215	Brain structural changes after multiâ€strategic metamemory training in older adults with subjective memory complaints: A randomized controlled trial. Brain and Behavior, 2019, 9, e01278.	2.2	14
216	Caring for an older spouse with a psychiatric illness. Aging and Mental Health, 1997, 1, 256-260.	2.8	13

#	Article	IF	CITATIONS
217	An intervention study with husband and wife carers of older people with a psychiatric illness. Journal of Affective Disorders, 1997, 46, 279-284.	4.1	13
218	Successful aging in health adversity: results from the National Psychiatric Morbidity Survey. International Psychogeriatrics, 2009, 21, 861.	1.0	13
219	An intervention to improve sleep for people living with dementia: Reflections on the development and co-production of DREAMS:START (Dementia REIAted Manual for Sleep: STrAtegies for RelaTives). Dementia, 2018, 17, 976-989.	2.0	13
220	Drug treatment of older people with affective disorders in the community: lessons from an attempted clinical trial. International Journal of Geriatric Psychiatry, 1999, 14, 467-472.	2.7	12
221	Characteristics and health status change over 6 months in people with moderately severe to severe Alzheimer's disease in the U.K International Psychogeriatrics, 2006, 18, 527.	1.0	12
222	Dementia severity at death: a register-based cohort study. BMC Psychiatry, 2018, 18, 355.	2.6	12
223	Patient and companion shared decision making and satisfaction with decisions about starting cholinesterase medication at dementia diagnosis. Age and Ageing, 2019, 48, 711-718.	1.6	12
224	Behavioral Activation for Promoting Well-Being in Mild Dementia: Feasibility and Outcomes of a Pilot Randomized Controlled Trial. Journal of Alzheimer's Disease, 2019, 72, 563-574.	2.6	12
225	Developing the KAMA instrument (knowledge and management of abuse). Age and Ageing, 2003, 32, 286-291.	1.6	11
226	A mixed-methods feasibility study of a goal-focused manualised intervention to support people with dementia to stay living independently at home with support from family carers: NIDUS (New) Tj ETQq0 0 0 rgBT	/Ozeslock	101 1 f 50 377
227	Culturally tailored therapeutic interventions for people affected by dementia: a systematic review and new conceptual model. The Lancet Healthy Longevity, 2021, 2, e171-e179.	4.6	11
228	Clinical and cost-effectiveness of a New psychosocial intervention to support Independence in Dementia (NIDUS-family) for family carers and people living with dementia in their own homes: a randomised controlled trial. Trials, 2021, 22, 865.	1.6	11
229	Are nurses equipped to manage actual or suspected elder abuse?. Professional Nurse (london,) Tj ETQq1 1 0.784	-314 rgBT 0.1	/Overlock 10
230	Mild Traumatic Brain Injuries and Future Risk of Developing Alzheimer's Disease: Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2022, 87, 969-979.	2.6	11
231	Do health and use of services differ in residents of sheltered accommodation? A pilot study. , 1998, 13, 617-624.		10
232	A nurse-coordinated educational initiative addressing primary care professionals' attitudes to and problem-solving in depression in older people?a pilot study. , 2000, 15, 401-405.		10
233	Health professionals' and students' perceptions of elder abuse. Australasian Journal on Ageing, 2013, 32, 48-51.	0.9	10
234	Intervening to reduce elder abuse: challenges for research. Age and Ageing, 2016, 45, 184-185.	1.6	10

#	Article	IF	CITATIONS
235	Agitation near the end of life with dementia: An ethnographic study of care. PLoS ONE, 2019, 14, e0224043.	2.5	10
236	Carer coping and resident agitation as predictors of quality of life in care home residents living with dementia: Managing Agitation and Raising Quality of Life (MARQUE) English national care home prospective cohort study. International Journal of Geriatric Psychiatry, 2019, 34, 106-113.	2.7	10
237	Minocycline 200 mg or 400 mg versus placebo for mild Alzheimer's disease: the MADE Phase II, three RCT. Efficacy and Mechanism Evaluation, 2020, 7, 1-62.	e-arm 0.7	10
238	Dementia and hypertension in African/Caribbean elders. Age and Ageing, 2004, 33, 193-195.	1.6	9
239	What staff know about elder abuse in dementia and the effect of training. Dementia, 2004, 3, 377-384.	2.0	9
240	The social functioning in dementia scale (SFâ€ÐEM): Exploratory factor analysis and psychometric properties in mild, moderate, and severe dementia. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 45-52.	2.4	9
241	Becoming or Remaining Agitated: The Course of Agitation in People with Dementia Living in Care Homes. The English Longitudinal Managing Agitation and Raising Quality of Life (MARQUE) Study. Journal of Alzheimer's Disease, 2020, 76, 1-7.	2.6	9
242	An informant interview for the diagnosis of dementia and depression in older adults (IDD-GMS). , 1998, 13, 298-309.		8
243	Optimising the acceptability and feasibility of acceptance and commitment therapy for treatment-resistant generalised anxiety disorder in older adults. Age and Ageing, 2019, 48, 741-750.	1.6	8
244	A National Memory Clinic Survey to Assess Provision for People from Diverse Ethnic Backgrounds in England and Wales. International Journal of Environmental Research and Public Health, 2021, 18, 1456.	2.6	8
245	Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. International Journal of Geriatric Psychiatry, 2021, 36, 1354-1361.	2.7	8
246	What constitutes â€~good' home care for people with dementia? An investigation of the views of home care service recipients and providers. BMC Geriatrics, 2022, 22, 42.	2.7	8
247	Co-designing a dementia-specific education and training program for home care workers: The â€~Promoting Independence Through Quality Dementia Care at Home' project. Dementia, 2022, 21, 899-917.	2.0	8
248	Acute confusional states during treatment with risperidone. International Journal of Geriatric Psychiatry, 2000, 15, 534-535.	2.7	7
249	Improving Alzheimer's disease outcomes in Down's syndrome. Lancet, The, 2012, 379, 498-500.	13.7	7
250	Caring for relatives with agitation at home: A qualitative study of positive coping strategies. BJPsych Open, 2017, 3, 34-40.	0.7	7
251	The IDEMCare Study—Improving Dementia Care in Black African and Caribbean Groups: A feasibility cluster randomised controlled trial. International Journal of Geriatric Psychiatry, 2018, 33, 1048-1056.	2.7	7
252	A manual-based intervention for carers of people with dementia and sleep disturbances: an acceptability and feasibility RCT. Health Technology Assessment, 2018, 22, 1-408.	2.8	7

#	Article	IF	CITATIONS
253	Preventing Alzheimer's dementia. BMJ: British Medical Journal, 2017, 359, j5667.	2.3	6
254	Parity of access to memory services in London for the BAME population: a cross-sectional study. Aging and Mental Health, 2019, 23, 693-697.	2.8	6
255	An overview of the LASER-AD study: A longitudinal epidemiological study of people with Alzheimer's disease. International Review of Psychiatry, 2013, 25, 659-672.	2.8	5
256	Why do staff and family think differently about quality of life in dementia? A qualitative study exploring perspectives in care homes. International Journal of Geriatric Psychiatry, 2019, 34, 1784-1791.	2.7	5
257	Elder Abuse and Dementia. International Perspectives on Aging, 2020, , 137-147.	0.4	5
258	Treatment of patients who lack capacity. Psychiatric Bulletin, 1998, 22, 402-404.	0.3	5
259	Amisulpride for very late-onset schizophrenia-like psychosis: the ATLAS three-arm RCT. Health Technology Assessment, 2018, 22, 1-62.	2.8	5
260	Protection against discrimination in national dementia guideline recommendations: A systematic review. PLoS Medicine, 2022, 19, e1003860.	8.4	5
261	Addressing the needs of carers of older people: the Islington study. International Journal of Geriatric Psychiatry, 2002, 17, 85-86.	2.7	4
262	Prevention of dementia by targeting risk factors – Authors' reply. Lancet, The, 2018, 391, 1575-1576.	13.7	4
263	Development, feasibility, and acceptability of an intervention to improve care for agitation in people living in nursing homes with dementia nearing the end-of-life. International Psychogeriatrics, 2020, 33, 1-13.	1.0	4
264	Cognitive reserve and resilience: Possible mechanisms of dementia prevention. Alzheimer's and Dementia, 2020, 16, e037931.	0.8	4
265	Longâ€ŧerm implementation of the Managing Agitation and Raising QUality of lifE intervention in care homes: AÂqualitative study. International Journal of Geriatric Psychiatry, 2021, 36, 1252-1263.	2.7	4
266	Implementation of START (STrAtegies for RelaTives) for dementia carers in the third sector: Widening access to evidence-based interventions. PLoS ONE, 2021, 16, e0250410.	2.5	4
267	Referral patterns and acetylcholinesterase inhibitor prescribing for cognitive impairment (1999–2007): impact of NICE guidelines. Psychiatric Bulletin, 2008, 32, 265-267.	0.3	3
268	Disseminating START: training clinical psychologists and admiral nurses as trainers in a psychosocial intervention for carers of people with dementia's depressive and anxiety symptoms. BMJ Open, 2017, 7, e017759.	1.9	3
269	The EAST-Dem study: a pilot cluster randomized controlled trial. International Psychogeriatrics, 2018, 30, 769-773.	1.0	3
270	Evaluation of START (STrAtegies for RelaTives) adapted for carers of people with Lewy body dementia. Future Healthcare Journal, 2020, 7, e27-e29.	1.4	3

#	Article	IF	CITATIONS
271	Implementation should now be considered in parallel with designing clinical research. International Psychogeriatrics, 2020, 32, 1393-1395.	1.0	3
272	START-online: acceptability and feasibility of an online intervention for carers of people living with dementia. Pilot and Feasibility Studies, 2022, 8, 41.	1.2	3
273	A crossâ€sectional study of potentially modifiable risk factors for dementia and cognitive function in India: A secondary analysis of 10/66, LASI, and SAGE data. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	3
274	Closure of an Asylum: The Friern Study of Older People. , 1997, 12, 119-123.		2
275	IDEA intervention to prevent depressive symptoms and promote well-being in early-stage dementia: protocol for a randomised controlled feasibility study. BMJ Open, 2018, 8, e021074.	1.9	2
276	Potential for dementia prevention in Latin America and Africa based on population-attributable fraction estimates – Authors' reply. The Lancet Global Health, 2019, 7, e1325.	6.3	2
277	The minimum clinically important difference on the sleep disorders inventory for people with dementia. International Journal of Geriatric Psychiatry, 2020, 35, 1418-1423.	2.7	2
278	Identifying and treating hearing loss in mild cognitive impairment: a feasibility study for an interventional trial with hearing aids. International Psychogeriatrics, 2020, 32, 537-538.	1.0	2
279	Effect of trazodone on cognitive decline in people with dementia: Cohort study using UK routinely collected data. International Journal of Geriatric Psychiatry, 2022, 37, .	2.7	2
280	Health conditions linked to heightened risk of Alzheimer's disease. The Lancet Digital Health, 2022, 4, e150-e151.	12.3	2
281	Experience of UK Latin Americans caring for a relative living with dementia: A qualitative study of family carers. Dementia, 2022, 21, 1574-1595.	2.0	2
282	CAMDEX–R:The Cambridge Examination for Mental Disorders of the Elderly By Martin Roth, Felicia A. Huppert, C. Q. Mountjoy and Elizabeth Tym. Cambridge: Cambridge University Press. 1998. 180 pp. \$95.00 (hb). ISBN 0-521-46261-4. Psychiatric Bulletin, 2000, 24, 199-199.	0.3	1
283	A consensus on defining and measuring treatment benefits in dementia. International Psychogeriatrics, 2007, 19, 343-344.	1.0	1
284	[F1–05–01]: AGITATION AND QUALITY OF LIFE OF PEOPLE WITH DEMENTIA LIVING IN CARE HOMES: THE MANAGING AGITATION AND RAISING QUALITY OF LIFE IN DEMENTIA (MARQUE) CROSSâ€6ECTIONAL STUDY. Alzheimer's and Dementia, 2017, 13, P179.	0.8	1
285	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008–2016. Alzheimer's and Dementia, 2019, 15, 313-314.	0.8	1
286	Psychotropic prescribing for English care home residents with dementia compared with national guidance: findings from the MARQUE national longitudinal study. BJPsych Open, 2021, 7, .	0.7	1
287	Validity of Criteria for Dementia in Older People With Intellectual Disability. American Journal of Geriatric Psychiatry, 2012, , 1.	1.2	1
288	Acceptability and feasibility of a Japanese version of STrAtegies for RelaTives (START-J): A manualized coping strategy program for family caregivers of relatives living with dementia. Dementia, 2021, 20, 985-1004.	2.0	1

#	Article	IF	CITATIONS
289	Care home residents with dementia: Prevalence, incidence, and associations with sleep disturbance in an English cohort study. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2022, 8, e12251.	3.7	1
290	Minimum clinically important difference of the Social Functioning in Dementia Scale (SF-DEM): cross-sectional study and Delphi survey. BMJ Open, 2022, 12, e058252.	1.9	1
291	Depression and Anxiety in Dementia Caregivers. , 0, , 262-264.		1
292	A Systematic Review of Treatments for Refractory Depression in Older People. Focus (American) Tj ETQq0 0 0 rgB	Г /Overloc 0.8	k 10 Tf 50 6
293	P4-345: THE LONG-TERM CLINICAL EFFECTIVENESS OF START (STRATEGIES FOR RELATIVES) FOR FAMILY CARERS OF PEOPLE WITH DEMENTIA AND THE EFFECTS ON COST OF CARE. , 2014, 10, P914-P915.		0
294	P1-020: AUDITORY SPATIAL PROCESSING IN ALZHEIMER'S DISEASE AND POSTERIOR CORTICAL ATROPHY. , 2014, 10, P311-P311.		0
295	O3-O3-O1: A randomized controlled trial of the effect of the start (strategies for relatives) intervention: The effect on family caregiver's potentially harmful behavior to people with dementia. , 2015, 11, P222-P222.		0
296	[P1–298]: RESEARCHING DEMENTIAâ€RELATED SLEEP PROBLEMS USING ACTIâ€WATCHES: PRELIMINARY INSIG FROM THE DREAMS START STUDY. Alzheimer's and Dementia, 2017, 13, P367.	CHTS 0.8	0
297	[FTS5–01–02]: A NEW MODEL OF POTENTIALLY MODIFIABLE RISK FACTORS FOR DEMENTIA. Alzheimer's and Dementia, 2017, 13, P1449.	0.8	0
298	F4â€05â€04: A FEASIBILITY AND ACCEPTABILITY RANDOMISED CONTROLLED TRIAL OF A MANUAL BASED INTERVENTION FOR SLEEP DIFFICULTIES IN PEOPLE LIVING WITH DEMENTIA (DREAMSâ€6TART). Alzheimer's and Dementia, 2018, 14, P1390.	0.8	0
299	Response to commentary on "The relationship of bilingualism to cognitive decline: The Australian Longitudinal Study of Ageing― International Journal of Geriatric Psychiatry, 2018, 33, 1411-1411.	2.7	0
300	Carers. , 2019, , 261-268.		0
301	Acceptance and commitment therapy for older people with treatment-resistant generalised anxiety disorder: the FACTOID feasibility study. Health Technology Assessment, 2021, 25, 1-150.	2.8	0
302	Functional Psychiatric Illness in Old Age. , 2008, , 433-444.		0
303	Assessment of psychiatric teaching: examining examinations. Psychiatric Bulletin, 1998, 22, 726-728.	0.3	0
304	Apathy in UK Care Home Residents with Dementia: Longitudinal Course and Determinants. Journal of Alzheimer's Disease, 2022, , 1-10.	2.6	0
305	Infection control and the prevalence, management and outcomes of SARS-CoV-2 infections in mental health wards in London, UK: lessons learned from wave 1 to wave 2. BJPsych Open, 2022, 8, e63.	0.7	0

0

Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.

#	Article	IF	CITATIONS
307	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		Ο
308	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
309	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		Ο
310	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
311	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0