

# Gill Livingston

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/833391/publications.pdf>

Version: 2024-02-01

311  
papers

32,450  
citations

10351

72  
h-index

5101

166  
g-index

329  
all docs

329  
docs citations

329  
times ranked

30458  
citing authors

#	ARTICLE	IF	CITATIONS
1	Social relationships and depression during the COVID-19 lockdown: longitudinal analysis of the COVID-19 Social Study. <i>Psychological Medicine</i> , 2022, 52, 3381-3390.	2.7	86
2	Plasma proteins, cognitive decline, and 20-year risk of dementia in the Whitehall II and Atherosclerosis Risk in Communities studies. <i>Alzheimer's and Dementia</i> , 2022, 18, 612-624.	0.4	24
3	Effect of trazodone on cognitive decline in people with dementia: Cohort study using UK routinely collected data. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	2
4	What constitutes "good" home care for people with dementia? An investigation of the views of home care service recipients and providers. <i>BMC Geriatrics</i> , 2022, 22, 42.	1.1	8
5	Care home residents with dementia: Prevalence, incidence, and associations with sleep disturbance in an English cohort study. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022, 8, e12251.	1.8	1
6	Protection against discrimination in national dementia guideline recommendations: A systematic review. <i>PLoS Medicine</i> , 2022, 19, e1003860.	3.9	5
7	The effect of China's Clean Air Act on cognitive function in older adults: a population-based, quasi-experimental study. <i>The Lancet Healthy Longevity</i> , 2022, 3, e98-e108.	2.0	35
8	Co-designing a dementia-specific education and training program for home care workers: The "Promoting Independence Through Quality Dementia Care at Home" project. <i>Dementia</i> , 2022, 21, 899-917.	1.0	8
9	START-online: acceptability and feasibility of an online intervention for carers of people living with dementia. <i>Pilot and Feasibility Studies</i> , 2022, 8, 41.	0.5	3
10	Minimum clinically important difference of the Social Functioning in Dementia Scale (SF-DEM): cross-sectional study and Delphi survey. <i>BMJ Open</i> , 2022, 12, e058252.	0.8	1
11	Health conditions linked to heightened risk of Alzheimer's disease. <i>The Lancet Digital Health</i> , 2022, 4, e150-e151.	5.9	2
12	Apathy in UK Care Home Residents with Dementia: Longitudinal Course and Determinants. <i>Journal of Alzheimer's Disease</i> , 2022, , 1-10.	1.2	0
13	Infection control and the prevalence, management and outcomes of SARS-CoV-2 infections in mental health wards in London, UK: lessons learned from wave 1 to wave 2. <i>BJPsych Open</i> , 2022, 8, e63.	0.3	0
14	A cross-sectional study of potentially modifiable risk factors for dementia and cognitive function in India: A secondary analysis of 10/66, LASI, and SAGE data. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	1.3	3
15	Experience of UK Latin Americans caring for a relative living with dementia: A qualitative study of family carers. <i>Dementia</i> , 2022, 21, 1574-1595.	1.0	2
16	Socially assistive robots for people with dementia: Systematic review and meta-analysis of feasibility, acceptability and the effect on cognition, neuropsychiatric symptoms and quality of life. <i>Ageing Research Reviews</i> , 2022, 78, 101633.	5.0	25
17	Mild Traumatic Brain Injuries and Future Risk of Developing Alzheimer's Disease: Systematic Review and Meta-Analysis. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 969-979.	1.2	11
18	Nutrition state of science and dementia prevention: recommendations of the Nutrition for Dementia Prevention Working Group. <i>The Lancet Healthy Longevity</i> , 2022, 3, e501-e512.	2.0	26

#	ARTICLE	IF	CITATIONS
19	A mixed-methods feasibility study of a goal-focused manualised intervention to support people with dementia to stay living independently at home with support from family carers: NIDUS (New) Tj ETQq1 1 0.7843141rgBT /Overlock 10		
20	A National Memory Clinic Survey to Assess Provision for People from Diverse Ethnic Backgrounds in England and Wales. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1456.	1.2	8
21	The Association Between Impaired Awareness and Depression, Anxiety, and Apathy in Mild to Moderate Alzheimer's Disease: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 633081.	1.3	16
22	Current and Future Prevalence Estimates of Mild Cognitive Impairment, Dementia, and Its Subtypes in a Population-Based Sample of People 70 Years and Older in Norway: The HUNT Study. <i>Journal of Alzheimer's Disease</i> , 2021, 79, 1213-1226.	1.2	74
23	Culturally tailored therapeutic interventions for people affected by dementia: a systematic review and new conceptual model. <i>The Lancet Healthy Longevity</i> , 2021, 2, e171-e179.	2.0	11
24	Factors influencing prescription and administration of analgesic medication: A longitudinal study of people with dementia living in care homes. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1354-1361.	1.3	8
25	Long-term implementation of the Managing Agitation and Raising QUality of life intervention in care homes: A qualitative study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1252-1263.	1.3	4
26	Acceptance and commitment therapy for late-life treatment-resistant generalised anxiety disorder: a feasibility study. <i>Age and Ageing</i> , 2021, 50, 1751-1761.	0.7	17
27	Dementia wellbeing and COVID-19: Review and expert consensus on current research and knowledge gaps. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1597-1639.	1.3	52
28	Implementation of START (STrategies for RelaTives) for dementia carers in the third sector: Widening access to evidence-based interventions. <i>PLoS ONE</i> , 2021, 16, e0250410.	1.1	4
29	Impact of the COVID-19 pandemic on older adults mental health services: A mixed methods study. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1748-1758.	1.3	24
30	Cognitive stimulation in the workplace, plasma proteins, and risk of dementia: three analyses of population cohort studies. <i>BMJ</i> , The, 2021, 374, n1804.	3.0	28
31	Differences in the potential for dementia prevention between major ethnic groups within one country: A cross sectional analysis of population attributable fraction of potentially modifiable risk factors in New Zealand. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 13, 100191.	1.3	24
32	Acceptance and commitment therapy for older people with treatment-resistant generalised anxiety disorder: the FACTOID feasibility study. <i>Health Technology Assessment</i> , 2021, 25, 1-150.	1.3	0
33	Psychotropic prescribing for English care home residents with dementia compared with national guidance: findings from the MARQUE national longitudinal study. <i>BJPsych Open</i> , 2021, 7, .	0.3	1
34	The effect of COVID-19 isolation measures on the cognition and mental health of people living with dementia: A rapid systematic review of one year of quantitative evidence. <i>EClinicalMedicine</i> , 2021, 39, 101047.	3.2	69
35	Empathy and its associations with age and sociodemographic characteristics in a large UK population sample. <i>PLoS ONE</i> , 2021, 16, e0257557.	1.1	15
36	COVID-19 and UK family carers: policy implications. <i>Lancet Psychiatry</i> , the, 2021, 8, 929-936.	3.7	18

#	ARTICLE	IF	CITATIONS
37	Study of mirtazapine for agitated behaviours in dementia (SYMBAD): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2021, 398, 1487-1497.	6.3	31
38	Acceptability and feasibility of a Japanese version of STRategies for Relatives (START-J): A manualized coping strategy program for family caregivers of relatives living with dementia. <i>Dementia</i> , 2021, 20, 985-1004.	1.0	1
39	Clinical and cost-effectiveness of a New psychosocial intervention to support Independence in Dementia (NIDUS-family) for family carers and people living with dementia in their own homes: a randomised controlled trial. <i>Trials</i> , 2021, 22, 865.	0.7	11
40	Clinical effectiveness of the START (STRategies for Relatives) psychological intervention for family carers and the effects on the cost of care for people with dementia: 6-year follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2020, 216, 35-42.	1.7	27
41	Burnout in UK care home staff and its effect on staff turnover: MARQUE English national care home longitudinal survey. <i>Age and Ageing</i> , 2020, 49, 74-81.	0.7	25
42	“I know they are not trained in dementia”: Addressing the need for specialist dementia training for home care workers. <i>Health and Social Care in the Community</i> , 2020, 28, 475-484.	0.7	34
43	Measuring the prevalence of sleep disturbances in people with dementia living in care homes: a systematic review and meta-analysis. <i>Sleep</i> , 2020, 43, .	0.6	34
44	Minocycline at 2 Different Dosages vs Placebo for Patients With Mild Alzheimer Disease. <i>JAMA Neurology</i> , 2020, 77, 164.	4.5	113
45	Prevalence, management, and outcomes of SARS-CoV-2 infections in older people and those with dementia in mental health wards in London, UK: a retrospective observational study. <i>Lancet Psychiatry</i> , 2020, 7, 1054-1063.	3.7	48
46	Dementia prevention, intervention, and care: 2020 report of the Lancet Commission. <i>Lancet, The</i> , 2020, 396, 413-446.	6.3	4,658
47	Effective interventions for potentially modifiable risk factors for late-onset dementia: a costs and cost-effectiveness modelling study. <i>The Lancet Healthy Longevity</i> , 2020, 1, e13-e20.	2.0	30
48	Leisure activity participation and risk of dementia. <i>Neurology</i> , 2020, 95, e2803-e2815.	1.5	34
49	Development, feasibility, and acceptability of an intervention to improve care for agitation in people living in nursing homes with dementia nearing the end-of-life. <i>International Psychogeriatrics</i> , 2020, 33, 1-13.	0.6	4
50	The minimum clinically important difference on the sleep disorders inventory for people with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 1418-1423.	1.3	2
51	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. <i>JAMA Network Open</i> , 2020, 3, e2016084.	2.8	18
52	Cognitive reserve and resilience: Possible mechanisms of dementia prevention. <i>Alzheimer's and Dementia</i> , 2020, 16, e037931.	0.4	4
53	Becoming or Remaining Agitated: The Course of Agitation in People with Dementia Living in Care Homes. The English Longitudinal Managing Agitation and Raising Quality of Life (MARQUE) Study. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1-7.	1.2	9
54	Experiences of hearing aid use among patients with mild cognitive impairment and Alzheimer's disease dementia: A qualitative study. <i>SAGE Open Medicine</i> , 2020, 8, 205031212090457.	0.7	15

#	ARTICLE	IF	CITATIONS
55	One third of dementia cases can be prevented within the next 25 years by tackling risk factors. The case for and against. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 81.	3.0	47
56	Identifying and treating hearing loss in mild cognitive impairment: a feasibility study for an interventional trial with hearing aids. <i>International Psychogeriatrics</i> , 2020, 32, 537-538.	0.6	2
57	Time to invest in prevention and better care of behaviors and psychological symptoms associated with dementia. <i>International Psychogeriatrics</i> , 2020, 32, 567-572.	0.6	24
58	Elder Abuse and Dementia. <i>International Perspectives on Aging</i> , 2020, , 137-147.	0.2	5
59	The impact of sleep disturbances on care home residents with dementia: the SIESTA qualitative study. <i>International Psychogeriatrics</i> , 2020, 32, 839-847.	0.6	16
60	Minocycline 200mg or 400mg versus placebo for mild Alzheimer's disease: the MADE Phase II, three-arm RCT. <i>Efficacy and Mechanism Evaluation</i> , 2020, 7, 1-62.	0.9	10
61	Evaluation of START (STrategies for RelaTives) adapted for carers of people with Lewy body dementia. <i>Future Healthcare Journal</i> , 2020, 7, e27-e29.	0.6	3
62	Implementation should now be considered in parallel with designing clinical research. <i>International Psychogeriatrics</i> , 2020, 32, 1393-1395.	0.6	3
63	Why do staff and family think differently about quality of life in dementia? A qualitative study exploring perspectives in care homes. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1784-1791.	1.3	5
64	Association of social contact with dementia and cognition: 28-year follow-up of the Whitehall II cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002862.	3.9	105
65	Hospitalisation rates and predictors in people with dementia: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2019, 17, 130.	2.3	105
66	Optimising the acceptability and feasibility of acceptance and commitment therapy for treatment-resistant generalised anxiety disorder in older adults. <i>Age and Ageing</i> , 2019, 48, 741-750.	0.7	8
67	<i>Carers</i> , 2019, , 261-268.		0
68	Patient and companion shared decision making and satisfaction with decisions about starting cholinesterase medication at dementia diagnosis. <i>Age and Ageing</i> , 2019, 48, 711-718.	0.7	12
69	Agitation near the end of life with dementia: An ethnographic study of care. <i>PLoS ONE</i> , 2019, 14, e0224043.	1.1	10
70	Behavioral Activation for Promoting Well-Being in Mild Dementia: Feasibility and Outcomes of a Pilot Randomized Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 563-574.	1.2	12
71	Potential for dementia prevention in Latin America and Africa based on population-attributable fraction estimates Authors' reply. <i>The Lancet Global Health</i> , 2019, 7, e1325.	2.9	2
72	Hospitalisation of people with dementia: evidence from English electronic health records from 2008 to 2016. <i>European Journal of Epidemiology</i> , 2019, 34, 567-577.	2.5	44

#	ARTICLE	IF	CITATIONS
73	The social functioning in dementia scale (SFâ€DEM): Exploratory factor analysis and psychometric properties in mild, moderate, and severe dementia. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 45-52.	1.2	9
74	Population attributable fractions for risk factors for dementia in low-income and middle-income countries: an analysis using cross-sectional survey data. <i>The Lancet Global Health</i> , 2019, 7, e596-e603.	2.9	226
75	Measuring the quality of life of family carers of people with dementia: development and validation of C-DEMQOL. <i>Quality of Life Research</i> , 2019, 28, 2299-2310.	1.5	24
76	Re: Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008â€2016. <i>Alzheimer's and Dementia</i> , 2019, 15, 313-314.	0.4	1
77	Brain structural changes after multiâ€strategic metamemory training in older adults with subjective memory complaints: A randomized controlled trial. <i>Brain and Behavior</i> , 2019, 9, e01278.	1.0	14
78	Clinical and cost-effectiveness of the Managing Agitation and Raising Quality of Life (MARQUE) intervention for agitation in people with dementia in care homes: a single-blind, cluster-randomised controlled trial. <i>Lancet Psychiatry</i> , 2019, 6, 293-304.	3.7	41
79	Healthcare resource utilisation and costs of agitation in people with dementia living in care homes in England - The Managing Agitation and Raising Quality of Life in Dementia (MARQUE) study. <i>PLoS ONE</i> , 2019, 14, e0211953.	1.1	17
80	Ethnic differences in cognition and age in people diagnosed with dementia: A study of electronic health records in two large mental healthcare providers. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 504-510.	1.3	32
81	Genetic meta-analysis of diagnosed Alzheimerâ€™s disease identifies new risk loci and implicates AÎ², tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019, 51, 414-430.	9.4	1,962
82	DREAMS-START (Dementia RELATED Manual for Sleep; STRategies for Relatives) for people with dementia and sleep disturbances: a single-blind feasibility and acceptability randomized controlled trial. <i>International Psychogeriatrics</i> , 2019, 31, 251-265.	0.6	32
83	A systematic review and meta-analysis of the prevalence and associations of stress and burnout among staff in long-term care facilities for people with dementia. <i>International Psychogeriatrics</i> , 2019, 31, 1203-1216.	0.6	87
84	Carer coping and resident agitation as predictors of quality of life in care home residents living with dementia: Managing Agitation and Raising Quality of Life (MARQUE) English national care home prospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 106-113.	1.3	10
85	Understanding the quality of life of family carers of people with dementia: Development of a new conceptual framework. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 79-86.	1.3	31
86	Involving patients with dementia in decisions to initiate treatment: effect on patient acceptance, satisfaction and medication prescription. <i>British Journal of Psychiatry</i> , 2019, 214, 213-217.	1.7	40
87	Parity of access to memory services in London for the BAME population: a cross-sectional study. <i>Aging and Mental Health</i> , 2019, 23, 693-697.	1.5	6
88	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
89	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
90	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0

#	ARTICLE	IF	CITATIONS
91	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
92	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
93	Agitation near the end of life with dementia: An ethnographic study of care. , 2019, 14, e0224043.		0
94	A roadmap to advance dementia research in prevention, diagnosis, intervention, and care by 2025. International Journal of Geriatric Psychiatry, 2018, 33, 900-906.	1.3	83
95	The EAST-Dem study: a pilot cluster randomized controlled trial. International Psychogeriatrics, 2018, 30, 769-773.	0.6	3
96	Accuracy of general hospital dementia diagnoses in England: Sensitivity, specificity, and predictors of diagnostic accuracy 2008â€”2016. Alzheimer's and Dementia, 2018, 14, 933-943.	0.4	97
97	Prevention of dementia by targeting risk factors â€” Authors' reply. Lancet, The, 2018, 391, 1575-1576.	6.3	4
98	The relationship of bilingualism to cognitive decline: The Australian Longitudinal Study of Ageing. International Journal of Geriatric Psychiatry, 2018, 33, e249-e256.	1.3	15
99	Marriage and risk of dementia: systematic review and meta-analysis of observational studies. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 231-238.	0.9	148
100	F4â€”05â€”04: A FEASIBILITY AND ACCEPTABILITY RANDOMISED CONTROLLED TRIAL OF A MANUAL BASED INTERVENTION FOR SLEEP DIFFICULTIES IN PEOPLE LIVING WITH DEMENTIA (DREAMSâ€”START). Alzheimer's and Dementia, 2018, 14, P1390.	0.4	0
101	IDEA intervention to prevent depressive symptoms and promote well-being in early-stage dementia: protocol for a randomised controlled feasibility study. BMJ Open, 2018, 8, e021074.	0.8	2
102	An intervention to improve sleep for people living with dementia: Reflections on the development and co-production of DREAMS:START (Dementia RELATED Manual for Sleep: STRategies for RelATives). Dementia, 2018, 17, 976-989.	1.0	13
103	Dementia severity at death: a register-based cohort study. BMC Psychiatry, 2018, 18, 355.	1.1	12
104	Care workers, the unacknowledged persons in person-centred care: A secondary qualitative analysis of UK care home staff interviews. PLoS ONE, 2018, 13, e0200031.	1.1	33
105	How do care home staff understand, manage and respond to agitation in people with dementia? A qualitative study. BMJ Open, 2018, 8, e022260.	0.8	30
106	Response to commentary on â€”The relationship of bilingualism to cognitive decline: The Australian Longitudinal Study of Ageingâ€”. International Journal of Geriatric Psychiatry, 2018, 33, 1411-1411.	1.3	0
107	The IDEMCare Studyâ€”Improving Dementia Care in Black African and Caribbean Groups: A feasibility cluster randomised controlled trial. International Journal of Geriatric Psychiatry, 2018, 33, 1048-1056.	1.3	7
108	Antipsychotic treatment of very late-onset schizophrenia-like psychosis (ATLAS): a randomised, controlled, double-blind trial. Lancet Psychiatry,the, 2018, 5, 553-563.	3.7	53



#	ARTICLE	IF	CITATIONS
109	Do care homes deliver person-centred care? A cross-sectional survey of staff-reported abusive and positive behaviours towards residents from the MARQUE (Managing Agitation and Raising Quality of) Tj ETQq1 1 01784314 r38 /Over	1.3	14
110	Amisulpride for very late-onset schizophrenia-like psychosis: the ATLAS three-arm RCT. Health Technology Assessment, 2018, 22, 1-62.	1.3	5
111	A manual-based intervention for carers of people with dementia and sleep disturbances: an acceptability and feasibility RCT. Health Technology Assessment, 2018, 22, 1-408.	1.3	7
112	The development of Attitudes of People from Ethnic Minorities to Helpâ€ Seeking for Dementia (APEND): a questionnaire to measure attitudes to helpâ€ seeking for dementia in people from South Asian backgrounds in the UK. International Journal of Geriatric Psychiatry, 2017, 32, 288-296.	1.3	15
113	Clinical practice with anti-dementia drugs: A revised (third) consensus statement from the British Association for Psychopharmacology. Journal of Psychopharmacology, 2017, 31, 147-168.	2.0	198
114	Factors associated with the quality of life of family carers of people with dementia: A systematic review. Alzheimer's and Dementia, 2017, 13, 572-581.	0.4	228
115	Development of an instrument to assess social functioning in dementia: The Social Functioning in Dementia scale (SFâ€DEM). Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 88-98.	1.2	18
116	Trends in diagnosis and treatment for people with dementia in the UK from 2005 to 2015: a longitudinal retrospective cohort study. Lancet Public Health, The, 2017, 2, e149-e156.	4.7	101
117	Proxy rated quality of life of care home residents with dementia: a systematic review. International Psychogeriatrics, 2017, 29, 569-581.	0.6	48
118	The Relationship of Bilingualism Compared to Monolingualism to the Risk of Cognitive Decline or Dementia: A Systematic Review and Meta-Analysis. Journal of Alzheimer's Disease, 2017, 58, 45-54.	1.2	103
119	Instruments measuring the disease-specific quality of life of family carers of people with neurodegenerative diseases: a systematic review. BMJ Open, 2017, 7, e013611.	0.8	28
120	Systematic review of the effective components of psychosocial interventions delivered by care home staff to people with dementia. BMJ Open, 2017, 7, e014177.	0.8	52
121	Behavioural activation for depression in older people: systematic review and meta-analysis. British Journal of Psychiatry, 2017, 211, 274-279.	1.7	67
122	Prevalence of and associations with agitation in residents with dementia living in care homes: MARQUE cross-sectional study. BJPsych Open, 2017, 3, 171-178.	0.3	98
123	Disseminating START: training clinical psychologists and admiral nurses as trainers in a psychosocial intervention for carers of people with dementiaâ€™s depressive and anxiety symptoms. BMJ Open, 2017, 7, e017759.	0.8	3
124	A feasibility randomised controlled trial of the DECIDE intervention: Dementia carers making informed decisions. BJPsych Open, 2017, 3, 12-14.	0.3	14
125	The management of sleep disorders in dementia. Current Opinion in Psychiatry, 2017, 30, 491-497.	3.1	33
126	Dementia prevention, intervention, and care. Lancet, The, 2017, 390, 2673-2734.	6.3	4,228



#	ARTICLE	IF	CITATIONS
127	How people with dementia and carers understand and react to social functioning changes in mild dementia: a UK-based qualitative study. <i>BMJ Open</i> , 2017, 7, e016740.	0.8	19
128	[P1â€“298]: RESEARCHING DEMENTIAâ€RELATED SLEEP PROBLEMS USING ACTIâ€WATCHES: PRELIMINARY INSIGHTS FROM THE DREAMS START STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P367.	0.4	0
129	[F1â€“05â€“01]: AGITATION AND QUALITY OF LIFE OF PEOPLE WITH DEMENTIA LIVING IN CARE HOMES: THE MANAGING AGITATION AND RAISING QUALITY OF LIFE IN DEMENTIA (MARQUE) CROSSâ€SECTIONAL STUDY. <i>Alzheimer's and Dementia</i> , 2017, 13, P179.	0.4	1
130	[FTS5â€“01â€“02]: A NEW MODEL OF POTENTIALLY MODIFIABLE RISK FACTORS FOR DEMENTIA. <i>Alzheimer's and Dementia</i> , 2017, 13, P1449.	0.4	0
131	Preventing Alzheimerâ€™s dementia. <i>BMJ: British Medical Journal</i> , 2017, 359, j5667.	2.4	6
132	Core outcome measures for interventions to prevent or slow the progress of dementia for people living with mild to moderate dementia: Systematic review and consensus recommendations. <i>PLoS ONE</i> , 2017, 12, e0179521.	1.1	48
133	Effectiveness of an intervention to facilitate prompt referral to memory clinics in the United Kingdom: Cluster randomised controlled trial. <i>PLoS Medicine</i> , 2017, 14, e1002252.	3.9	15
134	Caring for relatives with agitation at home: A qualitative study of positive coping strategies. <i>BJPsych Open</i> , 2017, 3, 34-40.	0.3	7
135	Development of a core outcome set for disease modification trials in mild to moderate dementia: a systematic review, patient and public consultation and consensus recommendations. <i>Health Technology Assessment</i> , 2017, 21, 1-192.	1.3	37
136	Black African and Caribbean British Communitiesâ€™ Perceptions of Memory Problems: â€œWe Donâ€™t Do Dementia.â€ <i>PLoS ONE</i> , 2016, 11, e0151878.	1.1	47
137	Effectiveness of START psychological intervention in reducing abuse by dementia family carers: randomized controlled trial. <i>International Psychogeriatrics</i> , 2016, 28, 881-887.	0.6	33
138	How people with dementia and their families decide about moving to a care home and support their needs: development of a decision aid, a qualitative study. <i>BMC Geriatrics</i> , 2016, 16, 68.	1.1	69
139	Intervening to reduce elder abuse: challenges for research. <i>Age and Ageing</i> , 2016, 45, 184-185.	0.7	10
140	A systematic review of barriers and facilitators to and interventions for proxy decision-making by family carers of people with dementia. <i>International Psychogeriatrics</i> , 2015, 27, 1301-1312.	0.6	98
141	What would encourage help-seeking for memory problems among UK-based South Asians? A qualitative study. <i>BMJ Open</i> , 2015, 5, e007990.	0.8	30
142	Use of a formal consensus development technique to produce recommendations for improving the effectiveness of adult mental health multidisciplinary team meetings. <i>BMC Psychiatry</i> , 2015, 15, 143.	1.1	15
143	Monetary costs of agitation in older adults with Alzheimer's disease in the UK: prospective cohort study. <i>BMJ Open</i> , 2015, 5, e007382-e007382.	0.8	43
144	O3-03-01: A randomized controlled trial of the effect of the start (strategies for relatives) intervention: The effect on family caregiver's potentially harmful behavior to people with dementia. , 2015, 11, P222-P222.		0

#	ARTICLE	IF	CITATIONS
145	Modifiable Predictors of Dementia in Mild Cognitive Impairment: A Systematic Review and Meta-Analysis. <i>American Journal of Psychiatry</i> , 2015, 172, 323-334.	4.0	382
146	A systematic review of interventions to detect dementia or cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 32-45.	1.3	29
147	A global perspective on dementia care: a Lancet Commission. <i>Lancet, The</i> , 2015, 386, 933-934.	6.3	22
148	Diagnostic rates and treatment of dementia before and after launch of a national dementia policy: an observational study using English national databases. <i>BMJ Open</i> , 2014, 4, e004119.	0.8	29
149	START (STrategies for RelaTives) coping strategy for family carers of adults with dementia: qualitative study of participants' views about the intervention. <i>BMJ Open</i> , 2014, 4, e005273-e005273.	0.8	19
150	Determinants of treatment plan implementation in multidisciplinary team meetings for patients with chronic diseases: a mixed-methods study. <i>BMJ Quality and Safety</i> , 2014, 23, 867-876.	1.8	51
151	P4-345: THE LONG-TERM CLINICAL EFFECTIVENESS OF START (STRATEGIES FOR RELATIVES) FOR FAMILY CARERS OF PEOPLE WITH DEMENTIA AND THE EFFECTS ON COST OF CARE. , 2014, 10, P914-P915.		0
152	Non-pharmacological interventions for agitation in dementia: systematic review of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2014, 205, 436-442.	1.7	325
153	Systematic review and meta-analysis to estimate potential recruitment to dementia intervention studies. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 515-525.	1.3	50
154	Relationship of coping style to mood and anxiety disorders in dementia carers. <i>Current Opinion in Psychiatry</i> , 2014, 27, 52-56.	3.1	15
155	Mental Health/Psychiatric Issues in Elder Abuse and Neglect. <i>Clinics in Geriatric Medicine</i> , 2014, 30, 839-850.	1.0	27
156	Coping strategies as mediators of the effect of the START (strategies for RelaTives) intervention on psychological morbidity for family carers of people with dementia in a randomised controlled trial. <i>Journal of Affective Disorders</i> , 2014, 168, 298-305.	2.0	29
157	Review of brief cognitive tests for patients with suspected dementia. <i>International Psychogeriatrics</i> , 2014, 26, 1247-1262.	0.6	166
158	Improving the effectiveness of multidisciplinary team meetings for patients with chronic diseases: a prospective observational study. <i>Health Services and Delivery Research</i> , 2014, 2, 1-172.	1.4	212
159	Introducing case management for people with dementia in primary care: a mixed-methods study. <i>British Journal of General Practice</i> , 2014, 64, e735-e741.	0.7	19
160	P1-020: AUDITORY SPATIAL PROCESSING IN ALZHEIMER'S DISEASE AND POSTERIOR CORTICAL ATROPHY. , 2014, 10, P311-P311.		0
161	Long-term clinical and cost-effectiveness of psychological intervention for family carers of people with dementia: a single-blind, randomised, controlled trial. <i>Lancet Psychiatry,the</i> , 2014, 1, 539-548.	3.7	68
162	A systematic review of the clinical effectiveness and cost-effectiveness of sensory, psychological and behavioural interventions for managing agitation in older adults with dementia. <i>Health Technology Assessment</i> , 2014, 18, 1-226, v-vi.	1.3	116

#	ARTICLE	IF	CITATIONS
163	The effectiveness of collaborative care for people with memory problems in primary care: results of the CAREDEM case management modelling and feasibility study. <i>Health Technology Assessment</i> , 2014, 18, 1-148.	1.3	244
164	START (STrAtegies for RelaTives) study: a pragmatic randomised controlled trial to determine the clinical effectiveness and cost-effectiveness of a manual-based coping strategy programme in promoting the mental health of carers of people with dementia. <i>Health Technology Assessment</i> , 2014, 18, 1-242.	1.3	156
165	Grief reactions in dementia carers: a systematic review. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 1-17.	1.3	162
166	Ethnic inequalities in the use of health services for common mental disorders in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 685-692.	1.6	70
167	Validity of Criteria for Dementia in Older People With Intellectual Disability. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 279-288.	0.6	19
168	Treatment for mild cognitive impairment: systematic review. <i>British Journal of Psychiatry</i> , 2013, 203, 255-264.	1.7	185
169	Systematic Review of the Effectiveness of Pharmacologic Interventions to Improve Quality of Life and Well-being in People With Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 173-183.	0.6	41
170	Incidence of dementia in older adults with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2013, 34, 1881-1885.	1.2	105
171	Care workers' abusive behavior to residents in care homes: a qualitative study of types of abuse, barriers, and facilitators to good care and development of an instrument for reporting of abuse anonymously. <i>International Psychogeriatrics</i> , 2013, 25, 733-741.	0.6	37
172	A Systematic Review of Treatments for Refractory Depression in Older People. <i>Focus (American Journal of Psychiatry)</i> , 2013, 111, 1000-1004.	0.4	0
173	Clinical effectiveness of a manual based coping strategy programme (START, STrAtegies for RelaTives) in promoting the mental health of carers of family members with dementia: pragmatic randomised controlled trial. <i>BMJ</i> , 2013, 347, f6276-f6276.	3.0	154
174	Cost effectiveness of a manual based coping strategy programme in promoting the mental health of family carers of people with dementia (the START (STrAtegies for RelaTives) study): a pragmatic randomised controlled trial. <i>BMJ</i> , 2013, 347, f6342-f6342.	3.0	67
175	Improving access to dementia services for people from minority ethnic groups. <i>Current Opinion in Psychiatry</i> , 2013, 26, 409-414.	3.1	54
176	Improving the end-of-life for people with dementia living in a care home: an intervention study. <i>International Psychogeriatrics</i> , 2013, 25, 1849-1858.	0.6	56
177	Cost-effectiveness analyses for mirtazapine and sertraline in dementia: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2013, 202, 121-128.	1.7	43
178	Health professionals' and students' perceptions of elder abuse. <i>Australasian Journal on Ageing</i> , 2013, 32, 48-51.	0.4	10
179	An overview of the LASER-AD study: A longitudinal epidemiological study of people with Alzheimer's disease. <i>International Review of Psychiatry</i> , 2013, 25, 659-672.	1.4	5
180	Do changes in coping style explain the effectiveness of interventions for psychological morbidity in family carers of people with dementia? A systematic review and meta-analysis. <i>International Psychogeriatrics</i> , 2013, 25, 204-214.	0.6	37

#	ARTICLE	IF	CITATIONS
181	The Role of Variation at AÎ²PP, PSEN1, PSEN2, and MAPT in Late Onset Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 28, 377-387.	1.2	53
182	Reducing the stigma associated with dementia: approaches and goals. <i>Aging Health</i> , 2012, 8, 377-386.	0.3	86
183	Systematic review of the effectiveness of non-pharmacological interventions to improve quality of life of people with dementia. <i>International Psychogeriatrics</i> , 2012, 24, 856-870.	0.6	161
184	Improving Alzheimer's disease outcomes in Down's syndrome. <i>Lancet, The</i> , 2012, 379, 498-500.	6.3	7
185	The effect of an educational intervention on junior doctors's knowledge and practice in detecting and managing elder abuse. <i>International Psychogeriatrics</i> , 2012, 24, 1447-1453.	0.6	22
186	Care at the end of life for people with dementia living in a care home: a qualitative study of staff experience and attitudes. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 643-650.	1.3	54
187	Coping strategies and psychological morbidity in family carers of people with dementia: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2012, 139, 1-11.	2.0	120
188	Validity of Criteria for Dementia in Older People With Intellectual Disability. <i>American Journal of Geriatric Psychiatry</i> , 2012, , 1.	0.6	1
189	Efficacy of Memantine for Agitation in Alzheimer's Dementia: A Randomised Double-Blind Placebo Controlled Trial. <i>PLoS ONE</i> , 2012, 7, e35185.	1.1	144
190	Sertraline or mirtazapine for depression in dementia (HTA-SADD): a randomised, multicentre, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2011, 378, 403-411.	6.3	444
191	A systematic review of stress in staff caring for people with dementia living in 24-hour care settings. <i>International Psychogeriatrics</i> , 2011, 23, 4-9.	0.6	76
192	Why do ethnic elders present later to UK dementia services? A qualitative study. <i>International Psychogeriatrics</i> , 2011, 23, 1070-1077.	0.6	106
193	Reasons why family members become carers and the outcome for the person with dementia: results from the CARD study. <i>International Psychogeriatrics</i> , 2011, 23, 1442-1450.	0.6	20
194	Persistence of neuropsychiatric symptoms over six months in mild cognitive impairment in community-dwelling Korean elderly. <i>International Psychogeriatrics</i> , 2011, 23, 214-220.	0.6	40
195	Prevalence of dementia in African-Caribbean compared with UK-born White older people: two-stage cross-sectional study. <i>British Journal of Psychiatry</i> , 2011, 199, 119-125.	1.7	60
196	Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. <i>Nature Genetics</i> , 2011, 43, 429-435.	9.4	1,708
197	Cognitive impairment and happiness in old people in low and middle income countries: results from the 10/66 study. <i>Journal of Affective Disorders</i> , 2011, 130, 198-204.	2.0	22
198	A systematic review of ethnicity and pathways to care in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2011, 26, 12-20.	1.3	240

#	ARTICLE	IF	CITATIONS
199	The meaning of reporting forgetfulness: a cross-sectional study of adults in the English 2007 Adult Psychiatric Morbidity Survey. <i>Age and Ageing</i> , 2011, 40, 711-717.	0.7	53
200	The impact of anticholinergic burden in Alzheimer's Dementia-the Laser-AD study. <i>Age and Ageing</i> , 2011, 40, 730-735.	0.7	80
201	A Systematic Review of Treatments for Refractory Depression in Older People. <i>American Journal of Psychiatry</i> , 2011, 168, 681-688.	4.0	148
202	Recognition of elder abuse by home care workers and older people in Romania. <i>International Psychogeriatrics</i> , 2010, 22, 403-408.	0.6	19
203	Service use and cost of mental disorder in older adults with intellectual disability. <i>British Journal of Psychiatry</i> , 2010, 196, 133-138.	1.7	48
204	The treatment of common mental disorders across age groups: Results from the 2007 adult psychiatric morbidity survey. <i>Journal of Affective Disorders</i> , 2010, 127, 96-101.	2.0	48
205	Genetic Evidence Implicates the Immune System and Cholesterol Metabolism in the Aetiology of Alzheimer's Disease. <i>PLoS ONE</i> , 2010, 5, e13950.	1.1	347
206	Making decisions for people with dementia who lack capacity: qualitative study of family carers in UK. <i>BMJ: British Medical Journal</i> , 2010, 341, c4184-c4184.	2.4	173
207	Antidementia drugs: Prescription by level of cognitive impairment or by socio-economic group?. <i>Aging and Mental Health</i> , 2010, 14, 85-89.	1.5	20
208	Family carers' distress and abusive behaviour: longitudinal study. <i>British Journal of Psychiatry</i> , 2010, 196, 480-485.	1.7	65
209	A Systematic Review and Meta-Analysis of Ethnic Differences in Use of Dementia Treatment, Care, and Research. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 193-203.	0.6	242
210	A systematic review of the prevalence and covariates of dementia or relative cognitive impairment in the older African-Caribbean population in Britain. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 657-665.	1.3	48
211	Prediction of survival in Alzheimer's disease-The LASER longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 739-747.	1.3	18
212	Medical students' recognition of elder abuse. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 770-777.	1.3	18
213	Predictors of entering 24-h care for people with Alzheimer's disease: results from the LASER study. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1291-1298.	1.3	18
214	Mental capacity to consent to treatment and admission decisions in older adult psychiatric inpatients. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 1367-1375.	1.3	21
215	Genome-wide association study identifies variants at CLU and PICALM associated with Alzheimer's disease. <i>Nature Genetics</i> , 2009, 41, 1088-1093.	9.4	2,697
216	Knowledge, Detection, and Reporting of Abuse by Health and Social Care Professionals: A Systematic Review. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 826-838.	0.6	78

#	ARTICLE	IF	CITATIONS
217	Changes in the Quality of Life of People With Dementia Living in Care Homes. <i>Alzheimer Disease and Associated Disorders</i> , 2009, 23, 285-290.	0.6	108
218	Systematic review of the effect of education on survival in Alzheimer's disease. <i>International Psychogeriatrics</i> , 2009, 21, 25.	0.6	77
219	The sensitivity and specificity of the Modified Conflict Tactics Scale for detecting clinically significant elder abuse. <i>International Psychogeriatrics</i> , 2009, 21, 774-778.	0.6	36
220	What would help me stop abusing? The family carer's perspective. <i>International Psychogeriatrics</i> , 2009, 21, 309.	0.6	21
221	Successful aging in health adversity: results from the National Psychiatric Morbidity Survey. <i>International Psychogeriatrics</i> , 2009, 21, 861.	0.6	13
222	Abuse of people with dementia by family carers: representative cross sectional survey. <i>BMJ: British Medical Journal</i> , 2009, 338, b155-b155.	2.4	119
223	Screening for elder abuse in dementia in the LASER-AD study: prevalence, correlates and validation of instruments. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 283-288.	1.3	83
224	Coping strategies, anxiety and depression in caregivers of people with Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2008, 23, 929-936.	1.3	223
225	The prevalence of elder abuse and neglect: a systematic review. <i>Age and Ageing</i> , 2008, 37, 151-160.	0.7	519
226	Attachment style and anxiety in carers of people with Alzheimer's disease: results from the LASER-AD study. <i>International Psychogeriatrics</i> , 2008, 20, 494-507.	0.6	25
227	Validity and Reliability of the Brief COPE in Carers of People With Dementia. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 838-843.	0.5	219
228	Referral patterns and acetylcholinesterase inhibitor prescribing for cognitive impairment (1999-2007): impact of NICE guidelines. <i>Psychiatric Bulletin</i> , 2008, 32, 265-267.	0.3	3
229	Functional Psychiatric Illness in Old Age. , 2008, , 433-444.		0
230	Dementia with Lewy bodies: a comparison of clinical diagnosis, FP-CIT single photon emission computed tomography imaging and autopsy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2007, 78, 1176-1181.	0.9	250
231	A consensus on defining and measuring treatment benefits in dementia. <i>International Psychogeriatrics</i> , 2007, 19, 343-344.	0.6	1
232	A systematic review of the prevalence and covariates of anxiety in caregivers of people with dementia. <i>International Psychogeriatrics</i> , 2007, 19, 175.	0.6	300
233	International Psychogeriatric Association consensus statement on defining and measuring treatment benefits in dementia. <i>International Psychogeriatrics</i> , 2007, 19, 345-354.	0.6	58
234	“Why did I become a psychiatrist?”™: survey of consultant psychiatrists. <i>Psychiatric Bulletin</i> , 2007, 31, 227-230.	0.3	18



#	ARTICLE	IF	CITATIONS
235	Acute mental health care for older people by crisis resolution teams in England. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 263-265.	1.3	17
236	A systematic review of intervention studies about anxiety in caregivers of people with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 181-188.	1.3	98
237	What is elder abuse—“who decides?”. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1009-1012.	1.3	40
238	Quality of life in dementia: care recipient and caregiver perceptions of quality of life in dementia: the LASER-AD study. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1031-1036.	1.3	119
239	A cluster randomised controlled trial to reduce the unmet needs of people with dementia living in residential care. <i>International Journal of Geriatric Psychiatry</i> , 2007, 22, 1127-1134.	1.3	44
240	Mental health care for the elderly in low-income countries: a health systems approach. <i>World Psychiatry</i> , 2007, 6, 5-13.	4.8	50
241	Indicators of Elder Abuse: A Crossnational Comparison of Psychiatric Morbidity and Other Determinants in the Ad-HOC Study. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 489-497.	0.6	86
242	Adherence to treatment in mood disorders. <i>Current Opinion in Psychiatry</i> , 2006, 19, 44-49.	3.1	43
243	Characteristics and health status change over 6 months in people with moderately severe to severe Alzheimer's disease in the U.K.. <i>International Psychogeriatrics</i> , 2006, 18, 527.	0.6	12
244	Coping strategies and anxiety in caregivers of people with Alzheimer's disease: The LASER-AD study. <i>Journal of Affective Disorders</i> , 2006, 90, 15-20.	2.0	158
245	A qualitative study of the views of residents with dementia, their relatives and staff about work practice in long-term care settings. <i>International Psychogeriatrics</i> , 2005, 17, 237-251.	0.6	25
246	Mental Health and Social Care Needs of Older People with Intellectual Disabilities. <i>Journal of Applied Research in Intellectual Disabilities</i> , 2005, 18, 229-235.	1.3	40
247	Relationship of exercise and other risk factors to depression of Alzheimer's disease: the LASER-AD study. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 261-268.	1.3	53
248	The TE4D-Cog: a new test for detecting early dementia in English-speaking populations. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 1172-1179.	1.3	33
249	A qualitative study of the experiences of long-term care for residents with dementia, their relatives and staff. <i>Aging and Mental Health</i> , 2005, 9, 119-128.	1.5	63
250	Use of the QOL-AD for measuring quality of life in people with severe dementia—the LASER-AD study. <i>Age and Ageing</i> , 2005, 34, 130-135.	0.7	187
251	Systematic Review of Psychological Approaches to the Management of Neuropsychiatric Symptoms of Dementia. <i>American Journal of Psychiatry</i> , 2005, 162, 1996-2021.	4.0	513
252	The AdHOC Study of Older Adults' Adherence to Medication in 11 Countries. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 1067-1076.	0.6	73



#	ARTICLE	IF	CITATIONS
253	Anxiety and Depression in Family Caregivers of People With Alzheimer Disease: The LASER-AD Study. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 795-801.	0.6	329
254	Persistence of and Changes in Neuropsychiatric Symptoms in Alzheimer Disease Over 6 Months. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 976-983.	0.6	17
255	Persistence of and Changes in Neuropsychiatric Symptoms in Alzheimer Disease Over 6 Months: The LASER-AD Study. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 976-983.	0.6	84
256	The AdHOC Study of older adults' adherence to medication in 11 countries. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 1067-76.	0.6	48
257	Anxiety and depression in family caregivers of people with Alzheimer disease: the LASER-AD study. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 795-801.	0.6	112
258	User and carer involvement in mental health training. <i>Advances in Psychiatric Treatment</i> , 2004, 10, 85-92.	0.6	53
259	Dementia and hypertension in African/Caribbean elders. <i>Age and Ageing</i> , 2004, 33, 193-195.	0.7	9
260	Shortage specialties: changes in career intentions from medical student to newly qualified doctor. <i>Medical Teacher</i> , 2004, 26, 650-654.	1.0	36
261	Change in attitudes to psychiatry and intention to pursue psychiatry as a career in newly qualified doctors: a follow-up of two cohorts of medical students. <i>Medical Teacher</i> , 2004, 26, 565-569.	1.0	42
262	The effectiveness of problem-based learning compared to traditional teaching in undergraduate psychiatry. <i>Medical Education</i> , 2004, 38, 859-867.	1.1	172
263	What causes problems in Alzheimer's disease: attributions by caregivers. A qualitative study. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 527-532.	1.3	68
264	Psychosocial correlates of late-onset psychosis: life experiences, cognitive schemas, and attitudes to ageing. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 611-623.	1.3	22
265	The place of memantine in the treatment of Alzheimer's disease: a number needed to treat analysis. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 919-925.	1.3	55
266	What staff know about elder abuse in dementia and the effect of training. <i>Dementia</i> , 2004, 3, 377-384.	1.0	9
267	What to tell dementia caregivers—the rule of threes. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 313-317.	1.3	77
268	The effect of a psychiatric attachment on students' attitudes to and intention to pursue psychiatry as a career. <i>Medical Education</i> , 2003, 37, 447-454.	1.1	117
269	Secrets and lies: the dilemma of disclosing the diagnosis to an adult with dementia. <i>Age and Ageing</i> , 2003, 32, 439-441.	0.7	23
270	Developing the KAMA instrument (knowledge and management of abuse). <i>Age and Ageing</i> , 2003, 32, 286-291.	0.7	11

#	ARTICLE	IF	CITATIONS
271	Mental health of the ageing immigrant population. <i>Advances in Psychiatric Treatment</i> , 2003, 9, 31-37.	0.6	20
272	Accessibility of health and social services to immigrant elders: the Islington Study. <i>British Journal of Psychiatry</i> , 2002, 180, 369-373.	1.7	55
273	Slicing the health service cake: the Islington study. <i>Age and Ageing</i> , 2002, 31, 445-450.	0.7	24
274	The effect of education on knowledge and management of elder abuse: a randomized controlled trial. <i>Age and Ageing</i> , 2002, 31, 335-341.	0.7	112
275	Islington study of dementia subtypes in the community. <i>British Journal of Psychiatry</i> , 2002, 180, 270-276.	1.7	185
276	How well do antidepressants work in older people? A systematic review of Number Needed to Treat. <i>Journal of Affective Disorders</i> , 2002, 69, 47-52.	2.0	57
277	Stigma, racism or choice. Why do depressed ethnic elders avoid psychiatrists?. <i>Journal of Affective Disorders</i> , 2002, 72, 257-265.	2.0	87
278	Addressing the needs of carers of older people: the Islington study. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 85-86.	1.3	4
279	Just keep taking the tablets?: adherence to antidepressant treatment in older people in primary care. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 752-757.	1.3	96
280	Are nurses equipped to manage actual or suspected elder abuse?. <i>Professional Nurse (London)</i> , 2001, 16, 10-11.	0.1	11
281	Persecutory symptoms and perceptual disturbance in a community sample of older people: the Islington study. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 462-468.	1.3	32
282	Mental health of migrant elders – the Islington study. <i>British Journal of Psychiatry</i> , 2001, 179, 361-366.	1.7	88
283	The needs and mental health of older people in 24-hour care residential placements. <i>Aging and Mental Health</i> , 2001, 5, 253-257.	1.5	17
284	How useful are cholinesterase inhibitors in the treatment of Alzheimer's disease? A number needed to treat analysis. , 2000, 15, 203-207.		60
285	A nurse-coordinated educational initiative addressing primary care professionals' attitudes to and problem-solving in depression in older people? a pilot study. , 2000, 15, 401-405.		10
286	Acute confusional states during treatment with risperidone. <i>International Journal of Geriatric Psychiatry</i> , 2000, 15, 534-535.	1.3	7
287	CAMDEX®: The Cambridge Examination for Mental Disorders of the Elderly By Martin Roth, Felicia A. Huppert, C. Q. Mountjoy and Elizabeth Tym. Cambridge: Cambridge University Press. 1998. 180 pp. \$95.00 (hb). ISBN 0-521-46261-4. <i>Psychiatric Bulletin</i> , 2000, 24, 199-199.	0.3	1
288	Impact of screening old people with physical illness for depression?. <i>Lancet</i> , 2000, 356, 91-92.	6.3	41

#	ARTICLE	IF	CITATIONS
289	Drug treatment of older people with affective disorders in the community: lessons from an attempted clinical trial. , 1999, 14, 467-472.		12
290	An informant interview for the diagnosis of dementia and depression in older adults (IDD-GMS). , 1998, 13, 298-309.		8
291	Do health and use of services differ in residents of sheltered accommodation? A pilot study. , 1998, 13, 617-624.		10
292	Quality of life in older people. Aging and Mental Health, 1998, 2, 20-23.	1.5	23
293	A qualitative study of adjustment to caring for an older spouse with psychiatric illness. Ageing and Society, 1998, 18, 659-671.	1.2	22
294	Treatment of patients who lack capacity. Psychiatric Bulletin, 1998, 22, 402-404.	0.3	5
295	Assessment of psychiatric teaching: examining examinations. Psychiatric Bulletin, 1998, 22, 726-728.	0.3	0
296	Comorbidity with depression in older people: The Islington Study. Aging and Mental Health, 1997, 1, 57-62.	1.5	19
297	Caring for an older spouse with a psychiatric illness. Aging and Mental Health, 1997, 1, 256-260.	1.5	13
298	Cost of community care for older people. British Journal of Psychiatry, 1997, 171, 56-59.	1.7	65
299	An intervention study with husband and wife carers of older people with a psychiatric illness. Journal of Affective Disorders, 1997, 46, 279-284.	2.0	13
300	The natural history of depression and the anxiety disorders in older people:. Journal of Affective Disorders, 1997, 46, 255-262.	2.0	57
301	Closure of an Asylum: The Friern Study of Older People. , 1997, 12, 119-123.		2
302	HOW COMMON ARE THE ANXIETY DISORDERS IN OLD AGE?. International Journal of Geriatric Psychiatry, 1996, 11, 65-70.	1.3	96
303	Depression and other psychiatric morbidity in carers of elderly people living at home. BMJ: British Medical Journal, 1996, 312, 153-156.	2.4	128
304	Behavioural complications of dementia?can they be treated?. International Journal of Geriatric Psychiatry, 1995, 10, 839-847.	1.3	86
305	Alcohol abuse in an inner city elderly population: The gospel oak survey. International Journal of Geriatric Psychiatry, 1993, 8, 511-514.	1.3	15
306	The epidemiology of psychiatric disorders in the elderly. International Review of Psychiatry, 1993, 5, 317-326.	1.4	23

#	ARTICLE	IF	CITATIONS
307	The impact on carers of behavioural difficulties in dementia: A pilot study on management. International Journal of Geriatric Psychiatry, 1992, 7, 579-583.	1.3	23
308	Acetyl-L-Carnitine in dementia. International Journal of Geriatric Psychiatry, 1991, 6, 853-860.	1.3	19
309	The Gospel Oak Study: prevalence rates of dementia, depression and activity limitation among elderly residents in Inner London. Psychological Medicine, 1990, 20, 137-146.	2.7	279
310	The Gospel Oak Study stage II: the diagnosis of dementia in the community. Psychological Medicine, 1990, 20, 881-891.	2.7	49
311	Depression and Anxiety in Dementia Caregivers. , 0, , 262-264.		1