

# Tamihiro Kawakami

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/833554/publications.pdf>

Version: 2024-02-01

106  
papers

1,523  
citations

471371

17  
h-index

360920

35  
g-index

107  
all docs

107  
docs citations

107  
times ranked

1583  
citing authors



#	ARTICLE	IF	CITATIONS
19	Guidelines for the treatment of skin and mucosal lesions in Behçet's disease: A secondary publication. <i>Journal of Dermatology</i> , 2020, 47, 223-235.	0.6	19
20	Bcl-2 Reduced and Fas Activated by the Inhibition of Stem Cell Factor/KIT Signaling in Murine Melanocyte Precursors. <i>Journal of Investigative Dermatology</i> , 2005, 124, 229-234.	0.3	17
21	The wound/burn guidelines "4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis. <i>Journal of Dermatology</i> , 2016, 43, 729-757.	0.6	17
22	Questionnaire survey of the efficacy of emollients for adult patients with atopic dermatitis. <i>Journal of Dermatology</i> , 2011, 38, 531-535.	0.6	16
23	Approach for the Derivation of Melanocytes from Induced Pluripotent Stem Cells. <i>Journal of Investigative Dermatology</i> , 2018, 138, 150-158.	0.3	16
24	Differences in anti-phosphatidylserine-prothrombin complex antibodies and cutaneous vasculitis between regular livedo reticularis and livedo racemosa. <i>Rheumatology</i> , 2008, 48, 508-512.	0.9	15
25	Churg-Strauss Syndrome in Childhood: A Clinical Review. <i>Journal of Rheumatology</i> , 2009, 36, 2622-2623.	1.0	15
26	Thalidomide therapy for juvenile-onset entero-Behçet disease. <i>Journal of Pediatrics</i> , 2003, 143, 692-694.	0.9	14
27	Use of warfarin therapy at a target international normalized ratio of 3.0 for cutaneous polyarteritis nodosa. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, 602-606.	0.6	14
28	A Review of Pediatric Vasculitis with a Focus on Juvenile Polyarteritis Nodosa. <i>American Journal of Clinical Dermatology</i> , 2012, 13, 389-398.	3.3	14
29	Transforming growth factor $\beta$ 2 overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 703-706.	0.6	13
30	Treatment for cutaneous arteritis patients with mononeuritis multiplex and elevated C-reactive protein. <i>Journal of Dermatology</i> , 2013, 40, 955-961.	0.6	13
31	Serum thymus and activation-regulated chemokine (TARC) and interleukin-31 levels as biomarkers for monitoring in adult atopic dermatitis. <i>Journal of Dermatological Science</i> , 2014, 75, 204-207.	1.0	13
32	Presence of anti-phosphatidylserine-prothrombin complex antibodies and anti-moesin antibodies in patients with polyarteritis nodosa. <i>Journal of Dermatology</i> , 2017, 44, 18-22.	0.6	13
33	Early addition administration of mepolizumab and intravenous immunoglobulin effective in treating eosinophilic granulomatosis with polyangiitis. <i>Journal of Dermatology</i> , 2021, 48, 529-532.	0.6	13
34	BMP-4 Upregulates Kit Expression in Mouse Melanoblasts prior to the Kit-Dependent Cycle of Melanogenesis. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1220-1226.	0.3	12
35	Serum Levels of Interleukin-6 in Patients with Cutaneous Polyarteritis Nodosa. <i>Acta Dermato-Venereologica</i> , 2012, 92, 322-323.	0.6	12
36	Lysosomal-associated membrane protein-2 plays an important role in the pathogenesis of primary cutaneous vasculitis. <i>Rheumatology</i> , 2013, 52, 1592-1598.	0.9	12

#	ARTICLE	IF	CITATIONS
37	Palisading Neutrophilic Granulomatous Dermatitis in a Japanese Patient with Wegener's Granulomatosis. <i>Journal of Dermatology</i> , 2005, 32, 487-492.	0.6	11
38	Serum Anti-lysosomal-associated Membrane Protein-2 Antibody Levels in Cutaneous Polyarteritis Nodosa. <i>Acta Dermato-Venereologica</i> , 2013, 93, 70-73.	0.6	11
39	Effects of 1,25-dihydroxyvitamin D3 on human epidermal melanocytes and melanoblasts. <i>Journal of Dermatological Science</i> , 2014, 76, 72-74.	1.0	11
40	Establishment of a Kit-negative cell line of melanocyte precursors from mouse neural crest cells. <i>Pigment Cell &amp; Melanoma Research</i> , 2005, 18, 188-195.	4.0	10
41	Antiphosphatidylserine-Prothrombin Complex Antibodies in 3 Patients With Behçet Disease Involving Superficial Vein Thrombophlebitis. <i>Archives of Dermatology</i> , 2009, 145, 171-5.	1.7	9
42	Outline of guidelines for the management of vasculitis and vascular disorders in Japan, 2016 revised edition. <i>Journal of Dermatology</i> , 2018, 45, 122-127.	0.6	9
43	The Second Study of Clinical and Immunological Findings in Anti-laminin 332-Type Mucous Membrane Pemphigoid Examined at Kurume University – Diagnosis Criteria Suggested by Summary of 133 Cases. <i>Frontiers in Immunology</i> , 2021, 12, 771766.	2.2	9
44	Surgical procedures and innovative approaches for vitiligo regenerative treatment and melanocytorrhagy. <i>Journal of Dermatology</i> , 2022, 49, 391-401.	0.6	9
45	Eleven novel mutations of the ADAR1 gene in dyschromatosis symmetrica hereditaria. <i>Journal of Dermatological Science</i> , 2012, 66, 244-245.	1.0	8
46	Significance of Two Skin Biopsy Performances with Consecutive Deeper Sections in the Differential Diagnosis Between Cutaneous Polyarteritis Nodosa and Livedo Vasculopathy. <i>Acta Dermato-Venereologica</i> , 2014, 94, 84-85.	0.6	8
47	Successful Use of Mizoribine to Treat Recurrent Corticosteroid-Resistant Palpable Purpura in a Patient With Henoch-Schönlein Purpura Nephritis. <i>Archives of Dermatology</i> , 2010, 146, 212-3.	1.7	7
48	Therapeutic effect of mizoribine on pemphigus vulgaris and pemphigus foliaceus. <i>Dermatologic Therapy</i> , 2012, 25, 382-385.	0.8	7
49	Patient with dyschromatosis symmetrica hereditaria treated with miniature punch grafting, followed by excimer light therapy. <i>Journal of Dermatology</i> , 2013, 40, 771-772.	0.6	7
50	Sudden elevation of plasma D-dimer levels induced by the combination therapy of dabrafenib and trametinib: Report of two cases. <i>Journal of Dermatology</i> , 2019, 46, 358-360.	0.6	7
51	Wound, pressure ulcer and burn guidelines – 2: Guidelines for the diagnosis and treatment of pressure ulcers, second edition. <i>Journal of Dermatology</i> , 2020, 47, 929-978.	0.6	7
52	Elevated Myeloperoxidase-DNA Complex Levels in Sera of Patients with IgA Vasculitis. <i>Pathobiology</i> , 2022, 89, 23-28.	1.9	7
53	Health-related quality of life assessed by the effect of bepotastine besilate in patients with pruritus: Importance of emotions score in atopic dermatitis. <i>Journal of Dermatology</i> , 2012, 39, 527-530.	0.6	6
54	Overexpression of transforming growth factor-beta3 immunohistochemical staining in extramammary Paget's disease, but downregulated expression in Bowen's disease. <i>International Journal of Dermatology</i> , 2001, 40, 262-267.	0.5	5

#	ARTICLE	IF	CITATIONS
55	Clinicopathologic challenge. <i>International Journal of Dermatology</i> , 2007, 46, 348-349.	0.5	5
56	Therapeutic Effect of Argatroban on Rheumatoid Vasculitis With Antiphosphatidylserine-Prothrombin Complex Antibody. <i>Archives of Dermatology</i> , 2008, 144, 1075-6.	1.7	5
57	The Presence of IgM Antiphospholipid Antibodies in Patients With Henoch-Schönlein Purpura and Recurrent Palpable Purpura. <i>Archives of Dermatology</i> , 2011, 147, 986.	1.7	5
58	Splicing mutation in the <i>COL7A1</i> gene mRNA exon 71 in a female patient with pretibial epidermolysis bullosa. <i>Journal of Dermatology</i> , 2014, 41, 1018-1019.	0.6	5
59	Complete resolution of refractory cutaneous arteritis by intravenous cyclophosphamide pulse therapy. <i>International Journal of Dermatology</i> , 2015, 54, e323-5.	0.5	5
60	Novel monoclonal antibodies that recognize both rat and mouse phosphatidylserine/prothrombin complexes. <i>Modern Rheumatology</i> , 2016, 26, 470-471.	0.9	5
61	P1_183 Establishment of Anti-rat phosphatidylserine/prothrombin monoclonal antibodies and a Thrombotic rat model induced by Intravenous injection of the Antibody. <i>Rheumatology</i> , 2017, 56, iii102-iii103.	0.9	5
62	Establishment of a rat model of thrombosis induced by intravenous injection of anti-phosphatidylserine-prothrombin complex antibody. <i>Rheumatology</i> , 2017, 56, kew477.	0.9	5
63	Wound, pressure ulcer and burn guidelines 1: Guidelines for wounds in general, second edition. <i>Journal of Dermatology</i> , 2020, 47, 807-833.	0.6	5
64	Kojic acid alters pheomelanin content in human induced pluripotent stem cell-derived melanocytes. <i>Journal of Dermatology</i> , 2020, 47, 435-436.	0.6	5
65	Wound, pressure ulcer and burn guidelines 4: Guidelines for the management of connective tissue disease/vasculitis-associated skin ulcers. <i>Journal of Dermatology</i> , 2020, 47, 1071-1109.	0.6	5
66	Anti-phosphatidylserine/prothrombin complex antibodies in patients with cutaneous vasculitis: Possible involvement in the pathogenesis. <i>Journal of Dermatology</i> , 2021, 48, 703-706.	0.6	5
67	Analysis of p53, p21 <sup>Waf1/Cip1</sup> and TGF- $\beta$ <sup>2/3</sup> Immunohistochemical Staining in Bowen's Disease. <i>Dermatology</i> , 2001, 202, 9-15.	0.9	4
68	BMP-4 down-regulates the expression of Ret in murine melanocyte precursors. <i>Journal of Dermatological Science</i> , 2011, 63, 66-69.	1.0	4
69	Relationship among antineutrophil cytoplasmic antibody, blood urea nitrogen and complement in patients with eosinophilic granulomatosis polyangiitis (Churg-Strauss) Tj ETQq1 1 0.784314 rgB4 /Overlo	0.6	4
70	Elevated levels of serum IgM anti-phosphatidylserine-prothrombin complex antibodies in patients with cancer-associated vasculitis. <i>International Journal of Dermatology</i> , 2017, 56, e203-e204.	0.5	4
71	Survey of Japanese dermatological vasculitis specialists on cases of cutaneous arteritis (cutaneous) Tj ETQq1 1 0.784314 rgB4 /Overlo	0.6	4
72	Clinical characteristics and social productivity levels of patients with malignant rheumatoid arthritis based on a nationwide clinical database in Japan: annual survey from 2003 to 2013. <i>Modern Rheumatology</i> , 2021, 31, 621-628.	0.9	4

#	ARTICLE	IF	CITATIONS
73	Acceleration of pulmonary interstitial fibrosis in a patient with myeloperoxidase-antineutrophil cytoplasmic antibody-positive erythema elevatum diutinum. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 674-675.	0.6	3
74	Immunoglobulin G4-related Disease Associated with Cutaneous Vasculitis. <i>Acta Dermato-Venereologica</i> , 2014, 94, 327-328.	0.6	3
75	A sporadic elder case of erythrokeratoderma variabilis with a single base-pair transversion in <sc>GJB</sc>3 gene successfully treated with systemic vitamin A derivative. <i>Journal of Dermatology</i> , 2014, 41, 1016-1018.	0.6	3
76	Rituximab therapy for deep toe ulcer with microscopic polyangiitis refractory to corticosteroids and cyclophosphamide. <i>Journal of Dermatology</i> , 2014, 41, 191-192.	0.6	3
77	Analysis of the effects of all-trans retinoic acid on human melanocytes and melanoblasts <i>in vitro</i>. <i>Journal of Dermatology</i> , 2017, 44, 93-94.	0.6	3
78	Presence of neutrophil extracellular traps in superficial venous thrombosis of Behçet's disease. <i>Journal of Dermatology</i> , 2022, , .	0.6	3
79	Therapeutic Effect of Clopidogrel on Cutaneous Polyarteritis Nodosa. <i>Archives of Dermatology</i> , 2010, 146, 100-1.	1.7	2
80	Microscopic Polyangiitis Associated with Antiphospholipid Antibodies and Immune Complex Mediated Cutaneous Vasculitis. <i>Acta Dermato-Venereologica</i> , 2010, 90, 639-641.	0.6	2
81	Use of mizoribine in two patients with recalcitrant cutaneous polyarteritis nodosa. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1213-1214.	0.6	2
82	Silent myocardial infarction subsequent to cutaneous polyarteritis nodosa in a patient with positive lupus anticoagulant. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 442-443.	0.6	2
83	Importance of appropriate location and frequency of biopsy for cutaneous manifestations in eosinophilic granulomatosis with polyangiitis. <i>International Journal of Dermatology</i> , 2016, 55, 1388-1390.	0.5	2
84	Disseminated erythema with intense and selective inflammation of sweat gland and lichenoid drug eruption during nivolumab therapy. <i>Journal of Dermatology</i> , 2018, 45, e33-e34.	0.6	2
85	Establishment of co-culture of human induced pluripotent stem cell-derived melanocytes and keratinocytes in vitro. <i>Journal of Dermatology</i> , 2021, 48, 123-125.	0.6	2
86	The relationship between anti-phosphatidylserine/prothrombin complex IgM antibodies and cutaneous ulcers in patients with cutaneous vasculitis. <i>Journal of Dermatology</i> , 2021, 48, 1457-1458.	0.6	2
87	Heliotrope-like manifestation of adult-onset Still disease with macrophage activation syndrome: A case-based review. <i>Journal of Dermatology</i> , 2022, 49, 736-740.	0.6	2
88	Expert perspectives on pathological findings in vasculitis. <i>Modern Rheumatology</i> , 2023, 33, 1-11.	0.9	2
89	Tyrosinase-related protein1 in mouse melanocytes at early embryonic stage. <i>Journal of Dermatological Science</i> , 2012, 67, 194-196.	1.0	1
90	Squamous cell carcinoma-like ungual fibroma as early diagnostic indicators of tuberous sclerosis complex in an elderly patient. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 111-112.	0.2	1

#	ARTICLE	IF	CITATIONS
91	Pityriasis lichenoides et varioliformis acuta associated with anti- <i>Ku</i> -positive refractory interstitial lung disease and dermatomyositis. <i>Journal of Dermatology</i> , 2020, 47, e403-e404.	0.6	1
92	Peristomal pyoderma gangrenosum in patients who underwent colectomy and colostomy for incurable inflammatory bowel disease. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 17-18.	0.2	1
93	Skin biopsies using dermoscopy for earlier diagnosis of intravascular large B-cell lymphoma. <i>Journal of Dermatology</i> , 2020, 47, e276-e278.	0.6	1
94	Cutaneous ulcer resembling pyoderma gangrenosum in a patient with antiphospholipid syndrome. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 17-18.	0.2	1
95	Immune checkpoint molecule expression is altered in the skin and peripheral blood in vasculitis. <i>Scientific Reports</i> , 2021, 11, 20019.	1.6	1
96	Burden of seizures and comorbidities in patients with epilepsy: a survey based on the tertiary hospital-based Epilepsy Syndrome Registry in Japan. <i>Epileptic Disorders</i> , 2022, 24, 82-94.	0.7	1
97	Late appearance of an acute graft-versus-host disease reaction subsequent to a graft-versus-tumor effect induced by bone marrow transplantation in a refractory ovarian carcinoma patient. <i>International Journal of Dermatology</i> , 2010, 49, 308-310.	0.5	0
98	Proposal of quality indicators for cutaneous vasculitis. <i>Journal of Dermatology</i> , 2014, 41, 755-756.	0.6	0
99	Systemic mastocytosis with an associated clonal hematologic non-mast cell lineage disease (SM-AHNMD) in an infant patient. <i>Journal of Dermatology</i> , 2014, 41, 761-763.	0.6	0
100	Elevated moesin mRNA level in skin tissue of patients with polyarteritis nodosa based on real time RT-PCR. <i>Journal of Dermatological Science</i> , 2017, 87, 94-97.	1.0	0
101	Nerve conduction study of lower extremities in cutaneous arteritis patients with neurological manifestations. <i>Journal of Dermatology</i> , 2017, 44, 1299-1302.	0.6	0
102	External dental fistula due to face mask used in noninvasive positive pressure ventilation. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 122-123.	0.2	0
103	Current medico-psycho-social conditions of patients with West syndrome in Japan. <i>Epileptic Disorders</i> , 2021, 23, 579-589.	0.7	0
104	Relationship between lysosomal-associated membrane protein-2 and anti-phosphatidylserine/prothrombin complex antibody in the pathogenesis of cutaneous vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 124, 161-165.	0.4	0
105	Incompetent saphenous vein in patients with lower leg dermatitis and cramps. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 146-147.	0.2	0
106	Merkel cell carcinoma on the dorsalis pedis with both dot-like perinuclear and cytoplasmic patterns of CK20 positivity. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 194-195.	0.2	0