

Tamihiro Kawakami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/833554/publications.pdf>

Version: 2024-02-01

106
papers

1,523
citations

471509

17
h-index

361022

35
g-index

107
all docs

107
docs citations

107
times ranked

1583
citing authors

#	ARTICLE	IF	CITATIONS
1	Increased Expression of TGF- β 2 Receptors by Scleroderma Fibroblasts: Evidence for Contribution of Autocrine TGF- β 2 Signaling to Scleroderma Phenotype. <i>Journal of Investigative Dermatology</i> , 1998, 110, 47-51.	0.7	236
2	Elevated Serum Granulocyte Colony-Stimulating Factor Levels in Patients With Active Phase of Sweet Syndrome and Patients With Active Behçet Disease. <i>Archives of Dermatology</i> , 2004, 140, 570-4.	1.4	135
3	High titer of anti-“phosphatidylserine–prothrombin complex antibodies in patients with cutaneous polyarteritis nodosa. <i>Arthritis and Rheumatism</i> , 2007, 57, 1507-1513.	6.7	83
4	JCS 2017 Guideline on Management of Vasculitis Syndrome–“– Digest Version –. <i>Circulation Journal</i> , 2020, 84, 299-359.	1.6	59
5	New algorithm (KAWAKAMI algorithm) to diagnose primary cutaneous vasculitis. <i>Journal of Dermatology</i> , 2010, 37, 113-124.	1.2	57
6	Differentiation of Murine Melanocyte Precursors Induced by 1,25-Dihydroxyvitamin D3 Is Associated with the Stimulation of Endothelin B Receptor Expression. <i>Journal of Investigative Dermatology</i> , 2002, 119, 583-589.	0.7	56
7	Dectin-2–induced CCL2 production in tissue-resident macrophages ignites cardiac arteritis. <i>Journal of Clinical Investigation</i> , 2019, 129, 3610-3624.	8.2	48
8	Effective treatment of pruritus in atopic dermatitis using H1 antihistamines (second-generation) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 2003, 33, 23-29.	1.9	43
9	Initial Cutaneous Manifestations Consistent With Mononeuropathy Multiplex in Churg-Strauss Syndrome. <i>Archives of Dermatology</i> , 2005, 141, 873-8.	1.4	42
10	High titer of serum antiphospholipid antibody levels in adult Henoch-Schœnlein purpura and cutaneous leukocytoclastic angiitis. <i>Arthritis and Rheumatism</i> , 2008, 59, 561-567.	6.7	41
11	Transforming Growth Factor β 21 Regulates Melanocyte Proliferation and Differentiation in Mouse Neural Crest Cells Via Stem Cell Factor/KIT Signaling. <i>Journal of Investigative Dermatology</i> , 2002, 118, 471-478.	0.7	29
12	Oral antihistamine therapy influences plasma tryptase levels in adult atopic dermatitis. <i>Journal of Dermatological Science</i> , 2006, 43, 127-134.	1.9	26
13	Granuloma annulare-like skin lesions as an initial manifestation in a Japanese patient with adult T-cell leukemia/lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 848-852.	1.2	25
14	Remission of Hepatitis B Virus–Related Cryoglobulinemic Vasculitis with Entecavir. <i>Annals of Internal Medicine</i> , 2008, 149, 911.	3.9	24
15	Clinical and histopathologic features of 8 patients with microscopic polyangiitis including two with a slowly progressive clinical course. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 840-848.	1.2	22
16	Cutaneous manifestations in patients with microscopic polyangiitis: two case reports and a minireview. <i>Acta Dermato-Venereologica</i> , 2006, 86, 144-147.	1.3	22
17	Clinical practice guide for the treatment of perforating dermatosis. <i>Journal of Dermatology</i> , 2020, 47, 1374-1382.	1.2	20
18	Correlation of Livedo Racemosa, Cutaneous Inflammatory Plaques, and Antiphospholipid Antibodies in Patients With Cutaneous Polyarteritis Nodosa. <i>Medicine (United States)</i> , 2011, 90, 119-124.	1.0	19

#	ARTICLE	IF	CITATIONS
19	Guidelines for the treatment of skin and mucosal lesions in Behçet's disease: A secondary publication. <i>Journal of Dermatology</i> , 2020, 47, 223-235.	1.2	19
20	Bcl-2 Reduced and Fas Activated by the Inhibition of Stem Cell Factor/KIT Signaling in Murine Melanocyte Precursors. <i>Journal of Investigative Dermatology</i> , 2005, 124, 229-234.	0.7	17
21	The wound/burn guidelines "4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis. <i>Journal of Dermatology</i> , 2016, 43, 729-757.	1.2	17
22	Questionnaire survey of the efficacy of emollients for adult patients with atopic dermatitis. <i>Journal of Dermatology</i> , 2011, 38, 531-535.	1.2	16
23	Approach for the Derivation of Melanocytes from Induced Pluripotent Stem Cells. <i>Journal of Investigative Dermatology</i> , 2018, 138, 150-158.	0.7	16
24	Differences in anti-phosphatidylserine-prothrombin complex antibodies and cutaneous vasculitis between regular livedo reticularis and livedo racemosa. <i>Rheumatology</i> , 2008, 48, 508-512.	1.9	15
25	Churg-Strauss Syndrome in Childhood: A Clinical Review. <i>Journal of Rheumatology</i> , 2009, 36, 2622-2623.	2.0	15
26	Thalidomide therapy for juvenile-onset entero-Behçet disease. <i>Journal of Pediatrics</i> , 2003, 143, 692-694.	1.8	14
27	Use of warfarin therapy at a target international normalized ratio of 3.0 for cutaneous polyarteritis nodosa. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, 602-606.	1.2	14
28	A Review of Pediatric Vasculitis with a Focus on Juvenile Polyarteritis Nodosa. <i>American Journal of Clinical Dermatology</i> , 2012, 13, 389-398.	6.7	14
29	Transforming growth factor- β 2 overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 703-706.	1.2	13
30	Treatment for cutaneous arteritis patients with mononeuritis multiplex and elevated C-reactive protein. <i>Journal of Dermatology</i> , 2013, 40, 955-961.	1.2	13
31	Serum thymus and activation-regulated chemokine (TARC) and interleukin-31 levels as biomarkers for monitoring in adult atopic dermatitis. <i>Journal of Dermatological Science</i> , 2014, 75, 204-207.	1.9	13
32	Presence of anti-phosphatidylserine-prothrombin complex antibodies and anti-moesin antibodies in patients with polyarteritis nodosa. <i>Journal of Dermatology</i> , 2017, 44, 18-22.	1.2	13
33	Early addition administration of mepolizumab and intravenous immunoglobulin effective in treating eosinophilic granulomatosis with polyangiitis. <i>Journal of Dermatology</i> , 2021, 48, 529-532.	1.2	13
34	BMP-4 Upregulates Kit Expression in Mouse Melanoblasts prior to the Kit-Dependent Cycle of Melanogenesis. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1220-1226.	0.7	12
35	Serum Levels of Interleukin-6 in Patients with Cutaneous Polyarteritis Nodosa. <i>Acta Dermato-Venereologica</i> , 2012, 92, 322-323.	1.3	12
36	Lysosomal-associated membrane protein-2 plays an important role in the pathogenesis of primary cutaneous vasculitis. <i>Rheumatology</i> , 2013, 52, 1592-1598.	1.9	12

#	ARTICLE	IF	CITATIONS
37	Palisading Neutrophilic Granulomatous Dermatitis in a Japanese Patient with Wegener's Granulomatosis. <i>Journal of Dermatology</i> , 2005, 32, 487-492.	1.2	11
38	Serum Anti-lysosomal-associated Membrane Protein-2 Antibody Levels in Cutaneous Polyarteritis Nodosa. <i>Acta Dermato-Venereologica</i> , 2013, 93, 70-73.	1.3	11
39	Effects of 1,25-dihydroxyvitamin D3 on human epidermal melanocytes and melanoblasts. <i>Journal of Dermatological Science</i> , 2014, 76, 72-74.	1.9	11
40	Establishment of a Kit-negative cell line of melanocyte precursors from mouse neural crest cells. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 188-195.	3.6	10
41	Antiphosphatidylserine-Prothrombin Complex Antibodies in 3 Patients With Behçet Disease Involving Superficial Vein Thrombophlebitis. <i>Archives of Dermatology</i> , 2009, 145, 171-5.	1.4	9
42	Outline of guidelines for the management of vasculitis and vascular disorders in Japan, 2016 revised edition. <i>Journal of Dermatology</i> , 2018, 45, 122-127.	1.2	9
43	The Second Study of Clinical and Immunological Findings in Anti-laminin 332-Type Mucous Membrane Pemphigoid Examined at Kurume Universityâ€”Diagnosis Criteria Suggested by Summary of 133 Cases. <i>Frontiers in Immunology</i> , 2021, 12, 771766.	4.8	9
44	Surgical procedures and innovative approaches for vitiligo regenerative treatment and melanocytorrhagy. <i>Journal of Dermatology</i> , 2022, 49, 391-401.	1.2	9
45	Eleven novel mutations of the ADAR1 gene in dyschromatosis symmetrica hereditaria. <i>Journal of Dermatological Science</i> , 2012, 66, 244-245.	1.9	8
46	Significance of Two Skin Biopsy Performances with Consecutive Deeper Sections in the Differential Diagnosis Between Cutaneous Polyarteritis Nodosa and Livedo Vasculopathy. <i>Acta Dermato-Venereologica</i> , 2014, 94, 84-85.	1.3	8
47	Successful Use of Mizoribine to Treat Recurrent Corticosteroid-Resistant Palpable Purpura in a Patient With Henoch-Sch�nlein Purpura Nephritis. <i>Archives of Dermatology</i> , 2010, 146, 212-3.	1.4	7
48	Therapeutic effect of mizoribine on pemphigus vulgaris and pemphigus foliaceus. <i>Dermatologic Therapy</i> , 2012, 25, 382-385.	1.7	7
49	Patient with dyschromatosis symmetrica hereditaria treated with miniature punch grafting, followed by excimer light therapy. <i>Journal of Dermatology</i> , 2013, 40, 771-772.	1.2	7
50	Sudden elevation of plasma D�dimer levels induced by the combination therapy of dabrafenib and trametinib: Report of two cases. <i>Journal of Dermatology</i> , 2019, 46, 358-360.	1.2	7
51	Wound, pressure ulcer and burn guidelines â€” 2: Guidelines for the diagnosis and treatment of pressure ulcers, second edition. <i>Journal of Dermatology</i> , 2020, 47, 929-978.	1.2	7
52	Elevated Myeloperoxidase-DNA Complex Levels in Sera of Patients with IgA Vasculitis. <i>Pathobiology</i> , 2022, 89, 23-28.	3.8	7
53	Health�related quality of life assessed by the effect of bepotastine besilate in patients with pruritus: Importance of emotions score in atopic dermatitis. <i>Journal of Dermatology</i> , 2012, 39, 527-530.	1.2	6
54	Overexpression of transforming growth factor-beta3 immunohistochemical staining in extramammary Paget's disease, but downregulated expression in Bowen's disease. <i>International Journal of Dermatology</i> , 2001, 40, 262-267.	1.0	5

#	ARTICLE	IF	CITATIONS
55	Clinicopathologic challenge. International Journal of Dermatology, 2007, 46, 348-349.	1.0	5
56	Therapeutic Effect of Argatroban on Rheumatoid Vasculitis With Antiphosphatidylserine-Prothrombin Complex Antibody. Archives of Dermatology, 2008, 144, 1075-6.	1.4	5
57	The Presence of IgM Antiphospholipid Antibodies in Patients With Henoch-Schönlein Purpura and Recurrent Palpable Purpura. Archives of Dermatology, 2011, 147, 986.	1.4	5
58	Splicing mutation in the COL7A1 gene mRNA exon 71 in a female patient with pretibial epidermolysis bullosa. Journal of Dermatology, 2014, 41, 1018-1019.	1.2	5
59	Complete resolution of refractory cutaneous arteritis by intravenous cyclophosphamide pulse therapy. International Journal of Dermatology, 2015, 54, e323-5.	1.0	5
60	Novel monoclonal antibodies that recognize both rat and mouse phosphatidylserine/prothrombin complexes. Modern Rheumatology, 2016, 26, 470-471.	1.8	5
61	P1_183 Establishment of Anti-rat phosphatidylserine/prothrombin monoclonal antibodies and a Thrombotic rat model induced by Intravenous injection of the Antibody. Rheumatology, 2017, 56, iii102-iii103.	1.9	5
62	Establishment of a rat model of thrombosis induced by intravenous injection of anti-phosphatidylserine-prothrombin complex antibody. Rheumatology, 2017, 56, kew477.	1.9	5
63	Wound, pressure ulcer and burn guidelines 1: Guidelines for wounds in general, second edition. Journal of Dermatology, 2020, 47, 807-833.	1.2	5
64	Kojic acid alters pheomelanin content in human induced pluripotent stem cell-derived melanocytes. Journal of Dermatology, 2020, 47, 435-436.	1.2	5
65	Wound, pressure ulcer and burn guidelines 4: Guidelines for the management of connective tissue disease/vasculitis-associated skin ulcers. Journal of Dermatology, 2020, 47, 1071-1109.	1.2	5
66	Anti-phosphatidylserine/prothrombin complex antibodies in patients with cutaneous vasculitis: Possible involvement in the pathogenesis. Journal of Dermatology, 2021, 48, 703-706.	1.2	5
67	Analysis of p53, p21 ^{Waf1/Cip1} and TGF- β ^{2/3} Immunohistochemical Staining in Bowen's Disease. Dermatology, 2001, 202, 9-15.	2.1	4
68	BMP-4 down-regulates the expression of Ret in murine melanocyte precursors. Journal of Dermatological Science, 2011, 63, 66-69.	1.9	4
69	Relationship among antineutrophil cytoplasmic antibody, blood urea nitrogen and complement in patients with eosinophilic granulomatosis polyangiitis (Churg-Strauss) Tj ETQq1 1 0.784314 rgBT /Overlock	1.2	4
70	Elevated levels of serum IgM anti-phosphatidylserine-prothrombin complex antibodies in patients with cancer-associated vasculitis. International Journal of Dermatology, 2017, 56, e203-e204.	1.0	4
71	Survey of Japanese dermatological vasculitis specialists on cases of cutaneous arteritis (cutaneous) Tj ETQq1 1 0.784314 rgBT /Overlock	1.2	4
72	Clinical characteristics and social productivity levels of patients with malignant rheumatoid arthritis based on a nationwide clinical database in Japan: annual survey from 2003 to 2013. Modern Rheumatology, 2021, 31, 621-628.	1.8	4

#	ARTICLE	IF	CITATIONS
73	Acceleration of pulmonary interstitial fibrosis in a patient with myeloperoxidase-antineutrophil cytoplasmic antibody-positive erythema elevatum diutinum. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 674-675.	1.2	3
74	Immunoglobulin G4-related Disease Associated with Cutaneous Vasculitis. <i>Acta Dermato-Venereologica</i> , 2014, 94, 327-328.	1.3	3
75	A sporadic elder case of erythrokeratoderma variabilis with a single baseâ€pair transversion in <sc>GJB</sc>3 gene successfully treated with systemic vitamin A derivative. <i>Journal of Dermatology</i> , 2014, 41, 1016-1018.	1.2	3
76	Rituximab therapy for deep toe ulcer with microscopic polyangiitis refractory to corticosteroids and cyclophosphamide. <i>Journal of Dermatology</i> , 2014, 41, 191-192.	1.2	3
77	Analysis of the effects of allâ€trans</i> retinoic acid on human melanocytes and melanoblasts <i>in vitro</i>. <i>Journal of Dermatology</i> , 2017, 44, 93-94.	1.2	3
78	Presence of neutrophil extracellular traps in superficial venous thrombosis of Behçetâ€™s disease. <i>Journal of Dermatology</i> , 2022, , .	1.2	3
79	Therapeutic Effect of Clopidogrel on Cutaneous Polyarteritis Nodosa. <i>Archives of Dermatology</i> , 2010, 146, 100-1.	1.4	2
80	Microscopic Polyangiitis Associated with Antiphospholipid Antibodies and Immune Complex Mediated Cutaneous Vasculitis. <i>Acta Dermato-Venereologica</i> , 2010, 90, 639-641.	1.3	2
81	Use of mizoribine in two patients with recalcitrant cutaneous polyarteritis nodosa. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1213-1214.	1.2	2
82	Silent myocardial infarction subsequent to cutaneous polyarteritis nodosa in a patient with positive lupus anticoagulant. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 442-443.	1.2	2
83	Importance of appropriate location and frequency of biopsy for cutaneous manifestations in eosinophilic granulomatosis with polyangiitis. <i>International Journal of Dermatology</i> , 2016, 55, 1388-1390.	1.0	2
84	Disseminated erythema with intense and selective inflammation of sweat gland and lichenoid drug eruption during nivolumab therapy. <i>Journal of Dermatology</i> , 2018, 45, e33-e34.	1.2	2
85	Establishment of coâ€culture of human induced pluripotent stem cellâ€derived melanocytes and keratinocytes in vitro. <i>Journal of Dermatology</i> , 2021, 48, 123-125.	1.2	2
86	The relationship between antiâ€phosphatidylserine/prothrombin complex IgM antibodies and cutaneous ulcers in patients with cutaneous vasculitis. <i>Journal of Dermatology</i> , 2021, 48, 1457-1458.	1.2	2
87	Heliotropeâ€like manifestation of adultâ€onset Still disease with macrophage activation syndrome: A caseâ€based review. <i>Journal of Dermatology</i> , 2022, 49, 736-740.	1.2	2
88	Expert perspectives on pathological findings in vasculitis. <i>Modern Rheumatology</i> , 2023, 33, 1-11.	1.8	2
89	Tyrosinase-related protein1 in mouse melanocytes at early embryonic stage. <i>Journal of Dermatological Science</i> , 2012, 67, 194-196.	1.9	1
90	Squamous cell carcinomaâ€like ungual fibroma as early diagnostic indicators of tuberous sclerosis complex in an elderly patient. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 111-112.	0.3	1

#	ARTICLE	IF	CITATIONS
91	Pityriasis lichenoides et varioliformis acuta associated with anti-CKu-positive refractory interstitial lung disease and dermatomyositis. Journal of Dermatology, 2020, 47, e403-e404.	1.2	1
92	Peristomal pyoderma gangrenosum in patients who underwent colectomy and colostomy for incurable inflammatory bowel disease. Journal of Cutaneous Immunology and Allergy, 2020, 3, 17-18.	0.3	1
93	Skin biopsies using dermoscopy for earlier diagnosis of intravascular large B-cell lymphoma. Journal of Dermatology, 2020, 47, e276-e278.	1.2	1
94	Cutaneous ulcer resembling pyoderma gangrenosum in a patient with antiphospholipid syndrome. Journal of Cutaneous Immunology and Allergy, 2021, 4, 17-18.	0.3	1
95	Immune checkpoint molecule expression is altered in the skin and peripheral blood in vasculitis. Scientific Reports, 2021, 11, 20019.	3.3	1
96	Burden of seizures and comorbidities in patients with epilepsy: a survey based on the tertiary hospital-based Epilepsy Syndrome Registry in Japan. Epileptic Disorders, 2022, 24, 82-94.	1.3	1
97	Late appearance of an acute graft-vs.-host disease reaction subsequent to a graft-vs.-tumor effect induced by bone marrow transplantation in a refractory ovarian carcinoma patient. International Journal of Dermatology, 2010, 49, 308-310.	1.0	0
98	Proposal of quality indicators for cutaneous vasculitis. Journal of Dermatology, 2014, 41, 755-756.	1.2	0
99	Systemic mastocytosis with an associated clonal hematologic non-mast cell lineage disease (<sc>SM</sc>-<sc>AHNMD</sc>) in an infant patient. Journal of Dermatology, 2014, 41, 761-763.	1.2	0
100	Elevated moesin mRNA level in skin tissue of patients with polyarteritis nodosa based on real time RT-PCR. Journal of Dermatological Science, 2017, 87, 94-97.	1.9	0
101	Nerve conduction study of lower extremities in cutaneous arteritis patients with neurological manifestations. Journal of Dermatology, 2017, 44, 1299-1302.	1.2	0
102	External dental fistula due to face mask used in noninvasive positive pressure ventilation. Journal of Cutaneous Immunology and Allergy, 2020, 3, 122-123.	0.3	0
103	Current medico-psycho-social conditions of patients with West syndrome in Japan. Epileptic Disorders, 2021, 23, 579-589.	1.3	0
104	Relationship between lysosomal-associated membrane protein-2 and anti-phosphatidylserine/prothrombin complex antibody in the pathogenesis of cutaneous vasculitis. Clinical and Experimental Rheumatology, 2020, 38 Suppl 124, 161-165.	0.8	0
105	Incompetent saphenous vein in patients with lower leg dermatitis and cramps. Journal of Cutaneous Immunology and Allergy, 2022, 5, 146-147.	0.3	0
106	Merkel cell carcinoma on the dorsalis pedis with both dot-like perinuclear and cytoplasmic patterns of <sc>CK20</sc> positivity. Journal of Cutaneous Immunology and Allergy, 2022, 5, 194-195.	0.3	0