

Tamihiro Kawakami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/833554/publications.pdf>

Version: 2024-02-01

106
papers

1,523
citations

471371

17
h-index

360920

35
g-index

107
all docs

107
docs citations

107
times ranked

1583
citing authors

#	ARTICLE	IF	CITATIONS
1	Expert perspectives on pathological findings in vasculitis. <i>Modern Rheumatology</i> , 2023, 33, 1-11.	0.9	2
2	Elevated Myeloperoxidase-DNA Complex Levels in Sera of Patients with IgA Vasculitis. <i>Pathobiology</i> , 2022, 89, 23-28.	1.9	7
3	Burden of seizures and comorbidities in patients with epilepsy: a survey based on the tertiary hospital-based Epilepsy Syndrome Registry in Japan. <i>Epileptic Disorders</i> , 2022, 24, 82-94.	0.7	1
4	Incompetent saphenous vein in patients with lower leg dermatitis and cramps. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 146-147.	0.2	0
5	Surgical procedures and innovative approaches for vitiligo regenerative treatment and melanocytorrhagy. <i>Journal of Dermatology</i> , 2022, 49, 391-401.	0.6	9
6	Presence of neutrophil extracellular traps in superficial venous thrombosis of Behçet's disease. <i>Journal of Dermatology</i> , 2022, , .	0.6	3
7	Merkel cell carcinoma on the dorsalis pedis with both dot-like perinuclear and cytoplasmic patterns of CK20 positivity. <i>Journal of Cutaneous Immunology and Allergy</i> , 2022, 5, 194-195.	0.2	0
8	Heliotrope-like manifestation of adult-onset Still disease with macrophage activation syndrome: A case-based review. <i>Journal of Dermatology</i> , 2022, 49, 736-740.	0.6	2
9	Clinical characteristics and social productivity levels of patients with malignant rheumatoid arthritis based on a nationwide clinical database in Japan: annual survey from 2003 to 2013. <i>Modern Rheumatology</i> , 2021, 31, 621-628.	0.9	4
10	Establishment of coculture of human induced pluripotent stem cell-derived melanocytes and keratinocytes in vitro. <i>Journal of Dermatology</i> , 2021, 48, 123-125.	0.6	2
11	Cutaneous ulcer resembling pyoderma gangrenosum in a patient with antiphospholipid syndrome. <i>Journal of Cutaneous Immunology and Allergy</i> , 2021, 4, 17-18.	0.2	1
12	Early addition administration of mepolizumab and intravenous immunoglobulin effective in treating eosinophilic granulomatosis with polyangiitis. <i>Journal of Dermatology</i> , 2021, 48, 529-532.	0.6	13
13	Anti-phosphatidylserine/prothrombin complex antibodies in patients with cutaneous vasculitis: Possible involvement in the pathogenesis. <i>Journal of Dermatology</i> , 2021, 48, 703-706.	0.6	5
14	The relationship between anti-phosphatidylserine/prothrombin complex IgM antibodies and cutaneous ulcers in patients with cutaneous vasculitis. <i>Journal of Dermatology</i> , 2021, 48, 1457-1458.	0.6	2
15	Current medico-psychosocial conditions of patients with West syndrome in Japan. <i>Epileptic Disorders</i> , 2021, 23, 579-589.	0.7	0
16	Immune checkpoint molecule expression is altered in the skin and peripheral blood in vasculitis. <i>Scientific Reports</i> , 2021, 11, 20019.	1.6	1
17	The Second Study of Clinical and Immunological Findings in Anti-laminin 332-Type Mucous Membrane Pemphigoid Examined at Kurume University—Diagnosis Criteria Suggested by Summary of 133 Cases. <i>Frontiers in Immunology</i> , 2021, 12, 771766.	2.2	9
18	Wound, pressure ulcer and burn guidelines – 2: Guidelines for the diagnosis and treatment of pressure ulcers, second edition. <i>Journal of Dermatology</i> , 2020, 47, 929-978.	0.6	7

#	ARTICLE	IF	CITATIONS
19	Guidelines for the treatment of skin and mucosal lesions in Behçet's disease: A secondary publication. <i>Journal of Dermatology</i> , 2020, 47, 223-235.	0.6	19
20	Clinical practice guide for the treatment of perforating dermatosis. <i>Journal of Dermatology</i> , 2020, 47, 1374-1382.	0.6	20
21	External dental fistula due to face mask used in noninvasive positive pressure ventilation. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 122-123.	0.2	0
22	Squamous cell carcinoma-like ungual fibroma as early diagnostic indicators of tuberous sclerosis complex in an elderly patient. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 111-112.	0.2	1
23	Pityriasis lichenoides et varioliformis acuta associated with anti-IL-6 positive refractory interstitial lung disease and dermatomyositis. <i>Journal of Dermatology</i> , 2020, 47, e403-e404.	0.6	1
24	Wound, pressure ulcer and burn guidelines â€” 1: Guidelines for wounds in general, second edition. <i>Journal of Dermatology</i> , 2020, 47, 807-833.	0.6	5
25	Survey of Japanese dermatological vasculitis specialists on cases of cutaneous arteritis (cutaneous) <i>Tj ETQq1 1 0.784314 rgBJ /Overlo</i>	0.6	4
26	Peristomal pyoderma gangrenosum in patients who underwent colectomy and colostomy for incurable inflammatory bowel disease. <i>Journal of Cutaneous Immunology and Allergy</i> , 2020, 3, 17-18.	0.2	1
27	Kojic acid alters pheomelanin content in human induced pluripotent stem cell-derived melanocytes. <i>Journal of Dermatology</i> , 2020, 47, 435-436.	0.6	5
28	JCS 2017 Guideline on Management of Vasculitis Syndromeâ€”â€” Digest Version â€”. <i>Circulation Journal</i> , 2020, 84, 299-359.	0.7	59
29	Wound, pressure ulcer and burn guidelines â€” 4: Guidelines for the management of connective tissue disease/vasculitis-associated skin ulcers. <i>Journal of Dermatology</i> , 2020, 47, 1071-1109.	0.6	5
30	Skin biopsies using dermoscopy for earlier diagnosis of intravascular large B-cell lymphoma. <i>Journal of Dermatology</i> , 2020, 47, e276-e278.	0.6	1
31	Relationship between lysosomal-associated membrane protein-2 and anti-phosphatidylserine/prothrombin complex antibody in the pathogenesis of cutaneous vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38 Suppl 124, 161-165.	0.4	0
32	Sudden elevation of plasma D-dimer levels induced by the combination therapy of dabrafenib and trametinib: Report of two cases. <i>Journal of Dermatology</i> , 2019, 46, 358-360.	0.6	7
33	Dectin-2-induced CCL2 production in tissue-resident macrophages ignites cardiac arteritis. <i>Journal of Clinical Investigation</i> , 2019, 129, 3610-3624.	3.9	48
34	Approach for the Derivation of Melanocytes from Induced Pluripotent Stem Cells. <i>Journal of Investigative Dermatology</i> , 2018, 138, 150-158.	0.3	16
35	Disseminated erythema with intense and selective inflammation of sweat gland and lichenoid drug eruption during nivolumab therapy. <i>Journal of Dermatology</i> , 2018, 45, e33-e34.	0.6	2
36	Outline of guidelines for the management of vasculitis and vascular disorders in Japan, 2016 revised edition. <i>Journal of Dermatology</i> , 2018, 45, 122-127.	0.6	9

#	ARTICLE	IF	CITATIONS
37	Analysis of the effects of all- <i>trans</i> retinoic acid on human melanocytes and melanoblasts <i>in vitro</i> . Journal of Dermatology, 2017, 44, 93-94.	0.6	3
38	P1_183 Establishment of Anti-rat phosphatidylserine/prothrombin monoclonal antibodies and a Thrombotic rat model induced by Intravenous injection of the Antibody. Rheumatology, 2017, 56, iii102-iii103.	0.9	5
39	Establishment of a rat model of thrombosis induced by intravenous injection of anti-phosphatidylserine-prothrombin complex antibody. Rheumatology, 2017, 56, kew477.	0.9	5
40	Elevated moesin mRNA level in skin tissue of patients with polyarteritis nodosa based on real time RT-PCR. Journal of Dermatological Science, 2017, 87, 94-97.	1.0	0
41	Nerve conduction study of lower extremities in cutaneous arteritis patients with neurological manifestations. Journal of Dermatology, 2017, 44, 1299-1302.	0.6	0
42	Elevated levels of serum IgM anti-phosphatidylserine-prothrombin complex antibodies in patients with cancer-associated vasculitis. International Journal of Dermatology, 2017, 56, e203-e204.	0.5	4
43	Presence of anti-phosphatidylserine-prothrombin complex antibodies and anti-moesin antibodies in patients with polyarteritis nodosa. Journal of Dermatology, 2017, 44, 18-22.	0.6	13
44	The wound/burn guidelines 4: Guidelines for the management of skin ulcers associated with connective tissue disease/vasculitis. Journal of Dermatology, 2016, 43, 729-757.	0.6	17
45	Importance of appropriate location and frequency of biopsy for cutaneous manifestations in eosinophilic granulomatosis with polyangiitis. International Journal of Dermatology, 2016, 55, 1388-1390.	0.5	2
46	Novel monoclonal antibodies that recognize both rat and mouse phosphatidylserine/prothrombin complexes. Modern Rheumatology, 2016, 26, 470-471.	0.9	5
47	Complete resolution of refractory cutaneous arteritis by intravenous cyclophosphamide pulse therapy. International Journal of Dermatology, 2015, 54, e323-5.	0.5	5
48	Immunoglobulin G4-related Disease Associated with Cutaneous Vasculitis. Acta Dermato-Venereologica, 2014, 94, 327-328.	0.6	3
49	A sporadic elder case of erythrokeratoderma variabilis with a single base-pair transversion in <i>GJB3</i> gene successfully treated with systemic vitamin A derivative. Journal of Dermatology, 2014, 41, 1016-1018.	0.6	3
50	Significance of Two Skin Biopsy Performances with Consecutive Deeper Sections in the Differential Diagnosis Between Cutaneous Polyarteritis Nodosa and Livedo Vasculopathy. Acta Dermato-Venereologica, 2014, 94, 84-85.	0.6	8
51	Proposal of quality indicators for cutaneous vasculitis. Journal of Dermatology, 2014, 41, 755-756.	0.6	0
52	Systemic mastocytosis with an associated clonal hematologic non-mast cell lineage disease (<i>SM</i> - <i>AHNMD</i>) in an infant patient. Journal of Dermatology, 2014, 41, 761-763.	0.6	0
53	Splicing mutation in the <i>COL7A1</i> gene mRNA exon 71 in a female patient with pretibial epidermolysis bullosa. Journal of Dermatology, 2014, 41, 1018-1019.	0.6	5
54	Rituximab therapy for deep toe ulcer with microscopic polyangiitis refractory to corticosteroids and cyclophosphamide. Journal of Dermatology, 2014, 41, 191-192.	0.6	3

#	ARTICLE	IF	CITATIONS
55	Serum thymus and activation-regulated chemokine (TARC) and interleukin-31 levels as biomarkers for monitoring in adult atopic dermatitis. <i>Journal of Dermatological Science</i> , 2014, 75, 204-207.	1.0	13
56	Effects of 1,25-dihydroxyvitamin D3 on human epidermal melanocytes and melanoblasts. <i>Journal of Dermatological Science</i> , 2014, 76, 72-74.	1.0	11
57	Patient with dyschromatosis symmetrica hereditaria treated with miniature punch grafting, followed by excimer light therapy. <i>Journal of Dermatology</i> , 2013, 40, 771-772.	0.6	7
58	Relationship among antineutrophil cytoplasmic antibody, blood urea nitrogen and complement in patients with eosinophilic granulomatosis polyangiitis (Churg-HStrauss) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.6	10
59	Lysosomal-associated membrane protein-2 plays an important role in the pathogenesis of primary cutaneous vasculitis. <i>Rheumatology</i> , 2013, 52, 1592-1598.	0.9	12
60	Serum Anti-lysosomal-associated Membrane Protein-2 Antibody Levels in Cutaneous Polyarteritis Nodosa. <i>Acta Dermato-Venereologica</i> , 2013, 93, 70-73.	0.6	11
61	Treatment for cutaneous arteritis patients with mononeuritis multiplex and elevated C-reactive protein. <i>Journal of Dermatology</i> , 2013, 40, 955-961.	0.6	13
62	Serum Levels of Interleukin-6 in Patients with Cutaneous Polyarteritis Nodosa. <i>Acta Dermato-Venereologica</i> , 2012, 92, 322-323.	0.6	12
63	Therapeutic effect of mizoribine on pemphigus vulgaris and pemphigus foliaceus. <i>Dermatologic Therapy</i> , 2012, 25, 382-385.	0.8	7
64	Eleven novel mutations of the ADAR1 gene in dyschromatosis symmetrica hereditaria. <i>Journal of Dermatological Science</i> , 2012, 66, 244-245.	1.0	8
65	Tyrosinase-related protein1 in mouse melanocytes at early embryonic stage. <i>Journal of Dermatological Science</i> , 2012, 67, 194-196.	1.0	1
66	A Review of Pediatric Vasculitis with a Focus on Juvenile Polyarteritis Nodosa. <i>American Journal of Clinical Dermatology</i> , 2012, 13, 389-398.	3.3	14
67	Health-related quality of life assessed by the effect of bepotastine besilate in patients with pruritus: Importance of emotions score in atopic dermatitis. <i>Journal of Dermatology</i> , 2012, 39, 527-530.	0.6	6
68	BMP-4 down-regulates the expression of Ret in murine melanocyte precursors. <i>Journal of Dermatological Science</i> , 2011, 63, 66-69.	1.0	4
69	Use of mizoribine in two patients with recalcitrant cutaneous polyarteritis nodosa. <i>Journal of the American Academy of Dermatology</i> , 2011, 64, 1213-1214.	0.6	2
70	Silent myocardial infarction subsequent to cutaneous polyarteritis nodosa in a patient with positive lupus anticoagulant. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 442-443.	0.6	2
71	Acceleration of pulmonary interstitial fibrosis in a patient with myeloperoxidase-antineutrophil cytoplasmic antibody-positive erythema elevatum diutinum. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 674-675.	0.6	3
72	The Presence of IgM Antiphospholipid Antibodies in Patients With Henoch-Schönlein Purpura and Recurrent Palpable Purpura. <i>Archives of Dermatology</i> , 2011, 147, 986.	1.7	5

#	ARTICLE	IF	CITATIONS
73	Questionnaire survey of the efficacy of emollients for adult patients with atopic dermatitis. <i>Journal of Dermatology</i> , 2011, 38, 531-535.	0.6	16
74	Correlation of Livedo Racemosa, Cutaneous Inflammatory Plaques, and Antiphospholipid Antibodies in Patients With Cutaneous Polyarteritis Nodosa. <i>Medicine (United States)</i> , 2011, 90, 119-124.	0.4	19
75	New algorithm (KAWAKAMI algorithm) to diagnose primary cutaneous vasculitis. <i>Journal of Dermatology</i> , 2010, 37, 113-124.	0.6	57
76	Late appearance of an acute graft-versus-host disease reaction subsequent to a graft-versus-tumor effect induced by bone marrow transplantation in a refractory ovarian carcinoma patient. <i>International Journal of Dermatology</i> , 2010, 49, 308-310.	0.5	0
77	Therapeutic Effect of Clopidogrel on Cutaneous Polyarteritis Nodosa. <i>Archives of Dermatology</i> , 2010, 146, 100-1.	1.7	2
78	Successful Use of Mizoribine to Treat Recurrent Corticosteroid-Resistant Palpable Purpura in a Patient With Henoch-Schönlein Purpura Nephritis. <i>Archives of Dermatology</i> , 2010, 146, 212-3.	1.7	7
79	Microscopic Polyangiitis Associated with Antiphospholipid Antibodies and Immune Complex Mediated Cutaneous Vasculitis. <i>Acta Dermato-Venereologica</i> , 2010, 90, 639-641.	0.6	2
80	Use of warfarin therapy at a target international normalized ratio of 3.0 for cutaneous polyarteritis nodosa. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, 602-606.	0.6	14
81	Churg-Strauss Syndrome in Childhood: A Clinical Review. <i>Journal of Rheumatology</i> , 2009, 36, 2622-2623.	1.0	15
82	Granuloma annulare-like skin lesions as an initial manifestation in a Japanese patient with adult T-cell leukemia/lymphoma. <i>Journal of the American Academy of Dermatology</i> , 2009, 60, 848-852.	0.6	25
83	Antiphosphatidylserine-Prothrombin Complex Antibodies in 3 Patients With Behçet Disease Involving Superficial Vein Thrombophlebitis. <i>Archives of Dermatology</i> , 2009, 145, 171-5.	1.7	9
84	High titer of serum antiphospholipid antibody levels in adult Henoch-Schönlein purpura and cutaneous leukocytoclastic angiitis. <i>Arthritis and Rheumatism</i> , 2008, 59, 561-567.	6.7	41
85	BMP-4 Upregulates Kit Expression in Mouse Melanoblasts prior to the Kit-Dependent Cycle of Melanogenesis. <i>Journal of Investigative Dermatology</i> , 2008, 128, 1220-1226.	0.3	12
86	Transforming growth factor- β 2 overexpression in cutaneous extramedullary hematopoiesis of a patient with myelodysplastic syndrome associated with myelofibrosis. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 703-706.	0.6	13
87	Therapeutic Effect of Argatroban on Rheumatoid Vasculitis With Antiphosphatidylserine-Prothrombin Complex Antibody. <i>Archives of Dermatology</i> , 2008, 144, 1075-6.	1.7	5
88	Differences in anti-phosphatidylserine-prothrombin complex antibodies and cutaneous vasculitis between regular livedo reticularis and livedo racemosa. <i>Rheumatology</i> , 2008, 48, 508-512.	0.9	15
89	Remission of Hepatitis B Virus-Related Cryoglobulinemic Vasculitis with Entecavir. <i>Annals of Internal Medicine</i> , 2008, 149, 911.	2.0	24
90	Clinical and histopathologic features of 8 patients with microscopic polyangiitis including two with a slowly progressive clinical course. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 840-848.	0.6	22

#	ARTICLE	IF	CITATIONS
91	High titer of anti- ϵ -phosphatidylserine-prothrombin complex antibodies in patients with cutaneous polyarteritis nodosa. <i>Arthritis and Rheumatism</i> , 2007, 57, 1507-1513.	6.7	83
92	Clinicopathologic challenge. <i>International Journal of Dermatology</i> , 2007, 46, 348-349.	0.5	5
93	Oral antihistamine therapy influences plasma tryptase levels in adult atopic dermatitis. <i>Journal of Dermatological Science</i> , 2006, 43, 127-134.	1.0	26
94	Cutaneous manifestations in patients with microscopic polyangiitis: two case reports and a minireview. <i>Acta Dermato-Venereologica</i> , 2006, 86, 144-147.	0.6	22
95	Palisading Neutrophilic Granulomatous Dermatitis in a Japanese Patient with Wegener's Granulomatosis. <i>Journal of Dermatology</i> , 2005, 32, 487-492.	0.6	11
96	Establishment of a Kit-negative cell line of melanocyte precursors from mouse neural crest cells. <i>Pigment Cell & Melanoma Research</i> , 2005, 18, 188-195.	4.0	10
97	Bcl-2 Reduced and Fas Activated by the Inhibition of Stem Cell Factor/KIT Signaling in Murine Melanocyte Precursors. <i>Journal of Investigative Dermatology</i> , 2005, 124, 229-234.	0.3	17
98	Initial Cutaneous Manifestations Consistent With Mononeuropathy Multiplex in Churg-Strauss Syndrome. <i>Archives of Dermatology</i> , 2005, 141, 873-8.	1.7	42
99	Elevated Serum Granulocyte Colony-Stimulating Factor Levels in Patients With Active Phase of Sweet Syndrome and Patients With Active Behçet Disease. <i>Archives of Dermatology</i> , 2004, 140, 570-4.	1.7	135
100	Effective treatment of pruritus in atopic dermatitis using H1 antihistamines (second-generation) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 2003, 33, 23-29.	1.0	43
101	Thalidomide therapy for juvenile-onset entero-Behçet disease. <i>Journal of Pediatrics</i> , 2003, 143, 692-694.	0.9	14
102	Transforming Growth Factor β 1 Regulates Melanocyte Proliferation and Differentiation in Mouse Neural Crest Cells Via Stem Cell Factor/KIT Signaling. <i>Journal of Investigative Dermatology</i> , 2002, 118, 471-478.	0.3	29
103	Differentiation of Murine Melanocyte Precursors Induced by 1,25-Dihydroxyvitamin D3 Is Associated with the Stimulation of Endothelin B Receptor Expression. <i>Journal of Investigative Dermatology</i> , 2002, 119, 583-589.	0.3	56
104	Analysis of p53, p21 ^{Waf1/Cip1} and TGF- β 3 Immunohistochemical Staining in Bowen's Disease. <i>Dermatology</i> , 2001, 202, 9-15.	0.9	4
105	Overexpression of transforming growth factor-beta3 immunohistochemical staining in extramammary Paget's disease, but downregulated expression in Bowen's disease. <i>International Journal of Dermatology</i> , 2001, 40, 262-267.	0.5	5
106	Increased Expression of TGF- β 2 Receptors by Scleroderma Fibroblasts: Evidence for Contribution of Autocrine TGF- β Signaling to Scleroderma Phenotype. <i>Journal of Investigative Dermatology</i> , 1998, 110, 47-51.	0.3	236