

# Kazuyuki Matsushita

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/833617/publications.pdf>

Version: 2024-02-01

163  
papers

3,387  
citations

172457

29  
h-index

189892

50  
g-index

178  
all docs

178  
docs citations

178  
times ranked

5193  
citing authors

#	ARTICLE	IF	CITATIONS
1	Precision cancer genome testing needs proficiency testing involving all stakeholders. <i>Scientific Reports</i> , 2022, 12, 1494.	3.3	3
2	Tracking SARS-CoV-2 variants by entire S-gene analysis using long-range RT-PCR and Sanger sequencing. <i>Clinica Chimica Acta</i> , 2022, 530, 94-98.	1.1	10
3	Comprehensive Analysis of Barrett's Esophagus: Focused on Carcinogenic Potential for Barrett's Cancer in Japanese Patients. <i>Digestive Diseases and Sciences</i> , 2021, 66, 2674-2681.	2.3	4
4	Anti-FIR1 <sup>™</sup> exon2 autoantibody as a novel indicator for better overall survival in gastric cancer. <i>Cancer Science</i> , 2021, 112, 847-858.	3.9	5
5	Comprehensive mutational analysis of background mucosa in patients with Lugol's voiding lesions. <i>Cancer Medicine</i> , 2021, 10, 3545-3555.	2.8	1
6	Effect of humidity during sample preparation on bacterial identification using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1176, 122780.	2.3	5
7	Prediction of mismatch repair deficient biliary tract cancer: Role of morphological features and host immune response detected by routine hematoxylin-eosin staining. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 680-691.	2.6	9
8	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021, 19, 131.	5.5	13
9	Serum anti-AP3D1 antibodies are risk factors for acute ischemic stroke related with atherosclerosis. <i>Scientific Reports</i> , 2021, 11, 13450.	3.3	14
10	Antibody responses to BNT162b2 mRNA COVID-19 vaccine and their predictors among healthcare workers in a tertiary referral hospital in Japan. <i>Clinical Microbiology and Infection</i> , 2021, 27, 1861.e1-1861.e5.	6.0	107
11	Almost Three Decades Conservative Follow-up of Pseudoaneurysm of the Mitral-Aortic Intervalvular Fibrosa Without Radical Surgery. <i>Circulation Journal</i> , 2021, 85, 2247.	1.6	1
12	Genetic profiles of Barrett's esophagus and esophageal adenocarcinoma in Japanese patients. <i>Scientific Reports</i> , 2021, 11, 17671.	3.3	2
13	High levels of serum interleukin-6 are associated with disease activity in myasthenia gravis. <i>Journal of Neuroimmunology</i> , 2021, 358, 577634.	2.3	11
14	Quality and quantity of visceral fat tissue are associated with insulin resistance and survival outcomes after chemotherapy in patients with breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020, 179, 435-443.	2.5	26
15	Changes in the concentration of volatile organic compounds and aldehydes in newly constructed houses over time. <i>International Journal of Environmental Science and Technology</i> , 2020, 17, 333-342.	3.5	17
16	An in-house centrifugation and membrane filtration technique for identifying microorganisms from positive blood culture bottles with high identification rates using matrix-assisted laser desorption/ionization-time-of-flight mass spectrometry: A preliminary report. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 266-271.	1.7	4
17	Central blood pressure and pulse wave velocity in young and middle-aged Japanese adults with isolated systolic hypertension. <i>Hypertension Research</i> , 2020, 43, 207-212.	2.7	7
18	Serum anti-CLRPAP1 is a common biomarker for digestive organ cancers and atherosclerotic diseases. <i>Cancer Science</i> , 2020, 111, 4453-4464.	3.9	16

#	ARTICLE	IF	CITATIONS
19	Differential gene analysis during the development of obliterative bronchiolitis in a murine orthotopic lung transplantation model: A comprehensive transcriptome-based analysis. <i>PLoS ONE</i> , 2020, 15, e0232884.	2.5	4
20	Three-Dimensional Echocardiography Reveals Extensive Congenital Anterior Tricuspid Valve Prolapse. <i>Case</i> , 2020, 4, 130-135.	0.3	0
21	Post-transcriptional regulation of BRG1 by FIR <sup>1</sup> exon2 in gastric cancer. <i>Oncogenesis</i> , 2020, 9, 26.	4.9	13
22	Highly sensitive detection of SARS-CoV-2 RNA by multiplex rRT-PCR for molecular diagnosis of COVID-19 by clinical laboratories. <i>Clinica Chimica Acta</i> , 2020, 507, 139-142.	1.1	78
23	Monoamine oxidase B rs1799836 G allele polymorphism is a risk factor for early development of levodopa-induced dyskinesia in Parkinson's disease. <i>ENeurologicalSci</i> , 2020, 19, 100239.	1.3	16
24	Mass spectrometry-based microbiological testing for blood stream infection. <i>Clinical Proteomics</i> , 2020, 17, 14.	2.1	39
25	Multiplex PCR and multicolor probes melting for the simultaneous detection of five UGT1A1 variants. <i>Analytical Biochemistry</i> , 2019, 587, 113448.	2.4	1
26	Anti-FIR <sup>1</sup> exon2, a splicing variant form of PUF <sup>60</sup> , autoantibody is detected in the sera of esophageal squamous cell carcinoma. <i>Cancer Science</i> , 2019, 110, 2004-2013.	3.9	14
27	Evaluation of analytical factors associated with targeted MEFV gene sequencing using long-range PCR/massively parallel sequencing of whole blood DNA for molecular diagnosis of Familial Mediterranean fever. <i>Clinica Chimica Acta</i> , 2019, 495, 562-569.	1.1	1
28	A simple method for sequencing the whole human mitochondrial genome directly from samples and its application to genetic testing. <i>Scientific Reports</i> , 2019, 9, 17411.	3.3	20
29	Diagnostic Challenges Posed by Preceding Peripheral Neuropathy in Very Late-onset Spinocerebellar Ataxia Type 3. <i>Internal Medicine</i> , 2019, 58, 119-122.	0.7	2
30	Capsular serotyping of <i>Haemophilus influenzae</i> by using matrix-associated laser desorption ionization-time of flight mass spectrometry. <i>Journal of Infection and Chemotherapy</i> , 2018, 24, 510-514.	1.7	8
31	Multi-panel assay of serum autoantibodies in colorectal cancer. <i>International Journal of Clinical Oncology</i> , 2018, 23, 917-923.	2.2	29
32	An improved in-house lysis-filtration protocol for bacterial identification from positive blood culture bottles with high identification rates by MALDI-TOF MS. <i>Journal of Microbiological Methods</i> , 2018, 148, 40-45.	1.6	10
33	Variant in C-terminal region of intestinal alkaline phosphatase associated with benign familial hyperphosphatasemia. <i>Journal of Medical Genetics</i> , 2018, 55, 701-704.	3.2	4
34	Assessment by Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry of the Effects of Preanalytical Variables on Serum Peptidome Profiles Following Long-Term Sample Storage. <i>Proteomics - Clinical Applications</i> , 2018, 12, e1700047.	1.6	11
35	Development of a simple indocyanine green measurement method using an automated biochemical analyser. <i>Annals of Clinical Biochemistry</i> , 2018, 55, 491-495.	1.6	1
36	Disturbed alternative splicing of FIR (PUF60) directed cyclin E overexpression in esophageal cancers. <i>Oncotarget</i> , 2018, 9, 22929-22944.	1.8	12

#	ARTICLE	IF	CITATIONS
37	High-throughput genotyping of GC (vitamin D-binding protein) by melting analysis with locked nucleic acid-incorporating dual hybridization probe for improving mismatch discrimination. <i>Clinica Chimica Acta</i> , 2018, 487, 126-132.	1.1	2
38	Assessing the Accuracy of Variant Detection in Cost-Effective Gene Panel Testing by Next-Generation Sequencing. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 572-582.	2.8	33
39	Locked Nucleic Acid Technology for Highly Sensitive Detection of Somatic Mutations in Cancer. <i>Advances in Clinical Chemistry</i> , 2018, 83, 53-72.	3.7	22
40	Surveillance evaluation of the standardization of assay values for serum total 25-hydroxyvitamin D concentration in Japan. <i>Annals of Clinical Biochemistry</i> , 2018, 55, 647-656.	1.6	4
41	Application of the biocopolymer preparation system, rapid BACpro <sup>®</sup> II kit, for mass-spectrometry-based bacterial identification from positive blood culture bottles by the MALDI Biotyper system. <i>Journal of Microbiological Methods</i> , 2018, 152, 86-91.	1.6	9
42	Investigation of novel biomarkers for predicting the clinical course in patients with ulcerative colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1975-1983.	2.8	11
43	Molecular Nodal Staging Using miRNA Expression in Lung Cancer Patients by Endobronchial Ultrasound-Guided Transbronchial Needle Aspiration. <i>Respiration</i> , 2018, 96, 267-274.	2.6	5
44	Identification of specific and common diagnostic antibody markers for gastrointestinal cancers by SEREX screening using testis cDNA phage library. <i>Oncotarget</i> , 2018, 9, 18559-18569.	1.8	26
45	The frequency of promoter DNA hypermethylation is decreased in colorectal neoplasms of familial adenomatous polyposis. <i>Oncotarget</i> , 2018, 9, 32653-32666.	1.8	4
46	Novel diagnosis and therapy for hepatoma targeting HBV-related carcinogenesis through alternative splicing of FIR (PUF60)/FIR <sup>h</sup> exon2. <i>Hepatoma Research</i> , 2018, 4, 61.	1.5	3
47	Rapid and cost-effective high-throughput sequencing for identification of germline mutations of BRCA1 and BRCA2. <i>Journal of Human Genetics</i> , 2017, 62, 561-567.	2.3	17
48	Applications of copolymer for rapid identification of bacteria in blood culture broths using matrix-assisted laser desorption ionization time-of-flight mass spectrometry. <i>Journal of Microbiological Methods</i> , 2017, 139, 54-60.	1.6	25
49	Suitable Liquid Biopsy Samples for Detecting Kras Mutations in Patients with Pancreatic Cancer. <i>Gastroenterology</i> , 2017, 152, S490.	1.3	0
50	Panel of autoantibodies against multiple tumor-associated antigens for detecting gastric cancer. <i>Cancer Science</i> , 2017, 108, 308-315.	3.9	42
51	Serum cytokine and chemokine profiles in patients with juvenile muscular atrophy of distal upper extremity (Hirayama disease). <i>Journal of Neuroimmunology</i> , 2017, 302, 20-22.	2.3	3
52	Improved sensitivity of serum/plasma 1 $\alpha$ ,25-dihydroxyvitamin D quantification by DAPTAD derivatization. <i>Clinica Chimica Acta</i> , 2017, 473, 173-179.	1.1	11
53	Identification of Novel Serum Biomarkers for Prediction of Clinical Course in Patients with Ulcerative Colitis. <i>Gastroenterology</i> , 2017, 152, S775-S776.	1.3	0
54	A novel KCNQ1 nonsense variant in the isoform-specific first exon causes both jervell and Lange-Nielsen syndrome 1 and long QT syndrome 1: a case report. <i>BMC Medical Genetics</i> , 2017, 18, 66.	2.1	10

#	ARTICLE	IF	CITATIONS
55	Two cases of spinocerebellar ataxia with combined deleterious mutations of two different genes. <i>Journal of the Neurological Sciences</i> , 2017, 381, 379.	0.6	0
56	Large-area Imaging by WD-XRF Analysis and Elemental Monitoring of the Dissolution Process of a Solid Sample. <i>Bunseki Kagaku</i> , 2017, 66, 885-892.	0.2	1
57	FIR haplo deficiency promotes splicing to pyruvate kinase M2 in mice thymic lymphoma tissues revealed by six-plex tandem mass tag quantitative proteomic analysis. <i>Oncotarget</i> , 2017, 8, 67955-67965.	1.8	6
58	Two subtypes of colorectal tumor with distinct molecular features in familial adenomatous polyposis. <i>Oncotarget</i> , 2016, 7, 84003-84016.	1.8	5
59	Combined Secretomics and Transcriptomics Revealed Cancer-Derived GDF15 is Involved in Diffuse-Type Gastric Cancer Progression and Fibroblast Activation. <i>Scientific Reports</i> , 2016, 6, 21681.	3.3	25
60	Locked nucleic acid probe enhances Sanger sequencing sensitivity and improves diagnostic accuracy of high-resolution melting-based KRAS mutational analysis. <i>Clinica Chimica Acta</i> , 2016, 457, 75-80.	1.1	11
61	Development and validation of the simultaneous measurement of four vitamin D metabolites in serum by LC-MS/MS for clinical laboratory applications. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 7617-7627.	3.7	37
62	Detection of Ubiquitinated Dermcidin in Gingival Crevicular Fluid in Periodontal Disease. <i>International Journal of Peptide Research and Therapeutics</i> , 2016, 22, 249-253.	1.9	2
63	Clinical significance of serum autoantibodies against Ras-like GTPases, RalA, in patients with esophageal squamous cell carcinoma. <i>Esophagus</i> , 2016, 13, 167-172.	1.9	8
64	NY-ESO-1 autoantibody as a tumor-specific biomarker for esophageal cancer: screening in 1969 patients with various cancers. <i>Journal of Gastroenterology</i> , 2016, 51, 30-34.	5.1	70
65	Adenovirus-mediated FIR demonstrated TP53-independent cell-killing effect and enhanced antitumor activity of carbon-ion beams. <i>Gene Therapy</i> , 2016, 23, 50-56.	4.5	6
66	Anti-FIRs (PUF60) auto-antibodies are detected in the sera of early-stage colon cancer patients. <i>Oncotarget</i> , 2016, 7, 82493-82503.	1.8	25
67	The cause of the abnormal reaction of clinical chemistry was confirmed by electrophoresis. <i>Denki Eido</i> , 2016, 60, 27-30.	0.0	1
68	Estimated glomerular filtration rate by serum creatinine or standardized cystatin C in Japanese patients with Graves <sup>x3</sup> disease. <i>Data in Brief</i> , 2015, 5, 1092-1095.	1.0	0
69	Tacrolimus prevents laryngotracheal stenosis in an acute injury rat model. <i>Laryngoscope</i> , 2015, 125, E210-5.	2.0	11
70	Gene Therapy of c-myc Suppressor FUSE-Binding Protein-Interacting Repressor by Sendai Virus Delivery Prevents Tracheal Stenosis. <i>PLoS ONE</i> , 2015, 10, e0116279.	2.5	13
71	Identification of <i>Nocardia</i> species using matrix-assisted laser desorption/ionization time-of-flight mass spectrometry. <i>Clinical Proteomics</i> , 2015, 12, 6.	2.1	26
72	The abnormal reaction data-detecting function of the automated biochemical analyzer was useful to prevent erroneous total-bilirubin measurement and to identify monoclonal proteins. <i>Clinica Chimica Acta</i> , 2015, 441, 44-46.	1.1	6

#	ARTICLE	IF	CITATIONS
73	Similar frequency of paternal uniparental disomy involving chromosome 20q (patUPD20q) in Japanese and Caucasian patients affected by sporadic pseudohypoparathyroidism type 1b (sporPHP1B). <i>Bone</i> , 2015, 79, 15-20.	2.9	41
74	Application of Proteomic Technologies to Discover and Identify Biomarkers for Periodontal Diseases: Promising Technologies for Periodontal Research. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 119, e208.	0.4	0
75	Evaluation of the Short-Term Stability of Specimens for Clinical Laboratory Testing. <i>Biopreservation and Biobanking</i> , 2015, 13, 135-143.	1.0	23
76	Sendai virus-mediated gene transfer of the c-myc suppressor far-upstream element-binding protein-interacting repressor suppresses head and neck cancer. <i>Gene Therapy</i> , 2015, 22, 297-304.	4.5	5
77	Paradoxical effects of thyroid function on glomerular filtration rate estimated from serum creatinine or standardized cystatin C in patients with Japanese Graves' disease. <i>Clinica Chimica Acta</i> , 2015, 451, 316-322.	1.1	10
78	Nuclear accumulation of annexin A2 contributes to chromosomal instability by coilin-mediated centromere damage. <i>Oncogene</i> , 2015, 34, 4177-4189.	5.9	11
79	Haploinsufficiency of the c-myc transcriptional repressor FIR, as a dominant negative-alternative splicing model, promoted p53-dependent T-cell acute lymphoblastic leukemia progression by activating Notch1. <i>Oncotarget</i> , 2015, 6, 5102-5117.	1.8	14
80	Human Apolipoprotein E Resequencing by Proteomic Analysis and Its Application to Serotyping. <i>PLoS ONE</i> , 2014, 9, e85356.	2.5	6
81	How proteomic ApoE serotyping could impact Alzheimer's disease risk assessment: genetic testing by proteomics. <i>Expert Review of Proteomics</i> , 2014, 11, 405-407.	3.0	1
82	Lamin B2 prevents chromosome instability by ensuring proper mitotic chromosome segregation. <i>Oncogenesis</i> , 2014, 3, e94-e94.	4.9	30
83	Application of proteomic technologies to discover and identify biomarkers for periodontal diseases in gingival crevicular fluid: A review. <i>Proteomics - Clinical Applications</i> , 2014, 8, 232-240.	1.6	8
84	High-throughput screening of extended RAS mutations based on high-resolution melting analysis for prediction of anti-EGFR treatment efficacy in colorectal carcinoma. <i>Clinical Biochemistry</i> , 2014, 47, 340-343.	1.9	9
85	Discovery of Colorectal Cancer Biomarker Candidates by Membrane Proteomic Analysis and Subsequent Verification using Selected Reaction Monitoring (SRM) and Tissue Microarray (TMA) Analysis. <i>Molecular and Cellular Proteomics</i> , 2014, 13, 1471-1484.	3.8	65
86	Serous Tubal Intraepithelial Carcinoma in a Japanese Woman with a Deleterious BRCA1 Mutation. <i>Japanese Journal of Clinical Oncology</i> , 2014, 44, 597-601.	1.3	2
87	Transbronchial Biopsy Needle Rinse Solution Used for Comprehensive Biomarker Testing in Patients with Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2014, 9, 26-32.	1.1	15
88	Moesin is a possible target molecule for cytomegalovirus-related Guillain-Barré syndrome. <i>Neurology</i> , 2014, 83, 113-117.	1.1	56
89	Alternative splicing of FBP-interacting repressor coordinates c-Myc, P27Kip1/cyclinE and Ku86/XRCC5 expression as a molecular sensor for bleomycin-induced DNA damage pathway. <i>Oncotarget</i> , 2014, 5, 2404-2417.	1.8	33
90	Non-transmissible Sendai virus vector encoding c-myc suppressor FBP-interacting repressor for cancer therapy. <i>World Journal of Gastroenterology</i> , 2014, 20, 4316.	3.3	11

#	ARTICLE	IF	CITATIONS
91	Alternative splicing of DNA damage response genes and gastrointestinal cancers. <i>World Journal of Gastroenterology</i> , 2014, 20, 17305.	3.3	16
92	Change in Albumin Measurement Method Affects Diagnosis of Nephrotic Syndrome. <i>Clinical Laboratory</i> , 2014, 60, 1663-7.	0.5	5
93	Clathrin heavy chain is a useful immunohistochemical marker for esophageal squamous intraepithelial neoplasia. <i>Esophagus</i> , 2013, 10, 193-198.	1.9	1
94	The FLS (Fatty liver Shionogi) mouse reveals local expressions of lipocalin-2, CXCL1 and CXCL9 in the liver with non-alcoholic steatohepatitis. <i>BMC Gastroenterology</i> , 2013, 13, 120.	2.0	40
95	Child-Pugh score is altered by the albumin measurement method. <i>Hepatology</i> , 2013, 57, 2093-2094.	7.3	6
96	Interactions between SAP155 and FUSE-Binding Protein-Interacting Repressor Bridges <i>c-Myc</i> and P27Kip1 Expression. <i>Molecular Cancer Research</i> , 2013, 11, 689-698.	3.4	23
97	<i>c-Myc</i> -mediated <i>c-Myc</i> suppressor factor upstream element-binding protein-interacting repressor splicing variants are activated in colon cancer tissues. <i>Cancer Science</i> , 2013, 104, 149-156.	3.9	24
98	Application of quantitative proteomic analysis using tandem mass tags for discovery and identification of novel biomarkers in periodontal disease. <i>Proteomics</i> , 2013, 13, 2339-2350.	2.2	46
99	SAP155-Mediated Splicing of FUSE-Binding Protein-Interacting Repressor Serves as a Molecular Switch for <i>c-myc</i> Gene Expression. <i>Molecular Cancer Research</i> , 2012, 10, 787-799.	3.4	25
100	Pentanucleotide repeat-primed PCR for genetic diagnosis of spinocerebellar ataxia type 31. <i>Journal of Human Genetics</i> , 2012, 57, 807-808.	2.3	13
101	Serum cystatin C as a marker for early detection of chronic kidney disease and grade 2 nephropathy in Japanese patients with type 2 diabetes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 1833-9.	2.3	12
102	Identification of a Novel Biomarker for Biliary Tract Cancer Using Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry. <i>International Journal of Proteomics</i> , 2012, 1-8.	2.0	9
103	Impact of serum biomarkers on esophageal squamous cell carcinoma. <i>Esophagus</i> , 2012, 9, 131-140.	1.9	16
104	Akt/mTOR signaling pathway is crucial for gemcitabine resistance induced by Annexin II in pancreatic cancer cells. <i>Journal of Surgical Research</i> , 2012, 178, 758-767.	1.6	66
105	Plectin promotes migration and invasion of cancer cells and is a novel prognostic marker for head and neck squamous cell carcinoma. <i>Journal of Proteomics</i> , 2012, 75, 1803-1815.	2.4	65
106	Serum anti-Ku86 is a potential biomarker for early detection of hepatitis C virus-related hepatocellular carcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2012, 421, 837-843.	2.1	30
107	High-Resolution Melting Analyses for Gene Scanning of APC, MLH1, MSH2, and MSH6 Associated with Hereditary Colorectal Cancer. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 406-411.	0.7	7
108	Proteomic analysis of gingival crevicular fluid for discovery of novel periodontal disease markers. <i>Proteomics</i> , 2012, 12, 2190-2202.	2.2	60



#	ARTICLE	IF	CITATIONS
109	Molecular profiling of patients with non-small cell lung cancer (NSCLC) using bronchoscopic ultra-micro sampling.. <i>Journal of Clinical Oncology</i> , 2012, 30, 7046-7046.	1.6	0
110	The Application of a Three-Step Proteome Analysis for Identification of New Biomarkers of Pancreatic Cancer. <i>International Journal of Proteomics</i> , 2011, 2011, 1-13.	2.0	15
111	Synergistic effect of non-transmissible Sendai virus vector encoding the <i>myc</i> suppressor FUSE-binding protein-interacting repressor plus cisplatin in the treatment of malignant pleural mesothelioma. <i>Cancer Science</i> , 2011, 102, 1366-1373.	3.9	19
112	Identification of a high molecular weight kininogen fragment as a marker for early gastric cancer by serum proteome analysis. <i>Journal of Gastroenterology</i> , 2011, 46, 577-585.	5.1	30
113	Adhesion molecule periplakin is involved in cellular movement and attachment in pharyngeal squamous cancer cells. <i>BMC Cell Biology</i> , 2011, 12, 41.	3.0	18
114	An alternative splicing isoform of eukaryotic initiation factor 4H promotes tumorigenesis in vivo and is a potential therapeutic target for human cancer. <i>International Journal of Cancer</i> , 2011, 128, 1018-1030.	5.1	25
115	Decreases in the Serum VLDL-TG/Non-VLDL-TG Ratio from Early Stages of Chronic Hepatitis C: Alterations in TG-Rich Lipoprotein Levels. <i>PLoS ONE</i> , 2011, 6, e17309.	2.5	17
116	Low peritoneal and systemic inflammatory response after laparoscopy-assisted gastrectomy compared to open gastrectomy. <i>Hepato-Gastroenterology</i> , 2011, 58, 659-62.	0.5	7
117	Reducing the Incidence of Pseudohyperkalemia by Avoiding Making a Fist During Phlebotomy: A Quality Improvement Report. <i>American Journal of Kidney Diseases</i> , 2010, 56, 686-692.	1.9	23
118	Phosphorylation statuses at different residues of lamin B2, B1, and A/C dynamically and independently change throughout the cell cycle. <i>Experimental Cell Research</i> , 2010, 316, 2301-2312.	2.6	34
119	Reduction of novel circulating long-chain fatty acids in colorectal cancer patients is independent of tumor burden and correlates with age. <i>BMC Gastroenterology</i> , 2010, 10, 140.	2.0	21
120	Viral shedding after <i>p53</i> adenoviral gene therapy in 10 cases of esophageal cancer. <i>Cancer Science</i> , 2010, 101, 289-291.	3.9	5
121	CHAP31 Induces Apoptosis Only via the Intrinsic Pathway in Human Esophageal Cancer Cells. <i>Oncology</i> , 2010, 78, 62-74.	1.9	15
122	The search for disease diagnostic markers of high-molecular-mass proteins. <i>Seibutsu Butsuri Kagaku</i> , 2010, 54, 35-39.	0.1	0
123	Angiogenesis-related factors are molecular targets for diagnosis and treatment of patients with esophageal carcinoma. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2010, 16, 389-93.	0.8	24
124	RG64 High Count Rate Low Noise Multichannel ASIC With Energy Window Selection and Continuous Readout Mode. <i>IEEE Transactions on Nuclear Science</i> , 2009, 56, 487-495.	2.0	8
125	Perioperative Changes of Serum p53 Antibody Titer is a Predictor for Survival in Patients with Esophageal Squamous Cell Carcinoma. <i>World Journal of Surgery</i> , 2009, 33, 272-277.	1.6	35
126	YKL-40 IDENTIFIED BY PROTEOMIC ANALYSIS AS A BIOMARKER OF SEPSIS. <i>Shock</i> , 2009, 32, 393-400.	2.1	68



#	ARTICLE	IF	CITATIONS
127	c-myc suppressor FBP-interacting repressor for cancer diagnosis and therapy. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 3401.	3.0	17
128	Long-term Results after Dissection of Positive Thoracic Lymph Nodes in Patients with Esophageal Squamous Cell Carcinoma. <i>World Journal of Surgery</i> , 2008, 32, 255-261.	1.6	9
129	Identification of novel immunohistochemical tumor markers for primary hepatocellular carcinoma; clathrin heavy chain and formiminotransferase cyclodeaminase. <i>Hepatology</i> , 2008, 48, 519-530.	7.3	77
130	Combined Effects of p53 Gene Therapy and Leptomycin B in Human Esophageal Squamous Cell Carcinoma. <i>Oncology</i> , 2008, 75, 113-119.	1.9	5
131	Role of histone deacetylase inhibitor in adenovirus-mediated p53 gene therapy in esophageal cancer. <i>Anticancer Research</i> , 2008, 28, 665-71.	1.1	12
132	Tumor suppressor Prdx1 is a prognostic factor in esophageal squamous cell carcinoma patients. <i>Oncology Reports</i> , 2007, 18, 867.	2.6	17
133	Gene expression profiling induced by histone deacetylase inhibitor, FK228, in human esophageal squamous cancer cells. <i>Oncology Reports</i> , 2007, , .	2.6	6
134	Gene expression profiling induced by histone deacetylase inhibitor, FK228, in human esophageal squamous cancer cells. <i>Oncology Reports</i> , 2007, 18, 585-92.	2.6	13
135	Tumor suppressor Prdx1 is a prognostic factor in esophageal squamous cell carcinoma patients. <i>Oncology Reports</i> , 2007, 18, 867-71.	2.6	21
136	Proteomic analysis of primary esophageal squamous cell carcinoma reveals downregulation of a cell adhesion protein, periplakin. <i>Proteomics</i> , 2006, 6, 1011-1018.	2.2	93
137	Strong HLA-DR antigen expression on cancer cells relates to better prognosis of colorectal cancer patients: Possible involvement of c-myc suppression by interferon-gamma in situ. <i>Cancer Science</i> , 2006, 97, 57-63.	3.9	71
138	The Effects of Carbon Ion Irradiation Revealed by Excised Perforated Intestines as a Late Morbidity for Uterine Cancer Treatment. <i>Surgery Today</i> , 2006, 36, 692-700.	1.5	19
139	An Essential Role of Alternative Splicing of c-myc Suppressor FUSE-Binding Protein as an Interacting Repressor in Carcinogenesis. <i>Cancer Research</i> , 2006, 66, 1409-1417.	0.9	80
140	Leupeptin-sensitive proteases involved in cell survival after X-ray irradiation in human R5a cells. <i>Cell Biology International</i> , 2005, 29, 662-668.	3.0	3
141	Histone Deacetylase Inhibitor FK228 Activates Tumor Suppressor Prdx1 with Apoptosis Induction in Esophageal Cancer Cells. <i>Clinical Cancer Research</i> , 2005, 11, 7945-7952.	7.0	59
142	Centromere Protein H Is Up-regulated in Primary Human Colorectal Cancer and Its Overexpression Induces Aneuploidy. <i>Cancer Research</i> , 2005, 65, 4683-4689.	0.9	103
143	Identification of Altered Protein Expression and Post-Translational Modifications in Primary Colorectal Cancer by Using Agarose Two-Dimensional Gel Electrophoresis. <i>Clinical Cancer Research</i> , 2004, 10, 2007-2014.	7.0	127
144	The Diagnostic Value of Endoscopic Ultrasonography and Magnetic Resonance Imaging for Anorectal Malignant Melanoma: Report of a Case. <i>Surgery Today</i> , 2003, 33, 209-213.	1.5	29

#	ARTICLE	IF	CITATIONS
145	Overexpression and mistargeting of centromere protein-A in human primary colorectal cancer. <i>Cancer Research</i> , 2003, 63, 3511-6.	0.9	234
146	P21WAF1/CIP1 messenger RNA expression in hepatitis B, C virus-infected human hepatocellular carcinoma tissues. <i>Cancer</i> , 2001, 91, 2096-2103.	4.1	21
147	Peripheral Blood Microchimerism Does Not Correlate With the State of Graft Acceptance in HLA-DRB1 Mismatched Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 1998, 30, 7-8.	0.6	8
148	Microchimerism in renal transplant recipients correlates with better HLA-DRB1 matched status. <i>Transplantation Proceedings</i> , 1997, 29, 2290-2293.	0.6	5
149	Reduced messenger RNA expression level of p21CIP1 in human colorectal carcinoma tissues and its association with p53 gene mutation. , 1996, 69, 259-264.		24
150	HLA-DR antigen expression on colorectal carcinomas: influence of expression by IFN- $\gamma$ in situ and its association with tumour progression. <i>British Journal of Cancer</i> , 1996, 73, 644-648.	6.4	32
151	CHANGES IN TROUGH LEVELS OF WHOLE BLOOD CYCLOSPORINE AND GRAFT FUNCTION OF A KIDNEY TRANSPLANT RECIPIENT WITH ONSET OF HYPOTHYROIDISM AFTER TRANSPLANTATION. <i>Transplantation</i> , 1996, 62, 1509-1511.	1.0	4
152	Reduced messenger RNA expression level of p21CIP1 in human colorectal carcinoma tissues and its association with p53 gene mutation. <i>International Journal of Cancer</i> , 1996, 69, 259-264.	5.1	0
153	Chemokine gene transfection into tumour cells reduced tumorigenicity in nude mice in association with neutrophilic infiltration. <i>British Journal of Cancer</i> , 1995, 72, 708-714.	6.4	100
154	TWO RESECTED CASES OF RE-RECURRENT RECTAL CARCINOMA. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1994, 55, 1550-1554.	0.0	0
155	A CASE OF DIFFUSE INFILTRATIVE CARCINOMA OF THE LARGE INTESTINE. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1994, 55, 2850-2853.	0.0	0
156	A comparison between ultrasonography and mammography, computed tomography and digital subtraction angiography for the detection of breast cancers. <i>Surgery Today</i> , 1993, 23, 704-710.	1.5	23
157	Immunohistochemical Evaluation of Proliferating Activity in Diffusely Infiltrating Carcinoma of the Colon and Rectum Using Proliferating Cell Nuclear Antigen. <i>Japanese Journal of Gastroenterological Surgery</i> , 1993, 26, 967-967.	0.1	0
158	Anatomical Evaluation of Possible Extent of Clearing Upper Mediastinal Lymph Nodes for Esophageal Cancer with Right Thoracotomy and Neck Dissection.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1993, 26, 2134-2139.	0.1	0
159	INDICATION AND LIMITATION OF TOTAL PELVIC EVISCERATION (TPE) FOR COLORECTAL CANCER. <i>The Journal of the Japanese Practical Surgeon Society</i> , 1992, 53, 2884-2891.	0.0	0
160	Treatments of Carcinoma of the Hypopharynx and Esophagus. D. <i>The Treatment of Thoracic Esophageal Cancer.. Nihon Kikan Shokudoka Gakkai Kaiho</i> , 1992, 43, 101-106.	0.0	0
161	Two cases of hepatic hemoangiomyolipoma.. <i>Acta Hepatologica Japonica</i> , 1991, 32, 1046-1051.	0.1	0
162	Two Resected Cases of Biliary Cysadenocarcinoma of the Liver.. <i>Japanese Journal of Gastroenterological Surgery</i> , 1991, 24, 2041-2045.	0.1	2

#	ARTICLE	IF	CITATIONS
163	A case of extragastric leiomyoblastoma with peduncle.. Japanese Journal of Gastroenterological Surgery, 1990, 23, 75-79.	0.1	0