

# Heidi M Harmon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8336188/publications.pdf>

Version: 2024-02-01

25  
papers

954  
citations

858243

12  
h-index

721071

23  
g-index

25  
all docs

25  
docs citations

25  
times ranked

1083  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortisol awakening response and developmental outcomes at 6–7 years in children born extremely preterm. <i>Pediatric Research</i> , 2023, 93, 689-695.	1.1	1
2	Cardiorespiratory management of infants born at 22 weeks gestation: The Iowa approach. <i>Seminars in Perinatology</i> , 2022, 46, 151-155.	1.1	9
3	Hydrocortisone to Improve Survival without Bronchopulmonary Dysplasia. <i>New England Journal of Medicine</i> , 2022, 386, 1121-1131.	13.9	62
4	Model for severe intracranial hemorrhage and role of early indomethacin in extreme preterm infants. <i>Pediatric Research</i> , 2022, , .	1.1	4
5	Mortality, In-Hospital Morbidity, Care Practices, and 2-Year Outcomes for Extremely Preterm Infants in the US, 2013-2018. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 248.	3.8	222
6	Limitations of Conventional Magnetic Resonance Imaging as a Predictor of Death or Disability Following Neonatal Hypoxic-Ischemic Encephalopathy in the Late Hypothermia Trial. <i>Journal of Pediatrics</i> , 2021, 230, 106-111.e6.	0.9	12
7	Neurodevelopmental outcome of preterm infants enrolled in myo-inositol randomized controlled trial. <i>Journal of Perinatology</i> , 2021, 41, 2072-2087.	0.9	2
8	The relationship of neurodevelopmental impairment to concurrent early childhood outcomes of extremely preterm infants. <i>Journal of Perinatology</i> , 2021, 41, 2270-2278.	0.9	11
9	Association of High Screen-Time Use With School-age Cognitive, Executive Function, and Behavior Outcomes in Extremely Preterm Children. <i>JAMA Pediatrics</i> , 2021, 175, 1025.	3.3	16
10	Relationships between retinopathy of prematurity without ophthalmologic intervention and neurodevelopment and vision at 2 years. <i>Pediatric Research</i> , 2021, , .	1.1	5
11	Association Between Increased Seizures During Rewarming After Hypothermia for Neonatal Hypoxic Ischemic Encephalopathy and Abnormal Neurodevelopmental Outcomes at 2-Year Follow-up. <i>JAMA Neurology</i> , 2021, 78, 1484.	4.5	15
12	Timing of postnatal steroids for bronchopulmonary dysplasia: association with pulmonary and neurodevelopmental outcomes. <i>Journal of Perinatology</i> , 2020, 40, 616-627.	0.9	32
13	Behavior Profiles at 2 Years for Children Born Extremely Preterm with Bronchopulmonary Dysplasia. <i>Journal of Pediatrics</i> , 2020, 219, 152-159.e5.	0.9	12
14	Weaning of Moderately Preterm Infants from the Incubator to the Crib: A Randomized Clinical Trial. <i>Journal of Pediatrics</i> , 2019, 204, 96-102.e4.	0.9	16
15	Effect of Therapeutic Hypothermia Initiated After 6 Hours of Age on Death or Disability Among Newborns With Hypoxic-Ischemic Encephalopathy: A Randomized Clinical Trial. <i>Obstetrical and Gynecological Survey</i> , 2018, 73, 141-143.	0.2	0
16	Maternal obesity: a serious pediatric health crisis. <i>Pediatric Research</i> , 2018, 83, 1087-1089.	1.1	3
17	Effects of myo-inositol on Type 1 Retinopathy of Prematurity Among Preterm Infants &lt;28 Weeks Gestational Age. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1649.	3.8	26
18	Extreme Preterm Infant Rates of Overweight and Obesity at School Age in the SUPPORT Neuroimaging and Neurodevelopmental Outcomes Cohort. <i>Journal of Pediatrics</i> , 2018, 200, 132-139.e3.	0.9	23

#	ARTICLE	IF	CITATIONS
19	Preterm Neuroimaging and School-Age Cognitive Outcomes. <i>Pediatrics</i> , 2018, 142, .	1.0	52
20	Effect of Therapeutic Hypothermia Initiated After 6 Hours of Age on Death or Disability Among Newborns With Hypoxic-Ischemic Encephalopathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 1550.	3.8	212
21	Case 3: A Preterm Neonate with Severe Respiratory Distress and Hydrops. <i>NeoReviews</i> , 2017, 18, e549-e551.	0.4	1
22	Effect of Depth and Duration of Cooling on Death or Disability at Age 18 Months Among Neonates With Hypoxic-Ischemic Encephalopathy. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 57.	3.8	184
23	Neurodevelopmental Outcomes at Two Years of Age for Premature Infants Diagnosed With Neonatal Obstructive Sleep Apnea. <i>Journal of Clinical Sleep Medicine</i> , 2017, 13, 1311-1317.	1.4	12
24	Early school outcomes for extremely preterm infants with transient neurological abnormalities. <i>Developmental Medicine and Child Neurology</i> , 2015, 57, 865-871.	1.1	12
25	Stopping Parenteral Nutrition for 3 Hours Reduces False Positives in Newborn Screening. <i>Journal of Pediatrics</i> , 2015, 167, 312-316.	0.9	10