

Francesco Versaci

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8336443/francesco-versaci-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,417
citations

27
h-index

47
g-index

104
ext. papers

2,820
ext. citations

4.3
avg, IF

4.26
L-index

#	Paper	IF	Citations
91	Renal arteries denervation: from the treatment of resistant hypertension to the treatment of atrial fibrillation. <i>European Heart Journal Supplements</i> , 2021 , 23, E177-E183	1.5	1
90	Perclose Proglide [®] for vascular closure. <i>Future Cardiology</i> , 2021 , 17, 269-282	1.3	1
89	Interplay between COVID-19, pollution, and weather features on changes in the incidence of acute coronary syndromes in early 2020. <i>International Journal of Cardiology</i> , 2021 , 329, 251-259	3.2	5
88	Beneficial effects of a combination of natural product activators of autophagy on endothelial cells and platelets. <i>British Journal of Pharmacology</i> , 2021 , 178, 2146-2159	8.6	4
87	Is COVID-19 the deadliest event of the last century?. <i>European Heart Journal</i> , 2021 , 42, 2876-2879	9.5	2
86	Caloric restriction mimetics for the treatment of cardiovascular diseases. <i>Cardiovascular Research</i> , 2021 , 117, 1434-1449	9.9	7
85	Low serum albumin levels and in-hospital outcomes in patients with ST segment elevation myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2904-2911	4.5	6
84	Adenosine and fractional flow reserve: no reason to be afraid anymore!. <i>Minerva Cardiology and Angiology</i> , 2021 , 69, 446-448	2.4	
83	Impact of SARS-CoV-2 positivity on clinical outcome among STEMI patients undergoing mechanical reperfusion: Insights from the ISACS STEMI COVID 19 registry. <i>Atherosclerosis</i> , 2021 , 332, 48-54	3.1	12
82	Trehalose, a natural disaccharide, reduces stroke occurrence in the stroke-prone spontaneously hypertensive rat. <i>Pharmacological Research</i> , 2021 , 173, 105875	10.2	2
81	Clinical outcomes of suboptimal stent deployment as assessed by optical coherence tomography: long-term results of the CLI-OPCI registry. <i>EuroIntervention</i> , 2021 ,	3.1	1
80	Inhibition of miR-155 Attenuates Detrimental Vascular Effects of Tobacco Cigarette Smoking. <i>Journal of the American Heart Association</i> , 2020 , 9, e017000	6	4
79	Impact of COVID-19 Pandemic on Mechanical Reperfusion for Patients With STEMI. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2321-2330	15.1	61
78	Impact of environmental pollution and weather changes on the incidence of ST-elevation myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2020 , 2047487320928450	3.9	4
77	Air pollution, climate changes and cardiovascular diseases: a nightmare threesome!. <i>Minerva Cardioangiologica</i> , 2020 , 68, 282-284	1.1	7
76	Extracorporeal membrane oxygenation for critically ill patients with coronavirus-associated disease 2019: an updated perspective of the European experience. <i>Minerva Cardioangiologica</i> , 2020 , 68, 368-372	1.1	29
75	Renal arteries denervation with second generation systems: a remedy for resistant hypertension?. <i>European Heart Journal Supplements</i> , 2020 , 22, L160-L165	1.5	2

74	Impact of temporary traffic bans on the risk of acute coronary syndromes in a large metropolitan area. <i>Panminerva Medica</i> , 2020 , 62, 252-259	2	2
73	The Activated Clotting Time Paradox: Relationship Between Activated Clotting Time and Occlusion of the Radial Artery When Used as Vascular Access for Percutaneous Coronary Procedures. <i>Circulation: Cardiovascular Interventions</i> , 2019 , 12, e008045	6	8
72	Long-term benefit of renal denervation on blood pressure control in a patient with hemorrhagic stroke. <i>SAGE Open Medical Case Reports</i> , 2019 , 7, 2050313X19870972	0.7	0
71	Cardiovascular Pleiotropic Effects of Natriuretic Peptides. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	31
70	Climate changes and ST-elevation myocardial infarction treated with primary percutaneous coronary angioplasty. <i>International Journal of Cardiology</i> , 2019 , 294, 1-5	3.2	12
69	Hybrid anatomic-functional imaging of coronary artery disease: Beneficial irrespective of its core components. <i>Journal of Nuclear Cardiology</i> , 2019 , 26, 752-762	2.1	4
68	A comparison of intracoronary treatment strategies for thrombus burden removal during primary percutaneous coronary intervention: a COCTAIL II substudy. <i>Coronary Artery Disease</i> , 2018 , 29, 186-193	1.4	1
67	Impact of specific coronary lesions on regional ischemia at single photon emission computed tomography. <i>Journal of Cardiovascular Medicine</i> , 2018 , 19, 329-336	1.9	1
66	Impact of coronary revascularization vs medical therapy on ischemia among stable patients with or suspected coronary artery disease undergoing serial myocardial perfusion scintigraphy. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 1690-1698	2.1	7
65	The role of residual intrastent thrombus during primary angioplasty: insights from the COCTAIL II study. <i>Journal of Cardiovascular Medicine</i> , 2017 , 18, 348-353	1.9	2
64	Comparative Impact of Hypoglycemic Agents on Severity and Extent of Myocardial Ischemia in Patients With Type 2 Diabetes Mellitus Undergoing Myocardial Perfusion Scintigraphy. <i>Journal of Cardiovascular Pharmacology</i> , 2016 , 68, 162-70	3.1	5
63	Comparison between intermediate and severe coronary stenoses and clinical outcomes of an OCT-guided PCI strategy. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 361-7	1.9	2
62	Impact of oral P2Y12 inhibitors on residual thrombus burden and reperfusion indexes in patients with ST-segment elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 701-6	1.9	3
61	Clinical Impact of Suboptimal Stenting and Residual Intrastent Plaque/Thrombus Protrusion in Patients With Acute Coronary Syndrome: The CLI-OPCI ACS Substudy (Centro per la Lotta Contro L'Infarto-Optimization of Percutaneous Coronary Intervention in Acute Coronary Syndrome). <i>Circulation: Cardiovascular Interventions</i> , 2016 , 9, e004212	6	39
60	Percutaneous coronary intervention driven by combined use of intracoronary anatomy and physiology: Towards a tailored therapy for coronary artery disease. <i>International Journal of Cardiology</i> , 2015 , 187, 562-4	3.2	4
59	Simultaneous carotid artery stenting and heart surgery: expanded experience of hybrid surgical procedures. <i>Annals of Thoracic Surgery</i> , 2015 , 99, 1291-7	2.7	30
58	One-year outcome from an all-comers population of patients with ST-segment elevation myocardial infarction treated with biolimus-eluting stent with biodegradable polymer. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, 352-8	2.7	4
57	Clinical Impact of OCT Findings During PCI: The CLI-OPCI II Study. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1297-305	8.4	177

56	Randomized evaluation of intralesion versus intracoronary abciximab and aspiration thrombectomy in patients with ST-elevation myocardial infarction: The COCTAIL II trial. <i>American Heart Journal</i> , 2015 , 170, 1116-23	4.9	21
55	An unusual complication following pericardiocentesis: reversible left ventricular dysfunction. <i>Journal of Cardiovascular Medicine</i> , 2015 , 16 Suppl 2, S133-5	1.9	7
54	ORAL iMmunosuppressive therapy to prevent in-Stent rEstenosiS (RAMSES) cooperation: a patient-level meta-analysis of randomized trials. <i>Atherosclerosis</i> , 2014 , 237, 410-7	3.1	11
53	Late renal artery stenosis after renal denervation: is it the tip of the iceberg?. <i>International Journal of Cardiology</i> , 2014 , 172, e507-8	3.2	23
52	3D-sympathetic renal denervation increases procedural efficacy in non-responders after percutaneous renal denervation: dream or reality with second generation of devices. <i>International Journal of Cardiology</i> , 2014 , 175, 370-1	3.2	5
51	Vascular response after percutaneous sympathectomy: not all devices are equal. <i>International Journal of Cardiology</i> , 2014 , 174, 406-7	3.2	9
50	Twenty year follow-up after successful percutaneous balloon mitral valvuloplasty in a large contemporary series of patients with mitral stenosis. <i>International Journal of Cardiology</i> , 2014 , 177, 881-5	3.2	41
49	Is an abnormal vascular response after renal sympathetic denervation predictive of permanent damage? An unusual case of late renal artery stenosis after energy delivery. <i>Journal of Endovascular Therapy</i> , 2014 , 21, 191-6	2.5	16
48	Cerebral microembolism during transradial coronary angiography: comparison between single and double catheter strategy. <i>International Journal of Cardiology</i> , 2014 , 170, 438-9	3.2	5
47	Risk of brain injury during diagnostic coronary angiography: comparison between right and left radial approach. <i>International Journal of Cardiology</i> , 2013 , 167, 3021-6	3.2	32
46	Crossing chronic total occlusions with the Ocelot system: the initial European experience. <i>EuroIntervention</i> , 2013 , 9, 854-62	3.1	15
45	Prediction of cardiovascular events by inflammatory markers in patients undergoing carotid stenting. <i>Mayo Clinic Proceedings</i> , 2012 , 87, 50-8	6.4	10
44	Simultaneous Hybrid Revascularization by Carotid Stenting and Coronary Artery Bypass Grafting □ The SHARP Study 2012 ,		1
43	Commentary: optical coherence tomography: a valuable tool to improve carotid artery stenting. <i>Journal of Endovascular Therapy</i> , 2012 , 19, 312-3	2.5	0
42	Simultaneous patent foramen ovale and left atrial appendage closure. <i>Journal of Cardiovascular Medicine</i> , 2012 , 13, 663-4	1.9	2
41	Long-term outcomes after surgical ventricular restoration and coronary artery bypass grafting in patients with postinfarction left ventricular anterior aneurysm. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 96-102	1.9	6
40	Aortic root surgery in Marfan syndrome: Bentall procedure with the composite mechanical valved conduit versus aortic valve reimplantation with Valsalva graft. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 648-54	1.9	8
39	A case of coronary artery fistula visualized by 64-slice multidetector CT. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2009 , 6, 57-60		8

38	Simultaneous hybrid revascularization by carotid stenting and coronary artery bypass grafting: the SHARP study. <i>JACC: Cardiovascular Interventions</i> , 2009 , 2, 393-401	5	56
37	Carotid artery stenting: a single-centre experience with up to 8 years follow-up. <i>European Radiology</i> , 2009 , 19, 982-9	8	20
36	Long-term results of immunosuppressive oral prednisone after coronary angioplasty in non-diabetic patients with elevated C-reactive protein levels. <i>EuroIntervention</i> , 2009 , 5, 250-4	3.1	14
35	10-year follow-up of a prospective randomized trial comparing bare-metal stenting with internal mammary artery grafting for proximal, isolated de novo left anterior coronary artery stenosis the SIMA (Stenting versus Internal Mammary Artery grafting) trial. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 815-7	15.1	46
34	Successful coronary stent retrieval from a pedal artery. <i>CardioVascular and Interventional Radiology</i> , 2008 , 31, 655-8	2.7	3
33	Sequential hybrid carotid and coronary artery revascularization: immediate and mid-term results. <i>Annals of Thoracic Surgery</i> , 2007 , 84, 1508-13; discussion 1513-4	2.7	38
32	C-Reactive protein, clinical outcome, and restenosis rates after implantation of different drug-eluting stents. <i>American Journal of Cardiology</i> , 2006 , 97, 1311-6	3	37
31	Simultaneous hybrid revascularization by carotid stenting and coronary artery bypass grafting. <i>Annals of Thoracic Surgery</i> , 2006 , 81, 1883-5	2.7	23
30	Partial right internal thoracic artery harvesting is sufficient for obtuse marginal branch bypass grafting. <i>Annals of Thoracic Surgery</i> , 2005 , 79, 361-2	2.7	2
29	Free right internal thoracic artery in a "horseshoe" configuration: a new technical approach for "in situ" conduit lengthening. <i>Journal of Cardiac Surgery</i> , 2005 , 20, 583-4; discussion 585	1.3	
28	Coronary stenting and inflammation. <i>American Journal of Cardiology</i> , 2005 , 96, 65L-70L	3	70
27	Ventriculo-atrial gradient due to first degree atrio-ventricular block: a case report. <i>BMC Cardiovascular Disorders</i> , 2005 , 5, 23	2.3	7
26	Prevention of restenosis after stenting: the emerging role of inflammation. <i>Coronary Artery Disease</i> , 2004 , 15, 307-11	1.4	38
25	Chest pain after coronary artery stent implantation. <i>American Journal of Cardiology</i> , 2002 , 89, 500-4	3	22
24	Effect of atorvastatin (80 mg) initiated at the time of coronary artery stent implantation on C-reactive protein and six-month clinical events. <i>American Journal of Cardiology</i> , 2002 , 90, 786-9	3	23
23	Immunosuppressive Therapy for the Prevention of Restenosis after Coronary Artery Stent Implantation (IMPRESS Study). <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1935-42	15.1	189
22	Predictive value of C-reactive protein in patients with unstable angina pectoris undergoing coronary artery stent implantation. <i>American Journal of Cardiology</i> , 2000 , 85, 92-5, A8	3	89
21	A prospective randomized trial comparing stenting to internal mammary artery grafting for proximal, isolated de novo left anterior coronary artery stenosis: the SIMA trial. Stenting vs Internal Mammary Artery. <i>Mayo Clinic Proceedings</i> , 2000 , 75, 1116-23	6.4	81

20	Coronary flow reserve early and late after minimally invasive coronary artery bypass grafting in patients with totally occluded left anterior descending coronary artery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 118, 604-9	1.5	7
19	Exercise-induced myocardial ischemia triggers the early phase of preconditioning but not the late phase. <i>American Journal of Cardiology</i> , 1999 , 83, 586-8, A7-8	3	27
18	Coronary artery stent placement in patients with variant angina refractory to medical treatment. <i>American Journal of Cardiology</i> , 1999 , 84, 96-8, A8	3	76
17	Effects of naloxone on myocardial ischemic preconditioning in humans. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1863-9	15.1	84
16	Effect of acetylsalicylate on cardiac and muscular pain induced by intracoronary and intra-arterial infusion of bradykinin in humans. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 216-22	15.1	6
15	Predictive value of C-reactive protein after successful coronary-artery stenting in patients with stable angina. <i>American Journal of Cardiology</i> , 1998 , 82, 515-8	3	177
14	Enhanced activity of sodium-lithium countertransport in patients with cardiac syndrome X: a potential link between cardiac and metabolic syndrome X. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 2031-4	15.1	40
13	Impaired diastolic suction during coronary angioplasty. <i>European Heart Journal</i> , 1998 , 19, 968-9	9.5	
12	A comparison of coronary-artery stenting with angioplasty for isolated stenosis of the proximal left anterior descending coronary artery. <i>New England Journal of Medicine</i> , 1997 , 336, 817-22	59.2	223
11	Phentolamine prevents adaptation to ischemia during coronary angioplasty: role of alpha-adrenergic receptors in ischemic preconditioning. <i>Circulation</i> , 1997 , 96, 2171-7	16.7	40
10	Hypertriglyceridemia and the apolipoprotein CIII gene locus: lack of association with the variant insulin response element in Italian school children. <i>Human Genetics</i> , 1996 , 98, 557-66	6.3	51
9	Differences of regional coronary flow reserve assessed by adenosine thallium-201 scintigraphy early and six months after successful percutaneous transluminal coronary angioplasty or stent implantation. <i>American Journal of Cardiology</i> , 1996 , 78, 1097-102	3	17
8	Muscular and cardiac adenosine-induced pain is mediated by A1 receptors. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 251-7	15.1	41
7	Determinants of myocardial ischemia during percutaneous transluminal coronary angioplasty in patients with significant narrowing of a single coronary artery and stable or unstable angina pectoris. <i>American Journal of Cardiology</i> , 1994 , 74, 1089-94	3	12
6	Substance P potentiates the algogenic effects of intraarterial infusion of adenosine. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 477-82	15.1	24
5	Risk factors in schoolchildren associated with a family history of unheralded myocardial infarction or uncomplicated stable angina in male relatives. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1472-8	15.1	25
4	Mechanisms of cardiac pain during coronary angioplasty. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1892-6	15.1	67
3	Left ventricular volumes during exercise in normal subjects and patients with dilated cardiomyopathy assessed by first-pass radionuclide angiography. <i>American Journal of Cardiology</i> , 1993 , 72, 1167-71	3	16

2	Peak exercise left ventricular performance in normal subjects and in athletes assessed by first-pass radionuclide angiography. <i>American Journal of Cardiology</i> , 1992 , 70, 531-5	3	13
1	Angiographic evidence of cardiac ventricular diastolic suction. <i>American Journal of Cardiology</i> , 1989 , 63, 376-8	3	1