Florian M Steiner

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8336860/publications.pdf

Version: 2024-02-01

96 papers 3,060 citations

236912 25 h-index 197805 49 g-index

102 all docs

102 docs citations

102 times ranked

4095 citing authors

#	Article	IF	CITATIONS
1	Integrative Taxonomy: A Multisource Approach to Exploring Biodiversity. Annual Review of Entomology, 2010, 55, 421-438.	11.8	762
2	A multidisciplinary approach reveals cryptic diversity in Western Palearctic Tetramorium ants (Hymenoptera: Formicidae). Molecular Phylogenetics and Evolution, 2006, 40, 259-273.	2.7	134
3	Without morphology, cryptic species stay in taxonomic crypsis following discovery. Trends in Ecology and Evolution, 2007, 22, 391-392.	8.7	102
4	Combined modelling of distribution and niche in invasion biology: a case study of two invasive <i>Tetramorium</i> ant species. Diversity and Distributions, 2008, 14, 538-545.	4.1	96
5	The Core Gut Microbiome of Black Soldier Fly (Hermetia illucens) Larvae Raised on Low-Bioburden Diets. Frontiers in Microbiology, 2020, 11, 993.	3.5	91
6	The Evolution of Invasiveness in Garden Ants. PLoS ONE, 2008, 3, e3838.	2.5	81
7	Evidence for a recent horizontal transmission and spatial spread of <i><scp>W</scp>olbachia</i> from endemic <i><scp>R</scp>hagoletis cerasi</i> (<scp>D</scp> iptera: <scp>T</scp> ephritidae) to invasive <i><scp>R</scp>hagoletis cingulata</i> in <scp>E</scp> urope. Molecular Ecology, 2013, 22, 4101-4111.	3.9	70
8	The hitchhiker's guide to Europe: the infection dynamics of an ongoing <i>Wolbachia</i> invasion and mitochondrial selective sweep in <i>Rhagoletis cerasi</i> . Molecular Ecology, 2016, 25, 1595-1609.	3.9	68
9	Selective sweeps on novel and introgressed variation shape mimicry loci in a butterfly adaptive radiation. PLoS Biology, 2020, 18, e3000597.	5.6	60
10	Stable N-isotope signatures of central European ants – assessing positions in a trophic gradient. Insectes Sociaux, 2007, 54, 393-402.	1.2	55
11	Influence of three artificial light sources on oviposition and half-life of the Black Soldier Fly, Hermetia illucens (Diptera: Stratiomyidae): Improving small-scale indoor rearing. PLoS ONE, 2018, 13, e0197896.	2.5	51
12	Assessing ant assemblages: pitfall trapping versus nest counting (Hymenoptera, Formicidae). Insectes Sociaux, 2006, 53, 274-281.	1.2	45
13	Title is missing!. Journal of Insect Conservation, 2003, 7, 1-6.	1.4	44
14	No sympatric speciation here: multiple data sources show that the ant Myrmica microrubra is not a separate species but an alternate reproductive morph of Myrmica rubra. Journal of Evolutionary Biology, 2006, 19, 777-787.	1.7	43
15	A butterfly?s chemical key to various ant forts: intersection-odour or aggregate-odour multi-host mimicry?. Die Naturwissenschaften, 2004, 91, 209-214.	1.6	40
16	Patterns of host use by brood parasitic <i>Maculinea</i> butterflies across Europe. Philosophical Transactions of the Royal Society B: Biological Sciences, 2019, 374, 20180202.	4.0	40
17	Taxonomist's Nightmare … Evolutionist's Delight : An Integrative Approach Resolves Species Limits in Jumping Bristletails Despite Widespread Hybridization and Parthenogenesis. Systematic Biology, 2016, 65, 947-974.	5. 6	39
18	Tetramorium tsushimae, a New Invasive Ant in North America. Biological Invasions, 2006, 8, 117-123.	2.4	38

#	Article	IF	Citations
19	Abandoning Aggression but Maintaining Self-Nonself Discrimination as a First Stage in Ant Supercolony Formation. Current Biology, 2007, 17, 1903-1907.	3.9	38
20	A multisource solution for a complex problem in biodiversity research: Description of the cryptic ant species Tetramorium alpestre sp.n. (Hymenoptera: Formicidae). Zoologischer Anzeiger, 2010, 249, 223-254.	0.9	36
21	Impact of Processed Food (Canteen and Oil Wastes) on the Development of Black Soldier Fly (Hermetia) Tj ETQq1	1.0.78431 3.5	14 rgBT /0 36
22	Glacial refugia, recolonization patterns and diversification forces in Alpineâ€endemic <i>Megabunus</i> harvestmen. Molecular Ecology, 2016, 25, 2904-2919.	3.9	34
23	Long-term isolation of European steppe outposts boosts the biome's conservation value. Nature Communications, 2020, 11, 1968.	12.8	34
24	Iterative species distribution modelling and ground validation in endemism research: an Alpine jumping bristletail example. Biodiversity and Conservation, 2012, 21, 2845-2863.	2.6	32
25	Rapid and cost-effective screening of newly identified microsatellite loci by high-resolution melting analysis. Molecular Genetics and Genomics, 2011, 286, 225-35.	2.1	31
26	Genomic Resources Notes Accepted 1 August 2014-30 September 2014. Molecular Ecology Resources, 2015, 15, 228-229.	4.8	31
27	A DNA and morphology based phylogenetic framework of the ant genus Lasius with hypotheses for the evolution of social parasitism and fungiculture. BMC Evolutionary Biology, 2008, 8, 237.	3.2	30
28	A near-infrared spectroscopy routine for unambiguous identification of cryptic ant species. PeerJ, 2015, 3, e991.	2.0	29
29	Are we ready to detect nematode diversity by next generation sequencing?. Ecology and Evolution, 2017, 7, 4147-4151.	1.9	27
30	Positive diversifying selection is a pervasive adaptive force throughout the Drosophila radiation. Molecular Phylogenetics and Evolution, 2017, 112, 230-243.	2.7	26
31	Major range loss predicted from lack of heat adaptability in an alpine Drosophila species. Science of the Total Environment, 2019, 695, 133753.	8.0	26
32	One plus one is greater than two: mixing litter types accelerates decomposition of low-quality alpine dwarf shrub litter. Plant and Soil, 2019, 438, 405-419.	3.7	26
33	Phylogeny and bionomics of Lasius austriacus (Hymenoptera, Formicidae). Insectes Sociaux, 2004, 51, 24-29.	1.2	25
34	Turning one into five: Integrative taxonomy uncovers complex evolution of cryptic species in the harvester ant Messor "structor― Molecular Phylogenetics and Evolution, 2018, 127, 387-404.	2.7	25
35	Cuticular hydrocarbons of Tetramorium ants from central Europe: analysis of GC-MS data with self-organizing maps (SOM) and implications for systematics. Journal of Chemical Ecology, 2002, 28, 2569-2584.	1.8	24
36	Ants and people: a test of two mechanisms potentially responsible for the largeâ€scale human population–biodiversity correlation for Formicidae in Europe. Journal of Biogeography, 2008, 35, 2195-2206.	3.0	24

#	Article	IF	CITATIONS
37	Queen size dimorphism in the ant Tetramorium moravicum (Hymenoptera, Formicidae): Morphometric, molecular genetic and experimental evidence. Insectes Sociaux, 2005, 52, 186-193.	1.2	23
38	Non-destructive species identification of <i>Drosophila obscura </i> and <id. <="" i="" subobscura=""> (Diptera) using near-infrared spectroscopy. Fly, 2012, 6, 284-289.</id.>	1.7	23
39	Take up the challenge! Opportunities for evolution research from resolving conflict in integrative taxonomy. Molecular Ecology, 2014, 23, 4192-4194.	3.9	22
40	Chemosensory adaptations of the mountain fly Drosophila nigrosparsa (Insecta: Diptera) through genomics' and structural biology's lenses. Scientific Reports, 2017, 7, 43770.	3.3	21
41	Identifying the minimum number of microsatellite loci needed to assess population genetic structure: A case study in fly culturing. Fly, 2018, 12, 13-22.	1.7	21
42	Near-Infrared Imaging Spectroscopy as a Tool to Discriminate Two Cryptic Tetramorium Ant Species. Journal of Chemical Ecology, 2011, 37, 549-552.	1.8	20
43	Mixed colonies and hybridisation of Messor harvester ant species (Hymenoptera: Formicidae). Organisms Diversity and Evolution, 2011, 11, 107-134.	1.6	20
44	Pleistocene survival on central <scp>A</scp> lpine nunataks: genetic evidence from the jumping bristletail <i><scp>M</scp>achilis pallida</i> . Molecular Ecology, 2012, 21, 4983-4995.	3.9	20
45	How diverse is <i><scp>M</scp>itopus morio</i> ? Integrative taxonomy detects cryptic species in a smallâ€scale sample of a widespread harvestman. Molecular Ecology, 2013, 22, 3850-3863.	3.9	20
46	Chloroplast DNAâ€based studies in molecular ecology may be compromised by nuclearâ€encoded plastid sequence. Molecular Ecology, 2010, 19, 3853-3856.	3.9	19
47	Permanent Genetic Resources added to Molecular Ecology Resources Database 1 April 2013–31 May 2013. Molecular Ecology Resources, 2013, 13, 966-968.	4.8	19
48	Taking the discovery approach in integrative taxonomy: decrypting a complex of narrowâ€endemic Alpine harvestmen (Opiliones: Phalangiidae: <i>Megabunus</i>). Molecular Ecology, 2015, 24, 863-889.	3.9	19
49	More than one species of Messor harvester ants (Hymenoptera: Formicidae) in Central Europe. European Journal of Entomology, 2006, 103, 469-476.	1.2	19
50	First record of unicolonial polygyny in Tetramorium cf. caespitum (Hymenoptera, Formicidae). Insectes Sociaux, 2003, 50, 98-99.	1.2	17
51	Lessons from a Beetle and an Ant: Coping with Taxon-Dependent Differences in Microsatellite Development Success. Journal of Molecular Evolution, 2007, 65, 304-307.	1.8	17
52	Lineage specific evolution of an alternative social strategy in Tetramorium ants (Hymenoptera:) Tj ETQq0 0 0 rgE	BT /Overloo	ck 10 Tf 50 14
53	Is temperature preference in the laboratory ecologically relevant for the field? The case of Drosophila nigrosparsa. Global Ecology and Conservation, 2019, 18, e00638.	2.1	16
54	A Falsification of the Citation Impediment in the Taxonomic Literature. Systematic Biology, 2015, 64, 860-868.	5.6	14

#	Article	IF	Citations
55	Do genome size differences within Brachionus asplanchnoidis (Rotifera, Monogononta) cause reproductive barriers among geographic populations?. Hydrobiologia, 2017, 796, 59-75.	2.0	14
56	Evolution of morphological crypsis in the Tetramorium caespitum ant species complex (Hymenoptera:) Tj ETQq(0 0 g _. ggBT	/Overlock 10
57	Genomic Signature of Shifts in Selection in a Subalpine Ant and Its Physiological Adaptations. Molecular Biology and Evolution, 2020, 37, 2211-2227.	8.9	14
58	Oviposition Substrate of the Mountain Fly Drosophila nigrosparsa (Diptera: Drosophilidae). PLoS ONE, 2016, 11, e0165743.	2.5	14
59	optiFLP: software for automated optimization of amplified fragment length polymorphism scoring parameters. Molecular Ecology Resources, 2011, 11, 1113-1118.	4.8	13
60	Extensive variation in chromosome number and genome size in sexual and parthenogenetic species of the jumpingâ€bristletail genus ⟨i⟩ Machilis⟨ i⟩ (Archaeognatha). Ecology and Evolution, 2014, 4, 4093-4105.	1.9	13
61	A toolbox for integrative species delimitation in Machilis jumping bristletails (Microcoryphia:) Tj ETQq1 1 0.7843	314 rgBT /	Overlock 10 T
62	Wolbachia megadiversity: 99% of these microorganismic manipulators unknown. FEMS Microbiology Ecology, 2019, 95, .	2.7	12
63	Isolation of polymorphic microsatellite loci for the study of habitat fragmentation in the harvester ant Messor structor. Conservation Genetics, 2005, 6, 859-861.	1.5	11
64	Lifeâ€history traits and physiological limits of the alpine fly <i>Drosophila nigrosparsa</i> (Diptera:) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf 5
65	Congruent evolutionary responses of European steppe biota to late Quaternary climate change. Nature Communications, 2022, 13, 1921.	12.8	11
66	Hybridization Dynamics and Extensive Introgression in the <i>Daphnia longispina </i> Species Complex: New Insights from a High-Quality <i>Daphnia galeata </i> Reference Genome. Genome Biology and Evolution, 2021, 13, .	2.5	11
67	Optimal species distinction by discriminant analysis: comparing established methods of character selection with a combination procedure using ant morphometrics as a case study. Journal of Zoological Systematics and Evolutionary Research, 2007, 45, 82-87.	1.4	10
68	Intraspecific support for the polygyny-vspolyandry hypothesis in the bulldog ant Myrmecia brevinoda. Molecular Ecology, 2011, 20, no-no.	3.9	10
69	Tetramorium indocile Santschi, 1927 stat. rev. is the proposed scientific name for Tetramorium sp. C sensu Schlick-Steiner et al. (2006) based on combined molecular and morphological evidence (Hymenoptera: Formicidae). Zoologischer Anzeiger, 2014, 253, 469-481.	0.9	10
70	Genomic Resources Notes accepted 1 February 2015 - 31 March 2015. Molecular Ecology Resources, 2015, 15, 1014-1015.	4.8	10
71	Effect of social structure and introduction history on genetic diversity and differentiation. Molecular Ecology, 2021, 30, 2511-2527.	3.9	10
72	An Alpine ant's behavioural polymorphism: monogyny with and without internest aggression in <i>Tetramorium alpestre</i> . Ethology Ecology and Evolution, 2018, 30, 220-234.	1.4	9

#	Article	IF	CITATIONS
73	<i>Wolbachia</i> affect behavior and possibly reproductive compatibility but not thermoresistance, fecundity, and morphology in a novel transinfected host, <i>Drosophila nigrosparsa</i> Ecology and Evolution, 2020, 10, 4457-4470.	1.9	9
74	Colony Structure. , 2009, , 177-193.		9
75	Twenty four new microsatellite markers in two invasive pavement ants, Tetramorium sp.E and T. tsushimae (Hymenoptera: Formicidae). Conservation Genetics, 2008, 9, 757-759.	1.5	8
76	Persistent, bioaccumulative, and toxic chemicals in insects: Current state of research and where to from here?. Science of the Total Environment, 2022, 825, 153830.	8.0	8
77	Life history traits of a European Messor harvester ant. Insectes Sociaux, 2005, 52, 360-365.	1.2	7
78	Performance comparison of two reduced-representation based genome-wide marker-discovery strategies in a multi-taxon phylogeographic framework. Scientific Reports, 2021, 11, 3978.	3.3	7
79	Differential gene expression in Drosophila melanogaster and D. nigrosparsa infected with the same Wolbachia strain. Scientific Reports, 2021, 11, 11336.	3.3	7
80	Genomic Resources Notes Accepted 1 June 2015 - 31 July 2015. Molecular Ecology Resources, 2015, 15, 1510-1512.	4.8	6
81	Colony genetic structure in the Australian jumper ant Myrmecia pilosula. Insectes Sociaux, 2012, 59, 109-117.	1.2	5
82	Genomic Resources Notes accepted 1 December 2013 - 31 January 2014. Molecular Ecology Resources, 2014, 14, 664-665.	4.8	5
83	Comparing ant behaviour indices for fine-scale analyses. Scientific Reports, 2019, 9, 6856.	3.3	5
84	Characterization of Polymorphic Microsatellites in the Giant Bulldog Ant, Myrmecia brevinodaand the Jumper Ant, M. pilosula. Journal of Insect Science, 2011, 11, 1-8.	1.5	4
85	Ultra-low activities of a common radioisotope for permission-free tracking of a drosophilid fly in its natural habitat. Scientific Reports, 2016, 6, 36506.	3.3	4
86	A reference allelic ladder for Western Capercaillie (Tetrao urogallus) and Black Grouse (Tetrao) Tj ETQq0 0 0 rgBT pg-105.	/Overlock 0.8	10 Tf 50 227 4
87	Analyses of locomotion, wing morphology, and microbiome in <i>Drosophila nigrosparsa</i> after recovery from antibiotics. Microbiology Open, 2022, 11, .	3.0	4
88	PRIMER NOTE: Eleven microsatellite loci in the sociobiologically enigmatic ant Lasius austriacus (Hymenoptera: Formicidae). Molecular Ecology Notes, 2006, 7, 498-500.	1.7	3
89	Recent insertion/deletion (re <scp>INDEL</scp>) mutations: increasing awareness to boost molecularâ€based research in ecology and evolution. Ecology and Evolution, 2015, 5, 24-35.	1.9	3
90	Towards an evolutionary history of European-Alpine Trechus ground beetles: Species groups and wing reduction. Molecular Phylogenetics and Evolution, 2020, 149, 106822.	2.7	3

#	Article	IF	CITATIONS
91	Characterization of expressed sequence tag (EST)-derived microsatellite loci in the fire ant Solenopsis invicta (Hymenoptera: Formicidae). Conservation Genetics, 2009, 10, 1373-1376.	1.5	2
92	A Worker-Like Female of Myrmica sabuleti (Meinert, 1861) (Hymenoptera: Formicidae: Myrmicinae) in a Pitfall Trap with Five Mermithids (Nematoda: Mermithidae) Protruding from the Gaster. Sociobiology, 2019, 66, 400.	0.5	1
93	Lessons from a Beetle and an Ant: Coping with Taxon-Dependent Differences in Microsatellite Development Success. Journal of Molecular Evolution, 2007, 65, 304.	1.8	0
94	Anticipating data-induced bias. Science, 2018, 361, 762-762.	12.6	0
95	Connectivity within isolation: dispersal, population genetics, and conservation of the rarest European damselfly. Insect Conservation and Diversity, 2021, 14, 800.	3.0	0
96	Colony structure, population structure, and sharing of foraging trees in the ant Myrmecia nigriceps (Hymenoptera: Formicidae). Insectes Sociaux, 0 , 1 .	1.2	0