

EEK-hoon Jho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8336943/EEK-hoon-jho-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82

papers

3,979

citations

30

h-index

62

g-index

90

ext. papers

4,603

ext. citations

6.2

avg, IF

5.32

L-index

#	Paper	IF	Citations
82	Regulation of Hippo signaling by metabolic pathways in cancer.. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2022 , 1869, 119201	4.9	0
81	Hypermethylation of Mest promoter causes aberrant Wnt signaling in patients with Alzheimer's disease. <i>Scientific Reports</i> , 2021 , 11, 20075	4.9	1
80	PARsylated transcription factor EB (TFEB) regulates the expression of a subset of Wnt target genes by forming a complex with β -catenin-TCF/LEF1. <i>Cell Death and Differentiation</i> , 2021 , 28, 2555-2570	12.7	5
79	SGK1 inhibition in glia ameliorates pathologies and symptoms in Parkinson disease animal models. <i>EMBO Molecular Medicine</i> , 2021 , 13, e13076	12	12
78	LGK974 suppresses lipopolysaccharide-induced endotoxemia in mice by modulating the crosstalk between the Wnt/ β -catenin and NF- κ B pathways. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 407-421	12.8	3
77	TFEB regulates pluripotency transcriptional network in mouse embryonic stem cells independent of autophagy-lysosomal biogenesis. <i>Cell Death and Disease</i> , 2021 , 12, 343	9.8	3
76	Role of the Hippo pathway and mechanisms for controlling cellular localization of YAP/TAZ. <i>FEBS Journal</i> , 2021 ,	5.7	7
75	Regulation of the Low-Density Lipoprotein Receptor-Related Protein LRP6 and Its Association With Disease: Wnt/ β -Catenin Signaling and Beyond. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 714330	5.7	4
74	MAML1/2 promote YAP/TAZ nuclear localization and tumorigenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 13529-13540	11.5	10
73	-GlcNAcylation on LATS2 disrupts the Hippo pathway by inhibiting its activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 14259-14269	11.5	15
72	LDL receptor-related protein LRP6 senses nutrient levels and regulates Hippo signaling. <i>EMBO Reports</i> , 2020 , 21, e50103	6.5	8
71	The Distinct Role of Tcfs and Lef1 in the Self-Renewal or Differentiation of Mouse Embryonic Stem Cells. <i>International Journal of Stem Cells</i> , 2020 , 13, 192-201	3	1
70	TAZ/Wnt- β -catenin/c-MYC axis regulates cystogenesis in polycystic kidney disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 29001-29012	11.5	7
69	Hippo signaling is intrinsically regulated during cell cycle progression by APC/C. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 9423-9432	11.5	29
68	A concise review of human brain methylome during aging and neurodegenerative diseases. <i>BMB Reports</i> , 2019 , 52, 577-588	5.5	15
67	Ubiquitylation and degradation of adenomatous polyposis coli by MKRN1 enhances Wnt/ β -catenin signaling. <i>Oncogene</i> , 2018 , 37, 4273-4286	9.2	14
66	Enhancement of neuronal differentiation by using small molecules modulating Nodal/Smad, Wnt/ β -catenin, and FGF signaling. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 352-358	3.4	8

65	Pja2 Inhibits Wnt/-catenin Signaling by Reducing the Level of TCF/LEF1. <i>International Journal of Stem Cells</i> , 2018 , 11, 242-247	3	5
64	D-tyrosine negatively regulates melanin synthesis by competitively inhibiting tyrosinase activity. <i>Pigment Cell and Melanoma Research</i> , 2018 , 31, 374-383	4.5	15
63	The history and regulatory mechanism of the Hippo pathway. <i>BMB Reports</i> , 2018 , 51, 106-118	5.5	28
62	Complementary Wnt Sources Regulate Lymphatic Vascular Development via PROX1-Dependent Wnt/ECatenin Signaling. <i>Cell Reports</i> , 2018 , 25, 571-584.e5	10.6	35
61	Regulation of the Hippo signaling pathway by ubiquitin modification. <i>BMB Reports</i> , 2018 , 51, 143-150	5.5	31
60	Keratinocytes negatively regulate the N-cadherin levels of melanoma cells via contact-mediated calcium regulation. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 503, 615-620	3.4	9
59	LPS-induced inflammatory response is suppressed by Wnt inhibitors, Dickkopf-1 and LGK974. <i>Scientific Reports</i> , 2017 , 7, 41612	4.9	51
58	Wip1 directly dephosphorylates NLK and increases Wnt activity during germ cell development. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 1013-1022	6.9	8
57	Deubiquitinase YOD1 potentiates YAP/TAZ activities through enhancing ITCH stability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 4691-4696	11.5	33
56	Defective neuronal migration and inhibition of bipolar to multipolar transition of migrating neural cells by Mesoderm-Specific Transcript, Mest, in the developing mouse neocortex. <i>Neuroscience</i> , 2017 , 355, 126-140	3.9	5
55	Osmotic stress-induced phosphorylation by NLK at Ser128 activates YAP. <i>EMBO Reports</i> , 2017 , 18, 72-866.5		72
54	Phosphorylation by NLK inhibits YAP-14-3-3-interactions and induces its nuclear localization. <i>EMBO Reports</i> , 2017 , 18, 61-71	6.5	89
53	Interaction of tankyrase and peroxiredoxin II is indispensable for the survival of colorectal cancer cells. <i>Nature Communications</i> , 2017 , 8, 40	17.4	28
52	NLK Kinase Assay. <i>Bio-protocol</i> , 2017 , 7, e2593	0.9	
51	Hippo signaling interactions with Wnt/ECatenin and Notch signaling repress liver tumorigenesis. <i>Journal of Clinical Investigation</i> , 2017 , 127, 137-152	15.9	122
50	Mechanotransduction activates canonical Wnt/ECatenin signaling to promote lymphatic vascular patterning and the development of lymphatic and lymphovenous valves. <i>Genes and Development</i> , 2016 , 30, 1454-69	12.6	77
49	Merlin, a regulator of Hippo signaling, regulates Wnt/ECatenin signaling. <i>BMB Reports</i> , 2016 , 49, 357-8	5.5	15
48	Clinical analysis of spinal stereotactic radiosurgery in the treatment of neurogenic tumors. <i>Journal of Neurosurgery: Spine</i> , 2015 , 23, 429-37	2.8	20

47	Dual Function of Wnt Signaling during Neuronal Differentiation of Mouse Embryonic Stem Cells. <i>Stem Cells International</i> , 2015 , 2015, 459301	5	15
46	Protein Arginine Methyltransferase 1 Methylates Smurf2. <i>Molecules and Cells</i> , 2015 , 38, 723-8	3.5	11
45	Molecular epidemiology of norovirus GII.4 variants in children under 5 years with sporadic acute gastroenteritis in South Korea during 2006-2013. <i>Journal of Clinical Virology</i> , 2014 , 61, 340-4	14.5	17
44	Cross-talk between Wnt/ β -catenin and Hippo signaling pathways: a brief review. <i>BMB Reports</i> , 2014 , 47, 540-5	5.5	51
43	Oseltamivir-resistant influenza viruses isolated in South Korea from 2005 to 2010. <i>Archives of Virology</i> , 2013 , 158, 2365-70	2.6	3
42	High prevalence of amantadine-resistant influenza A virus isolated in Gyeonggi Province, South Korea, during 2005-2010. <i>Archives of Virology</i> , 2013 , 158, 241-5	2.6	8
41	Wnt/ β -catenin signalling: from plasma membrane to nucleus. <i>Biochemical Journal</i> , 2013 , 450, 9-21	3.8	213
40	Axin expression enhances herpes simplex virus type 1 replication by inhibiting virus-mediated cell death in L929 cells. <i>Journal of General Virology</i> , 2013 , 94, 1636-1646	4.9	8
39	Dual functions of DP1 promote biphasic Wnt-on and Wnt-off states during anteroposterior neural patterning. <i>EMBO Journal</i> , 2012 , 31, 3384-97	13	15
38	Protein arginine methyltransferases (PRMTs) as therapeutic targets. <i>Expert Opinion on Therapeutic Targets</i> , 2012 , 16, 651-64	6.4	41
37	Downregulation of Wnt/ β -catenin signaling causes degeneration of hippocampal neurons in vivo. <i>Neurobiology of Aging</i> , 2011 , 32, 2316.e1-15	5.6	25
36	Mest/Peg1 inhibits Wnt signalling through regulation of LRP6 glycosylation. <i>Biochemical Journal</i> , 2011 , 436, 263-9	3.8	50
35	Wnt5a potentiates U46619-induced platelet aggregation via the PI3K/Akt pathway. <i>Molecules and Cells</i> , 2011 , 32, 333-6	3.5	15
34	Smek promotes histone deacetylation to suppress transcription of Wnt target gene brachyury in pluripotent embryonic stem cells. <i>Cell Research</i> , 2011 , 21, 911-21	24.7	21
33	PKC inhibitors RO 31-8220 and G16983 enhance epinephrine-induced platelet aggregation in catecholamine hypo-responsive platelets by enhancing Akt phosphorylation. <i>BMB Reports</i> , 2011 , 44, 140-5	5.5	28
32	The protein stability of Axin, a negative regulator of Wnt signaling, is regulated by Smad ubiquitination regulatory factor 2 (Smurf2). <i>Journal of Biological Chemistry</i> , 2010 , 285, 36420-6	5.4	54
31	Identification of ptpro as a novel target gene of Wnt signaling and its potential role as a receptor for Wnt. <i>FEBS Letters</i> , 2010 , 584, 3923-8	3.8	12
30	Negative feedback regulation of Wnt signaling by Gbetagamma-mediated reduction of Dishevelled. <i>Experimental and Molecular Medicine</i> , 2009 , 41, 695-706	12.8	24

29	Xenopus Wntless and the retromer complex cooperate to regulate XWnt4 secretion. <i>Molecular and Cellular Biology</i> , 2009 , 29, 2118-28	4.8	30
28	Axin localizes to mitotic spindles and centrosomes in mitotic cells. <i>Experimental Cell Research</i> , 2009 , 315, 943-54	4.2	30
27	Multiple isoforms of beta-TrCP display differential activities in the regulation of Wnt signaling. <i>Cellular Signalling</i> , 2009 , 21, 43-51	4.9	24
26	Identification of a stroma-mediated Wnt/beta-catenin signal promoting self-renewal of hematopoietic stem cells in the stem cell niche. <i>Stem Cells</i> , 2009 , 27, 1318-29	5.8	59
25	Induction of cancer cell-specific death via MMP2 promoter-dependent Bax expression. <i>BMB Reports</i> , 2009 , 42, 217-22	5.5	6
24	Olig2-induced neural stem cell differentiation involves downregulation of Wnt signaling and induction of Dickkopf-1 expression. <i>PLoS ONE</i> , 2008 , 3, e3917	3.7	34
23	Focal adhesion kinase is negatively regulated by phosphorylation at tyrosine 407. <i>Journal of Biological Chemistry</i> , 2007 , 282, 10398-404	5.4	28
22	Axin inhibits extracellular signal-regulated kinase pathway by Ras degradation via beta-catenin. <i>Journal of Biological Chemistry</i> , 2007 , 282, 14482-92	5.4	58
21	Wnt/beta-catenin signaling regulates expression of PRDC, an antagonist of the BMP-4 signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 354, 296-301	3.4	25
20	Axin-independent phosphorylation of APC controls beta-catenin signaling via cytoplasmic retention of beta-catenin. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 357, 81-6	3.4	17
19	Induced expression of the transcription of tropomodulin 1 by Wnt5a and characterization of the tropomodulin 1 promoter. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 363, 727-32	3.4	10
18	Multinuclear giant cell formation is enhanced by down-regulation of Wnt signaling in gastric cancer cell line, AGS. <i>Experimental Cell Research</i> , 2005 , 308, 18-28	4.2	13
17	The role of GDNF in patterning the excretory system. <i>Developmental Biology</i> , 2005 , 283, 70-84	3.1	67
16	Wnt Signal Transduction and Its Involvement in Human Diseases. <i>Journal of Korean Endocrine Society</i> , 2005 , 20, 306		1
15	Accumulation and aberrant modifications of alpha-crystallins in anterior polar cataracts. <i>Yonsei Medical Journal</i> , 2004 , 45, 73-80	3	7
14	Modulation of beta-catenin phosphorylation/degradation by cyclin-dependent kinase 2. <i>Journal of Biological Chemistry</i> , 2004 , 279, 19592-9	5.4	38
13	Adenomatous polyposis coli is down-regulated by the ubiquitin-proteasome pathway in a process facilitated by Axin. <i>Journal of Biological Chemistry</i> , 2004 , 279, 49188-98	5.4	32
12	Wnt-7a causes loss of differentiated phenotype and inhibits apoptosis of articular chondrocytes via different mechanisms. <i>Journal of Biological Chemistry</i> , 2004 , 279, 26597-604	5.4	88

11	Hydrogen peroxide negatively modulates Wnt signaling through downregulation of beta-catenin. <i>Cancer Letters</i> , 2004 , 212, 225-31	9.9	87
10	Cyclin-dependent kinase 2 regulates the interaction of Axin with beta-catenin. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 317, 478-83	3.4	13
9	Ectopic expression of Axin blocks neuronal differentiation of embryonic carcinoma P19 cells. <i>Journal of Biological Chemistry</i> , 2003 , 278, 13487-95	5.4	44
8	Wnt/beta-catenin/Tcf signaling induces the transcription of Axin2, a negative regulator of the signaling pathway. <i>Molecular and Cellular Biology</i> , 2002 , 22, 1172-83	4.8	1319
7	Domains of axin and disheveled required for interaction and function in wnt signaling. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 276, 1162-9	3.4	54
6	Purification of GSK-3 by affinity chromatography on immobilized axin. <i>Protein Expression and Purification</i> , 2000 , 20, 394-404	2	83
5	Domains of axin involved in protein-protein interactions, Wnt pathway inhibition, and intracellular localization. <i>Journal of Cell Biology</i> , 1999 , 145, 741-56	7.3	229
4	A GSK3beta phosphorylation site in axin modulates interaction with beta-catenin and Tcf-mediated gene expression. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 266, 28-35	3.4	75
3	c-Jun amino-terminal kinase is regulated by Galpha12/Galpha13 and obligate for differentiation of P19 embryonal carcinoma cells by retinoic acid. <i>Journal of Biological Chemistry</i> , 1997 , 272, 24468-74	5.4	57
2	Galpha12 and Galpha13 mediate differentiation of P19 mouse embryonal carcinoma cells in response to retinoic acid. <i>Journal of Biological Chemistry</i> , 1997 , 272, 24461-7	5.4	38
1	Complementary Wnt Sources Regulate Lymphatic Vascular Development Via PROX1-Dependent Wnt/Catenin Signaling. <i>SSRN Electronic Journal</i> ,	1	1