

# Åerife Esra Åetinkaya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8337178/publications.pdf>

Version: 2024-02-01

25  
papers

412  
citations

840585

11  
h-index

752573

20  
g-index

25  
all docs

25  
docs citations

25  
times ranked

568  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of patient reported outcomes, pelvic floor function and recurrence after laparoscopic sacrohysteropexy versus vaginal hysterectomy with McCall suspension for advanced uterine prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 247, 127-131.	0.5	4
2	Expressions of homeobox, collagen and estrogen genes in women with uterine prolapse. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 233, 26-29.	0.5	12
3	Prevalence and predictors of gestational diabetes mellitus: a nationwide multicentre prospective study. <i>Diabetic Medicine</i> , 2019, 36, 221-227.	1.2	29
4	An Overview of Surgical Treatment for Female Stress Urinary Incontinence. <i>Current Obstetrics and Gynecology Reports</i> , 2018, 7, 84-91.	0.3	0
5	Ambulatory urodynamic monitoring of women with overactive bladder syndrome during single voiding cycle. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 212, 126-131.	0.5	6
6	Comparison of alternative hCG follow-up protocols after single-dose methotrexate therapy for tubal ectopic pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2017, 296, 1161-1165.	0.8	3
7	A prospective randomized trial comparing the use of tolterodine or weighted vaginal cones in women with overactive bladder syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 197, 91-97.	0.5	11
8	Perinatal risk factors and mode of delivery associated with mortality in very low birth weight infants. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1318-1323.	0.7	6
9	Vesico-cutaneous fistula: unusual complication after transobturator mid-urethral sling. <i>International Urogynecology Journal</i> , 2014, 25, 1437-1439.	0.7	5
10	Comparison of two oral contraceptive forms containing cyproterone acetate and drospirenone in the treatment of patients with polycystic ovary syndrome: a randomized clinical trial. <i>Archives of Gynecology and Obstetrics</i> , 2014, 290, 321-328.	0.8	33
11	Effects of Umbilical Cord Milking on the Need for Packed Red Blood Cell Transfusions and Early Neonatal Hemodynamic Adaptation in Preterm Infants Born $\geq$ 1500 g. <i>Journal of Pediatric Hematology/Oncology</i> , 2014, 36, e493-e498.	0.3	44
12	Correlation of pelvic organ prolapse staging with lower urinary tract symptoms, sexual dysfunction, and quality of life. <i>International Urogynecology Journal</i> , 2013, 24, 1645-1650.	0.7	23
13	The prevalence of detrusor overactivity amongst patients with symptoms of overactive bladder: a retrospective cohort study. <i>Comment. International Urogynecology Journal</i> , 2013, 24, 885-885.	0.7	0
14	The value of the progesterone-to-estradiol ratio on the day of hCG administration in predicting ongoing pregnancy and live birth rates in normoresponders undergoing GnRH antagonist cycles. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2013, 170, 452-457.	0.5	19
15	Symptomatic endometriosis of rectus abdominis muscle in a patient with uterus didelphys. <i>Tâşârk Jinekoloji Ve Obstetrik Dernei Dergisi</i> , 2012, 9, 80-83.	0.3	0
16	Hysteroscopic management of vaginal septum in a virginal patient with uterus didelphys and obstructed hemivagina. <i>Fertility and Sterility</i> , 2011, 96, e16-e18.	0.5	41
17	Squamous cell carcinoma arising from mature cystic teratoma of the ovary with synchronous endometrial adenocarcinoma. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 146-150.	0.6	8
18	Recurrent massive hemoperitoneum due to ovulation as a clinical sign in congenital afibrinogenemia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011, 90, 192-194.	1.3	10

#	ARTICLE	IF	CITATIONS
19	Live twin birth after successful treatment of a ruptured heterotopic pregnancy by laparoscopy. <i>Gynecological Surgery</i> , 2011, 8, 239-241.	0.9	2
20	Uterocutaneous fistula after surgical treatment of an incomplete abortion: methylene blue test to verify the diagnosis. <i>Archives of Gynecology and Obstetrics</i> , 2009, 279, 225-227.	0.8	25
21	Microdose gonadotropin-releasing hormone agonist flare-up protocol versus multiple dose gonadotropin-releasing hormone antagonist protocol in poor responders undergoing intracytoplasmic sperm injectionâ€œembryo transfer cycle. <i>Fertility and Sterility</i> , 2009, 91, 2437-2444.	0.5	60
22	Uterine rupture at the 29th week of subsequent pregnancy after hysteroscopic resection of uterine septum. <i>Fertility and Sterility</i> , 2009, 91, 934.e1-934.e3.	0.5	12
23	Ectopic ovary autotransplanted over rectosigmoid colon: a case report. <i>Fertility and Sterility</i> , 2009, 92, 1496.e15-1496.e16.	0.5	6
24	Relationship between embryo quality and aneuploidies. <i>Reproductive BioMedicine Online</i> , 2006, 12, 77-82.	1.1	42
25	Effect of hormone replacement therapy on serum levels of tumor markers in healthy postmenopausal women. <i>Maturitas</i> , 2003, 46, 301-306.	1.0	11