

# Shi-Li Zhang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8338205/publications.pdf>

Version: 2024-02-01

93  
papers

2,233  
citations

236925

25  
h-index

233421

45  
g-index

95  
all docs

95  
docs citations

95  
times ranked

3220  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal Silicides in CMOS Technology: Past, Present, and Future Trends. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2003, 28, 1-129.	12.3	323
2	Finite-size scaling in stick percolation. <i>Physical Review E</i> , 2009, 80, 040104.	2.1	115
3	Mechanically Stretchable and Electrically Insulating Thermal Elastomer Composite by Liquid Alloy Droplet Embedment. <i>Scientific Reports</i> , 2016, 5, 18257.	3.3	109
4	Schottky-Barrier Height Tuning by Means of Ion Implantation Into Preformed Silicide Films Followed by Drive-In Anneal. <i>IEEE Electron Device Letters</i> , 2007, 28, 565-568.	3.9	100
5	A Comparative Study of Two Different Schemes to Dopant Segregation at NiSi/Si and PtSi/Si Interfaces for Schottky Barrier Height Lowering. <i>IEEE Transactions on Electron Devices</i> , 2008, 55, 396-403.	3.0	98
6	Photothermoelectric and photovoltaic effects both present in MoS <sub>2</sub> . <i>Scientific Reports</i> , 2015, 5, 7938.	3.3	92
7	Stretchable Thermoelectric Generators Metallized with Liquid Alloy. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 15791-15797.	8.0	72
8	Defect formation in graphene during low-energy ion bombardment. <i>APL Materials</i> , 2016, 4, .	5.1	68
9	On Valence-Band Splitting in Layered MoS <sub>2</sub> . <i>ACS Nano</i> , 2015, 9, 8514-8519.	14.6	65
10	Thickness Considerations of Two-Dimensional Layered Semiconductors for Transistor Applications. <i>Scientific Reports</i> , 2016, 6, 29615.	3.3	57
11	Generalized Noise Study of Solid-State Nanopores at Low Frequencies. <i>ACS Sensors</i> , 2017, 2, 300-307.	7.8	57
12	Surface-energy triggered phase formation and epitaxy in nanometer-thick Ni <sub>1-x</sub> P <sub>x</sub> silicide films. <i>Applied Physics Letters</i> , 2010, 96, .	3.3	51
13	Conductivity exponents in stick percolation. <i>Physical Review E</i> , 2010, 81, 021120.	2.1	49
14	Rectification of protein translocation in truncated pyramidal nanopores. <i>Nature Nanotechnology</i> , 2019, 14, 1056-1062.	31.5	46
15	On Monolayer Formation of Pyrenebutyric Acid on Graphene. <i>Langmuir</i> , 2017, 33, 3588-3593.	3.5	39
16	A Guide to Signal Processing Algorithms for Nanopore Sensors. <i>ACS Sensors</i> , 2021, 6, 3536-3555.	7.8	36
17	Unique UV-Erasable In-Ga-Zn-O TFT Memory With Self-Assembled Pt Nanocrystals. <i>IEEE Electron Device Letters</i> , 2013, 34, 1011-1013.	3.9	35
18	On Rectification of Ionic Current in Nanopores. <i>Analytical Chemistry</i> , 2019, 91, 14597-14604.	6.5	35

#	ARTICLE	IF	CITATIONS
19	Novel Zn-Doped $\text{Al}_2\text{O}_3$ Charge Storage Medium for Light-Erasable InGaZnO TFT Memory. IEEE Electron Device Letters, 2013, 34, 1008-1010.	3.9	34
20	Graphene as a Diffusion Barrier in Galinstan-Solid Metal Contacts. IEEE Transactions on Electron Devices, 2014, 61, 2996-3000.	3.0	33
21	Ultra-shallow junctions formed using microwave annealing. Applied Physics Letters, 2013, 102, .	3.3	30
22	Interaction of bipolaron with the H <sub>2</sub> O/O <sub>2</sub> redox couple causes current hysteresis in organic thin-film transistors. Nature Communications, 2014, 5, 3185.	12.8	30
23	Characterization of Ni(Si,Ge) films on epitaxial SiGe(100) formed by microwave annealing. Applied Physics Letters, 2012, 101, 092101.	3.3	28
24	A graphene field-effect capacitor sensor in electrolyte. Applied Physics Letters, 2012, 101, .	3.3	28
25	Physical Model for Rapid and Accurate Determination of Nanopore Size via Conductance Measurement. ACS Sensors, 2017, 2, 1523-1530.	7.8	28
26	Extending the Spectral Responsivity of MoS <sub>2</sub> Phototransistors by Incorporating UpConversion Microcrystals. Advanced Optical Materials, 2018, 6, 1800660.	7.3	25
27	Protein Sensing Beyond the Debye Length Using Graphene Field-Effect Transistors. IEEE Sensors Journal, 2018, 18, 6497-6503.	4.7	23
28	On Induced Surface Charge in Solid-State Nanopores. Langmuir, 2020, 36, 8874-8882.	3.5	23
29	Understanding the microwave annealing of silicon. AIP Advances, 2017, 7, .	1.3	22
30	Ink-jet printed thin-film transistors with carbon nanotube channels shaped in long strips. Journal of Applied Physics, 2011, 109, 084915.	2.5	20
31	Exploitation of a self-limiting process for reproducible formation of ultrathin Ni <sub>1-x</sub> P <sub>x</sub> silicide films. Applied Physics Letters, 2010, 97, 252108.	3.3	19
32	On Different Process Schemes for MOSFETs With a Controllable NiSi-Based Metallic Source/Drain. IEEE Transactions on Electron Devices, 2011, 58, 1898-1906.	3.0	19
33	A two-in-one process for reliable graphene transistors processed with photo-lithography. Applied Physics Letters, 2015, 107, .	3.3	19
34	Device Noise Reduction for Silicon Nanowire Field-Effect-Transistor Based Sensors by Using a Schottky Junction Gate. ACS Sensors, 2019, 4, 427-433.	7.8	18
35	Fundamentals and potentials of solid-state nanopores: a review. Journal Physics D: Applied Physics, 2021, 54, 023001.	2.8	18
36	On nanopore DNA sequencing by signal and noise analysis of ionic current. Nanotechnology, 2016, 27, 215502.	2.6	17

#	ARTICLE	IF	CITATIONS
37	A real-time Raman spectroscopy study of the dynamics of laser-thinning of MoS <sub>2</sub> flakes to monolayers. <i>AIP Advances</i> , 2017, 7, .	1.3	16
38	Zero-Depth Interfacial Nanopore Capillaries. <i>Advanced Materials</i> , 2018, 30, 1703602.	21.0	15
39	Highly conductive ultrathin Co films by high-power impulse magnetron sputtering. <i>Applied Physics Letters</i> , 2018, 112, .	3.3	15
40	Mobility Extraction for Nanotube TFTs. <i>IEEE Electron Device Letters</i> , 2011, 32, 913-915.	3.9	14
41	Improved electrical performance of carbon nanotube thin film transistors by utilizing composite networks. <i>Applied Physics Letters</i> , 2008, 92, .	3.3	13
42	A generalized 3 $\frac{1}{2}$ % method for extraction of thermal conductivity in thin films. <i>Journal of Applied Physics</i> , 2011, 109, 063502.	2.5	13
43	Group Behavior of Nanoparticles Translocating Multiple Nanopores. <i>Analytical Chemistry</i> , 2018, 90, 13483-13490.	6.5	13
44	Competing Mechanisms for Photocurrent Induced at the Monolayer-Multilayer Graphene Junction. <i>Small</i> , 2018, 14, e1800691.	10.0	13
45	Direct assessment of solid-liquid interface noise in ion sensing using a differential method. <i>Applied Physics Letters</i> , 2016, 108, .	3.3	12
46	Microwave Annealing as a Low Thermal Budget Technique for ZnO Thin-Film Transistors Fabricated Using Atomic Layer Deposition. <i>IEEE Electron Device Letters</i> , 2017, 38, 1390-1393.	3.9	12
47	Accelerating Gas Adsorption on 3D Percolating Carbon Nanotubes. <i>Scientific Reports</i> , 2016, 6, 21313.	3.3	11
48	Dramatically Enhanced Broadband Photodetection by Dual Inversion Layers and Fowler-Nordheim Tunneling. <i>ACS Nano</i> , 2019, 13, 2289-2297.	14.6	11
49	Thermal Stability and Dopant Segregation for Schottky Diodes With Ultrathin Epitaxial $\text{NiSi}_{2-y}$ . <i>IEEE Electron Device Letters</i> , 2011, 32, 1029-1031.	3.9	10
50	An ion-gated bipolar amplifier for ion sensing with enhanced signal and improved noise performance. <i>Applied Physics Letters</i> , 2014, 105, .	3.3	10
51	High thermoelectric power factor of <i>n</i> -type amorphous silicon thin films dispersed with ultrafine silicon nanocrystals. <i>Journal of Applied Physics</i> , 2020, 127, .	2.5	10
52	Evaluation of DC and AC performance of junctionless MOSFETs in the presence of variability. , 2011, , .		9
53	Autogenic analyte translocation in nanopores. <i>Nano Energy</i> , 2019, 60, 503-509.	16.0	9
54	On Gate Capacitance of Nanotube Networks. <i>IEEE Electron Device Letters</i> , 2011, 32, 641-643.	3.9	8

#	ARTICLE	IF	CITATIONS
55	Minimizing sputter-induced damage during deposition of WS <sub>2</sub> onto graphene. Applied Physics Letters, 2017, 110, .	3.3	8
56	Surfactant-Free Stabilization of Aqueous Graphene Dispersions Using Starch as a Dispersing Agent. ACS Omega, 2021, 6, 12050-12062.	3.5	8
57	Deep Learning of Nanopore Sensing Signals Using a Bi-Path Network. ACS Nano, 2021, 15, 14419-14429.	14.6	8
58	Crystallization of NiSi <sub>x</sub> in a Body-Centered Cubic Structure during Solid-State Reaction between an Ultrathin Ni Film and Si(001) Substrate at 150–350 Å°C. Crystal Growth and Design, 2013, 13, 1801-1806.	3.0	7
59	On current blockade upon analyte translocation in nanopores. Journal of Applied Physics, 2021, 129, .	2.5	7
60	Understanding doping effects in biosensing using carbon nanotube network field-effect transistors. Physical Review B, 2009, 79, .	3.2	6
61	Charge-Injection-Induced Time Decay in Carbon Nanotube Network-Based FETs. IEEE Electron Device Letters, 2010, 31, 1098-1100.	3.9	6
62	A two-terminal silicon nanoribbon field-effect pH sensor. Applied Physics Letters, 2010, 97, 264102.	3.3	6
63	A Nanopore Array of Individual Addressability Enabled by Integrating Microfluidics and a Multiplexer. IEEE Sensors Journal, 2020, 20, 1558-1563.	4.7	6
64	Correlation of Low-Frequency Noise to the Dynamic Properties of the Sensing Surface in Electrolytes. ACS Sensors, 2017, 2, 1160-1166.	7.8	5
65	Improving the morphological stability of nickel germanide by tantalum and tungsten additions. Applied Physics Letters, 2018, 112, 103102.	3.3	5
66	Low-Noise Schottky Junction Trigate Silicon Nanowire Field-Effect Transistor for Charge Sensing. IEEE Transactions on Electron Devices, 2019, 66, 3994-4000.	3.0	5
67	Gate coupling and carrier distribution in silicon nanowire/nanoribbon transistors operated in electrolyte. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2011, 29, .	2.1	4
68	Ultra-sensitive and responsive capacitive humidity sensor based on graphene oxide. , 2015, .		4
69	Formation of nickel germanides from Ni layers with thickness below 10 nm. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2017, 35, 020602.	1.2	4
70	Mechanism and Kinetics of Lipid Bilayer Formation in Solid-State Nanopores. Langmuir, 2020, 36, 1446-1453.	3.5	4
71	Dynamics of DNA Clogging in Hafnium Oxide Nanopores. Journal of Physical Chemistry B, 2020, 124, 11573-11583.	2.6	4
72	Self-Limited Formation of Bowl-Shaped Nanopores for Directional DNA Translocation. ACS Nano, 2021, 15, 17938-17946.	14.6	4

#	ARTICLE	IF	CITATIONS
73	Surfactant-free starch-graphene composite films as simultaneous oxygen and water vapour barriers. <i>Npj 2D Materials and Applications</i> , 2022, 6, .	7.9	4
74	Highly Conductive Films by Rapid Photonic Annealing of Inkjet Printable Starch-Graphene Ink. <i>Advanced Materials Interfaces</i> , 2022, 9, 2101884.	3.7	4
75	Photo-Activated Interaction Between P3HT and Single-Walled Carbon Nanotubes Studied by Means of Field-Effect Response. <i>IEEE Electron Device Letters</i> , 2009, 30, 1302-1304.	3.9	3
76	Influence of Carbon Nanotubes on Thermal Stability of Water-Dispersible Nanofibrillar Polyaniline/Nanotube Composite. <i>Materials</i> , 2012, 5, 327-335.	2.9	3
77	Biomimetic supercontainers for size-selective electrochemical sensing of molecular ions. <i>Scientific Reports</i> , 2017, 7, 45786.	3.3	3
78	Nanoarrays on Passivated Aluminum Surface for Site-Specific Immobilization of Biomolecules. <i>ACS Applied Bio Materials</i> , 2018, 1, 125-135.	4.6	3
79	Effects of Substrate Bias on Low-Frequency Noise in Lateral Bipolar Transistors Fabricated on Silicon-on-Insulator Substrate. <i>IEEE Electron Device Letters</i> , 2020, 41, 4-7.	3.9	3
80	Rapid Four-Point Sweeping Method to Investigate Hysteresis of MoS <sub>2</sub> FET. <i>IEEE Electron Device Letters</i> , 2020, 41, 1356-1359.	3.9	3
81	Influence of substrate-induced thermal stress on the superconducting properties of V <sub>3</sub> Si thin films. <i>Journal of Applied Physics</i> , 2021, 129, .	2.5	3
82	Schottky Barrier Height Tuning via the Dopant Segregation Technique through Low-Temperature Microwave Annealing. <i>Materials</i> , 2016, 9, 315.	2.9	2
83	Superconducting V <sub>3</sub> Si for quantum circuit applications. <i>Microelectronic Engineering</i> , 2021, 244-246, 111570.	2.4	2
84	Ultrathin Solar Cells Based on Atomic Layer Deposition of Cubic versus Orthorhombic Tin Monosulfide. <i>ACS Applied Energy Materials</i> , 2021, 4, 8085-8097.	5.1	2
85	Nanoparticle Localization on Solid-State Nanopores Via Electrophoretic Force. , 2019, , .		1
86	Docking and Activity of DNA Polymerase on Solid-State Nanopores. <i>ACS Sensors</i> , 2022, , .	7.8	1
87	Effects of low-temperature water vapor annealing of strained SiGe surface-channel pMOSFETs with high- $\epsilon_r$ dielectric. , 0, , .		0
88	Ultra-low frequency P(VDF-TrFE) piezoelectric energy harvester on flexible substrate. , 2013, , .		0
89	Investigation of resistivity dependent microwave annealing on Si substrates. , 2015, , .		0
90	Crystallization of amorphous silicon on glass substrate by microwave annealing for thin-film-transistor applications. , 2015, , .		0

#	ARTICLE	IF	CITATIONS
91	Schottky barrier height tuning via nickel silicide as diffusion source dopant segregation scheme with microwave annealing. , 2015, , .		0
92	Thermal elastomer composites for soft transducers. , 2015, , .		0
93	Visualization of DNA Translocation and Clogging Using Photoluminescent-Free Silicon Nanopore Arrays. , 2020, , .		0